

<u>EU Number</u>	<u>Invented name</u>	<u>Strength</u>	<u>Pharmaceutical form</u>	<u>Target species</u>	<u>Route of administration</u>	<u>Packaging</u>	<u>Content</u>	<u>Package size</u>	<u>Withdrawal period</u>
EMA/V/C/002283	Emdocam	20 mg/ml	Solution for injection	Cattle, pigs and horses	Cattle: subcutaneous or intravenous use Pigs: intramuscular use Horses: intravenous use	Vial (glass)	50 ml	1 vial	Cattle Meat and offal: 15 days Milk: 5 days Pigs and horses Meat and offal: 5 days
EMA/V/C/002283	Emdocam	20 mg/ml	Solution for injection	Cattle, pigs and horses	Cattle: subcutaneous or intravenous use Pigs: intramuscular use Horses: intravenous use	Vial (glass)	100 ml	1 vial	Cattle Meat and offal: 15 days Milk: 5 days Pigs and horses Meat and offal: 5 days
EMA/V/C/002283	Emdocam	20 mg/ml	Solution for injection	Cattle, pigs and horses	Cattle: subcutaneous or intravenous use Pigs: intramuscular use Horses: intravenous use	Vial (glass)	250 ml	1 vial	Cattle Meat and offal: 15 days Milk: 5 days Pigs and horses Meat and offal: 5 days
EMA/V/C/002283/X/013	Emdocam	15 mg/ml	Oral suspension	horses	Oral	Vial (Polyethylene)	125 ml	1 vial	Meat and offal: 3 days.
EMA/V/C/002283/X/013	Emdocam	15 mg/ml	Oral suspension	horses	Oral	Vial (Polyethylene)	336 ml	1 vial	Meat and offal: 3 days.

EMA/V/C/002283 /X/012	Emdocam	5 mg/ml	Solution for injection	Dogs, Cats	Dogs: subcutaneous or intravenous use Cats: subcutaneous use	Vial (glass)	20 ml	1 vial	Not applicable
EMA/V/C/002283 /X/012	Emdocam	5 mg/ml	Solution for injection	Dogs, Cats	Dogs: subcutaneous or intravenous use Cats: subcutaneous use	Vial (glass)	50 ml	1 vial	Not applicable
EMA/V/C/002283 /X/012	Emdocam	5 mg/ml	Solution for injection	Cattle and Pigs	Cattle: subcutaneous or intravenous use Pigs: intramuscular use	Vial (glass)	50 ml	1 vial	Cattle: Meat and offal: 15 days Pigs: Meat and offal: 5 days
EMA/V/C/002283 /X/012	Emdocam	5 mg/ml	Solution for injection	Cattle and Pigs	Cattle: subcutaneous or intravenous use Pigs: intramuscular use	Vial (glass)	100 ml	1 vial	Cattle: Meat and offal: 15 days Pigs: Meat and offal: 5 days
EMA/V/C/002283 /X/012	Emdocam	5 mg/ml	Solution for injection	Cattle and Pigs	Cattle: subcutaneous or intravenous use Pigs: intramuscular use	Vial (glass)	250 ml	1 vial	Cattle: Meat and offal: 15 days Pigs: Meat and offal: 5 days