

<b>EU Number</b>	<b>Invented Name</b>	<b>Strength</b>	<b>Pharmaceutical Form</b>	<b>Target species</b>	<b>Route of administration</b>	<b>Packaging</b>	<b>Content</b>	<b>Package size</b>	<b>Withdrawal period</b>
EU/2/08/090/001	Loxicom	0.5 mg/ml	Oral Suspension	Dogs	Oral use	Bottle (PET), measuring syringe (PP/PE)	15 ml	1 bottle with dosing syringe	Not applicable
EU/2/08/090/002	Loxicom	0.5 mg/ml	Oral Suspension	Dogs	Oral use	Bottle (PET), measuring syringe (PP/PE)	30 ml	1 bottle with dosing syringe	Not applicable
EU/2/08/090/003	Loxicom	1.5 mg/ml	Oral Suspension	Dogs	Oral use	Bottle (PET), measuring syringe (PP/PE)	10 ml	1 bottle with dosing syringe	Not applicable
EU/2/08/090/004	Loxicom	1.5 mg/ml	Oral Suspension	Dogs	Oral use	Bottle (PET), measuring syringe (PP/PE)	32 ml	1 bottle with dosing syringe	Not applicable
EU/2/08/090/005	Loxicom	1.5 mg/ml	Oral Suspension	Dogs	Oral use	Bottle (PET), measuring syringe (PP/PE)	100 ml	1 bottle with dosing syringe	Not applicable
EU/2/08/090/006	Loxicom	5 mg/ml	Solution for Injection	Dogs and Cats	Intravenous or subcutaneous	Vial (glass)	10 ml	1 vial	Not applicable
EU/2/08/090/007	Loxicom	5 mg/ml	Solution for Injection	Dogs and Cats	Intravenous or subcutaneous	Vial (glass)	20 ml	1 vial	Not applicable
EU/2/08/090/008	Loxicom	5 mg/ml	Solution for Injection	Dogs and Cats	Intravenous or subcutaneous	Vial (glass)	100 ml	1 vial	Not applicable
EU/2/08/090/009	Loxicom	0.5 mg/ml	Oral Suspension	Cats	Oral use	Bottle (PET), measuring syringe (PP/PE)	15 ml	1 bottle with dosing syringe	Not applicable

EU Number	Invented Name	Strength	Pharmaceutical Form	Target species	Route of administration	Packaging	Content	Package size	Withdrawal period
EU/2/08/090/010	Loxicom	20 mg/ml	Solution for injection	Cattle, pigs and horses	Cattle: subcutaneous or intravenous use Pigs: intramuscular use Horses: intravenous use	Vial (glass)	30 ml	1 vial	Cattle: Meat and offal: 15 days Milk: 5 days Pigs and horses Meat and offal: 5 days
EU/2/08/090/011	Loxicom	20 mg/ml	Solution for injection	Cattle, pigs and horses	Cattle: subcutaneous or intravenous use Pigs: intramuscular use Horses: intravenous use	Vial (glass)	50 ml	1 vial	Cattle: Meat and offal: 15 days Milk: 5 days Pigs and horses Meat and offal: 5 days
EU/2/08/090/012	Loxicom	20 mg/ml	Solution for injection	Cattle, pigs and horses	Cattle: subcutaneous or intravenous use Pigs: intramuscular use Horses: intravenous use	Vial (glass)	100 ml	1 vial	Cattle: Meat and offal: 15 days Milk: 5 days Pigs and horses Meat and offal: 5 days
EU/2/08/090/013	Loxicom	20 mg/ml	Solution for injection	Cattle, pigs and horses	Cattle: subcutaneous or intravenous use Pigs: intramuscular use Horses: intravenous use	Vial (glass)	250 ml	1 vial	Cattle: Meat and offal: 15 days Milk: 5 days Pigs and horses Meat and offal: 5 days

EU Number	Invented Name	Strength	Pharmaceutical Form	Target species	Route of administration	Packaging	Content	Package size	Withdrawal period
EU/2/08/090/014	Loxicom	20 mg/ml	Solution for injection	Cattle, pigs and horses	Cattle: subcutaneous or intravenous use Pigs: intramuscular use Horses: intravenous use	Vial (glass)	250 ml	6 vials	Cattle: Meat and offal: 15 days Milk: 5 days Pigs and horses Meat and offal: 5 days
EU/2/08/090/015	Loxicom	20 mg/ml	Solution for injection	Cattle, pigs and horses	Cattle: subcutaneous or intravenous use Pigs: intramuscular use Horses: intravenous use	Vial (glass)	30 ml	12 vials	Cattle: Meat and offal: 15 days Milk: 5 days Pigs and horses Meat and offal: 5 days
EU/2/08/090/016	Loxicom	20 mg/ml	Solution for injection	Cattle, pigs and horses	Cattle: subcutaneous or intravenous use Pigs: intramuscular use Horses: intravenous use	Vial (glass)	50 ml	12 vials	Cattle: Meat and offal: 15 days Milk: 5 days Pigs and horses Meat and offal: 5 days
EU/2/08/090/017	Loxicom	20 mg/ml	Solution for injection	Cattle, pigs and horses	Cattle: subcutaneous or intravenous use Pigs: intramuscular use Horses: intravenous use	Vial (glass)	100 ml	12 vials	Cattle: Meat and offal: 15 days Milk: 5 days Pigs and horses Meat and offal: 5 days

EU Number	Invented Name	Strength	Pharmaceutical Form	Target species	Route of administration	Packaging	Content	Package size	Withdrawal period
EU/2/08/090/018	Loxicom	20 mg/ml	Solution for injection	Cattle, pigs and horses	Cattle: subcutaneous or intravenous use Pigs: intramuscular use Horses: intravenous use	Vial (glass)	250 ml	12 vials	Cattle: Meat and offal: 15 days Milk: 5 days Pigs and horses Meat and offal: 5 days
EU/2/08/090/019	Loxicom	1.0 mg	Chewable tablet	Dogs	Oral use	Blister (PVC/PVDC/Alu)		10 tablets	Not applicable
EU/2/08/090/020	Loxicom	1.0 mg	Chewable tablet	Dogs	Oral use	Blister (PVC/PVDC/Alu)		20 tablets	Not applicable
EU/2/08/090/021	Loxicom	1.0 mg	Chewable tablet	Dogs	Oral use	Blister (PVC/PVDC/Alu)		100 tablets	Not applicable
EU/2/08/090/022	Loxicom	1.0 mg	Chewable tablet	Dogs	Oral use	Blister (PVC/PVDC/Alu)		500 tablets	Not applicable
EU/2/08/090/023	Loxicom	2.5 mg	Chewable tablet	Dogs	Oral use	Blister (PVC/PVDC/Alu)		10 tablets	Not applicable
EU/2/08/090/024	Loxicom	2.5 mg	Chewable tablet	Dogs	Oral use	Blister (PVC/PVDC/Alu)		20 tablets	Not applicable
EU/2/08/090/025	Loxicom	2.5 mg	Chewable tablet	Dogs	Oral use	Blister (PVC/PVDC/Alu)		100 tablets	Not applicable
EU/2/08/090/026	Loxicom	2.5 mg	Chewable tablet	Dogs	Oral use	Blister (PVC/PVDC/Alu)		500 tablets	Not applicable
EU/2/08/090/027	Loxicom	0.5 mg/ml	Oral Suspension	Cats	Oral use	Bottle (PET), measuring syringe (PP/PE)	5 ml	1 bottle with dosing syringe	Not applicable
EU/2/08/090/028	Loxicom	0.5 mg/ml	Oral Suspension	Cats	Oral use	Bottle (PET), measuring syringe (PP/PE)	30 ml	1 bottle with dosing syringe	Not applicable

<b>EU Number</b>	<b>Invented Name</b>	<b>Strength</b>	<b>Pharmaceutical Form</b>	<b>Target species</b>	<b>Route of administration</b>	<b>Packaging</b>	<b>Content</b>	<b>Package size</b>	<b>Withdrawal period</b>
EU/2/08/090/029	Loxicom	50 mg/g	Oral Paste	Horses	Oral use	Syringe (LDPE)	8.4 g	1 pre-filled syringe	Meat and offal: 3 days
EU/2/08/090/030	Loxicom	50 mg/g	Oral Paste	Horses	Oral use	Syringe (LDPE)	8.4 g	7 pre-filled syringes	Meat and offal: 3 days
EU/2/08/090/031	Loxicom	50 mg/g	Oral Paste	Horses	Oral use	Syringe (LDPE)	8.4 g	14 pre-filled syringes	Meat and offal: 3 days
EU/2/08/090/032	Loxicom	1.5 mg/ml	Oral Suspension	Dogs	Oral use	Bottle (PET), measuring syringe (PP/PE)	200 ml	1 bottle with dosing syringe	Not applicable
EU/2/08/090/033	Loxicom	1.5 mg/ml	Oral Suspension	Dogs	Oral use	Bottle (PET), measuring syringe (PP/PE)	100 ml	2 bottles with dosing syringe	Not applicable