

<b>EU (MA) number</b>	<b>Invented name</b>	<b>Strength</b>	<b>Pharmaceutical form</b>	<b>Target species</b>	<b>Route of administration</b>	<b>Packaging</b>	<b>Content</b>	<b>Package size</b>	<b>Withdrawal period</b>
EU/2/04/042/001	Novem	5 mg/ml	Solution for injection	Cattle and pigs	Subcutaneous use, intramuscular use	Vial (glass)	100 ml	1 vial	Meat and offal: 15 days (cattle), 5 days (pigs)
EU/2/04/042/002	Novem	5 mg/ml	Solution for injection	Cattle and pigs	Subcutaneous use, intramuscular use	Vial (glass)	100 ml	12 vials	Meat and offal: 15 days (cattle), 5 days (pigs)
EU/2/04/042/003	Novem	20 mg/ml	Solution for injection	Cattle and pigs	Subcutaneous use, intramuscular use	Vial (glass)	50 ml	1 vial	Meat and offal: 15 days (cattle), 5 days (pigs) Milk: 5 days
EU/2/04/042/004	Novem	20 mg/ml	Solution for injection	Cattle and pigs	Subcutaneous use, intramuscular use	Vial (glass)	100 ml	1 vial	Meat and offal: 15 days (cattle), 5 days (pigs) Milk: 5 days
EU/2/04/042/005	Novem	20 mg/ml	Solution for injection	Cattle and pigs	Subcutaneous use, intramuscular use	Vial (glass)	20 ml	1 vial	Meat and offal: 15 days (cattle), 5 days (pigs) Milk: 5 days
EU/2/04/042/006	Novem	20 mg/ml	Solution for injection	Cattle and pigs	Subcutaneous use, intramuscular use	Vial (glass)	250 ml	1 vial	Meat and offal: 15 days (cattle), 5 days (pigs) Milk: 5 days
EU/2/04/042/007	Novem	5 mg/ml	Solution for injection	Cattle and pigs	Subcutaneous use, intramuscular use	Vial (glass)	20 ml	1 vial	Meat and offal: 15 days (cattle), 5 days (pigs)
EU/2/04/042/008	Novem	5 mg/ml	Solution for injection	Cattle and pigs	Subcutaneous use, intramuscular use	Vial (glass)	20 ml	12 vials	Meat and offal: 15 days (cattle), 5 days (pigs)

<b>EU (MA) number</b>	<b>Invented name</b>	<b>Strength</b>	<b>Pharmaceutical form</b>	<b>Target species</b>	<b>Route of administration</b>	<b>Packaging</b>	<b>Content</b>	<b>Package size</b>	<b>Withdrawal period</b>
EU/2/04/042/009	Novem	5 mg/ml	Solution for injection	Cattle and pigs	Subcutaneous use, intramuscular use	Vial (glass)	50 ml	1 vial	Meat and offal: 15 days (cattle), 5 days (pigs)
EU/2/04/042/010	Novem	5 mg/ml	Solution for injection	Cattle and pigs	Subcutaneous use, intramuscular use	Vial (glass)	50 ml	12 vials	Meat and offal: 15 days (cattle), 5 days (pigs)
EU/2/04/042/011	Novem	20 mg/ml	Solution for injection	Cattle and pigs	Subcutaneous use, intramuscular use	Vial (glass)	20 ml	12 vials	Meat and offal: 15 days (cattle), 5 days (pigs) Milk: 5 days
EU/2/04/042/012	Novem	20 mg/ml	Solution for injection	Cattle and pigs	Subcutaneous use, intramuscular use	Vial (glass)	50 ml	12 vials	Meat and offal: 15 days (cattle), 5 days (pigs) Milk: 5 days
EU/2/04/042/013	Novem	20 mg/ml	Solution for injection	Cattle and pigs	Subcutaneous use, intramuscular use	Vial (glass)	100 ml	12 vials	Meat and offal: 15 days (cattle), 5 days (pigs) Milk: 5 days
EU/2/04/042/014	Novem	20 mg/ml	Solution for injection	Cattle and pigs	Subcutaneous use, intramuscular use	Vial (glass)	250 ml	6 vials	Meat and offal: 15 days (cattle), 5 days (pigs) Milk: 5 days
EU/2/04/042/015	Novem	40 mg/ml	Solution for injection	Cattle	Subcutaneous use	Vial (glass)	50 ml	1 vial	Meat and offal: 15 days Milk: 5 days
EU/2/04/042/016	Novem	40 mg/ml	Solution for injection	Cattle	Subcutaneous use	Vial (glass)	100 ml	1 vial	Meat and offal: 15 days Milk: 5 days

<b>EU (MA) number</b>	<b>Invented name</b>	<b>Strength</b>	<b>Pharmaceutical form</b>	<b>Target species</b>	<b>Route of administration</b>	<b>Packaging</b>	<b>Content</b>	<b>Package size</b>	<b>Withdrawal period</b>
EU/2/04/042/017	Novem	40 mg/ml	Solution for injection	Cattle	Subcutaneous use	Vial (glass)	50 ml	12 vials	Meat and offal: 15 days Milk: 5 days
EU/2/04/042/018	Novem	40 mg/ml	Solution for injection	Cattle	Subcutaneous use	Vial (glass)	100 ml	12 vials	Meat and offal: 15 days Milk: 5 days