

<u>MA (EU) number</u>	<u>(Invented) name</u>	<u>Strength</u>	<u>Pharmaceutical Form</u>	<u>Route of administration</u>	<u>Immediate Packaging</u>	<u>Content (concentration)</u>	<u>Pack size</u>
EU/1/05/323/001	ProQuad	§	Powder and solvent for suspension for injection	Subcutaneous or intramuscular use	powder: vial (Type I glass); solvent: vial (Type I glass)	0.5 ml	1 vial + 1 vial
EU/1/05/323/002	ProQuad	§	Powder and solvent for suspension for injection	Subcutaneous or intramuscular use	powder: vial (Type I glass); solvent: vial (Type I glass)	0.5 ml	10 vials + 10 vials
EU/1/05/323/005	ProQuad	§	Powder and solvent for suspension for injection	Subcutaneous or intramuscular use	powder: vial (Type I glass); solvent: pre-filled syringe (Type I glass)	0.5 ml	1 vial + 1 pre-filled syringe without needle
EU/1/05/323/006	ProQuad	§	Powder and solvent for suspension for injection	Subcutaneous or intramuscular use	powder: vial (Type I glass); solvent: pre-filled syringe (Type I glass)	0.5 ml	10 vials + 10 pre-filled syringes without needle
EU/1/05/323/007	ProQuad	§	Powder and solvent for suspension for injection	Subcutaneous or intramuscular use	powder: vial (Type I glass); solvent: pre-filled syringe (Type I glass)	0.5 ml	20 vials + 20 pre-filled syringes without needle
EU/1/05/323/008	ProQuad	§	Powder and solvent for suspension for injection	Subcutaneous or intramuscular use	powder: vial (Type I glass); solvent: pre-filled syringe (Type I glass)	0.5 ml	1 vial + 1 pre-filled syringe + 1 needle
EU/1/05/323/009	ProQuad	§	Powder and solvent for suspension for injection	Subcutaneous or intramuscular use	powder: vial (Type I glass); solvent: pre-filled syringe (Type I glass)	0.5 ml	10 vials + 10 pre-filled syringes + 10 needles
EU/1/05/323/010	ProQuad	§	Powder and solvent for suspension for injection	Subcutaneous or intramuscular use	powder: vial (Type I glass); solvent: pre-filled syringe (Type I glass)	0.5 ml	1 vial + 1 pre-filled syringe + 2 needles
EU/1/05/323/011	ProQuad	§	Powder and solvent for suspension for injection	Subcutaneous or intramuscular use	powder: vial (Type I glass); solvent: pre-filled syringe (Type I glass)	0.5 ml	10 vials + 10 pre-filled syringes + 20 needles
EU/1/05/323/012	ProQuad	§	Powder and solvent	Subcutaneous or	powder: vial (Type I	0.5 ml	20 vials + 20 pre-filled

			for suspension for injection	intramuscular use	glass); solvent: pre-filled syringe (Type I glass)	syringes + 20 needles
EU/1/05/323/013	ProQuad	§	Powder and solvent for suspension for injection	Subcutaneous or intramuscular use	powder: vial (Type I 0.5 ml glass); solvent: pre-filled syringe (Type I glass)	20 vials + 20 pre-filled syringes + 40 needles

§ Measles virus¹ Enders' Edmonston strain (live, attenuated) not less than 3.00 log₁₀ TCID₅₀ *

Mumps virus¹ Jeryl Lynn™ (Level B) strain (live, attenuated) not less than 4.30 log₁₀ TCID₅₀ *

Rubella virus² Wistar RA 27/3 strain (live, attenuated) not less than 3.00 log₁₀ TCID₅₀ *

Varicella virus³ Oka/Merck strain (live, attenuated) not less than 3.99 log₁₀ PFU**

* 50% tissue culture infectious dose

** plaque-forming units

(¹) Produced in chick embryo cells.

(²) Produced in human diploid lung (WI-38) fibroblasts.

(³) Produced in human diploid (MRC-5) cells.