



London, 15 September 2008
Doc Ref.: EMEA/HMPC/464551/2008

**COMMITTEE ON HERBAL MEDICINAL PRODUCTS
(HMPC)**

**CALL FOR SUBMISSION OF SCIENTIFIC DATA
RELATING TO THE ASSESSMENT OF**

**Centellae asiaticae herba
Centella asiatica (L.) Urban, herba
(Centella)**

REQUESTED DATE FOR SUBMISSIONS: 30 NOVEMBER 2008

Background

The Committee on Herbal Medicinal Products (HMPC) was established in September 2004, in accordance with Regulation (EC) No 726/2004. The duties of HMPC are laid down in Directive 2004/24/EC amending, as regards traditional herbal medicinal products, Directive 2001/83/EC. They aim at enhancing the harmonisation of procedures and provisions concerning herbal medicinal products laid down in EU Member States, and further integrating herbal medicinal products in the European regulatory framework.

The establishment of Community herbal monographs as well as a draft Community 'list of herbal substances, preparations and combinations thereof for use in traditional herbal medicinal products' are among the core duties of the HMPC. Public calls for submission of relevant scientific data represent an important part of the HMPC's efforts to obtain the best possible basis for the related assessment work.

Call for scientific data

The HMPC invites all interested parties¹ to submit any scientific data, which may be used in the assessment of **Centellae asiaticae herba** as part of the establishment of Community herbal monographs, and/or entries to the Community 'list of herbal substances, preparations and combinations thereof for use in traditional herbal medicinal products'.

The Rapporteur is seeking to receive copies of scientific contributions other than those referred to in the annex to this call for submission of scientific data.

¹ Such as pharmaceutical industry associations, health care professional groups, learned societies, consumers and patients' associations, governmental institutions as well as EU and EEA-EFTA Member States.

Conditions for data submissions

Scientific contributions should be relevant to the purpose of the assessment, and their scope should address either:

1. Well-established medicinal use: Submitted data should provide evidence that the constituent or the constituents of the medicinal product has or have a well-established medicinal use with recognised efficacy and an acceptable level of safety within the meaning of Directive 2001/83/EC as amended.
2. Traditional use: Submitted data should provide evidence that the medicinal product in question, or a corresponding product, has been in medicinal use throughout a period of at least 30 years preceding the date of the application, including at least 15 years within the Community.

Furthermore, the acceptance of scientific contributions will be based on compliance with the following general criteria:

1. The name and contact details of the party providing the scientific contribution is required.
2. Scientific contributions should be classified by the interested party as (i) peer-reviewed data; or (ii) non peer-reviewed data. The EMEA encourages submission of peer-reviewed data/publications (not just the reference) as the most relevant and reliable documents. Non peer-reviewed data such as references from older standard books of phytotherapy or comparable scientific sources can be taken into consideration provided that they are of an adequate quality.
3. A document providing a specification of the literature search strategy, the date of the search, search terms (inclusion/exclusion terms) as well as a listing of databases used for the search should be enclosed.
4. All contributions should be provided in either electronic format (e.g. via e-mail or a CD-Rom) or paper format (2 copies) and a list of attached documents and their references should be enclosed.

Non-compliance with any of these requirements for data submission may result in the rejection of the contribution provided.

To facilitate an effective handling of incoming documents and/or CD-Roms etc., interested parties are requested to submit documents:

either to the following email address: hmpc.secretariat@emea.europa.eu.

or by post:

European Medicines Agency (EMA)
7 Westferry Circus
Canary Wharf
London E14 4HB
United Kingdom
Att.: HMPC secretariat

or by fax: (44-20) 75 23 70 51, Att.: HMPC secretariat.

Please note, that in order for the Rapporteur to respect assessment deadlines, any submissions are kindly requested by **30 November 2008** at the latest.

Copyright

The use by the HMPC of bibliographic material is entirely for a non-commercial purpose. As its non-commercial use by the Committee is guaranteed, any interested party will not incur in any liability as to the use intended by the HMPC by forwarding bibliographic literature to the Committee. The HMPC is in all cases willing to confirm in writing the non-commercial use of documents sent in by interested parties.

Confidentiality

Unpublished data may be included. Confidentiality will be lifted in cases where the contributor has given its consent. In other cases where confidential data are presented, it should be duly justified why these data are protected and how transparency in the procedure of assessment can be assured. The HMPC will consider such submissions on a case-by-case basis. The contributor should also take duly into account the rights of interested parties, as the documentation provided will be used for the development of Community list entries and Community herbal monographs. Such development is underpinned by assessment reports, which will be made public in accordance with measures taken by the EMEA to ensure an appropriate level of transparency.

Language requirements

Documents should be submitted in English where possible since this is the working language of the HMPC, but documents in other official Community languages will be accepted. In order to facilitate the assessment, the HMPC strongly recommends the submission of an abstract in English when original references are provided.

Annex

List of references already acquired by the Rapporteur:

1. Abdul Hamid A, Shah ZM, Muse R, Mohamed S. Characterisation of antioxidative activities of various extracts of *Centella asiatica* (L) Urban. Food Chemistry 2002, 77:465–9
2. Ahmad S, Rahman A, Fatima K, Bader Y. Amino Acid analysis of intellan, a herbal product used in enhancing brain function. Pak J Pharm Sci 1994, 7:17-24
3. Ahshawat MS, Saraf S. Preparation and characterization of herbal creams for improvement of skin viscoelastic properties. Int J Cosmet Sci 2008, 30:183-93
4. Asakawa Y, Matsuda R, Takemoto T. Mono- and Sesquiterpenoids from Hydrocotyle and Centella species. Phytochemistry 1982, 21:2590-2
5. Aziz ZA, Davey MR, Lowe KC, Power JB. Isolation and culture of protoplasts from the medicinal plant *Centella asiatica*. Rev Bras Pl Med 2006, 8:105-9
6. Babu TD, Kuttan G, Padikkala J. Cytotoxic and anti-tumour properties of certain taxa of Umbelliferae with special reference to *Centella asiatica* (L.) Urban. J Ethnopharmacol 1995, 48:53-7
7. Basset A. A new Acquisition in Dermatology – the fatty gauze Madécassol. La vie medicale, 1978, 2-4
8. Bhandari P, Kumar N, Gupta AP, Singh B, Kaul VK. A rapid RP-HPTLC densitometry method for simultaneous determination of major flavonoids in important medicinal plants. J Sep Sci 2007, 30:2092-6
9. Bouhouche N, Solet JM, Simon-Ramiasa A, Bonaly J, Cosson L. Conversion of 3-demethylthiocolchicine into thiocolchicoside by *Centella asiatica* suspension cultures. Phytochemistry 1998, 47:743-7
10. Bradwejn J, Zhou Y, Koszycki D, Shlik J. A double-blind, placebo-controlled study on the effects of Gotu Kola (*Centella asiatica*) on acoustic startle response in healthy subjects. J Clin Psychopharmacol 2000, 20:680-4
11. Brinkhaus B, Linder M, Schuppan D, Hahn EG. Chemical, pharmacological and clinical profile of the East Asian medical plant *Centella asiatica*. Phytomedicine 2000, 7:427-48
12. Brinkhaus B, Lindner M, Schuppan D, Hahn EG. Chemical, pharmacological and clinical profile of the East Asian medical plant *Centella asiatica*. Phytomedicine 2000, 7:427-48
13. Bunpo P, Kataoka K, Arimochi H, Nakayama H, Kuwahara T, Bando Y et al. Inhibitory effects of *Centella asiatica* on azoxymethane-induced aberrant crypt focus formation and carcinogenesis in the intestines of F344 rats. Food Chem Toxicol 2004, 42:1987-97
14. Caldas ED, Machado LL. Cadmium, mercury and lead in medicinal herbs in Brazil. Food Chem Toxicol 2004, 42:599-603
15. Chatterjee TK, Chakraborty A, Pathak M, Sengupta GC. Effects of plant extract *Centella asiatica* (Linn.) on cold restraint stress ulcer in rats. Indian J Exp Biol 1992, 30:889-91
16. Chen SW, Wang WJ, Li WJ, Wang R, Li YL, Huang YN et al. Anxiolytic-like effect of asiaticoside in mice. Pharmacol Biochem Behav 2006, 85:339-44
17. Chen Y, Han T, Qin L, Rui Y, Zheng H. [Effect of total triterpenes from *Centella asiatica* on the depression behaviour and concentration of amino acid in forced swimmin mice]. Journal of Chinese medicinal materials 2003, 26:870-3
18. Chen Y, Qin LP, Zheng HC, Zhang ZH. [Resources distribution and pharmacognostic identification of *Centella asiatica* (L.) urban produced in China]. China journal of Chinese materia medica 2000, 25:199-202

19. Chen YJ, Dai YS, Chen BF, Chang A, Chen HC, Lin YC et al. The effect of tetrandrine and extracts of *Centella asiatica* on acute radiation dermatitis in rats. *Biol Pharm Bull* 1999, 22:703-6
20. Cheng CL, Guo JS, Luk J, Koo MW. The healing effects of *Centella* extract and asiaticoside on acetic acid induced gastric ulcers in rats. *Life Sci* 2004, 74:2237-49
21. Cheng CL, Koo MW. Effects of *Centella asiatica* on ethanol induced gastric mucosal lesions in rats. *Life Sci* 2000, 67:2647-53
22. Chitturi S, Farrell GC. Hepatotoxic slimming aids and other herbal hepatotoxins. *J Gastroenterol Hepatol* 2008, 23:366-73
23. Coldren CD, Hashim P, Ali JM, Oh SK, Sinskey AJ, Rha C. Gene expression changes in the human fibroblast induced by *Centella asiatica* triterpenoids. *Planta Med* 2003, 69:725-32
24. Cristoni A, Di Pierro F. Management of Local Adiposity with Botanicals *Chimica oggi/chemistry today* 1998, 16:11-14
25. Distant F, Scalise F, Ronaz C, Bonfigli A, Fluhry JW, Berardesca E. Oral fish cartilage polysaccharides in the treatment of photoageing: biophysical findings. *International Journal of Cosmetic Science* 2002, 24:81-7
26. Edwin D, Geetha VR, Vishwanathan H, Usha Rani MV. Studies on antimutagenic effects of *Centella asiatica*, *Alternanthera sessilis* and *Embllica officinalis* in somatic cells of mice. *J. Environ. Biol.* 2000, 21:75-8
27. Ernst E. Herbal remedies for anxiety a systematic review of controlled clinical trials. *Phytomedicine* 2006, 13:205-8.
28. Gadahad MR, Rao M, Rao G. Enhancement of hippocampal CA3 neuronal dendritic arborization by *Centella asiatica* (Linn) fresh leaf extract treatment in adult rats. *J Chin Med Assoc* 2008, 71:6-13
29. Gautam R, Saklani A, Jachak SM. Indian medicinal plants as a source of antimycobacterial agents. *J Ethnopharmacol* 2007, 110:200-34
30. Gnanapragasam A, Ebenezer KK, Sathish V, Govindaraju P, Devaki T. Protective effect of *Centella asiatica* on antioxidant tissue defense system against adriamycin induced cardiomyopathy in rats. *Life Sci* 2004, 76:585-97
31. Govindan G, Sambandan TG, Govindan M, Sinskey A, Vanessendelft J, Adenan I, et al. A bioactive polyacetylene compound isolated from *Centella asiatica*. *Planta Med* 2007, 73: 597-9
32. Gupta YK, Veerendra Kumar MH, Srivastava AK. Effect of *Centella asiatica* on pentylenetetrazole-induced kindling, cognition and oxidative stress in rats. *Pharmacol Biochem Behav* 2003, 74:579-85
33. Haftek M, Mac Mary S, Bitoux MA, Creidi P, Seite S, Rougier A et al. Clinical, biometric and structural evaluation of the long-term effects of a topical treatment with ascorbic acid and madecassoside in photoaged human skin. *Exp Dermatol.* 2008, [Epub ahead of print]
34. Herbert D, Paramasivan CN, Prabhakar R, Swaminathan G. *In vitro* experiments with *Centella asiatica*: investigation to elucidate the effect of an indigenously prepared powder of this plant on the acid-fastness and viability of M. tuberculosis. *Indian J Lepr* 1994, 66:65-8
35. Hong SS, Kim JH, Li H, Shim CK. Advanced formulation and pharmacological activity of hydrogel of the titrated extract of *Centella asiatica*. *Arch Pharm Res* 2005, 28:502-8
36. Huang YH, Zhang SH, Zhen RX, Xu XD, Zhen YS. [Asiaticoside inducing apoptosis of tumour cells and enhancing anti-tumour activity of vincristine.]. *Ai Zheng* 2004, 23:1599-604

37. Husain GM, Mishra D, Singh PN, Rao CV, Kumar V. Ethnopharmacological review of native traditional medicinal plants for brain disorders. *Pharmacognosy Reviews* 2007, 1:19-28
38. Hussin M, Abdul-Hamid A, Mohamad S, Saari N, Ismail M, Hair Bejo M. Protective effect of *Centella asiatica* extract and powder on oxidative stress in rats. *Food Chemistry* 2007, 100:535-41
39. Inamdar PK, Yeole RD, Ghogare AB, de Souza NJ. Determination of biologically active constituents in *Centella asiatica*. *Journal of Chromatography A* 1996, 742:127-30
40. Jagetia GC. Radioprotective Potential of Plants and Herbs against the Effects of Ionizing Radiation. *J. Clin. Biochem. Nutr.* 2007, 40:74-81
41. Jayashree G, Kurup Muraleedhara G, Sudarshala S, Jacob VB. Anti-oxidant activity of *Centella asiatica* on lymphoma-bearing mice. *Fitoterapia* 2003, 74:431-4
42. Jayathirtha MG, Mishra SH. Preliminary immunomodulatory activities of methanol extracts of *Eclipta alba* and *Centella asiatica*. *Phytomedicine* 2004, 11:361-5
43. Jia G, Lu X. Enrichment and purification of madecassoside and asiaticoside from *Centella asiatica* extracts with macroporous resins. *J Chromatogr A* 2008, 1193:136-41
44. Jorge OA, Jorge AD. Hepatotoxicity associated with the ingestion of *Centella asiatica*. *Rev Esp Enferm Dig* 2005, 97:115-24
45. Kavindra Nath Tiwari, Nilesh Chandra Sharma, Vaibhav Tiwari, Brahma Deo Singh. Micropropagation of *Centella asiatica* (L.), a valuable medicinal herb. *Plant Cell, Tissue and Organ Culture* 2000, 63:179-85
46. Kim C, Hwang YY, Chang JY, Choi HG, Lim SJ, Lee MK. Development of a novel dosage form for intramuscular injection of titrated extract of *Centella asiatica* in a mixed micellar system. *International Journal of Pharmaceutics* 2001, 220:141-7
47. Kim OT, Ahn JC, Hwang SJ, Hwang B. Cloning and expression of a farnesyl diphosphate synthase in *Centella asiatica* (L.) Urban. *Mol Cells* 2005, 19:294-9
48. Kim OT, Bang KH, Shin YS, Lee MJ, Jung SJ, Hyun DY et al. Enhanced production of asiaticoside from hairy root cultures of *Centella asiatica* (L.) Urban elicited by methyl jasmonate. *Plant Cell Rep* 2007, 26:1941-9
49. Kim OT, Kim MY, Hong MH, Ahn JC, Hwang B. Stimulation of asiaticoside accumulation in the whole plant cultures of *Centella asiatica* (L.) urban by elicitors. *Plant Cell Rep* 2004, 23:339-44
50. Kim OT, Kim MY, Huh SM, Bai DG, Ahn JC, Hwang B. Cloning of a cDNA probably encoding oxidosqualene cyclase associated with asiaticoside biosynthesis from *Centella asiatica* (L.) Urban. *Plant Cell Rep* 2005, 24:304-11
51. Kuroda M, Mimaki Y, Harada H, Sakagami H, Sashida Y. Five new triterpene glycosides from *Centella asiatica*. *Nat. Med.* 2001, 55:134-8
52. Laugel C, Baillet A, Ferrier D, Grossiord JL, Marty JP. Incorporation of triterpenic derivatives within an o/w/o multiple emulsion: structure and release studies. *International Journal of Cosmetic Science* 1998, 20:183-91
53. Lee J, Jung E, Kim Y, Park J, Park J, Hong S et al. Asiaticoside Induces Human Collagen I Synthesis through TGF β Receptor I Kinase (T β RI Kinase)-Independent Smad Signaling. *Planta Med* 2006, 72:324-8
54. Liu M, Dai Y, Li Y, Luo Y, Huang F, Gong Z et al Madecassoside isolated from *Centella asiatica* herbs facilitates burn wound healing in mice. *Planta Med* 2008, 74:809-15
55. Mallol J, Belda MA, Costa D, Noval A, Sola M. Prophylaxis of *Striae gravidarum* with a topical formulation. A double blind trial. *International Journal of Cosmetic Science* 1991, 13:51-57

56. Mamtha B, Kavitha K, Srinivasan KK, Shivananda PG. An *in vitro* study of the effect of *Centella asiatica* [Indian pennywort] on enteric pathogens. Indian J Pharmacol 2004, 36:41-4
57. Maquart FX, Bellon G, Giller P, Randoux A, Borel JP. Stimulation of Collagen synthesis in fibroblast cultures using triterpene extracts of *Centella asiatica*. Sem. Hop. Paris 1989, 65:1571-4
58. Matsuda, H.; Morikawa, T.; Ueda, H.; Yoshikawa, M. Masayuki. Medicinal foodstuffs. XXVI. Inhibitors of aldose reductase and new triterpene and its oligoglycoside, centellasapogenol A and centellasaponin A, from *Centella asiatica* (Gotu Kola). Heterocycles 2001, 55:1499-504
59. Mauri P, Pietta P. Electrospray characterization of selected medicinal plant extracts. J Pharm Biomed Anal 2000, 23:61-8
60. Ming ZJ, Liu SZ, Cao L. [Effect of total glycosides of *Centella asiatica* on antagonizing liver fibrosis induced by dimethylnitrosamine in rats]. Chinese journal of integrated traditional and Western medicine 2004, 24:731-4
61. Mohandas RAO KG, Muddanna RAO S, Gurumadhva RAO S. *Centella asiatica* (Linn) induced behavioural changes during growth spurt period in neonatal rats. Neuroanatomy 2005, 4:18-23
62. Mohandas Rao KG, Muddanna Rao S, Gurumadhva Rao S. *Centella asiatica* (L.) Leaf Extract Treatment During the Growth Spurt Period Enhances Hippocampal CA3 Neuronal Dendritic Arborization in Rats. Evid Based Complement Alternat Med 2006, 3:349-57
63. Moyano E, Bonfill M, Mangas S, Cusidò RM, Piñol MT, Palazòn J. Centellosides Production and Expression Level of Genes Encoding their Synthesis in *Centella asiatica* *in vitro* cultures. Journal of Biotechnology 2007, 131S:S43-S47
64. Ng B, Camacho A, Simmons A, Matthews SC. Ethnicity and use of alternative products in psychiatric patients. Psychosomatics 2006, 47:408-13
65. Pragada RR, Veeravalli KK, Chowdary KP, Routhu KV. Cardioprotective activity of *Hydrocotyle asiatica* L. in ischemia-reperfusion induced myocardial infarction in rats. J Ethnopharmacol 2004, 93:105-8
66. Prum N, Illel B, Raynaud J, Flavonoid glycosides from *Centella asiatica* L. (Umbelliferae). Pharmazie 1983, 38: 423
67. Punturee K, Wild CP, Kasinrerker W, Vinitketkumnun U. Immunomodulatory activities of *Centella asiatica* and *Rhinacanthus nasutus* extracts. Asian Pac J Cancer Prev 2005, 6:396-400
68. Rajkumar S, Jebanesan A. Larvicidal and Adult Emergence Inhibition Effect of *Centella asiatica* Brahmi (Umbelliferae) against Mosquito *Culex quinquefasciatus* Say (Diptera: Culicidae). African Journal of Biomedical Research 2005, 8:31-6
69. Randriamampionona D, Diallo B, Rakotoniriana F, Rabemanantsoa C, Cheuk K, Corbisier AM et al. Comparative analysis of active constituents in *Centella asiatica* samples from Madagascar: application for ex situ conservation and clonal propagation. Fitoterapia 2007, 78:482-9
70. Rao SB, Chetana M, Uma Devi P. *Centella asiatica* treatment during postnatal period enhances learning and memory in mice. Physiology & Behavior 2005, 86:449-57
71. Rossi ABR, Vergnanini AL. Cellulite: a review – European Academy of Dermatology and Venereology JEADV 2000, 14:251–62
72. Ryu JS, Park SG, Kwak TJ, Chang MY, Park ME, Choi KH et al. Improving lip wrinkles: lipstick-related image analysis - Skin Research and Technology 2005, 11:157–64
73. Sahu NP, Roy SK, Mahato SB. Spectroscopic determination of structures of triterpenoid trisaccharides from *Centella asiatica*. Phytochemistry 1989, 28:2852-4

74. Sampson JH, Raman A, Karlsen G, Navsaria H, Leigh IM. *In vitro* keratinocyte antiproliferant effect of *Centella asiatica* extract and triterpenoid saponins. *Phytomedicine*, 2001, 8:230-5
75. Samuel M, Brooke R, Griffiths C. Wrinkles - *Clin Evid* 2004, 12:2372-86.
76. Sastravaha G, Gassmann G, Sangtherapitikul P, Grimm WD. Adjunctive periodontal treatment with *Centella asiatica* and *Punica granatum* extracts in supportive periodontal therapy. *J Int Acad Periodontol* 2005, 7:70-9
77. Sastravaha G, Yotnuengnit P, Booncong P, Sangtherapitikul P. Adjunctive periodontal treatment with *Centella asiatica* and *Punica granatum* extracts. A preliminary study. *J Int Acad Periodontol* 2003, 5:106-15
78. Sastravaha G, Yoynuengnit P, Booncong P, Sangtherapitikul P. Adjunctive periodontal treatment with *Centella asiatica* and *Punica granatum* extracts. A preliminary study. *J Int Acad Periodontol* 2003, 5:106-15
79. Sastravaha GT, Gassmann G, Sangtherapitiku P, Grimm WD. Herbal extracts as adjunct in supportive periodontal therapy - Int Poster J Dent Oral Med 2006, 8: No 01, Poster 305
80. Shinomol GK, Muralidhara Effect of *Centella asiatica* leaf powder on oxidative markers in brain regions of prepubertal mice *in vivo* and its *in vitro* efficacy to ameliorate 3-NPA-induced oxidative stress in mitochondria. *Phytomedicine* 2008, [Epub ahead of print]
81. Shobi V, Goel HC. Protection against radiation-induced conditioned taste aversion by *Centella asiatica*. *Physiol Behav* 2001, 73:19-23
82. Shukla A, Rasik AM, Jain GK, Shankar R, Kulshrestha DK, Dhawan BN. *In vitro* and *in vivo* wound healing activity of asiaticoside isolated from *Centella asiatica*. *J Ethnopharmacol* 1999, 65:1-11
83. Somchit MN, Sulaiman MR, Zuraini A, Samsuddin L, Somchit N, Israf DA et al. Antinociceptive and anti-inflammatory effects of *Centella asiatica*. *Indian J Pharmacol* 2004, 36:377-80
84. Soumyanath A, Zhong YP, Gold SA, Yu X, Koop DR, Bourdette D, Gold BG. *Centella asiatica* accelerates nerve regeneration upon oral administration and contains multiple active fractions increasing nerve elongation *in vitro*. *J Pharm Pharmacol* 2005, 57:1221-9
85. Subathra M, Shila S, Devi MA, Panneerselvam C. Emerging role of *Centella asiatica* in improving age-related neurological antioxidant status. *Exp Gerontol* 2005, 40:707-15
86. Subban R, Veerakumar A, Manimaran R, Hashim KM, Balachandran I. Two new flavonoids from *Centella asiatica* (Linn.). *Nat Med (Tokyo)* 2008, 62:369-73
87. Suguna L, Sivakumar P, Chandrakasan G. Effects of *Centella asiatica* extract on dermal wound healing in rats. *Indian J Exp Biol* 1996, 34:1208-11
88. Tholon L, Neliat G, Chesne C, Saboureaux D, Perrier E, Branka JE. An *in vitro*, *ex vivo*, and *in vivo* demonstration of the lipolytic effect of slimming liposomes: An unexpected α_2 -adrenergic antagonism. *J. Cosmet. Sci.* 2002, 53:209-18
89. Thongnoppua P. High-performance liquid chromatographic determination of asiatic acid in human plasma. *Thai J Pharm Sci* 2008, 32:10-6
90. Vattanajun A, Watanabe H, Tantisira MH, Tantisira B. Isobolographically additive anticonvulsant activity between *Centella asiatica*'s ethyl acetate fraction and some antiepileptic drugs. *J Med Assoc Thai* 88 2005, Suppl 3: S131-40
91. Veerendra Kumar MH, Gupta YK. Effect of different extracts of *Centella asiatica* on cognition and markers of oxidative stress in rats. *J Ethnopharmacol* 2002, 79:253-60
92. Wang XS, Dong Q, Zuo JP, Fang JN. Structure and potential immunological activity of a pectin from *Centella asiatica* (L.) Urban. *Carbohydr Res* 2003, 338:2393-402

93. Wang XS, Duan JY, Fang JN. Structural Features of a Polysaccharide from *Centella asiatica*. Chinese Chemical Letters 2004, 15:187-90
94. Wang XS, Liu L, Fang JN. Immunological activities and structure of pectin from *Centella asiatica*. Carbohydrate Polymers 2005, 60:95-101
95. Wijeweera P, Arnason JT, Koszycki D, Merali Z. Evaluation of anxiolytic properties of Gotukola (*Centella asiatica*) zextracts and asiaticoside in rat behavioural models. Phytomedicine 2006, 13:668-76
96. Wollina U, Abdel-Naser MB, Mani R. A Review of the Microcirculation in Skin in Patients With Chronic Venous Insufficiency: The Problem and the Evidence Available for Therapeutic Options. Lower Extremity Wounds 2006, 5:169-80
97. Xu Y, Cao Z, Khan I, Luo Y. Gotu Kola (*Centella asiatica*) extract enhances phosphorylation of cyclic AMP response element binding protein in neuroblastoma cells expressing amyloid betapeptide. J Alzheimers Dis 2008, 13:341-9
98. Yen GC, Chen HY, Peng HH. Evaluation of the cytotoxicity, mutagenicity and antimutagenicity of emerging edible plants. Food Chem Toxicol 2001, 39:1045-53
99. Yu QL, Duan HQ, Takaishi Y, Gao WY. A novel triterpene from *Centella asiatica*. Molecules 2006, 11:661-5
100. Yu QL, Gao WY, Chen HX, Duan HQ. [Determination of asiaticoside in *Centella asiatica* extract by HPLC-ELSD]. China journal of Chinese materia medica 2007, 32:503-5
101. Yu QL, Gao WY, Zhang YW, Teng J, Duan HQ. [Studies on chemical constituents in herb of *Centella asiatica*]. China journal of Chinese materia medica 2007, 32: 1182-4
102. Zaidan MR, Noor Rain A, Badrul AR, Adlin A, Norazah A, Zakiah I. *In vitro* screening of five local medicinal plants for antibacterial activity using disc diffusion method. Trop Biomed 2005, 22:165-70
103. Zainol MK, Abd-Hamid A, Yusof S, Muse R. Antioxidative activity and total phenolic compounds of leaf, root and petiole of four accessions of *Centella asiatica* (L.) Urban. Food Chemistry 2003, 81:575-81
104. Zheng MS. An experimental study of the anti-HSV-II action of 500 herbal drugs. J Tradit Chin Med 1989, 9:113-6