



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

12 March 2013
EMA/HMPC/571121/2010 *Corr.*¹
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Glycyrrhiza glabra* L. and/or *Glycyrrhiza inflata* Bat. and/or *Glycyrrhiza uralensis* Fisch, radix

Final

The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Agarwal A, Gupta D, Yadav G, Goyal P, Singh PK, Singh U. An evaluation of the efficacy of licorice gargle for attenuating postoperative sore throat: a prospective, randomized, single-blind study. *Anesth Analg.* 2009, 109: 77-81.

Arase Y, Ikeda K, Murashima N, Chayama K, Tsubota A, Koida I *et al.* The Long Term Efficacy of Glycyrrhizin in Chronic Hepatitis C Patients. *Cancer* 1997, 79(8): 1494-500.

Armanini D, Castello R, Scaroni C, Bonanni G, Faccini G, Pellati D *et al.* Treatment of polycystic ovary syndrome with spironolactone plus licorice. *Eur J Obstet Gynecol Reprod Biol.* 2007.

Armanini D, Fiore C, Mattarello MJ, Bielenberg J, Palermo M. History of the endocrine effects of licorice. *Exp Clin Endocrinol Diabetes* 2002, 110: 257–261.

Armanini D, Nacamulli D, Francini-Pesenti F, Battagin G, Ragazzi E, Fiore C. Glycyrrhetic acid, the active principle of licorice, can reduce the thickness of subcutaneous thigh fat through topical application. *Steroids* 2005, 70: 538–542.

Armanini D, Wehling M, Weber PC. Mineralocorticoid effector mechanism of liquorice derivatives in human mononuclear leukocytes. *J Endocrinol Invest.* 1989, 12: 303-306.

Asl MN, Hosseinzadeh H. Review of pharmacological effects of *Glycyrrhiza* sp. and its bioactive compounds. *Phytother Res* 2008, 22: 709-24.

Baker ME. Licorice and enzymes other than 11 beta-hydroxysteroid dehydrogenase: an evolutionary perspective. *Steroids* 1994; 59: 136-41.

Bardhan KD, Cumberland DC, Dixon RA, Holdsworth CD. Clinical trial of deglycyrrhizinised liquorice in gastric ulcer. *Gut* 1978, 19: 779-782.

¹ Minor additions taking into account all comments by Interested Parties received during public consultation. Completion of references used in the assessment.



- Barnes J, Anderson LAA, Phillipson JD. Herbal Medicines 2nd ed. Pharmaceutical Press: London, 2002, 325–329.
- Benigni R, Capra C, Cattorini PE. Piante medicinali – Chimica Farmacologia e Terapia. Inverni & Della Beffa: Milano 1964 Vol II. 840-866.
- Blumenthal M, editor. The ABC Clinical Guide to Herbs. 1st ed. American Botanical Council, Austin, Texas 2003, 2076-2081.
- Bouras P, Skouroliakou M, Tsonas S. Licorice: a traditional herb and its modern effects on humans. *EHP* 2001, 7: 135-140.
- British Herbal Pharmacopoeia. Bournemouth: British Herbal Association 1990, vol. 1.
- Brown P, Salmon PR, Thien-Htut, Read AE. Double-blind trial of carbenoxolone sodium capsules in duodenal ulcer therapy, based on endoscopic diagnosis and follow-up. *Br Med J.* 1972; 3: 661-664.
- Calò LA, Zaghetto F, Pagnin E, Davis PA, De Mozzi P, Sartorato P *et al.*. Effect of aldosterone and glycyrrhetic acid on the protein expression of PAI-1 and p22(phox) in human mononuclear leukocytes. *J Clin Endocrinol Metab.* 2004, 89:1973-1976.
- Cantelli-Forti G, Maffei F, Hrelia P, Bugamelli F, Bernardi M, D'Intino P, *et al.* Interaction of licorice on glycyrrhizin pharmacokinetics. *Environmental Health Perspectives* 1994, 102: 65–68.
- Carratù B, Federici E, Gallo FR, Geraci A, Guidotti M, Multari G *et al.* Plants and parts of plants used in food supplements: an approach to their safety assessments. *Ann Ist Super Sanita.* 2010, 46: 370-388.
- Cassileth BR, Barazzuol JD. Herbal products and other supplements problems of special relevance to surgery. *J Pelvic Surgery* 2001, 7: 21–26.
- Chang Y-P, Cheng C-J, Lin S-H. Licorice-induced hypokalemic paralysis in a patient with chronic atopic dermatitis. *J Med Sci* 2006, 26: 129-132.
- Cheng CJ, Chen YH, Chau T, Lin SH. A hidden cause of hypokalemic paralysis in a patient with prostate cancer. *Support Care Cancer* 2004, 12(11): 810-2.
- Chin Y, Jung H-A, Liu Y, Su BN, Castoro JA, Keller WJ *et al.* Anti-oxidant Constituents of the Roots and Stolons of Licorice (*Glycyrrhiza glabra*). *J Agric Food Chem* 2007, 55: 4691-4697.
- Cinati J, Morgenstern B, Bauer G, Chandra P, Rabenau H, Doerr HW. Glycyrrhizin, an active component of liquorice roots, and replication of SARS-associated coronavirus. *Lancet* 2003; 361: 2045–2046.
- Claude B, Morin P, Lafosse M, Belmont AS, Haupt K. Selective solid-phase extraction of a triterpene acid from a plant extract by molecularly imprinted polymer. *Talanta* 2008, 75: 344–350.
- Crance JM, Scaramozzino N, Jouan A, Garin D. Interferon, ribavirin, 6-azauridine and glycyrrhizin: antiviral compounds active against pathogenic Xaviviruses. *Antiviral Research* 2003, 58: 73–79.
- Crean AM, Abdel-Rahman SE, Greenwood JP. A sweet tooth as the root cause of cardiac arrest. *Can J Cardiol* 2009; 25(10):357-8.
- Cumming AM, Boddy K, Brown JJ, Fraser R, Lever AF, Padfield PL *et al.* Severe hypokalaemia with paralysis induced by small doses of liquorice. *Postgrad Med J.* 1980; 56: 526-529.
- Czech Pharmacopoeia 2009 – Supplement 2010 Graphické zpracování textu ©Grada Publishing, a.s. 2010: 3737.
- Davis EA, Morris DJ. Medicinal uses of licorice through the millennia: the good and plenty of it. *Molecular and Cellular Endocrinology* 1991, 78: 1-6.

- de Klerk GJ, Nieuwenhuis MG, Beutler JJ. Hypokalaemia and hypertension associated with use of liquorice flavoured chewing gum. *Br Med J* 1997; 314: 731-732.
- Dembinska-Kierec A, Pallapies D, Simmet Th, Peskar BM, Peskar BA. Effect of carbenoxolone on the biological activity of nitric oxide: relation to gastroprotection. *Br J Pharmacol* 1991, 104: 811-816.
- Deutscher Arzneimittel-Codex (DAC) 2009 – Ergänzungsbuch zum Arzneibuch – Band 1; ABDA Bundesvereinigung Deutscher Apothekerverbände; Govi Verlag Pharmazeutischer Verlag GmbH; Eschborn Deutscher Apotheker Verlag – Stuttgart 2008: D-095, 20.
- Dhingra D, Sharma A. Antidepressant-like activity of *Glycyrrhiza glabra* L. in mouse models of immobility tests. *Progress in Neuro-Psychopharmacology & Biological Psychiatry* 2006, 30: 449–454.
- Doll R, Langman MJS, Shawdon HH. Treatment of gastric ulcer with carbenoxolone: antagonistic effect of spironolactone. *Gut* 1968, 9: 42-45.
- Elinav E, Chajek-Shaul T. Licorice consumption causing severe hypokalemic paralysis. *Mayo Clin Proc* 2003 Jun, 78(6): 767-8.
- Engqvist A, von Feilitzen F, Einar P, Reichard H. Double-blind trial of deglycyrrhizinated liquorice in gastric ulcer. *Gut* 1973, 14: 711-715.
- ESCOP (European Scientific Cooperative on Phytotherapy): *Liquiritiae radix*. In: Monographs on the medicinal uses of plant drugs. Argyle House, ESCOP, Exeter, UK; 2003.
- European Pharmacopoeia 7th edition: Liquorice root - *Liquiritiae radix* 01/2010: 0277 (under minor revision).
- European Pharmacopoeia 7th edition: Liquorice dry extract for flavouring purposes - *Liquiritiae extractum siccum ad saporandum* 04/2008: 2378 (under revision).
- European Pharmacopoeia 7th edition: Liquorice ethanolic liquid extract, standardised - *Liquiritiae extractum fluidum ethanolicum normatum* 01/2011: 1536 (under minor revision).
- Feldman H, Gilat T. A trial of deglycyrrhizinated liquorice in the treatment of duodenal ulcer *Gut* 1971, 12: 449-451.
- Fenwick GR, Lutomski J, Nieman C. Liquorice, *Glycyrrhiza glabra* L. Composition, uses and analysis. *Food Chemistry* 1990, 38: 119–143.
- Fiore C, Eisenhut M, Ragazzi E, Zanchin G, Armanini D. A history of the therapeutic use of liquorice in Europe. *J Ethnopharmacol.* 2005, 99: 317-324.
- Fiore C, Eisenhut M, Krausse R, Ragazzi E, Pellati D, Armanini D. Antiviral effects of *Glycyrrhiza* species. *Phytother Res.* 2008, 22: 141-148.
- Francini-Pesenti F, Puato M, Piccoli A, Brocadello F. Liquorice-induced hypokalaemia and water retention in the absence of hypertension. *Phytother Res* 2008, 22(4): 563-5.
- Fraser PM, Doll R, Langman MJ, Misiewicz JJ, Shawdon HH. Clinical trial of a new carbenoxolone analogue (BX24), zinc sulphate, and vitamin A in the treatment of gastric ulcer. *Gut* 1972;13: 459-463.
- Fugh-Berman A. Herb-drug interactions. *Lancet.* 2000, 355: 134-138.
- Fuhrman B, Buch S, Vaya J, Belinki PA, Coleman R, Hayek T *et al.* Licorice extract and its major polyphenol glabridin protect low-density lipoprotein against lipid peroxidation: in vitro and ex vivo

studies in humans and in atherosclerotic apolipoprotein E-deficient mice. *Am J Clin Nutr* 1997, 66: 276–275.

Fuhrman B, Volkova N, Kaplan M, Presser D, Attias J, Hayek T *et al.* Antiatherosclerotic Effects of Licorice Extract Supplementation on Hypercholesterolemic Patients: Increased Resistance of LDL to Atherogenic Modifications, Reduced Plasma Lipid Levels, and Decreased Systolic Blood Pressure. *Nutrition* 2002, 18: 268 –273.

Fukai T, Marumo A, Kaitou K, Kanda T, Terada S, Nomura T. Antimicrobial activity of licorice flavonoids against methicillin-resistant *Staphylococcus aureus*. *Fitoterapia* 2002, 73: 536–539.

Gerritsen KG, Meulenbelt J, Spiering W, Kema IP, Demir A, van Driel VJ. An unusual cause of ventricular fibrillation. *Lancet* 2009, 373: 1144.

Glycyrrhiza glabra. Monograph. *Alternative Medicine Review* 2005, 10: 230-237.

Gopal MS. In Vitro Antifungal and Antibacterial Activities of Root Extract of *Glycyrrhiza Glabra*. *Journal of Applied Sciences Research*, 2009, 5: 1436-1439.

Gupta VK, Fatima A, Faridi U, Negi AS, Shanker K, Kumarb JK *et al.* Antimicrobial potential of *Glycyrrhiza glabra* roots. *Journal of Ethnopharmacology* 2008, 116: 377–380.

Hasegawa J, Suyama Y, Kinugawa T, Morisawa T, Kishimoto Y. Echocardiographic findings of the heart resembling dilated cardiomyopathy during hypokalemic myopathy due to licorice-induced pseudoaldosteronism. *Cardiovasc Drugs Ther* 1998, 12(6): 599-600.

Heikens J, Fliers E, Endert E, Ackermans M, van Montfrans G. Licorice-induced hypertension--a new understanding of an old disease: case report and brief review. *Neth J Med*. 1995, 47(5): 230-234.

Hollanders D, Green G, Woolf IL, Boyes BE, Wilson RY, Cowley DJ *et al.* Prophylaxis with deglycyrrhizinised licorice in patients with healed gastric ulcer. *Br Med J*. 1978, 1: 148.

Horwich L, Galloway R. Treatment of gastric ulceration with carbenoxolone sodium: clinical and radiological evaluation. *Br Med J*. 1965, 2: 1274-1277.

Hundertmark S, Dill A, Buhler H, Stevens P, Looman K, Ragosch V *et al.* 11 β -Hydroxysteroid dehydrogenase type 1: a new regulator of fetal lung maturation. *Hormone and Metabolic Research* 2002, 34: 537–544.

Ikken Y, Morales P, Martinez A, Marin ML, Haza AI, Cambero MI. Antimutagenic Effect of Fruit and Vegetable Ethanolic Extracts against *N*-Nitrosamines Evaluated by the Ames Test. *J. Agric Food Chem* 1999, 47: 3257-3264.

Isbrucker RA, Burdock GA. Risk and safety assessment on the consumption of Licorice root (*Glycyrrhiza* sp.), its extract and powder as a food ingredient, with emphasis on the pharmacology and toxicology of glycyrrhizin. *Regular Toxicol Pharmacol*. 2006, 46: 167-92.

Ishida S, Kinoshita M, Sakiya Y, Taira,Z, Ichikawa T. Glycyrrhizin binding site on human serum albumin. *Chemical & Pharmaceutical Bulletin* 1992, 40: 275–278.

Ishiguchi T, Mikita N, Iwata T, Nakata H, Sato H, Higashimoto Y *et al.* Myoclonus and metabolic alkalosis from licorice in antacid. *Intern Med* 2004, 43(1): 59-62.

Ishii Y, Fujii Y. Effects of Fm 100, a fraction of licorice root, on serum gastrin concentration in rats and dogs. *Japan. J. Pharmacol*. 1982, 32: 23-27.

Jatav J, Singh SK, Khatri P, Sharma AK. Recent Pharmacological Trends of *Glycyrrhiza glabra* Linn. *IJPF* 2011, 1: 170-185.

- Jeon JH, Park D, Shin S, Kang DH, Moon SH, Kim YB. Effect of green tea and licorice extracts on cyclophosphamide teratogenicity. *Abstracts / Reproductive Toxicology* 2007, 24: 57–80.
- Jeong HG, You HJ, Park SJ, Moon AR, Chung YC, Kang SK *et al.* Hepatoprotective effects of 18beta-glycyrrhetic acid on carbon tetrachloride-induced liver injury: inhibition of cytochrome P450 2E1 expression. *Pharmacol Res.* 2002, 46: 221-227.
- Kim HJ, Seo SH, Lee B-G, Lee YS. Identification of tyrosinase inhibitors from *Glycyrrhiza uralensis*. *Planta Med.* 2005, 71: 785–787.
- Kim KR, Jeong CK, Park KK, Choi JH, Park JH, Lim SS *et al.* Anti-inflammatory effects of licorice and roasted licorice extracts on TPA-induced acute inflammation and collagen-induced arthritis in mice. *J Biomed Biotechnol.* 2010, 2010: 709378.
- Kinoshita T, Tamura Y, Mizutani K. The isolation and structure elucidation of minor isoflavonoids from licorice of *Glycyrrhiza glabra* origin. *Chem Pharm Bull* 2005, 53: 847– 849.
- Kent UM, Aviram M, Rosenblat M, Hollenberg P. The licorice root derived isoflavan glabridin inhibits the activities of human cytochrome P450S 3A4, 2B6, and 2C9. *Drug Metab Dispos* 2002, 30: 709-715.
- Kobuke T, Inai K, Nambu S, Ohe K, Takemoto T, Matsuki K *et al.* Tumorigenicity study of disodium glycyrrhizinate administered orally to mice. *Food and Chemical Toxicology* 1985, 23: 979–983.
- Langman MJ, Knapp DR, Wakley EJ. Treatment of chronic gastric ulcer with carbenoxolone and gefarnate: a comparative trial. *Br Med J.* 1973, 3: 84-86.
- Larkworthy W, Holgate PF, McIlmurray MB, Langman MJ. Deglycyrrhizinised liquorice in duodenal ulcer. *Br Med J.* 1977, 2: 1123.
- Latif SA, Semafuko WE, Morris DJ. Effects of carbenoxolone administered acutely to adrenalectomized rats (in vivo) on renal and hepatic handling of corticosterone by 11 beta-hydroxysteroid dehydrogenase. *Steroids* 1992, 57: 494-501.
- Li JR, Wang YQ, Deng ZZ. Two new compounds from *Glycyrrhiza glabra*. *J Asian Nat Prod Res* 2005, 7: 677–680.
- Mantovani A, Ricciardi C, Stazi AV, Macri C, Piccioni A, Badellino E *et al.* Teratogenicity study of ammonium glycyrrhizinate in the Sprague–Dawley rat. *Food and Chemical Toxicology* 1988, 26, 435–440.
- Mitscher LA, Drake S, Gollapudi SR, Harris JA, Shankel DM. Isolation and identification of higher plant agents active in antimutagenic assay systems: *Glycyrrhiza glabra*. *Basic Life Sci.* 1986, 39: 153-165.
- Mizuhra Y, Takizawa Y, Ishihara K, Asano T, Kushida H, Morota T, *et al.* The influence of the sennosides on absorption of glycyrrhetic acid in rats. *Biol Pharm Bull* 2005, 28(10): 1897-1902.
- Moghadamnia AA, Motallebnejad M, Khanian M. The Efficacy of the Bioadhesive Patches Containing Licorice Extract in the Management of Recurrent Aphthous Stomatitis. *Phytother. Res.* 2009, 23: 246–250.
- Montgomery RD, Lawrence IH, Manton DJ, Mendl K, Rowe P. A controlled trial of carbenoxolone sodium capsules in the treatment of duodenal ulcer. *Gut* 1968, 9: 704-706.
- Mumoli N, Cei M. Licorice-induced hypokalemia. *Int J Cardiol* 2008, 124(3): 42-4.
- Näf R, Jaquier A. New lactones in liquorice (*Glycyrrhiza glabra* L.). *Flavour Fragr J* 2006, 21: 193–197.

Nomura T, Fukai T, Akiyama T. Chemistry of phenolic compounds of licorice (*Glycyrrhiza* species) and their estrogenic and cytotoxic activities. *Pure Appl Chem* 2002, 74: 1199–1206.

Numazaki. Glycyrrhizin therapy for viral infections. *African Journal of Biotechnology* 2003, 2: 392-393.

Paolini M, Barillari J, Broccoli M, Pozzetti L, Perocco P, Cantelli-Forti G. Effect of liquorice and glycyrrhizin on rat liver carcinogen metabolizing enzymes. *Cancer Letters* 1999, 145: 35–42.

Paolini M, Pozzetti L, Sapone A, Cantelli-Forti G. Effect of licorice and glycyrrhizin on murine liver CYP-dependent monooxygenases. *Life Sciences* 1998: 62, 571–582.

Pellati D, Fiore C, Armanini D, Rassu M, Bertoloni G. In vitro effects of glycyrrhetic acid on the growth of clinical isolates of *Candida albicans*. *Phytother Res.* 2009, 23:572-574.

PDR® (Physician's Desk Reference) for Herbal Medicines, 3rd ed. Thomson Healthcare Inc. Montvale, NJ 2004 [ISBN 1-56363-678-6] 510-519.

Ploeger B, Mensinga T, Sips A, Meulenbelt J, DeJongh J. A human physiologically-based model for glycyrrhizic acid, a compound subject to presystemic metabolism and enterohepatic cycling. *Pharmaceutical Research* 2000, 17: 1516–1525.

Ploeger B, Mensinga T, Sips A, Seinen W, Meulenbelt J, DeJongh J. The pharmacokinetics of glycyrrhizic acid evaluated by physiologically based pharmacokinetic modeling. *Drug Metab Rev* 2001, 33(2): 125-147.

Raveendra KR, Jayachandra, Srinivasa V, Sushma KR, Allan JJ, Goudar K et al. An Extract of *Glycyrrhiza glabra* (GutGard) Alleviates Symptoms of Functional Dyspepsia: A Randomized, Double-Blind, Placebo-Controlled Study. *Evid. Based Complement. Alternat. Med.* 2012; 2012: 216970.

Russo S, Mastropasqua M, Mosetti MA, Peregani C, Paggi A. Low doses of liquorice can induce hypertension encephalopathy. *Am J Nephrol* 2000, 20: 145-148.

Sabbioni C, Mandrioli R, Ferranti A, Bugamelli F, Saracino MA, Cantelli Forti G et al. Separation and analysis of glycyrrhizin, 18-glycyrrhetic acid and 18-glycyrrhetic acid in liquorice roots by means of capillary zone. *Electrophoresis Journal of Chromatography A* 2005, 1081: 65–71.

Saeedi M, Morteza-Semnani K, Ghoreishi MR. The treatment of atopic dermatitis with licorice gel. *J Dermatol Treat* 2003, 14: 153–157.

SCF, 2003. Opinion of the Scientific Committee on Food on glycyrrhizic acid and its ammonium salt. European Commission Scientific Committee on Food report SCF/CS/ADD/EDUL/225 Final.

Seki H, Ohyama K, Sawai S, Mizutani M, Ohnishi T, Sudo H et al. Licorice beta-amyrin 11-oxidase, a cytochrome P450 with a key role in the biosynthesis of the triterpene sweetener glycyrrhizin. *Proc Natl Acad Sci U S A.* 2008, 105: 14204-9.

SCOGS Select Committee on GRAS Substances Opinion: Ammoniated Glycyrrhizin. SCOGS-Report Number: 28. 1974, 21 CFR Section: 184.1408.

Shinwari ZK, Khan I, Naz S, Hussain SA. Assessment of antibacterial activity of three plants used in Pakistan to cure respiratory diseases *African. Journal of Biotechnology* 2009, 8: 7082-7086.

Shiota G, Harada K, Ishida M, Tomie Y, Okubo M, Katayama S et al. Inhibition of hepatocellular carcinoma by glycyrrhizin in diethylnitrosamine-treated mice. *Carcinogenesis* 1999, 20: 59-63.

Souness GW, Morris DJ. 11-Dehydrocorticosterone in the presence of carbenoxolone is a more potent sodium retainer than corticosterone. *Steroids* 1993, 58: 24-28.

- Stewart PM. 11 beta-Hydroxysteroid dehydrogenase: implications for clinical medicine. *Clin Endocrinol (Oxf)*. 1996, 44: 493-499.
- Strandberg TE, Järvenpää AL, Vanhanen H, McKeigue PM. Birth outcome in relation to licorice consumption during pregnancy. *Am J Epidemiol* 2001, 153: 1085-1088.
- Strandberg TE, Andersson S, Jarvenpaa AL, McKeigue PM. Preterm birth and licorice consumption during pregnancy. *American Journal of Epidemiology* 2002, 156: 803–805.
- Sultana S, Haque A, Hamid K, Urmi KF, Roy S. Antimicrobial, cytotoxic and antioxidant activity of methanolic extract of *Glycyrrhiza glabra*. *Agriculture and Biology Journal of North America* 2010, 1: 957-960.
- Tacconi P, Paribello A, Cannas A, Marrosu MG. Carpal tunnel syndrome triggered by excessive licorice consumption. *J Peripher Nerv Syst* 2009, 14(1): 64-5.
- Turpie AG, Thomson TJ. Carbenoxolone sodium in the treatment of gastric ulcer with special reference to side-effects. *Gut* 1965, 6: 591-594.
- Utsunomiya T, Kobayashi M, Pollard RB, Suzuki F. Glycyrrhizin, an active component of licorice roots, reduces morbidity and mortality of mice infected with lethal doses of influenza virus. *Antimicrob Agents Chemother* 1997, 41: 551–556.
- Van den Bosch AE, Van der Klooster JM, Zuidgeest DM, Ouwendijk RJ, Dees A Severe hypokalaemic paralysis and rhabdomyolysis due to ingestion of liquorice. *Neth J Med* 2005, 63(4): 146-8.
- Van der Zwan A. Hypertension encephalopathy after liquorice ingestion. *Clin Neurol Neurosurg* 1993, 95: 35-7.
- Van Rossum TG, Vulto AG, De Man RA, Brouwer JT, Schalam SW. Review article: Glycyrrhizin as a potential treatment for chronic hepatitis C. *Aliment Pharmacol Ther* 1998, 12: 199–205.
- Van Rossum TG, Vulto AG, Hop WC, Schalm SW. Pharmacokinetics of intravenous glycyrrhizin after single and multiple doses in patients with chronic hepatitis C infection. *Clin Ther*. 1999, 21: 2080-2090.
- Williamson EM. Liquorice. In: Daniels CW editor. *Potter's Cyclopedia of Herbal Medicines*. Saffron Walden, UK, 269-271.
- World Health Organization 1999. *Glycyrrhiza glabra* monograph.
- World Health Organization 2005. Evaluation of certain food additives. Sixty-third report of the Joint FAO/WHO Expert Committee on Food Additives (JECFA). Technical Report Series 928, 121–127.
- Yamaguchi H, Kidachi Y, Kamiie K, Noshita T, Umetsu H, Ryoyama K, Glycyrrhetic Acid Induces Anoikis-Like Death and Cytoskeletal Disruption in the Central Nervous System Tumorigenic Cells. *Biol Pharm Bull* 2010, 33(2): 321-324.
- Yasue H, Itoh T, Mizuno Y, Harada E. Severe hypokalemia, rhabdomyolysis, muscle paralysis, and respiratory impairment in a hypertensive patient taking herbal medicines containing licorice. *Intern Med* 2007, 46(9): 575-8.
- Yoshida S, Takayama Y. Licorice-induced hypokalemia as a treatable cause of dropped head syndrome. *Clin Neurol Neurosurg* 2003, 105: 286-287.
- Yorgun H, Aksoy H, Sendur MA, Ateş AH, Kaya EB, Aytemir K *et al*. Brugada syndrome with aborted sudden cardiac death related to liquorice-induced hypokalemia. *Med Princ Pract*. 2010, 19: 485-489.

Zani F, Cuzzoni MT, Daglia M, Benvenuti S, Vampa G, Mazza P. Inhibition of mutagenicity in *Salmonella typhimurium* by glycyrrhiza extract, glycyrrhizinic acid, 18a- and 18b-glycyrrhetic acid. *Plant Med* 1993, 59: 502-507.

Zhang Q, Ye M, Chemical analysis of the Chinese herbal medicine Gan-Cao (licorice). *Journal of Chromatography A* 2009, 1216: 1954–1969.

Other references consulted but not mentioned in the AR:

Alkofahi A, Atta AH: Pharmacological screening of the antiulcerogenic effects of some Jordanian medicinal plants in rats. *J. Ethnopharmacol.* 1999; 67: 341-345.

Dehpour AR, Zolfaghari ME, Samadian T, Kobarfard F, Faizi M, Assari M: Antiulcer activities of liquorice and its derivatives in experimental gastric lesion induced by ibuprofen in rats. *Int. J. Pharm.* 1995; 119: 133-138.

Dehpour AR, Zolfaghari ME, Samadian T, Vahedi Y: The protective effect of liquorice components and their derivatives against gastric ulcer induced by aspirin in rats. *J. Pharm. Pharmacol.* 1994; 46: 148-149.

Khayyal MT, Seif-El-Nasr M, El-Ghazaly MA, Okpanyi SN, Kelber O, Weiser D: Mechanisms involved in the gastroprotective effect of STW 5 and its components against ulcers and rebound acidity. *Phytomedicine* 2006; 13: SV 56-66.

Schemann M, Michel K, Zeller F, Hohenester B, Ruhl A: Region-specific effects of STW 5 and its components in gastric fundus, corpus and antrum. *Phytomedicine* 2006; 13: SV 90-99.

Schempp H, Weiser D, Kelber O, Elstner EF: Radical scavenging and anti-inflammatory properties of STW 5 and its components. *Phytomedicine* 2006; 13: SV 36-44.

Shihata IM, Elghamry M I: Experimental studies on the effect of *Glycyrrhiza glabra*. *Planta Medica* 1963; 1: 37-43.

Simmen U, Kelber O, Okpanyi SN, Jaeggi R, Bueter B, Weiser D: Binding of STW 5 and its components to intestinal 5-HT, muscarinic M3, and opioid receptors. *Phytomedicine* 2006; 13: SV 51-55.

Wrociński T: Determination of efficacy of spasmolytic drugs using the papaverine standard. *Biuletyn Instytutu Roslin Leczniczych* 1960: 236-254.