



London, 12 November 2009
Doc. Ref.: EMA/HMPC/115209/2008

COMMITTEE ON HERBAL MEDICINAL PRODUCTS (HMPC)

FINAL

LIST OF REFERENCES SUPPORTING THE ASSESSMENT REPORT ON:

**Hamamelidis cortex, Hamamelidis folium,
Hamamelidis folium et cortex aut ramunculus destillatum;
Hamamelis virginiana L.
(hamamelis bark, hamamelis leaf, hamamelis leaf and bark or twigs distillate)**

The EMA acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Aronson JK et al. Mayler's Side Effects of Drugs. The International Encyclopedia of Adverse Drug Reactions and Interactions. 15th ed. Elsevier BV, Amsterdam, 2006.

Aronson JK, Van Boxtel CJ. Side Effects of Drugs Annual 19 (SEDA- 19). Elsevier Science BV, Amsterdam, 1996.

Abeck D. Optimal management of atopic dermatitis. *Am J Clin Dermatol* 2000, 1(1): 41-46.

Agence du médicament: Médicaments à base de plantes. Les cahiers de l'Agence n°3. Sant Denis, Paris, 1998.

Balansard P, Faure F, Balansard G, Delaage M, Roussey A, Bouyard P. Tonivenuous effect of a purified extract from *Hamamelis virginiana*. *Thérapie* 1972, 27(5): 675-682.

Balansard P, Faure F, Balansard G, Delaage M, Roussey A, Bouyard P. Tonivenuous effect of a purified extract from *hamamelis virginiana*. *Thérapie*. 1972, 27(5): 793-739.

Barnes J, Anderson LA, Phillipson JD. *Plantas Medicinales*, 1st ed., Pharma editores, 2005, *Herbal Medicines*, 2nd ed. Pharmaceutical Press, 2004.

Berardi RR et al. *Handbook of Nonprescription Drugs. An Interactive Approach to Self-care*. 15th edition. American Pharmacists Association, Washington, 2006.

Bernard P, Balansard P, Balansard G, Bovis A. Valeur pharmacodynamique toniveineuse des préparations galéniques à base de feuilles d'hamamélis. [Venitonic pharmacodynamic value of galenic preparations with a base of *Hamamelis* leaves]. *J Pharm Belg* 1972, 27(4): 505-512.

Bisset NG. *Herbal Drugs and Phytopharmaceuticals*. 3rd ed. (translated from: Teedrogen *Herbal Drugs and Phytopharmaceutical*, 1994) Wichtl M, Medpharm GmbH Scientific Publishers, Stuttgart 2004.

- Blumenthal M, Hall T et al. The ABC Clinical Guide to herbs. American Botanical Council Austin, Texas 2003.
- Blumenthal M, Goldberg A, Brinckmann J, eds. Herbal Medicine, Expanded Commission E Monographs. American Botanical Council Austin, Texas 2000.
- Blumenthal M, Busse WR, Goldberg A, Gruenwald J, Hall T, Riggins W and Rister RS, eds. The Complete German Commission E Monographs: Therapeutic Guide to Herbal Medicines. American Botanical Council Austin, Texas 1998, 82-83.
- British Herbal Pharmacopoeia 1983. Bournemouth, British Herbal Medicine Association, 1983.
- British Herbal Compendium (BHC) Volume I. 1992.
- Bruneton J. Pharmacognosy. Phytochemistry Medicinal Plants. 2nd ed. (translation by Hatton CK). Intercept Ltd. 1999.
- Bruynzeel DP (et al). Contact sensitization by alternative topical medicaments containing plant extracts. The Dutch Contact Dermatoses Group. *Contact Dermat* 1992, 27(4): 277-278.
- Cañigual S, Vila R (translated from Wichtl M Teedrogen Herbal Drugs and Phytopharmaceutical, 2nd ed. 1989). Plantas medicinales y drogas vegetales para infusión y tisana. OEMF, 1998.
- Choi HR, Choi JS, Han YN, Bae SJ, Chung HY. Peroxynitrite scavenging activity of herb extracts. *Phytother Res* 2002 16(4): 364-367.
- CGCOF. Consejo General de Colegios Oficiales de Farmacéuticos (España). Catálogo de Medicamentos 2007.
- DAB 6 (EB-6) Deutsches Arzneibuch (EB.6. ds. Hdb. Bd. 1, S.693)
- DAC 86. German Pharmaceutical Codex (DAC. ds. Hdb. Bd.4 S. 1028).
- Dauer A, Hensel A, Lhoste E, Knasmüller S, Mersch-Sundermann V. Genotoxic and antigenotoxic effects of catechin and tannins from the bark of *Hamamelis virginiana* L. in metabolically competent, human hepatoma cells (Hep G2) using single cell gel electrophoresis. *Phytochemistry* 2003, 63(2): 199-207.
- Dauer A, Rimpler H, Hensel A. Polymeric proanthocyanidins from the bark of *Hamamelis virginiana*. *Planta Med* 2003, 69(1): 89-91.
- Dauer A, Metzner P, Schimmer O. Proanthocyanidins from the bark of *Hamamelis virginiana* exhibit antimutagenic properties against nitroaromatic compounds. *Planta Med* 1998, 64(4): 324-327.
- Deters A, Dauer A, Schnetz E, Fartasch M, Hensel A. High molecular compounds (polysaccharides and proanthocyanidins) from *Hamamelis virginiana* bark: influence on human skin keratinocyte proliferation and differentiation and influence on irritated skin. *Phytochemistry* 2001, 5(6): 949-958.
- De Smet PAGM, Keller K, Hansel R, Chandler RF, eds. Adverse effects of herbal drugs, Volume 2. Berlin, Springer 1993, 62.
- Diemunsch AM et Mathis C. Effect vasoconstricteur de l'hamamélis en application externe. *S.T.P. Pharma* 1987, 3(2): 111-114.
- Dixon RA, Xie DY, Shama SB. Proanthocyanidins- a final frontier in flavonoid research? *New Phyto* 2005, 16(1): 9-28.

Duke JA. Handbook of Medicinal Herbs. 2nd ed. CRC Press, Boca Raton, Florida 2002.

Duke JA. Handbook of Medicinal Herbs. CRC Press, Boca Raton 1985.

Duwiejua M, Zeitlin IJ, Waterman PG, Gray AI. Anti-inflammatory activity of Polygonum bistorta, Guaiacum officinale and Hamamelis virginiana in rats. *J Pharm Pharmacol* 1994, 46(4): 286-290.

East C, Begg L, Henshall N, Marchant P, Wallace K. Local cooling for relieving pain from perineal trauma sustained during childbirth. Available in: Cochrane database of systematic reviews, 2007 (4) Cochrane AN= CD006304

Ebadi MS. Pharmacodynamic Basis of Herbal Medicine. CRC Press 2002.

Engel R, Gutmann M, Hartisch C, Kolodziej H, Nahrstedt A. Study on the composition of the volatile fraction of Hamamelis virginiana. *Planta Med* 1998, 64(3): 251-253.

Erdelmeier CAJ, Ciantl J Jr., Rabenau H, Doerr HW, Biber A, Koch E. Antiviral and Antiphlogistic Activities of Hamamelis virginiana Bark. *Planta Med* 1996, 62(3): 241-245.

Falch B. Hamameliswasser in der Dermatologie. Erfahrungen bei der Behandlung von seborrhoischer, atopischer und nichtatopischer Dermatitis [Hamamelis water in dermatology. Experiences in the treatment of seborrheic, atopic and non-atopic dermatitis]. *Forsch Komplementarmed* 1999, (3): 167-168.

Gäbler H. 100 Jahre Hamamelis Salbe [100 years of Hamamelis ointment]. *Dtsch Apoth Z* 1978, 30: 202-204.

GHP. German Homeopathic Pharmacopoeia, 1993. Medpharm scientific Publishers

Gloor M, Wasik B, Gehring W. Does hamamelis have anti-inflammatory activity? *Z Hautkur* 2001, 76: 429-435.

Gloor M, Reichling J, Wasik B, Holzgang HE. Antiseptic effect of a topical dermatological formulation that contains Hamamelis distillate and urea. *Forsch Komplementarmed Klass Naturheilkd* 2002, 9 (3): 153-159.

Gosselin RE, Hodge HC, Smith RP, Gleason MN. Clinical Toxicology of Commercial Products. 4th ed. Baltimore, Williams and Wilkins 1976, II-150.

Gracza L. Hamamelidis cortex. Hamamelisrinde. In: Wichtl M, editor. Teedrogen und Phytopharmaka, 3rd ed. Stuttgart, Wissenschaftliche Verlagsgesellschaft 1997, 270-272.

Grandlund H. Contact Allergy to witch hazel. *Contact Dermat* 1994, 31(3): 195.

Gruenwald J, Brendler T, Jaenicke MD. PDR for Herbal Medicines. 3rd ed. Thomson 2004.

Haberland C, Kolodziej H. Novel Galloylhamameloses from Hamamelis virginiana. *Planta Med* 1994, 60(5): 464-466.

Habtemariam S. Hamamelitannin from Hamamelis virginiana inhibits the tumour necrosis factor-alpha (TNF)-induced endothelial cell death in vitro. *Toxicol* 2002, 40(1): 83-88.

Hamamelidis aqua (Hamamelis water). European Scientific Cooperative on Phytotherapy, Exeter 2003. In: ESCOP Monographs, 2nd edition, 2003.

Hamamelidis cortex (Hamamelis bark). European Scientific Cooperative on Phytotherapy, Exeter, 2003. In ESCOP Monographs, 2nd edition, 2003.

- Hamamelidis folium (Hamamelis leaf). European Scientific Cooperative on Phytotherapy, Exeter 2003. In: ESCOP Monographs, 2nd edition, 2003.
- Hamamelidis folium. Hamamelis leaf. Monograph: 04/2008:0909. In: European Pharmacopoeia. 6th ed., 2007, Vol 6.1:3471.
- Hamamélis. In: Abrégé de Matière Médicale (Pharmacognosie). 1981. Tome 1, monographies: 107-109. Paris M, Hurabielle M and Cohen Y.
- Hamamelis. In: British Pharmaceutical Codex 1973. London. Pharmaceutical Society of Great Britain. Pharmaceutical Press 1973, 218.
- Hamamelis. In: Fitoterapia. Vademecum de prescripción. 4^a ed., Masson 2003. Vanaclocha B, Cañigueral S.
- Hamamelis. In: Monografías Farmacéuticas. Colegio Oficial de Farmacéuticos de Alicante 1998. Vidal Aliaga JL (et al).
- Hamamelis. In: RTECS. Registry of Toxic Effects of Chemical Substances, 38916. NIOSH, 85-86 ed. JNCIAM 60, 683, 78.
- Hamamelis. In: RTECS. Registry of Toxic Effects of Chemical Substances, 38916. NIOSH, 85-86 ed. Environ Mutagen 8 (Suppl. 7); 1: 86.
- Hamamelis. In: WHO monographs on selected medicinal plants. WHO, Geneva 2002, 124-136.
- Hänsel R, Keller K, Rimpler H, Schneider G, eds. Hagers Handbuch der Pharmazeutischen Praxis, Drogen E-O. 5th ed. (Hamamelis). Springer Verlag, Berlin 1993, 5: 367-384.
- Hänsel R, Sticher O. Pharmakognosie – Phytopharmazie. Springer, Heidelberg 2007.
- Harkness R, Bratman S. Iron Salts - Beverage Teas. In: Mosby's Handbook of Drug-Herb and Drug-Supplement Interactions. Mosby 2003.
- Hartisch C, Kolodziej H, von Bruchhausen F. Dual inhibitory activities of tannins from Hamamelis virginiana and related polyphenols on 5-lipoxygenase and lyso-PAF: acetyl-CoA acetyltransferase. *Planta Med* 1997, 63(2): 106-110.
- Hartmann W, Wolff HH, Welzel J. "Mit der Kraft der Zaubernuss gegen trockene, juckende Haut". [The force of the witch hazel against dry, itching skin.]. *Dtsch Apothek Z* 2005, 99.
- Haseman JK, Crawford DD, Huff JE, Boorman GA, McConnell EE. Results from 86 two-year carcinogenicity studies conducted by the National Toxicology Program. *J Toxicol Envir Health* 1984, 14(5-6): 621-639.
- Haseman JK, Huff JE, Zeiger E, McConnell EE. Comparative results of 327 chemical carcinogenicity studies. *Environ Health Perspect* 1987, 74(10): 229-235.
- Hill N, Tam C, van Haselen RA. The efficacy of Prikweg gel in the treatment of insect bites: a double-blind, placebo-controlled clinical trial. *Pharm World Sci* 1996, 18(1): 35-41.
- Hughes-Formella BJ, Filbry A, Gassmueller J, Rippke F. Anti-inflammatory efficacy of topical preparations with 10% hamamelis distillate in a UV erythema test. *Skin Pharmacol Appl Skin Physiol* 2002, 15(2): 125-132.
- Hughes-Formella BJ, Bohnsack K, Rippke F, Benner G, Rudolph M, Tausch I, Gassmueller J. Anti-inflammatory effect of hamamelis lotion in a UVB erythema test. *Dermatology* 1998, 196(3): 316-322.

IARC monographs on the evaluation of carcinogenic risk of chemicals to man, tannic acid and tannins. *Int Ag Cancer* 1976, 10: 253-262.

Johanson JF, Sonnenberg A. The prevalence of haemorrhoids and chronic constipation. An epidemiologic study. *Gastroenterology* 1990, 98: 380-386.

Knoch HG, Klug W, Hubber WD. Salbenbehandlung von hämorrhoiden ersten grades [First degree hemorrhoids: Comparison of the effectiveness of a herb based preparation and two ointments containing synthetic agents]. *Forstschr Med* 1992; 110(8): 69-74.

Knoch HG. Hämorrhoiden ersten Grades: Wirksamkeit einer Salbe auf pflanzlicher Basis. *Munch Mediz Wochenschr* 1999, 133(31/32): 481-484.

Korting HC, Schäfer-Korting M, Klövekorn W, Klövekorn G, Martin C, Laux P. Comparative efficacy of hamamelis distillate and hydrocortisone cream in atopic eczema. *Eur J Clin Pharmacol* 1995, 48(6): 461-465.

Korting HC, Schäfer-Korting M, Hart H, Laux P, Schmid M. Anti-inflammatory activity of hamamelis distillate applied topically to the skin. Influence of vehicle and dose. *Eur J Clin Pharmacol* 1993, 44(4): 315-318.

Lamont Hume A and Strong KM. In: Handbook of Nonprescription Drugs. 15th ed., 2006, 1122.

Lauk L, Lo Bue AM, Milazzo I, Rapisarda A, Blandino G. Antibacterial activity of medicinal plant extracts against periodontopathic bacteria. *Phytother Res* 2003, 17(6): 599-604.

Laux P, Oschmann R. Die Zaubernuss. *Hamamelis virginiana* L. *Zeitschr Phytother* 1993, 143: 155-166.

Leung AY, Foster S. Encyclopedia of Common Natural Ingredients Used in Food, Drugs and Cosmetic. 2nd ed. New York, John Wiley & Sons Inc. 1996.

McGuffin M, Hobbs C, Upton R, Goldberg A. American Herbal Products Association's Botanical Safety Handbook: Guidelines for the safe use and labelling for herbs in commerce. CRC Press LLC, 1997.

MacKay D. Hemorrhoids and varicose veins: a review of treatment options. *Altern Med Rev* 2001, 6(2): 126-140.

Mahady GB. Medicinal Plants for the Prevention and Treatment of Bacterial Infections. *Curr Pharm Des* 2005, 11: 2405-2427.

Masaki H, Atsumi T, Sakurai H. Protective activity of hamamelitannin on cell damage induced by superoxide anion radicals in murine dermal fibroblasts. *Biol Pharm Bull* 1995, 18(1): 59-63.

Masaki Hitoshi, Sakaki Sachiko, Atsumi Takamasa, Sakurai Hiromu. Active oxygen-scavenging activity of plant extracts. *Biol Pharm Bull* 1995 18(1): 162-166.

Masaki H. Active oxygen-scavenging activity of plant extracts. *Frag J* 1995, 23(8): 65-74.

Masaki H, Atsumi T, Sakurai H. Protective activity of hamamelitannin on cell damage of murine skin fibroblasts induced by UVB irradiation. *J Dermatol Sc* 1995, 10(1): 25-34.

Masaki H, Atsumi T, Sakurai H. Evaluation of superoxide scavenging activities of hamamelis extract and hamamelitannin. *Free Radic Res Commun* 1993, 19(5): 3333-40.

Masaki H, Sekihara K, Sakak S, Fujii M, Atumi T and Suzuki K. Development of anti-aging component as a cosmetic ingredient. Effect of hamamelitannin as the active oxygen scavenger. *IFSCC International Congress Yokohama*. Abstracts 1992, 2: 437-439.

McGregor DB, Brown A, Cattanaach P, Edwards I, McBride D, Caspary WJ. Responses of the L5178Y tk+/tk- mouse lymphoma cell forward mutation assay. II: 18 coded chemicals. *Environ Mol Mutagen* 1988, 11(1): 91-118.

Mercier F, Vignoli L. Remarques sur des essais physiologiques de l'extrait fluide d'Hamamélis. *Compt Rend Soc Belg* 1936, 121: 668-672.

Millikan LE. Alternative therapy in pruritus. *Dermatologic Therapy* 2003, 16: 175-180.

Mills S, Bone K. Principles and Practice of Phytotherapy. Modern Herbal Medicine. Churchill Livingstone 2000.

Ministère des Affaires Sociales et de l'Emploi. Direction de la Pharmacie et du Médicament: Avis aux fabricants concernant les demandes d'autorisation de mise sur le marché de spécialités pharmaceutiques à base de plantes. *Bulletin officiel n° 86/20 bis* (1986); (1990).

Moore W, James DK. A random trial of three topical analgesic agents in the treatment of episiotomy pain following instrumental vaginal delivery. *J Obst Gynaecol* 1989; 10: 35-39.

Mortelmans K, Haworth S, Lawlor T, Speck W, Tainer B, Zeiger E. Salmonella Mutagenicity tests: II. Results from the testing of 270 Chemicals. *Envir Mutagen* 1986, 8(7): 1-27.

Neugebauer H. Über die Wirkung der Destillate von Hamamelis virginiana und von Corylus avellana. [On the effect of the distillates from Hamamelis virginiana and Corylus avellana] *Die Pharmazie* 1948, 3: 313-314.

Ortiz KJ, Yiannias JA. Contact dermatitis to cosmetics, fragrances, and botanicals. *Derm Therapy* 2004, 17: 264-271.

Periera da Silva A, Rocha R, Silva CM, Mira L, Duarte MF; Florencio MH. Antioxidants in medicinal plant extracts. A research study of the antioxidant capacity of Crataegus, Hamamelis and Hydrastis. *Phytother Res* 2000, 14(8): 612-616.

Pharmacopoea Helvetica VII (1987) by Switzerland Pharmakopöekommission.

Piegorsch WW and Hoel DG. Exploring relationships between mutagenic and carcinogenic potencies. *Mut Res* 1988, 196: 161-175.

Pfister R. Zur Problematik der Behandlung und Nachbehandlung chronischer Dermatosen. Eine Klinische Studie über Hametum Salbe [Problems in treatment and follow-up treatment of chronic dermatoses]. *Forschr Med* 1981, 99: 1254-1268.

Pray WS. Nonprescription Product Therapeutics, 2nd ed. ISBN 0-7817-3498-3 (alk. Paper). Lippincot Williams & Wilkins, Maryland 2006.

Sagareishvili TG, Yarosh EA, Kemertelidze EP. Phenolic compounds from leaves of Hamamelis virginiana. *Chem Nat Comps (Transl Khim Prir Soed)* (2000), 1999, 35(5): 585.

Sorkin B. Hametum Salbe, eine kortikoidfreie antiinflammatoirische Salbe. [Hametum Salbe, a corticoid-free, antiinflammatory ointment] *Physika Med Rehab Zeitschr Prax Med* 1980, 53-57.

Steinhart GP. Anorektale Beschwerden: Viele Symptome und was zu tun? Hamamelis Salbe bewährt sich als entzündungshemmendes Externum zur Langzeittherapie. [Anorectal complaints: many symptoms and what to do?] *Ärztliche Praxis* 1982, 34: 963-964.

Sweetman SC et al. Martindale: The Complete Drug Reference, 35th ed. London. Pharmaceutical Press, London 2007.

Thappa DM, Pise GA. Anti-aging therapies: Other half of the story. *Indian J Dermatol Venereol Leprol* 2006, 72(6): 459-460.

Thomson KF, Wilkinson SM. Allergic contact dermatitis to plant extracts in patients with cosmetic dermatitis. *Br J Dermatol* 2000, 142(1): 84-88.

Touriño S, Lizárraga D, Carreras A, Lorenzo S, Ugartondo V, Mitjans M, Vinardell MP, Juliá L, Cascante M, Torres JL. Highly Galloylated Tannin Fractions From Witch Hazel Hamamelis Virginiana Bark Electron Transfer Capacity, In Vitro Antioxidant Activity, and Effects on Skin-Related Cells. *Chem Res Toxicol* 2008, 21(3): 696-704.

Vennat B, Pourrat H, Pouget MP, Gross D, Pourrat A. Tannins from Hamamelis virginiana: Identification of Proanthocyanidins and Hamamelitannin Quantification in Leaf, Bark, and Stem Extracts. *Planta Med* 1988, 54(5): 454-457.

Wang H, Provan GJ, Helliwell K. Determination of hamamelitannin, catechins and gallic acid in witch hazel bark, twig and leaf by HPLC. *J Pharm Biomed Anal* 2003, 33(4): 539-544.

Welzel J, Walther C, Kieser M, Wolff HH. Hamamelis Ointment in the Care of Dry Aging Skin. *J Phytother* 2005, 26: 6-13.

Wolff HH, Kieser M. Hamamelis in children with skin disorders and skin injuries: results of an observational study. *Eur J Pediatr* 2007, 166(9): 943-948.

Wolff HH, Walther C, Funk P, Kieser M. Efficacy and tolerability of Hamamelis ointment in children. Congress Phytopharmaka Phytotherapie 2005, Berlin. *Z Phytother* 26 (Kongressbd.) abstract S20.

Wichtl, M and Bisset, N.G. Herbal drugs and Pharmaceuticals. Stuttgart: Medpharm GmbH Scientific Publishers, 1994.

Witch Hazel. In: FEDERAL REGISTER 1982, 47:180-181.

Witch Hazel. In: Herbal Medicines. Third edition. Barnes J, Anderson LA, Phillipson JD. Pharmaceutical Press, London 2007.

Witch Hazel. In: The United States Pharmacopoeia: USP 31/NF 26, 2008, Vol 3, 3526.

Woodruff RC, Mason JM, Valencia R, Zimmering S. Chemical mutagenesis testing in Drosophila. V. Results of 53 coded compounds tested for the National Toxicology Program. *Environ Mutagen* 1985, 7(5): 677-702.

Zeylstra H. Hamamelis virginiana. *Br J Phytother* 1998, 5: 23-28.

Zimmerman D.R. Zimmerman's Complete Guide to Nonprescription Drugs. Visible Ink Press 1993.

II. References read but not included into the Assessment Report

Agencia Española de Medicamentos y Productos Sanitarios. GPT, Guía de Prescripción Terapéutica (adaptación española del BNF) 2006.

Alonso D, Lazarus MC, Baumann L. Effects of Topical Arnica Gel on Post-Laser Treatment Bruises. *By The American Society for Dermatologic Surgery, Inc Dermatol Surg* 2002, 28(8): 686-688.

Baumgartner M, Kohler S, Moll I, Kieser M, Jung EG. Hamamelis special extract for topical treatment of herpes labialis. A placebo controlled double blind study. *Zeitschr Allgemeinmediz* 1998, 74(3): 158-161.

Baxter K et al. *Stokley Interacciones Farmacológicas*. Pharma editores S. L., 2007.

Callender VD. Acne in ethnic skin: special considerations for therapy. *Dermatol Ther* 2004, 17(2): 184-195.

Font Quer P. *Plantas Medicinales, El Dioscorides renovado*. Ed. Labor, SA 1993.

Gregor BE; Jemec MD; Thorsteinsdóttir MD; Wulf HC. The changing referral pattern in Danish dermatology – Rigshospitalet, Copenhagen 1986-1995. *Int Dermatol* 1997, 36(6): 453-456.

Kaul R. Hamamelis leaves: an important tannin drug in dermatology. *Deutsche Apotheker Zeitung* 2001, 141(5): 115-120. General Review written in German.

Leyden JJ, Stewart R, Kligman AM. Updated in vivo methods for evaluating topical antimicrobial agents in human skin. *J Invest Dermatol* 1979, 72: 165-170.

Magin PJ, Adams J, Heading GS, Pond DC, Smith W. Complementary and alternative medicine therapies in acne, psoriasis, and atopic eczema: results of a qualitative study of patients' experiences and perceptions. *J Altern Complement Med* 2006, 12(5): 451-457.

Rebora A. The Management of Rosacea. *Am J Clin Dermatol* 2002, 3(7): 489-496.

Rombi M. *100 Plantes Médicinales, Composition, Mode d'action et Intérêt Thérapeutique*. Ed Romart 1991.

Samira Hasfa MD and Richard H. Schwartz MD. Two 6-Year-Old Twin Girls with Primary Axillary Bromhidrosis: Discussion, Differential Diagnosis, and Management Options. *Clinical-Pediatrics* 2007, 46(8): 743-745.

Sarpel U, Jacob BP, Steinhagen RM. The American Society of Colon and Rectal Surgeons. Reduction of a Large Incarcerated Rectal Prolapse by Use of an Elastic Compression Wrap. *Dis Colon Rectum* 2005, 48: 1320-1322.

Serper A, Ozbek M, Calt S. Accidental sodium hypochlorite-induced skin injury during endodontic treatment. *J Endod* 2004, 30(3): 180-181.

Steinmetz E F. *Codex vegetabilis*.