



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

22 May 2012
EMA/HMPC/337076/2011
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Tilia cordata* Miller, *Tilia platyphyllos* Scop., *Tilia x vulgaris* Heyne or their mixtures, flos

Final

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Ahmadi L, Mirza M. Volatile constituents of *Tilia platyphyllos* Scop. flowers. *J. Ess. Oil Res.* 1999, 11(6): 765-766. Abstract only.

Al-Essa MK, Mohammed FI, Shafagoj YA, Afifi FU. Studies on the direct effects of the alcohol extract of *Tilia cordata* on dispersed intestinal smooth muscle cells of guinea pig. *Pharm. Biol.* 2007, 45(3): 246-250.

Anesini C, Werner S, Borda E. Effect of *Tilia cordata* flower on lymphocyte proliferation: Participation of peripheral type benzodiazepine binding sites. *Fitoterapia* 1999, 70(4): 361-367.

Augustin B, Javorka S, Giovannini R, Rom P. Magyar Gyogynovenyek. Budapest 1948, "Tilia", 166-168.

Barnes J, Anderson LA, Phillipson JD. Herbal Medicines. 2th ed. Pharmaceutical Press, London 2007, 409-410.

Barreiro Arcos ML, Cremaschi G, Werner S, Coussio J, Ferraro G, Anesini C. *Tilia cordata* Mill. Extracts and scopoletin (isolated compound): Differential cell growth effects on lymphocytes. *Phytother. Res.* 2006, 20(1): 34-40.

Blaschek W, Ebel S, Hackenthal E, Holzgrabe U, Keller K, Reichling J, Schulz V, editors. HagerROM 2010: Hagers Handbuch der Drogen und Arzneistoffe. Version 5.0. Springer Medizin Verlag, Heidelberg 2010.

Blumenthal M, Goldberg A, Brinkmann J. editors. Herbal Medicine Expanded Commission E Monographs. American Botanical Council, Austin Texas 2000, 240-243.

Blumenthal M, Busse WR, Goldberg A, Gruenwald J, *et al.*, editors. The Complete German Commission E Monographs. "Linder flower – Tiliae flos". American Botanical Council, Austin Texas 1998, 163.

Bradley PR, editor British Herbal Compendium 1992, Part 1, Bournemouth U.K. Monograph "Lime flower. Tiliae flos". British Herbal Medicine Association, 142-144.



- British Herbal Pharmacopoeia (BHP). Vol. 1, Monograph "Tilia". British Herbal Medicine Association, Exeter, 1976.
- Bühning U, Ell-Beiser H, Girsch M. Heilpflanzen in der Kinderheilkunde. Stuttgart: Sonntag Verlag, 2008: 97, 196, 218,240.
- Československý lékopis (Pharmacopoea Bohemoslovenica). Editio Prima, Státní tiskárna, Praha 1947, 178.
- Český lékopis 2009 (Pharmacopoea Bohemica), suppl. 2010, Grada Publishing, Praha 2010, 1765.
- Duke JA, Bogenschutz-Godwin MJ, du Cellier J, Kessler Duke PA. Handbook of medicinal herbs 2nd edition, CRC Press Boca Raton 1985.
- European Pharmacopoeia 7th ed (Ph. Eur.). Lime flower – *Tiliae flos*. Council of Europe. 1/2008: 0957
- Farmakopea Polska IV (Polish Pharmacopoeia IV) (Volume II). Warszawa: Państwowy Zakład Wydawnictw Lekarskich, 1970, 287-288.
- Fitsiou I, Tzakou O, Hancianu M, Poiata A. Volatile constituents and antimicrobial activity of *Tilia tomentosa* Moench and *Tilia cordata* Miller oils. *J. Ess. Oil Res.* 2007, 19(2): 183-185.
- Gruenwald J, Brendler T, Jaenicke C, editors. In: PDR for Herbal Medicines, Thomson Medical Economics Company, 4th edition Inc, Montvale NJ 2007, 532-534.
- Guerin J-C, Reveillere H-P. Antifungal activity of plant extracts used in therapy. I. Study of 41 plant extracts against 9 fungi species. *Ann. Pharm. Fr.* 1984, B: 553–559. [in French: "Activité antifongique d'extraits végétaux à usage thérapeutique. I. Étude de 41 extraits sur 9 souches fongiques"]. Abstract only.
- Hungarian Pharmacopoeia VIth ed. Akademia Kaidó, Budapest Hungary 1970, 124-126.
- Kooperation Phytopharmaka, editor. Kinderdosierungen von Phytopharmaka. 3rd ed. Bonn, 2002:140.
- Krakowiak A, Kręcisz B, Pas-Wyroślak A, Dudek W, Kieć-Świerzyńska M, Pałczyński C. Occupational contact dermatitis with rhinoconjunctivitis due to *Tilia cordata* and colophonium exposure in a cosmetician. *Contact Dermatitis* 2004, 51(1): 34.
- Kram G, Franz G. Structural investigations on the water soluble polysaccharides of lime tree flowers (*Tilia cordata* L.). *Pharmazie* 1985, 40: 501.
- Lanza JP, Steinmetz M. Actions comparées des extraits aqueux de graines de *Tilia platyphylla* et de *Tilia vulgaris* sur l'intestin isolé de rat. [Comparison of actions of aqueous extracts of *Tilia platyphylla* and *Tilia vulgaris* seeds on isolated rat intestine]. *Fitoterapia* 1986, 57: 185. Abstract only.
- Loureiro G, Rabaça MA, Blanco B, Andrade S, Chieira C, Pereira C. Aeroallergens sensitization in an allergic paediatric population of Cova da Beira, Portugal. *Allergologia et Immunopathologia* 2005, 33(4): 192-198.
- Madaus G. Lehrbuch der biologischen Heilmittel. Vol 2. *Tilia europaea*. Georg Olms Verlag. Hildesheim-New York 1979 (reprint).
- Mur P, Feo Brito F, Lombardero M, Barber D, Galindo PA, Gómez E, Borja J. Allergy to linden pollen (*Tilia cordata*). *Eur. J. Allergy Clin. Immunol.* 2001, 56(5): 457-458.
- Muszyński J. Ziołolecznictwo i leki roślinne (Fitoterapia). Warszawa: Państwowy Zakład Wydawnictw Lekarskich, 1954: 69.

- Nowak R. Separation and quantification of tiliroside from plant extracts by SPE/RP-HPLC. *Pharm. Biology* 2003, 41(8): 627-630.
- Otoom SA, Al-Safi SA, Kerem ZK, Alkofahi A. The use of medicinal herbs by diabetic Jordanian patients. *J. Herbal Pharmacother.* 2006, 6(2): 31-41. Abstract only.
- Ożarowski A, Łańcucki J, Gąsiorowska K. Leki roślinne: informator. "Inflorescentia Tiliae". Warszawa: Zjednoczenie Przemysłu Zielarskiego Herbapol, 1978, 229-230.
- Peter H. Zur Pharmakologie wichtiger Arzneipflanzen. Physikalisch-diätetische Therapie in Klinik und Praxis. 1963, 4(11): 211-215.
- Ranilla LG, Kwon Y-I, Apostolidis E, Shetty K. Phenolic compounds, antioxidant activity and *in vitro* inhibitory potential against key enzymes relevant for hyperglycemia and hypertension of commonly used medicinal plants, herbs and spices in Latin America. *Biores. Technol.* 2010, 101(12): 4676-4689.
- Rădulescu V, Oprea E. Analysis of volatile compounds of officinal Tiliae flos by gas chromatography coupled with mass spectrometry. *Farmacia* 2008, 56(2): 129-138.
- Review of Natural Products 4th edition Wolters Kluwer Health Inc. Missouri USA 2005, 716-718.
- Romero-Jiménez M, Campos-Sánchez J, Analla M, Muñoz-Serrano A, Alonso-Moraga Á. Genotoxicity and anti-genotoxicity of some traditional medicinal herbs. *Mut. Res. – Gen. Toxicol. Envir. Mutagen.* 2005, 585(1-2): 147-155.
- Schilcher H. Phytotherapie in der Kinderheilkunde. 2nd ed. Stuttgart: Wissenschaftliche Verlagsgesellschaft. 1992, 40-41.
- Schilcher H, Dorsch W. Phytotherapie in der Kinderheilkunde. 4th ed. Stuttgart: Wissenschaftliche Verlagsgesellschaft. 2006, 44-45.
- Slanc P, Doljak B, Kreft S, Lunder M, Janeš D, Štrukelj B. Screening of selected food and medicinal plant extracts for pancreatic lipase inhibition. *Phytother. Res.* 2009, 23(6): 874-877.
- Taddei I, Giachetti D, Taddei E, Mantovani P, Bianchi E. Spasmolytic activity of peppermint, sage and rosemary essences and their major constituents. *Fitoterapia* 1988, 59: 463–468.
- Viola H, Wolfman C, Levi de Stein M, Wasowski C, Pena C, Medina JH, Paladini AC. Isolation of pharmacologically active benzodiazepine receptor ligands from *Tilia tomentosa* (Tiliaceae). *J. Ethnopham.* 1994, 44: 47–53.
- WHO monographs on medicinal plants commonly used in the Newly Independent States (NIS). "Tiliae flos". Geneva, Switzerland 2010, 393-406.
- Yakovlev AI. Polysaccharides of the inflorescences of *Tilia cordata*. *Chem. Nat. Comp.* 1985, 21(1): 114-115.
- Zhang Z-J. Therapeutic effects of herbal extracts and constituents in animal models of psychiatric disorders. *Life Sciences* 2004, 75(14): 1659-1699.