



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

27 January 2011

EMA/HMPC/146222/2010

Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Trigonella foenum-graecum* L., semen

Final

This document was valid from 27 January 2011 until November 2021. It is now superseded by a [new version](#) adopted by the HMPC on 24 November 2021 and published on the EMA website.

Abdel-Barry JA and Al-Hakim MH. Acute intraperitoneal and oral toxicity of the leaf glycosidic extract of *Trigonella foenum-graecum* in mice. *J Ethnopharmacol*, 2000. 70: 65-68.

Abdel-Barry JA, Abdel-Hassan IA, Jawad AM, Al-Hakim MH. Hypoglycaemic effect of aqueous extract of the leaves of *Trigonella foenum-graecum* in healthy volunteers. *East Mediterr Health J*, 2000. 6(1): 83-88.

Abdo MS and Al-Kafawi AA. Experimental studies on the effect of *Trigonella foenum-graecum*. *Planta Med*, 1969. 17: 14-18.

Adhikary P, Banerji J, Choudhury D, Jana S, Mukherjee DSR, Chatterjee A. Anti-implantation activity of some indigenous plants in adult female rats. *Indian J Pharmacol*, 1990. 22: 24-25.

Ahmadiani A, Javan M, Semnani S, Barat E, Kamalinejad M. Anti-inflammatory and antipyretic effects of *Trigonella foenum-graecum* leaves extract in the rat. *J Ethnopharmacol*, 2001. 75: 283-286.

Ajabnoor MA and Tilmisany AK. Effect of *Trigonella foenum graecum* on blood glucose levels in normal and alloxan-diabetic mice. *J Ethnopharmacol*, 1988. 22: 45-49.

Ali L, Azad Khan AK, Hassan Z, Mosihuzzaman M, Nahar N, Nasreen T, Nur-e-Alam M, Rokeya B. Characterization of the hypoglycemic effects of *Trigonella foenum graecum* seed. *Planta Med*, 1995. 61: 358-360.

Bartley G et al. Maple syrup urine odor due to fenugreek ingestion. *The New England Journal of Medicine*, 1981. 305(8): 467.

Bessot JC et al. Allergie respiratoire au fénugrec. *Revue Française d'allergologie et d'immunologie Clinique*, 1996. 36(5): 510-512.



Bruneton J. Pharmacognosie : Phytochimie des plantes médicinales. 3ième ed. Editions Tec & Doc. Paris, 1999. 105.

Chevassus H, Molinier N, Costa F, Galtier F, Renard E, Petit P. A fenugreek seed extract selectively reduces spontaneous fat consumption in healthy volunteers. Eur J Clin Pharmacol, 2009. 65(12): 1175-1178.

Devi BA, Kamalakkannan N, Prince PS. Supplementation of fenugreek leaves to diabetic rats. Effect on carbohydrate metabolic enzymes in diabetic liver and kidney. Phytother Res, 2003. 17: 1231-1233.

Eidi A, Eidi M, Sokhteh M. Effect of fenugreek (*Trigonella foenum-graecum* L) seeds on serum parameters in normal and streptozotocin-induced diabetic rats. Nutr Res, 2007. 27: 728-733.

Elbetieha A, Al-Hamood MH, Al-Kofahi A. Anti-implantation potential of some medicinal plants in female rats. Arch STD/HIV, 1996. 10: 181-187.

ESCOP Monographs 2nd ed. European Scientific Cooperative on Phytotherapy, editor. Thieme. Stuttgart, 2003. 511-520.

European Pharmacopoeia 6th ed. Fenugreek- *Trigonellae foenugraeci semen*. Council of Europe. 01/2008: 1323, corrected 6.6.

Farnsworth NR, Bingel AS, Cordell GA, Crane FA, Fong HH. Potential value of plants as sources of new antifertility agents I. J Pharm Sci, 1975. 64: 535-598.

Flammang AM, Cifone MA, Erexson GL, Stankowski LF. Genotoxicity testing of a fenugreek extract. Food Chem Tox, 2004. 42: 1769-1775.

Gupta A, Gupta R, Lal B. Effect of *Trigonella foenum-graecum* (fenugreek) seeds on glycaemic control and insulin resistance in type 2 diabetes mellitus : a double blind placebo controlled study. J Assoc Physicians India, 2001. 49: 1057-1061.

Heck AM et al. Potential interactions between alternative therapies and warfarin. American Journal of Health-system Pharmacy, 2000. 57(13): 1221-1227.

Jelodar GA, Maleki M, Motadayen MH, Sirus S. Effect of fenugreek, onion and garlic on blood glucose and histopathology of pancreas of alloxan-induced diabetic rats. Indian J Med Sci, 2005. 59: 64-69.

Kamal R, Yadav R, Sharma JD. Efficacy of the steroidal fraction of fenugreek seed extract on fertility of male albino rats. Phytotherapy Research, 1993. 7: 134-138.

Kassem A, Al-Aghbari A, Al-Habori M, Al-Mamary M. Evaluation of the potential antifertility effect of fenugreek seeds in male and female rabbits. Contraception, 2006. 73: 301-306.

Khosla P, Gupta DD, Nagpal RK. Effect of *Trigonella foenum graecum* (Fenugreek) on blood glucose in normal and diabetic rats. Indian J Physiol Pharmacol, 1995. 39: 173-174.

Korman S et al. Pseudo-maple syrup urine disease due to maternal prenatal ingestion of fenugreek. Journal of Paediatrics and Child Health, 2001. 37(4): 403-404.

Lambert JP et al. Potential interaction between warfarin and boldo-fenugreek. Pharmacotherapy, 2001. 21(4): 509-12.

Mital N and Gopaldas T. Effects of fenugreek (*Trigonella foenum graecum*) seed based diets on the birth outcome in albino rats. Nutr Reprod Int, 1986. 33: 363-369.

Mondal DK, Yousuf BM, Banu LA, Ferdousi R, Khalil M, Shamim KM. Effect of fenugreek seeds on the fasting blood glucose level in the streptozotocin induced diabetic rats. Mymensingh Med J, 2004. 13: 161-164.

- Muralidhara, Narasimhamurthy K, Viswanatha S, Ramesh BS. Acute and subchronic toxicity assessment of debitterized fenugreek powder in the mouse and rat. *Food Chem Tox*, 1999. 37: 831-838.
- Ohnuma N et al. Anaphylaxis to curry powder. *Allergy*, 1998. 53(4): 452-454.
- Panda S, Tahiliani P, Kar A. Inhibition of triiodothyronine production by fenugreek seed extract in mice and rats. *Pharmacol Res*, 1999. 40: 405-409.
- Paris RR, Moyse H. *Matière médicale Tome III*. Masson & Cie. Paris, 1967. 393.
- Parvizpur A, Ahmadiani A, Kamalinejad M. Probable role of spinal purinoceptors in the analgesic effect of *Trigonella foenum* (TFG) leaves extract. *J Ethnopharmacol*, 2006. 104: 108-112.
- Patil SP, Niphadkar PV, Bapat MM. Allergy to fenugreek (*Trigonella foenum graecum*). *Ann Allergy Asthma Immunol*, 1997. 78(3): 297-300.
- Petit P, Sauvaire Y, Ponsin G, Manteghetti M, Fave A, Ribes G. Effects of a fenugreek seed extract on feeding behaviour in the rat: metabolic-endocrine correlates. *Pharmacol Biochem Behav*, 1993. 45: 369-374.
- Raju J, Gupta D, Rao AR, Yadava PK, Baquer NZ. *Trigonella foenum graecum* (fenugreek) seed powder improves glucose homeostasis in alloxan diabetic rat tissues by reversing the altered glycolytic, gluconeogenic and lipogenic enzymes. *Mol Cell Biochem*, 2001. 224: 45-51.
- Rguibi M and Belahsen R. Fattening practices among Moroccan Saharawi Women. *Eastern Mediterranean Health Journal*, 2006. 12(5): 619-624.
- Ribes G, Sauvaire Y, Baccou JC, Valette G, Chenon D, Trimble ER, Loubatieres-Mariani MM. Effects of fenugreek seeds on endocrine pancreatic secretions in dogs. *Ann Nutr Metab*, 1984. 28: 37-43.
- Ribes G, Sauvaire Y, Da Costa C, Baccou JC, Loubatieres-Mariani MM. Antidiabetic effects of subfractions from fenugreek seeds in diabetic dogs. *Proc Soc Exp Biol Med*, 1986. 182: 159-166.
- Ribes G, Sauvaire Y, Da Costa C, Baccou JC, Loubatieres-Mariani MM. Hypocholesterolaemic and hypotriglyceridaemic effects of subfractions from fenugreek seeds in alloxan diabetic dogs. *Phytotherapy Research*, 1987. 1: 38-43.
- Sethi N, Nath D, Singh RK, Srivastava RK. Antifertility and teratogenic activity of some indigenous medicinal plants in rats. *Fitoterapia*, 1990. 61: 64-67.
- Sewell A et al. False diagnosis of maple syrup urine disease owing to ingestion of herbal tea. *The New England Journal of Medicine*, 1999. 341(10): 769.
- Selected Medicinal Plants of India. Chemexcil. Basic chemicals, pharmaceutical and cosmetic export promotion council. Bombay, 1992. 329-332.
- Sharma RD et al. Toxicological evaluation of fenugreek seeds: a long term feeding experiment in diabetic patients. *Phytotherapy Research*, 1996. 10: 519-520.
- Sharma RD et al. Use of fenugreek seed powder in the management of non-insulin dependent diabetes mellitus. *Nutrition Research*, 1996. 16: 1331-1339.
- Smereck J et al. Aplastic anemia: a possible toxic effect of an herbal "colon cleansing" preparation. *Journal of Emergency Medicine*, 2009. 36: 191-193.
- Tahiliani P and Kar A. Mitigation of thyroxine-induced hyperglycaemia by two plant extracts. *Phytother Res*, 2003. 17: 294-296.

Udayasekhara Rao P, Sesikeran B, Srinivasa Rao P, Nadamuni Naidu A, Vikas Rao V, Ramachandran EP. Short term nutritional and safety evaluation of fenugreek. *Nutrition Research*, 1996. 16: 1495-1505.

Ulbricht C, Basch E, Burke D, Cheung L, Ernst E, Giese N, Foppa I, Hammerness P, Hashmi S, Kuo G, Miranda M, Mukherjee S, Smith M, Sollars D, Tanguay-Colucci S, Vijayan N, Weissner W. Fenugreek (*Trigonella foenum-graecum* L. Leguminosae): an evidence-based systematic review by the natural standard research collaboration. *J Herb Pharmacother*, 2007. 7: 143-177.

Valette G, Sauvaire Y, Baccou JC, Ribes G. Hypocholesterolaemic effect of fenugreek seeds in dogs. *Atherosclerosis*, 1984. 50: 105-111.

Vats V, Grover JK, Rathi SS. Evaluation of anti-hyperglycemic and hypoglycemic effect of *Trigonella foenum-graecum* Linn, *Ocimum sanctum* Linn and *Pterocarpus marsupium* Linn in normal and alloxanized diabetic rats. *J Ethnopharmacol*, 2002. 79: 95-100.

Vijayakumar MV and Bhat MK. Hypoglycemic effect of a novel dialysed fenugreek seeds extract is sustainable and is mediated, in part, by the activation of hepatic enzymes. *Phytother Res*, 2008. 22: 500-505.

Vijayakumar MV, Singh S, Chhipa RR, Bhat MK. The hypoglycaemic activity of fenugreek seed extract is mediated through the stimulation of an insulin signalling pathway. *Br J Pharmacol*, 2005. 146: 41-48.

WHO monographs on selected medicinal plants. Vol 3. *Semen Trigonellae Foenugraeci*. World Health Organisation. Geneva, 2007. 338-348.

Wu X, Skog K, Jägerstad M. Trigonelline, a naturally occurring constituent of green coffee beans behind the mutagenic activity of roasted coffee? *Mutat Res*, 1997. 391: 171-177.

Xue WL, Li XS, Zhang J, Liu YH, Wang ZL, Zhang RJ. Effect of *Trigonella foenum-graecum* (fenugreek) extract on blood glucose, blood lipid and hemorheological properties in streptozotocin-induced diabetic rats. *Asia Pac J Clin Nutr*, 2007. 16: 422-426.

Yadav M, Tomar R, Prasad GBKS, Jain S, Yadav H. Complementary hypoglycemic and anti-hyperglycemic activity of various extracts of fenugreek seeds in rats. *Asian J Biochem*, 2008. 3: 182-187.

Zia T, Hasnain SN, Hasan SK. Evaluation of the oral hypoglycaemic effect of *Trigonella foenum-graecum* L. (methi) in normal mice. *J Ethnopharmacol*, 2001. 75: 191-195.

References not cited in the assessment report:

Al-Rowais NA, *Saudi Med J*. Herbal medicine in the treatment of diabetes mellitus, 2002. 23(11): 1327-1331.

Awal MA et al. Effects of karela and fenugreek on lipid profile in hypercholesterolemic diabetic patients Bangladesh. *Journal of Physiology and Pharmacology*, 1999. 15: 6-8.

Bordia A, Verma SK, Srivastava KC. Effect of ginger (*Zingiber officinale* Rosc.) and fenugreek (*Trigonella foenum graecum* L.) on blood lipids, blood, sugar and platelet aggregation in patients with coronary artery disease. *Prostaglandins, Leukotrienes and Essential Fatty Acids*, 1997. 56: 379-384.

Madar Z, Abel R, Samish S, Arad J. Glucose-lowering effect of fenugreek in non-insulin dependent diabetic. *Eur J Clin Nutr*, 1988. 42(1): 51-4.

Mathern JR, Raatz SK, Thomas W, Slavin JL. Effect of fenugreek fiber on satiety, blood glucose and insulin response and energy intake in obese subjects. *Phytother Res*, 2009. 23(11): 1543-1548.

Sharma RD, Raghuram TC, Rao NS. Effect of fenugreek seeds on blood glucose and serum lipids in type I diabetes. *Eur J Clin Nutr*, 1990. 44(4): 301-306.

Superseded