

Annex I

**List of the names, pharmaceutical form, strengths of the medicinal products,
route of administration, marketing authorisation holders in the member
states**

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Austria	Baxter Healthcare GmbH, Stella-Klein-Löw-Weg 15, A-1020 Wien, Austria	EXTRANEAL - Peritonealdialyselösung	75 g/L	Solution for peritoneal dialysis	Intraperitoneal use
Austria	Baxter Healthcare GmbH, Stella-Klein-Löw-Weg 15, A-1020 Wien, Austria	Dianeal PD1 Glucose 1,36% w/v/13,6 mg/ml - Peritonealdialyselösung	Anhydrous glucose 13.6 g/L, sodium chloride 5.67 g/L, sodium-L(+) lactate 3.92 g/L, calcium chloride dihydrate 0.257 g/L, magnesium chloride hexahydrate 0.152 g/L	Solution for peritoneal dialysis	Intraperitoneal use
Austria	Baxter Healthcare GmbH, Stella-Klein-Löw-Weg 15, A-1020 Wien, Austria	Dianeal PD1 Glucose 2,27% w/v/22,7 mg/ml - Peritonealdialyselösung	Anhydrous glucose 22.7 g/L, sodium chloride 5.67 g/L, sodium-L(+) lactate 3.92 g/L, calcium chloride dihydrate 0.257 g/L, magnesium chloride hexahydrate 0.152 g/L	Solution for peritoneal dialysis	Intraperitoneal use
Austria	Baxter Healthcare GmbH, Stella-Klein-Löw-Weg 15, A-1020 Wien, Austria	Dianeal PD1 Glucose 3,86% w/v/38,6 mg/ml - Peritonealdialyselösung	Anhydrous glucose 38.6 g/L, sodium chloride 5.67 g/L, sodium lactate 3.92 g/L, calcium chloride dihydrate 0.257 g/L, magnesium chloride hexahydrate 0.152 g/L	Solution for peritoneal dialysis	Intraperitoneal use
Austria	Baxter Healthcare GmbH, Stella-Klein-Löw-Weg 15, A-1020 Wien, Austria	Dianeal PD4 Glucose 1,36% w/v/13,6 mg/ml - Peritonealdialyselösung	Anhydrous glucose 13.6 g/L, sodium chloride 5.38 g/L, sodium-L(+) lactate 4.48 g/L, calcium chloride dihydrate 0.184 g/L, magnesium chloride hexahydrate 0.051 g/L	Solution for peritoneal dialysis	Intraperitoneal use
Austria	Baxter Healthcare GmbH, Stella-Klein-Löw-Weg 15, A-1020 Wien, Austria	Dianeal PD4 Glucose 2,27% w/v/22,7 mg/ml - Peritonealdialyselösung	Anhydrous glucose 22.7 g/L, sodium chloride 5.38 g/L, sodium-L(+) lactate 4.48 g/L, calcium chloride dihydrate 0.184 g/L, magnesium chloride hexahydrate 0.051 g/L	Solution for peritoneal dialysis	Intraperitoneal use
Austria	Baxter Healthcare GmbH, Stella-Klein-Löw-Weg 15, A-1020 Wien, Austria	Dianeal PD4 Glucose 3,86 % w/v/38,6 mg/ml - Peritonealdialyselösung	Anhydrous glucose 38.6 g/L, sodium chloride 5.38 g/L, sodium-L(+) lactate 4.48 g/L, calcium chloride dihydrate 0.184 g/L, magnesium chloride hexahydrate 0.051 g/L	Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Austria	Baxter Healthcare GmbH, Stella-Klein-Löw-Weg 15, A-1020 Wien, Austria	Nutrineal PD4 mit 1,1 % Aminosäuren im Clear-Flex-Beutel - Peritonealdialyselösung	alanine 951 mg/L, arginine 1071 mg/L, glycine 510 mg/L, histidine 714 mg/L, isoleucine 850 mg/L, leucine 1020 mg/L, lysine hydrochloride 955 mg/L, methionine 850 mg/L, phenylalanine 570 mg/L, proline 595 mg/L, serine 510 mg/L, threonine 646 mg/L, tryptophan 270 mg/L, tyrosine 300 mg/L, valine 1393 mg/L, sodium chloride 5380 mg/L, calcium chloride dihydrate 184 mg/L, magnesium chloride hexahydrate 51 mg/L, sodium(s)-lactate 4480 mg/L	Solution for peritoneal dialysis	Intraperitoneal use
Austria	Baxter Healthcare GmbH, Stella-Klein-Löw-Weg 15, A-1020 Wien, Austria	Nutrineal PD4 mit 1,1 % Aminosäuren - Peritonealdialyselösung	alanine 951 mg/L, arginine 1071 mg/L, glycine 510 mg/L, histidine 714 mg/L, isoleucine 850 mg/L, leucine 1020 mg/L, lysine hydrochloride 955 mg/L, methionine 850 mg/L, phenylalanine 570 mg/L, proline 595 mg/L, serine 510 mg/L, threonine 646 mg/L, tryptophan 270 mg/L, tyrosine 300 mg/L, valine 1393 mg/L, sodium chloride 5380 mg/L, calcium chloride dihydrate 184 mg/L, magnesium chloride hexahydrate 51 mg/L, sodium(s)-lactate 4480 mg/L	Solution for peritoneal dialysis	Intraperitoneal use
Belgium	Baxter SA Bld R Branquart 80 7860 Lessines Belgium	EXTRANAL 7,5 %, solution pour dialyse péritonéale	75.00 g/l Icodextrine	Solution for peritoneal dialysis	Intraperitoneal use
Belgium	Baxter SA Bld R Branquart 80 7860 Lessines Belgium	Dianeal PD1 Glucose 1,36 % (13,6 mg/ml), solution pour dialyse péritonéale	13.60 g/l glucose anhydrate	Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Belgium	Baxter SA Bld R Branquart 80 7860 Lessines Belgium	Dianeal PD1 Glucose 2,27 % (22,7 mg/ml), solution pour dialyse péritonéale	22.7 g/l glucose anhydrate	Solution for peritoneal dialysis	Intraperitoneal use
Belgium	Baxter SA Bld R Branquart 80 7860 Lessines Belgium	Dianeal PD1 Glucose 3,86 % (38,6 mg/ml), solution pour dialyse péritonéale	38.6 g/l glucose anhydrate	Solution for peritoneal dialysis	Intraperitoneal use
Belgium	Baxter SA Bld R Branquart 80 7860 Lessines Belgium	Dianeal PD4 Glucose 1,36 % (13,6 mg/ml), solution pour dialyse péritonéale	13.6 g/l glucose anhydrate	Solution for peritoneal dialysis	Intraperitoneal use
Belgium	Baxter SA Bld R Branquart 80 7860 Lessines Belgium	Dianeal PD4 Glucose 2,27 % (22,7 mg/ml), solution pour dialyse péritonéale	22.7 g/l glucose anhydrate	Solution for peritoneal dialysis	Intraperitoneal use
Belgium	Baxter SA Bld R Branquart 80 7860 Lessines Belgium	Dianeal PD4 Glucose 3,86 % (38,6 mg/ml), solution pour dialyse péritonéale	38.6 g/l glucose anhydrate	Solution for peritoneal dialysis	Intraperitoneal use
Belgium	Baxter SA Bld R Branquart 80 7860 Lessines Belgium	Nutrineal Peritoneal Dialysis 4 à 1,1 % d'acides aminés, solution pour dialyse péritonéale	4 to 1,1% acides aminés	Solution for peritoneal dialysis	Intraperitoneal use
Bulgaria	BAXTER d.o.o., Zelezna cesta 18, 1000 Ljubljana, Slovenia	Dianeal PD4 Glucose 1.36% w/v/ 13.6mg/ml	1.36% w/v/ 13.6mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Bulgaria	BAXTER d.o.o., Zelezna cesta 18, 1000 Ljubljana, Slovenia	Dianeal PD4 Glucose	2.27% w/v/ 22.7mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Bulgaria	BAXTER d.o.o., Zelezna cesta 18, 1000 Ljubljana, Slovenia	Dianeal PD4 Glucose	3.86% w/v/ 38.6mg/ml	Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Bulgaria	BAXTER d.o.o., Zelezna cesta 18, 1000 Ljubljana, Slovenia	Extraneal	7.50%	Solution for peritoneal dialysis	Intraperitoneal use
Bulgaria	BAXTER d.o.o., Zelezna cesta 18, 1000 Ljubljana, Slovenia	Nutrineal PD 4 with 1.1% Amino Acids		Solution for peritoneal dialysis	Intraperitoneal use
Czech Republic	Baxter Healthcare S.A. Moneen Road Castlebar, Co. Mayo Ireland	EXTRANEAL	7,5 % 75 g / 1000 ml	Solution for peritoneal dialysis	Intraperitoneal use
Czech Republic	Baxter Healthcare S.A. Moneen Road Castlebar, Co. Mayo Ireland	Dianeal PD1 Glucose 1,36 % w/v / 13,6 mg/ml	1,36 % w/v / 13,6 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Czech Republic	Baxter Healthcare S.A. Moneen Road Castlebar, Co. Mayo Ireland	Dianeal PD1 Glucose 2,27 % w/v / 22,7 mg/ml	2,27 % w/v / 22,7 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Czech Republic	Baxter Healthcare S.A. Moneen Road Castlebar, Co. Mayo Ireland	Dianeal PD1 Glucose 3,86 % w/v / 38,6 mg/ml	3,86 % w/v / 38,6 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Czech Republic	Baxter Healthcare S.A. Moneen Road Castlebar, Co. Mayo Ireland	Dianeal PD4 Glucose 1,36 % w/v / 13,6 mg/ml	1,36 % w/v / 13,6 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Czech Republic	Baxter Healthcare S.A. Moneen Road Castlebar, Co. Mayo Ireland	Dianeal PD4 Glucose 2,27 % w/v / 22,7 mg/ml	2,27 % w/v / 22,6 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Czech Republic	Baxter Healthcare S.A. Moneen Road Castlebar, Co. Mayo Ireland	Dianeal PD4 Glucose 3,86 % w/v / 38,6 mg/ml	3,86 % w/v / 38,6 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Czech Republic	Baxter Healthcare S.A. Moneen Road Castlebar, Co. Mayo Ireland	NUTRINEAL PD4 WITH 1.1% AMINOACIDS	1.1% 300 mg/l	Solution for peritoneal dialysis	Intraperitoneal use
Denmark	Baxter A/S, Gydevang 43, DK-3450 Allerød, Denmark	Dianeal PD1 med Glucos	13,6 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Denmark	Baxter A/S, Gydevang 43, DK-3450 Allerød, Denmark	Dianeal PD1 med Glucos	22,7 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Denmark	Baxter A/S, Gydevang 43, DK-3450 Allerød, Denmark	Dianeal PD1 med Glucos	38,6 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Denmark	Baxter A/S, Gydevang 43, DK-3450 Allerød, Denmark	Dianeal PD4 med Glucos	13,6 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Denmark	Baxter A/S, Gydevang 43, DK-3450 Allerød, Denmark	Dianeal PD4 med Glucos	22,7 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Denmark	Baxter A/S, Gydevang 43, DK-3450 Allerød, Denmark	Dianeal PD4 med Glucos	38,6 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Denmark	Baxter A/S, Gydevang 43, DK-3450 Allerød, Denmark	Extraneal	75 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Denmark	Baxter A/S, Gydevang 43, DK-3450 Allerød, Denmark	Nutrineal PD4 med 1,1 % aminosyrer		Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Estonia	Baxter OY P.O box 270, Valimotie 15A, Helsinki 00381 Finland	EXTRANEAL	7.50%	Solution for peritoneal dialysis	Intraperitoneal use
Finland	Baxter Oy Valimotie 15 A 00380 Helsinki Finland	Extraneal	7.5 %	Solution for peritoneal dialysis	Intraperitoneal use
Finland	Baxter Healthcare S.A. Moneen Road, Castlebar County Mayo, Ireland	Dianeal PD1 Glucose	13.6 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Finland	Baxter Healthcare S.A. Moneen Road, Castlebar County Mayo, Ireland	Dianeal PD1 Glucose	22.7 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Finland	Baxter Healthcare S.A. Moneen Road, Castlebar County Mayo, Ireland	Dianeal PD1 Glucose	38.6 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Finland	Baxter Healthcare S.A. Moneen Road, Castlebar County Mayo, Ireland	Dianeal PD4 Glucose	13.6 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Finland	Baxter Healthcare S.A. Moneen Road, Castlebar County Mayo, Ireland	Dianeal PD4 Glucose	22.7 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Finland	Baxter Healthcare S.A. Moneen Road, Castlebar County Mayo, Ireland	Dianeal PD4 Glucose	38.6 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
France	Baxter SAS Avenue Louis Pasteur ZA de Coignères Maurepas 78310 Maurepas France	DIANEAL PD1 GLUCOSE 1,36 %, solution pour dialyse péritonéale en poche		Solution for peritoneal dialysis	Intraperitoneal use
France	Baxter SAS Avenue Louis Pasteur ZA de Coignères Maurepas 78310 Maurepas France	DIANEAL PD1 GLUCOSE 3,86 %, solution pour dialyse péritonéale en poche		Solution for peritoneal dialysis	Intraperitoneal use
France	Baxter SAS Avenue Louis Pasteur ZA de Coignères Maurepas 78310 Maurepas France	DIANEAL PD4 GLUCOSE 3,86 %, solution pour dialyse péritonéale en poche		Solution for peritoneal dialysis	Intraperitoneal use
France	Baxter SAS Avenue Louis Pasteur ZA de Coignères Maurepas 78310 Maurepas France	DIANEAL PD1 GLUCOSE 2,27 %, solution pour dialyse péritonéale en poche		Solution for peritoneal dialysis	Intraperitoneal use
France	Baxter SAS Avenue Louis Pasteur ZA de Coignères Maurepas 78310 Maurepas France	DIANEAL PD4 GLUCOSE 2,27 %, solution pour dialyse péritonéale en poche		Solution for peritoneal dialysis	Intraperitoneal use
France	Baxter SAS Avenue Louis Pasteur ZA de Coignères Maurepas 78310 Maurepas France	DIANEAL PD4 GLUCOSE 1,36 %, solution pour dialyse péritonéale en poche		Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
France	Baxter SAS Avenue Louis Pasteur ZA de Coignères Maurepas 78310 Maurepas France	EXTRANEAL, solution pour dialyse péritonéale		Solution for peritoneal dialysis	Intraperitoneal use
France	Baxter SAS Avenue Louis Pasteur ZA de Coignères Maurepas 78310 Maurepas France	NUTRINEAL PD4 A 1,1 % D'ACIDES AMINES, solution pour dialyse péritonéale		Solution for peritoneal dialysis	Intraperitoneal use
Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Dianeal PD1 Glucose 1.36% w/v	13.6 g / l 5.67 g / l 3.92 g / l 0.257 g / l 0.152 g / l	Solution for peritoneal dialysis	Intraperitoneal use
Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Dianeal PD1 Glucose 2.27% w/v	22.7 g / l 5.67 g / l 3.92 g / l 0.257 g / l 0.152 g / l	Solution for peritoneal dialysis	Intraperitoneal use
Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Dianeal PD1 Glucose 3.86% w/v	38.6 g / l 5.67 g / l 3.92 g / l 0.257 g / l 0.152 g / l	Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Dianeal PD4 Glucose 1.36% w/v	13.6 g / l 5.4 g / l 4.5 g / l 0.184 g / l 0.051 g / l	Solution for peritoneal dialysis	Intraperitoneal use
Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Dianeal PD4 Glucose 2.27% w/v	22.7 g / l 5.4 g / l 4.5 g / l 0.184 g / l 0.051 g / l	Solution for peritoneal dialysis	Intraperitoneal use
Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Dianeal PD4 Glucose 3.86% w/v	38.6 g / l 5.4 g / l 4.5 g / l 0.184 g / l 0.051 g / l	Solution for peritoneal dialysis	Intraperitoneal use
Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Dianeal PDG1 1,36 %	13.6 g / l 5.67 g / l 3.92 g / l 0.257 g / l 0.0152 g / l	Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Dianeal PDG1 2,27 %	22.7 g / l 5.67 g / l 3.92 g / l 0.257 g / l 0.0152 g / l	Solution for peritoneal dialysis	Intraperitoneal use
Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Dianeal PDG1 3,86 %	38.6 g / l 5.67 g / l 3.92 g / l 0.257 g / l 0.0152 g / l	Solution for peritoneal dialysis	Intraperitoneal use
Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Dianeal PDG4 1,36 %	13.6g / l 5.38 g / l 4.48 g / l 0.184 g / l 0.051 g / l	Solution for peritoneal dialysis	Intraperitoneal use
Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Dianeal PDG4 2,27 %	22.7 g / l 5.38 g / l 4.48 g / l 0.184 g / l 0.051 g / l	Solution for peritoneal dialysis	Intraperitoneal use
Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Dianeal PDG4 3,86 %	38.6 g / l 5.38 g / l 4.48 g / l 0.184 g / l 0.051 g / l	Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Extraneal	75 g / l 5.4. g / l 4.5 g / l 0.257 g / l 0.051 g / l	Solution for peritoneal dialysis	Intraperitoneal use
Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Nutrineal PD4 mit 1,1 % Aminosäuren	11,205 g / l 5.38 g / l 0.184 g / l 0.0508 g / l 4.48 g / l	Solution for peritoneal dialysis	Intraperitoneal use
Greece	DIOPHAR S.A. Kifissias Avenue 368, Halandri, 152 33 Greece	DIANEAL PD1	3,86% W/V	Solution for peritoneal dialysis	Intraperitoneal use
Greece	DIOPHAR S.A. Kifissias Avenue 368, Halandri, 152 33 Greece	DIANEAL PD4		Solution for peritoneal dialysis	Intraperitoneal use
Greece	DIOPHAR S.A. Kifissias Avenue 368, Halandri, 152 33 Greece	EXTRANEAL	(7,5+0,54+0,45+0,0257+0,0051)% w/v	Solution for peritoneal dialysis	Intraperitoneal use
Greece	DIOPHAR S.A. Kifissias Avenue 368, Halandri, 152 33 Greece	Nutrineal PD4	1.1%	Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Hungary	Baxter Hungary Kft. Népfürdő u. 22. 1138, Budapest Hungary	EXTRANEAL peritoneális dializáló oldat	7,5% (icodextrin)	Solution for peritoneal dialysis	Intraperitoneal use
Hungary	Baxter Hungary Kft. Népfürdő u. 22. 1138, Budapest Hungary	DIANEAL PD 1 Glucose 1,36% peritoneális dializáló oldat	1.36%	Solution for peritoneal dialysis	Intraperitoneal use
Hungary	Baxter Hungary Kft. Népfürdő u. 22. 1138, Budapest Hungary	DIANEAL PD 1 Glucose 2,27% peritoneális dializáló oldat	2.27%	Solution for peritoneal dialysis	Intraperitoneal use
Hungary	Baxter Hungary Kft. Népfürdő u. 22. 1138, Budapest Hungary	DIANEAL PD 1 Glucose 3,86% peritoneális dializáló oldat	3.86%	Solution for peritoneal dialysis	Intraperitoneal use
Hungary	Baxter Hungary Kft. Népfürdő u. 22. 1138, Budapest Hungary	DIANEAL PD 4 Glucose 1,36% peritoneális dializáló oldat	1.36%	Solution for peritoneal dialysis	Intraperitoneal use
Hungary	Baxter Hungary Kft. Népfürdő u. 22. 1138, Budapest Hungary	DIANEAL PD 4 Glucose 2,27% peritoneális dializáló oldat	2.27%	Solution for peritoneal dialysis	Intraperitoneal use
Hungary	Baxter Hungary Kft. Népfürdő u. 22. 1138, Budapest Hungary	DIANEAL PD 4 Glucose 3,86% peritoneális dializáló oldat	3.86%	Solution for peritoneal dialysis	Intraperitoneal use
Iceland	Baxter Healthare SA Moneen Road Castlebar County Mayo Ireland	Dianeal PD1 Glucose	13,6 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Iceland	Baxter Healthare SA Moneen Road Castlebar County Mayo Ireland	Dianeal PD1 Glucose	22,7 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Iceland	Baxter Healthare SA Moneen Road Castlebar County Mayo Ireland	Dianeal PD1 Glucose	38,6 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Iceland	Baxter Healthare SA Moneen Road Castlebar County Mayo Ireland	Dianeal PD4 Glucose	13.6 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Iceland	Baxter Healthare SA Moneen Road Castlebar County Mayo Ireland	Dianeal PD4 Glucose	22,7 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Iceland	Baxter Healthare SA Moneen Road Castlebar County Mayo Ireland	Dianeal PD4 Glucose	38,6 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Ireland	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk, IP24 3SE, United Kingdom	Dianeal PD1 Glucose 1.36% w/v (13.6mg/ml) Solution for Peritoneal Dialysis	1.36% w/v	Solution for peritoneal dialysis	Intraperitoneal use
Ireland	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk, IP24 3SE, United Kingdom	Dianeal PD1 Glucose 3.86% w/v (38.6 mg/ml) Solution for Peritoneal Dialysis	3.86% w/v (38.6 mg/ml)	Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Ireland	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk, IP24 3SE, United Kingdom	Dianeal PD1 Glucose 2.27% w/v (22.7 mg/ml) Solution for Peritoneal Dialysis	2.27% w/v (22.7 mg/ml)	Solution for peritoneal dialysis	Intraperitoneal use
Ireland	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk, IP24 3SE, United Kingdom	Dianeal PD4 Glucose 1.36 % w/v (13.6 mg/ml) Solution for peritoneal dialysis	1.36 % w/v (13.6 mg/ml)	Solution for peritoneal dialysis	Intraperitoneal use
Ireland	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk, IP24 3SE, United Kingdom	Dianeal PD4 Glucose 2.27 % w/v (22.7 mg/ml) Solution for peritoneal dialysis	2.27 % w/v (22.7 mg/ml)	Solution for peritoneal dialysis	Intraperitoneal use
Ireland	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk, IP24 3SE, United Kingdom	Dianeal PD4 Glucose 3.86 % w/v (38.6 mg/ml) Solution for peritoneal dialysis	3.86 % w/v (38.6 mg/ml)	Solution for peritoneal dialysis	Intraperitoneal use
Ireland	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk, IP24 3SE, United Kingdom	Nutrineal Solution for Peritoneal Dialysis 4 with 1.1% Amino Acids		Solution for peritoneal dialysis	Intraperitoneal use
Ireland	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk, IP24 3SE, United Kingdom	Nutrineal PD4 1.1% Amino Acids Clear-Flex, Solution for peritoneal dialysis		Solution for peritoneal dialysis	Intraperitoneal use
Ireland	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk, IP24 3SE, United Kingdom	EXTRANEAL Solution for peritoneal dialysis		Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Italy	Baxter SPA piazzale dell' industria 20 - 00144-roma Italy	EXTRANEAL	7.5%	Solution for peritoneal dialysis	Intraperitoneal use
Italy	Baxter SPA piazzale dell' industria 20 - 00144-roma Italy	NUTRINEAL PD4	1.1%	Solution for peritoneal dialysis	Intraperitoneal use
Italy	Baxter SPA piazzale dell' industria 20 - 00144-roma Italy	SOLUZIONI PER DIALISI PERITONEALE BAXTER	Range compositions	Solution for peritoneal dialysis	Intraperitoneal use
Latvia	Baxter Oy Valimotie 15 A 00380 Helsinki Finland FINLAND	Extraneal solution for peritoneal dialysis	75g/L 5,4g/L 4,5g/L 0,257g/L 0,051g/L	Solution for peritoneal dialysis	Intraperitoneal use
Latvia	Baxter Healthcare S.A. Moneen Road Castlebar County Mayo IRELAND	Dianeal PD4 Glucose 2,27% w/v//22,7 mg/ml solution for peritoneal dialysis	2,27 % w/v 0,538% w/v 0,448% w/v 0,0184% w/v 0,0051% w/v	Solution for peritoneal dialysis	Intraperitoneal use
Latvia	Baxter Healthcare S.A. Moneen Road Castlebar County Mayo IRELAND	Dianeal PD4 Glucose 3,86 % w/v/38,6 mg/ml solution for peritoneal dialysis	3,86% w/v 0,538% w/v 0,448% w/v 0,0184% w/v 0,0051% w/v	Solution for peritoneal dialysis	Intraperitoneal use
Latvia	Baxter Healthcare S.A. Moneen Road Castlebar County Mayo IRELAND	Dianeal PD4 Glucose 1,36 % w/v/13,6 mg/ml solution for peritoneal dialysis	1,36% w/v 0,538% w/v 0,448% w/v 0,0184% w/v 0,0051% w/v	Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Lithuania	Baxter Healthcare S.A., Moneen Road, Castlebar County Mayo, Ireland	Dianeal PD4 Glucose	13,6g+5,38g+4,48g+0,184g+0,051g/l	Solution for peritoneal dialysis	Intraperitoneal use
Lithuania	Baxter Healthcare S.A., Moneen Road, Castlebar County Mayo, Ireland	Dianeal PD4 Glucose	22,7g+5,38g+4,48g+0,184g+0,051g/l	Solution for peritoneal dialysis	Intraperitoneal use
Lithuania	Baxter Healthcare S.A., Moneen Road, Castlebar County Mayo, Ireland	Dianeal PD4 Glucose	38,6g+5,38g+4,48g+0,184g+0,051g/l	Solution for peritoneal dialysis	Intraperitoneal use
Lithuania	Baxter Oy, P.O. Box 270 Valimotie 15A 00381 Helsinki, Finland	EXTRANEAL	75g+5,4g+4,5g+0,257g+0,051g/1000 ml	Solution for peritoneal dialysis	Intraperitoneal use
Luxembourg	Baxter SA, Bd René Branquart 80, B-7860 Lessines	Nutrineal PD4+A.A.1,1%	1,1% amino acids	Solution for peritoneal dialysis	Intraperitoneal use
Luxembourg	Baxter SA, Bd René Branquart 80, B-7860 Lessines	Dianeal PD1 Glucose	1,36%/2,27%/3,86% dextrose anydre	Solution for peritoneal dialysis	Intraperitoneal use
Luxembourg	Baxter SA, Bd René Branquart 80, B-7860 Lessines Belgium	Dianeal PD4 Glucose	1,36%/2,27%/3,86% dextrose anydre	Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Luxembourg	Baxter SA, Bd René Branquart 80, B-7860 Lessines Belgium	Extraneal	75.00 g/l Icodextrine	Solution for peritoneal dialysis	Intraperitoneal use
Malta	Baxter Healthcare Ltd., Caxton Way, Thetford, Norfolk, IP24 3SE United Kingdom	Extraneal (Icodextrin 7.5%)	N/A	Solution for peritoneal dialysis	Intraperitoneal use
Malta	Baxter Healthcare Ltd., Caxton Way, Thetford, Norfolk, IP24 3SE United Kingdom	Nutrineal PD4 with 1.1% amino acids	N/A	Solution for peritoneal dialysis	Intraperitoneal use
Malta	Baxter Healthcare Ltd., Caxton Way, Thetford, Norfolk, IP24 3SE United Kingdom	Dianeal PD1 Glucose 1.36%w/v 13.6mg/ml	1.36%w/v 13.6mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Malta	Baxter Healthcare Ltd., Caxton Way, Thetford, Norfolk, IP24 3SE United Kingdom	Dianeal PD1 Glucose 2.27%w/v 22.7mg/ml	2.27%w/v 22.7mg/ml	Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Malta	Baxter Healthcare Ltd., Caxton Way, Thetford, Norfolk, IP24 3SE United Kingdom	Dianeal PD1 Glucose 3.86%w/v 38.6mg/ml	3.86%w/v 38.6mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Malta	Baxter Healthcare Ltd., Caxton Way, Thetford, Norfolk, IP24 3SE United Kingdom	Dianeal PD4 Glucose 1.36%w/v 13.6mg/ml	1.36%w/v 13.6mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Malta	Baxter Healthcare Ltd., Caxton Way, Thetford, Norfolk, IP24 3SE United Kingdom	Dianeal PD4 Glucose 2.27%w/v 22.7mg/ml	2.27%w/v 22.7mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Malta	Baxter Healthcare Ltd., Caxton Way, Thetford, Norfolk, IP24 3SE United Kingdom	Dianeal PD4 Glucose 3.86%w/v 38.6mg/ml	3.86%w/v 38.6mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Netherlands	Baxter B.V., Kobaltweg 49, 3542 CE Utrecht, the Netherlands	Dianeal PD1 Glucose 1.36%/13,6 mg/ml, peritoneaaldialysevloeistof	13.6 g/l glucose anhydrate	Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Netherlands	Baxter B.V., Kobaltweg 49, 3542 CE Utrecht, the Netherlands	Dianeal PD1 Glucose 2.27%/22,7 mg/ml, peritoneaaldialysevloeist of	22,7 g/l glucose anhydrate	Solution for peritoneal dialysis	Intraperitoneal use
Netherlands	Baxter B.V., Kobaltweg 49, 3542 CE Utrecht, the Netherlands	Dianeal PD1 Glucose 3.86%/38,6 mg/ml, peritoneaaldialysevloeist of	38,6 g/l glucose anhydrate	Solution for peritoneal dialysis	Intraperitoneal use
Netherlands	Baxter B.V., Kobaltweg 49, 3542 CE Utrecht, the Netherlands	Dianeal PD4 Glucose 1.36%/13,6 mg/ml, peritoneaaldialysevloeist of	13,6 g/l glucose anhydrate	Solution for peritoneal dialysis	Intraperitoneal use
Netherlands	Baxter B.V., Kobaltweg 49, 3542 CE Utrecht, the Netherlands	Dianeal PD4 Glucose 2.27%/22,7 mg/ml, peritoneaaldialysevloeist of	22,7 g/l glucose anhydrate	Solution for peritoneal dialysis	Intraperitoneal use
Netherlands	Baxter B.V., Kobaltweg 49, 3542 CE Utrecht, the Netherlands	Dianeal PD4 Glucose 3.86%/38,6 mg/ml, peritoneaaldialysevloeist of	38,6 g/l glucose anhydrate	Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Netherlands	Baxter B.V., Kobaltweg 49, 3542 CE Utrecht, the Netherlands	Nutrineal PD4 met 11 g/l aminozuren en Ca 1,25 mmol/l, peritoneaaldialysevloeist of	11 g/l amino acids and 1,25 mmol/l Ca.	Solution for peritoneal dialysis	Intraperitoneal use
Netherlands	Baxter B.V., Kobaltweg 49, 3542 CE Utrecht, the Netherlands	EXTRANEAL 7,5 %, oplossing voor peritoneale dialyse	75 g/l icodextrine	Solution for peritoneal dialysis	Intraperitoneal use
Norway	Baxter AS Gjerdrumsvei 11 0484 Oslo, Norway	Nutrineal PD4 amino Acids 1,1 %		Solution for peritoneal dialysis	Intraperitoneal use
Norway	Baxter AS Gjerdrumsvei 11 0484 Oslo, Norway	Nutrineal PD4 1,1 % Amino Acids Clear-Flex		Solution for peritoneal dialysis	Intraperitoneal use
Norway	Baxter AS Gjerdrumsvei 11 0484 Oslo, Norway	Extraneal	75 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Poland	Baxter Polska SP. z o.o. Kruczkowskiego 8 st., 00-380 Warszawa, Poland	Dianeal PD1 (glukoza 1,36%). Zestaw do dializy otrzewnowej		Solution for peritoneal dialysis	Intraperitoneal use
Poland	Baxter Polska SP. z o.o. Kruczkowskiego 8 st., 00-380 Warszawa, Poland	Dianeal PD1 (glukoza 2,27%). Zestaw do dializy otrzewnowej		Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Poland	Baxter Polska SP. z o.o. Kruczkowskiego 8 st., 00-380 Warszawa, Poland	Dianeal PD1 (glukoza 3,86%). Zestaw do dializy otrzewnowej		Solution for peritoneal dialysis	Intraperitoneal use
Poland	Baxter Polska SP. z o.o. Kruczkowskiego 8 st., 00-380 Warszawa, Poland	Dianeal PD4 (glukoza 1,36%). Zestaw do dializy otrzewnowej		Solution for peritoneal dialysis	Intraperitoneal use
Poland	Baxter Polska SP. z o.o. Kruczkowskiego 8 st., 00-380 Warszawa, Poland	Dianeal PD4 (glukoza 2,27%). Zestaw do dializy otrzewnowej		Solution for peritoneal dialysis	Intraperitoneal use
Poland	Baxter Polska SP. z o.o. Kruczkowskiego 8 st., 00-380 Warszawa, Poland	Dianeal PD4 (glukoza 3,86%). Zestaw do dializy otrzewnowej		Solution for peritoneal dialysis	Intraperitoneal use
Poland	Baxter Polska SP. z o.o. Kruczkowskiego 8 st., 00-380 Warszawa, Poland	Extraneal Zestaw do dializy otrzewnowej		Solution for peritoneal dialysis	Intraperitoneal use
Poland	Baxter Polska SP. z o.o. Kruczkowskiego 8 st., 00-380 Warszawa, Poland	Nutrineal PD4 (z 1,1% roztworem aminokwasów)		Solution for peritoneal dialysis	Intraperitoneal use
Poland	Baxter Polska SP. z o.o. Kruczkowskiego 8 st., 00-380 Warszawa, Poland	Extraneal Zestaw do dializy otrzewnowej		Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Poland	Baxter Polska SP. z o.o. Kruczkowskiego 8 st., 00-380 Warszawa, Poland	Nutrineal PD4 (z 1,1% roztworem aminokwasów)		Solution for peritoneal dialysis	Intraperitoneal use
Portugal	Baxter Médico-Farmacêutica, Lda. Zona Industrial da Abrunheira - Edifício 10 - Sintra Business Park, 2710-089 Sintra Portugal	Extraneal	75 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Portugal	Baxter Médico-Farmacêutica, Lda. Zona Industrial da Abrunheira - Edifício 10 - Sintra Business Park, 2710-089 Sintra Portugal	Dianeal Pd1	Association	Solution for peritoneal dialysis	Intraperitoneal use
Portugal	Baxter Médico-Farmacêutica, Lda. Zona Industrial da Abrunheira - Edifício 10 - Sintra Business Park, 2710-089 Sintra Portugal	Dianeal Pd1	Association	Solution for peritoneal dialysis	Intraperitoneal use
Portugal	Baxter Médico-Farmacêutica, Lda. Zona Industrial da Abrunheira - Edifício 10 - Sintra Business Park, 2710-089 Sintra Portugal	Dianeal Pd1	Association	Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Portugal	Baxter Médico-Farmacêutica, Lda. Zona Industrial da Abrunheira - Edifício 10 - Sintra Business Park, 2710-089 Sintra Portugal	Dianeal Pd4	Association	Solution for peritoneal dialysis	Intraperitoneal use
Portugal	Baxter Médico-Farmacêutica, Lda. Zona Industrial da Abrunheira - Edifício 10 - Sintra Business Park, 2710-089 Sintra Portugal	Dianeal Pd4	Association	Solution for peritoneal dialysis	Intraperitoneal use
Portugal	Baxter Médico-Farmacêutica, Lda. Zona Industrial da Abrunheira - Edifício 10 - Sintra Business Park, 2710-089 Sintra Portugal	Dianeal Pd4	Association	Solution for peritoneal dialysis	Intraperitoneal use
Portugal	Baxter Médico-Farmacêutica, Lda. Zona Industrial da Abrunheira - Edifício 10 - Sintra Business Park, 2710-089 Sintra Portugal	Nutrineal PD4	Association	Solution for peritoneal dialysis	Intraperitoneal use
Portugal	Baxter Médico-Farmacêutica, Lda. Zona Industrial da Abrunheira - Edifício 10 - Sintra Business Park, 2710-089 Sintra Portugal	Nutrineal PD4 1,1% Aminoácidos Clear-Flex	Association	Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Romania	BAXTER HEALTHCARE Ltd., Caxton Way, Thetford, Norfolk, IP24 3SE, Thetford, United Kingdom	EXTRANEAL		Solution for peritoneal dialysis	Intraperitoneal use
Romania	BAXTER HEALTHCARE S.A. Moneen Road, Castelbar, County Mayo, Ireland	DIANEAL PD4 GLUCOSE 1,36% m/v (13,6 mg/ml),	13,6 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Romania	BAXTER HEALTHCARE S.A. Moneen Road, Castelbar, County Mayo, Ireland	DIANEAL PD4 GLUCOSE 2,27% m/v (22,7 mg/ml)	22,7 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Romania	BAXTER HEALTHCARE S.A. Moneen Road, Castelbar, County Mayo, Ireland	DIANEAL PD4 GLUCOSE 3,86% m/v (38,6 mg/ml)	38,6 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Romania	BAXTER d.o.o. Zelezna cesta 14, SI-1000 Ljubljana, Slovenia	NUTRINEAL PD4 cu 1,1% aminoacizi	1.1%	Solution for peritoneal dialysis	Intraperitoneal use
Slovak Republic	Baxter Healthcare SA Moneen Rd Castlebar, Co. Mayo Ireland	Dianeal® PD1 glucose 1,36% w/v /13,6 mg/ml	13,6 mg/1 ml	Solution for peritoneal dialysis	Intraperitoneal use
Slovak Republic	Baxter Healthcare SA Moneen Rd Castlebar, Co. Mayo Ireland	Dianeal® PD1 glucose 2,27% w/v /22,7 mg/ml	22,7 mg/1 ml	Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Slovak Republic	Baxter Healthcare SA Moneen Rd Castlebar, Co. Mayo Ireland	Dianeal® PD1 glucose 3,86% w/v /38,6 mg/ml	38,6 mg/1 ml	Solution for peritoneal dialysis	Intraperitoneal use
Slovak Republic	Baxter Healthcare SA Moneen Rd Castlebar, Co. Mayo Ireland	DIANEAL PD4 glucose 1,36 % w/v/13,6 mg/ ml	13,6 mg/1 ml	Solution for peritoneal dialysis	Intraperitoneal use
Slovak Republic	Baxter Healthcare SA Moneen Rd Castlebar, Co. Mayo Ireland	DIANEAL PD4 glucose 2,27 % w/v/22,7 mg/ ml	22,7 mg/1 ml	Solution for peritoneal dialysis	Intraperitoneal use
Slovak Republic	Baxter Healthcare SA Moneen Rd Castlebar, Co. Mayo Ireland	DIANEAL PD4 glucose 3,86 % w/v/38,6 mg/ ml	38,6 mg/1 ml	Solution for peritoneal dialysis	Intraperitoneal use
Slovak Republic	Baxter Healthcare Ltd. Caxton Way Thetford Norfolk IP24 3SE	EXTRANEAL		Solution for peritoneal dialysis	Intraperitoneal use
Slovak Republic	Baxter Healthcare SA Moneen Rd Castlebar, Co. Mayo Ireland	Nutrineal PD4 with 1.1 % Amino Acids		Solution for peritoneal dialysis	Intraperitoneal use
Slovenia	Baxter d.o.o., Zelezna cesta 18 , Ljubljana, SI-1000, Slovenia	Extraneal 75 mg/ml ikodekstrina raztopina za peritonealno dializo	75 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Slovenia	Baxter d.o.o., Zelezna cesta 18 , Ljubljana, SI-1000, Slovenia	Nutrineal PD4 11 mg/ml amino kislin raztopina za peritonealno dializo	11 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Slovenia	Baxter d.o.o., Zelezna cesta 18 , Ljubljana, SI-1000, Slovenia	Dianeal PD1 13,6 mg/ml glukoze raztopina za peritonealno dializo	13,6 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Slovenia	Baxter d.o.o., Zvezna cesta 18 , Ljubljana, SI-1000, Slovenia	Dianeal PD1 22,7 mg/ml glukoze raztopina za peritonealno dializo	22,7 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Slovenia	Baxter d.o.o., Zvezna cesta 18 , Ljubljana, SI-1000, Slovenia	Dianeal PD1 38,6 mg/ml glukoze raztopina za peritonealno dializo	38,6 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Slovenia	Baxter d.o.o., Zvezna cesta 18 , Ljubljana, SI-1000, Slovenia	Dianeal PD4 13,6 mg/ml glukoze raztopina za peritonealno dializo	13,6 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Slovenia	Baxter d.o.o., Zvezna cesta 18 , Ljubljana, SI-1000, Slovenia	Dianeal PD4 22,7 mg/ml glukoze raztopina za peritonealno dializo	22,7 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Slovenia	Baxter d.o.o., Zvezna cesta 18 , Ljubljana, SI-1000, Slovenia	Dianeal PD4 38,6 mg/ml glukoze raztopina za peritonealno dializo	38,6 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Spain	BAXTER S.L. Pouet de Camilo 2 46394 Ribarroja del Turia (Valencia) Spain	EXTRANEAL Solución para diálisis peritoneal		Solution for peritoneal dialysis	Intraperitoneal use
Spain	BAXTER S.L. Pouet de Camilo 2 46394 Ribarroja del Turia (Valencia) Spain	Nutrineal PD4 con 1,1% de aminoácidos. Solución para diálisis peritoneal		Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Spain	BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394, Spain	Nutrineal PD4 con 1,1% de aminoácidos. Con sistema de desconexión integrado Solución para diálisis peritoneal		Solution for peritoneal dialysis	Intraperitoneal use
Spain	BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394, Spain	Dianeal PD1 Glucosa 1,36%		Solution for peritoneal dialysis	Intraperitoneal use
Spain	BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394 Spain	Dianeal PD1 Glucosa 1,36% con sistema de desconexión integrado		Solution for peritoneal dialysis	Intraperitoneal use
Spain	BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394 Spain	Dianeal PD1 Glucosa 2,27%		Solution for peritoneal dialysis	Intraperitoneal use
Spain	BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394 Spain	Dianeal PD1 Glucosa 2,27% con sistema de desconexión integrado		Solution for peritoneal dialysis	Intraperitoneal use
Spain	BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394, Spain	Dianeal PD1 Glucosa 3,86%		Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Spain	BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394 Spain	Dianeal PD1 Glucosa 3,86% con sistema de desconexión integrado		Solution for peritoneal dialysis	Intraperitoneal use
Spain	BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394 Spain	Dianeal PD4 Glucosa 1,36%		Solution for peritoneal dialysis	Intraperitoneal use
Spain	BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394 Spain	Dianeal PD4 Glucosa 1,36% con sistema de desconexión integrado		Solution for peritoneal dialysis	Intraperitoneal use
Spain	BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394, Spain	Dianeal PD4 Glucosa 2,27%		Solution for peritoneal dialysis	Intraperitoneal use
Spain	BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394 Spain	Dianeal PD4 Glucosa 2,27% con sistema de desconexión integrado		Solution for peritoneal dialysis	Intraperitoneal use
Spain	BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394, Spain	Dianeal PD4 Glucosa 3,86%		Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Spain	BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394 Spain	Dianeal PD4 Glucosa 3,86% con sistema de desconexión integrado		Solution for peritoneal dialysis	Intraperitoneal use
Sweden	Baxter Healthare SA Moneen Road Castlebar County Mayo Ireland	Dianeal PD1 med glucos 13,6 mg/ml	13,6 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Sweden	Baxter Healthare SA Moneen Road Castlebar County Mayo Ireland	Dianeal PD1 med glucos 38,6 mg/ml	38,6 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Sweden	Baxter Healthare SA Moneen Road Castlebar County Mayo Ireland	Dianeal PD1 med glucos 22,7 mg/ml	22,7 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Sweden	Baxter Healthare SA Moneen Road Castlebar County Mayo Ireland	Dianeal PD4 med glucos 13,6 mg/ml	13,6 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Sweden	Baxter Healthare SA Moneen Road Castlebar County Mayo, Ireland	Dianeal PD4 med glucos 22,7 mg/ml	22,7 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
Sweden	Baxter Healthare SA Moneen Road Castlebar County Mayo, Ireland	Dianeal PD4 med glucos 38,6 mg/ml	38,6 mg/ml	Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Sweden	Baxter Medical AB Box 63 164 94 Kista, Sverige	Extraneal	7.5%	Solution for peritoneal dialysis	Intraperitoneal use
Sweden	Baxter Medical AB Box 63 164 94 Kista, Sverige	Nutrineal PD4 1,1 % Aminosyror	1.10%	Solution for peritoneal dialysis	Intraperitoneal use
United Kingdom	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk IP24 3SE, UK	Dianeal PD1 Glucose 1.36% w/v /13.6mg/ml	1.36% w/v /13.6mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
United Kingdom	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk IP24 3SE, UK	Dianeal PD1 Glucose 3.86% w/v /38.6mg/ml	3.86% w/v /38.6mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
United Kingdom	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk IP24 3SE, UK	Dianeal PD1 Glucose 2.27% w/v /22.7mg/ml	2.27% w/v /22.7mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
United Kingdom	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk IP24 3SE, UK	Dianeal PD4 Glucose 1.36% w/v /13.6mg/ml	1.36% w/v /13.6mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
United Kingdom	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk IP24 3SE, UK	Dianeal PD4 Glucose 2.27% w/v /22.7mg/ml	2.27% w/v /22.7mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
United Kingdom	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk IP24 3SE, UK	Dianeal PD4 Glucose 3.86% w/v /38.6mg/ml	3.86% w/v /38.6mg/ml	Solution for peritoneal dialysis	Intraperitoneal use
United Kingdom	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk IP24 3SE, UK	Extraneal (Icodextrin 7.5%) Solution for peritoneal dialysis		Solution for peritoneal dialysis	Intraperitoneal use

Member State	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
United Kingdom	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk IP24 3SE, UK	Nutrineal PD4 with 1.1% Amino Acids		Solution for peritoneal dialysis	Intraperitoneal use
United Kingdom	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk IP24 3SE, UK	Nutrineal PD4 with 1.1% Amino Acids Clear-Flex		Solution for peritoneal dialysis	Intraperitoneal use