

Annex I

List of the names, pharmaceutical form, strengths of the medicinal products, route of administration, marketing authorisation holders in the member states

| Member State | Marketing authorisation holder | Product name | Strength | Pharmaceutical form | Route of administration |
|--------------|---|---|--|----------------------------------|-------------------------|
| Austria | Baxter Healthcare GmbH, Stella-Klein-Löw-Weg 15, A-1020 Wien, Austria | Dianeal PD4 Glucose 1,36% w/v/13,6 mg/ml - Peritonealdialyselösung | Anhydrous glucose 13.6 g/L, sodium chloride 5.38 g/L, sodium-L(+) lactate 4.48 g/L, calcium chloride dihydrate 0.184 g/L, magnesium chloride hexahydrate 0.051 g/L | Solution for peritoneal dialysis | Intraperitoneal use |
| Austria | Baxter Healthcare GmbH, Stella-Klein-Löw-Weg 15, A-1020 Wien, Austria | Dianeal PD4 Glucose 2,27% w/v/22,7 mg/ml - Peritonealdialyselösung | Anhydrous glucose 22.7 g/L, sodium chloride 5.38 g/L, sodium-L(+) lactate 4.48 g/L, calcium chloride dihydrate 0.184 g/L, magnesium chloride hexahydrate 0.051 g/L | Solution for peritoneal dialysis | Intraperitoneal use |
| Austria | Baxter Healthcare GmbH, Stella-Klein-Löw-Weg 15, A-1020 Wien, Austria | Dianeal PD4 Glucose 3,86 % w/v/38,6 mg/ml - Peritonealdialyselösung | Anhydrous glucose 38.6 g/L, sodium chloride 5.38 g/L, sodium-L(+) lactate 4.48 g/L, calcium chloride dihydrate 0.184 g/L, magnesium chloride hexahydrate 0.051 g/L | Solution for peritoneal dialysis | Intraperitoneal use |
| Austria | Baxter Healthcare GmbH, Stella-Klein-Löw-Weg 15, A-1020 Wien, Austria | EXTRANEAL - Peritonealdialyselösung | 75 g/L | Solution for peritoneal dialysis | Intraperitoneal use |
| Belgium | Baxter SA Bld R Branquart 80 7860 Lessines Belgium | Dianeal PD4 Glucose 1,36 % (13,6 mg/ml), solution pour dialyse péritonéale. | 13.6 g/l glucose anhydrate | Solution for peritoneal dialysis | Intraperitoneal use |
| Belgium | Baxter SA Bld R Branquart 80 7860 Lessines Belgium | Dianeal PD4 Glucose 2,27 % (22,7 mg/ml), solution pour dialyse péritonéale. | 22.7 g/l glucose anhydrate | Solution for peritoneal dialysis | Intraperitoneal use |
| Belgium | Baxter SA Bld R Branquart 80 7860 Lessines Belgium | Dianeal PD4 Glucose 3,86 % (38,6 mg/ml), solution pour dialyse péritonéale. | 38.6 g/l glucose anhydrate | Solution for peritoneal dialysis | Intraperitoneal use |
| Belgium | Baxter SA Bld R Branquart 80 7860 Lessines Belgium | EXTRANEAL 7,5 %, solution pour dialyse péritonéale | 75.00 g/l Icodextrine | Solution for peritoneal dialysis | Intraperitoneal use |

| Member State | Marketing authorisation holder | Product name | Strength | Pharmaceutical form | Route of administration |
|----------------|---|--|-------------------------|----------------------------------|-------------------------|
| Bulgaria | BAXTER d.o.o., Zvezna cesta 18, 1000 Ljubljana, Slovenia | Dianeal PD4 Glucose | 2.27% w/v/ 22.7mg/ml | Solution for peritoneal dialysis | Intraperitoneal use |
| Bulgaria | BAXTER d.o.o., Zvezna cesta 18, 1000 Ljubljana, Slovenia | Dianeal PD4 Glucose | 3.86% w/v/ 38.6mg/ml | Solution for peritoneal dialysis | Intraperitoneal use |
| Bulgaria | BAXTER d.o.o., Zvezna cesta 18, 1000 Ljubljana, Slovenia | Dianeal PD4 Glucose 1.36% w/v/ 13.6mg/ml | 1.36% w/v/ 13.6mg/ml | Solution for peritoneal dialysis | Intraperitoneal use |
| Bulgaria | BAXTER d.o.o., Zvezna cesta 18, 1000 Ljubljana, Slovenia | Extraneal | 7.50% | Solution for peritoneal dialysis | Intraperitoneal use |
| Czech Republic | Baxter Healthcare S.A. Moneen Road Castlebar, Co. Mayo Ireland | Dianeal PD4 Glucose 1,36 % w/v / 13,6 mg/ml | 1,36 % w/v / 13,6 mg/ml | Solution for peritoneal dialysis | Intraperitoneal use |
| Czech Republic | Baxter Healthcare S.A. Moneen Road Castlebar, Co. Mayo Ireland | Dianeal PD4 Glucose 2,27 % w/v / 22,7 mg/ml | 2,27 % w/v / 22,6 mg/ml | Solution for peritoneal dialysis | Intraperitoneal use |
| Czech Republic | Baxter Healthcare S.A. Moneen Road Castlebar, Co. Mayo Ireland | Dianeal PD4 Glucose 3,86 % w/v / 38,6 mg/ml | 3,86 % w/v / 38,6 mg/ml | Solution for peritoneal dialysis | Intraperitoneal use |
| Czech Republic | Baxter Healthcare S.A. Moneen Road Castlebar, Co. Mayo Ireland | EXTRANEAL | 7,5 % 75 g / 1000 ml | Solution for peritoneal dialysis | Intraperitoneal use |
| Denmark | Baxter A/S, Gydevang 43, DK- 3450 Allerød, Denmark | Dianeal PD4 med Glucos | 13,6 mg/ml | Solution for peritoneal dialysis | Intraperitoneal use |

| Member State | Marketing authorisation holder | Product name | Strength | Pharmaceutical form | Route of administration |
|--------------|---|------------------------|------------|----------------------------------|-------------------------|
| Denmark | Baxter A/S, Gydevang 43, DK-3450 Allerød, Denmark | Dianeal PD4 med Glucos | 22,7 mg/ml | Solution for peritoneal dialysis | Intraperitoneal use |
| Denmark | Baxter A/S, Gydevang 43, DK-3450 Allerød, Denmark | Dianeal PD4 med Glucos | 38,6 mg/ml | Solution for peritoneal dialysis | Intraperitoneal use |
| Denmark | Baxter A/S, Gydevang 43, DK-3450 Allerød, Denmark | Extraneal | 75 mg/ml | Solution for peritoneal dialysis | Intraperitoneal use |
| Estonia | Baxter OY P.O box 270, Valimotie 15A, Helsinki 00381 Finland | EXTRANEAL | 7.50% | Solution for peritoneal dialysis | Intraperitoneal use |
| Finland | Baxter Healthcare S.A. Moneen Road, Castlebar County Mayo Ireland | Dianeal PD4 Glucose | 13.6 mg/ml | Solution for peritoneal dialysis | Intraperitoneal use |
| Finland | Baxter Healthcare S.A. Moneen Road, Castlebar County Mayo Ireland | Dianeal PD4 Glucose | 22.7 mg/ml | Solution for peritoneal dialysis | Intraperitoneal use |
| Finland | Baxter Healthcare S.A. Moneen Road, Castlebar County Mayo Ireland | Dianeal PD4 Glucose | 38.6 mg/ml | Solution for peritoneal dialysis | Intraperitoneal use |
| Finland | Baxter Oy Valimotie 15 A 00380 Helsinki Finland | Extraneal | 7.5 % | Solution for peritoneal dialysis | Intraperitoneal use |

| Member State | Marketing authorisation holder | Product name | Strength | Pharmaceutical form | Route of administration |
|--------------|---|---|--|-------------------------------------|-------------------------|
| France | Baxter SAS Avenue louis Pasteur ZA de Coignères Maurepas 78310 Maurepas France | DIANEAL PD4 GLUCOSE 1,36 %, solution pour dialyse péritonéale en poche | 1.36% | Solution for peritoneal dialysis | Intraperitoneal use |
| France | Baxter SAS Avenue louis Pasteur ZA de Coignères Maurepas 78310 Maurepas France | DIANEAL PD4 GLUCOSE 2,27 %, solution pour dialyse péritonéale en poche | 2.27% | Solution for peritoneal dialysis | Intraperitoneal use |
| France | Baxter SAS Avenue louis Pasteur ZA de Coignères Maurepas 78310 Maurepas France | DIANEAL PD4 GLUCOSE 3,86 %, solution pour dialyse péritonéale en poche | 3.86% | Solution for peritoneal dialysis | Intraperitoneal use |
| France | Baxter SAS Avenue louis Pasteur ZA de Coignères Maurepas 78310 Maurepas France | EXTRANEAL, solution pour dialyse péritonéale | 7.50% | Solution for peritoneal dialysis | Intraperitoneal use |
| Germany | Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany | Dianeal PD4 Glucose 1.36% w/v | 13.6 g / l 5.4 g / l 4.5 g / l 0.184 g / l 0.051 g / l | Solution for peritoneal dialysis | Intraperitoneal use |

| Member State | Marketing authorisation holder | Product name | Strength | Pharmaceutical form | Route of administration |
|--------------|---|----------------------------------|--|----------------------------------|-------------------------|
| Germany | Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany | Dianeal PD4 Glucose 2.27% w/v | 22.7 g / l 5.4 g / l 4.5 g / l 0.184 g / l 0.051 g / l | Solution for peritoneal dialysis | Intraperitoneal use |
| Germany | Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany | Dianeal PD4 Glucose 3.86% w/v | 38.6 g / l 5.4 g / l 4.5 g / l 0.184 g / l 0.051 g / l | Solution for peritoneal dialysis | Intraperitoneal use |
| Germany | Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany | Dianeal PDG4 1,36 % | 13.6g / l 5.38 g / l 4.48 g / l 0.184 g / l 0.051 g / l | Solution for peritoneal dialysis | Intraperitoneal use |
| Germany | Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany | Dianeal PDG4 2,27 % | 22.7 g / l 5.38 g / l 4.48 g / l 0.184 g / l 0.051 g / l | Solution for peritoneal dialysis | Intraperitoneal use |
| Germany | Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany | Extraneal | 75 g / l 5.4. g / l 4.5 g / l 0.257 g / l 0.051 g / l | Solution for peritoneal dialysis | Intraperitoneal use |

| Member State | Marketing authorisation holder | Product name | Strength | Pharmaceutical form | Route of administration |
|--------------|---|---|------------------------------------|----------------------------------|-------------------------|
| Greece | DIOPHAR S.A. Kifissias Avenue 368, Halandri, 152 33 Greece | DIANEAL PD4 | 1.36% | Solution for peritoneal dialysis | Intraperitoneal use |
| Greece | DIOPHAR S.A. Kifissias Avenue 368, Halandri, 152 33 Greece | EXTRANEAL | (7,5+0,54+0,45+0,0257+0,0051)% w/v | Solution for peritoneal dialysis | Intraperitoneal use |
| Hungary | Baxter Hungary Kft. Népfürdő u. 22. 1138, Budapest Hungary | DIANEAL PD 4 Glucose 1,36% peritoneális dializáló oldat | 1.36% | Solution for peritoneal dialysis | Intraperitoneal use |
| Hungary | Baxter Hungary Kft. Népfürdő u. 22. 1138, Budapest Hungary | DIANEAL PD 4 Glucose 2,27% peritoneális dializáló oldat | 2.27% | Solution for peritoneal dialysis | Intraperitoneal use |
| Hungary | Baxter Hungary Kft. Népfürdő u. 22. 1138, Budapest Hungary | DIANEAL PD 4 Glucose 3,86% peritoneális dializáló oldat | 3.86% | Solution for peritoneal dialysis | Intraperitoneal use |
| Hungary | Baxter Hungary Kft. Népfürdő u. 22. 1138, Budapest Hungary | EXTRANEAL peritoneális dializáló oldat | 7,5% (icodextrin) | Solution for peritoneal dialysis | Intraperitoneal use |
| Iceland | Baxter Healthare SA Moneen Road Castlebar County Mayo Ireland | Dianeal PD4 Glucose | 13.6 mg/ml | Solution for peritoneal dialysis | Intraperitoneal use |
| Iceland | Baxter Healthare SA Moneen Road Castlebar County Mayo Ireland | Dianeal PD4 Glucose | 22,7 mg/ml | Solution for peritoneal dialysis | Intraperitoneal use |

| Member State | Marketing authorisation holder | Product name | Strength | Pharmaceutical form | Route of administration |
|--------------|--|---|-------------------------|----------------------------------|-------------------------|
| Iceland | Baxter Healthare SA Moneen Road Castlebar County Mayo Ireland | Dianeal PD4 Glucose | 38,6 mg/ml | Solution for peritoneal dialysis | Intraperitoneal use |
| Ireland | Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk, IP24 3SE, United Kingdom | Dianeal PD4 Glucose 1.36 % w/v (13.6 mg/ml) Solution for peritoneal dialysis | 1.36 % w/v (13.6 mg/ml) | Solution for peritoneal dialysis | Intraperitoneal use |
| Ireland | Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk, IP24 3SE, United Kingdom | Dianeal PD4 Glucose 2.27 % w/v (22.7 mg/ml) Solution for peritoneal dialysis | 2.27 % w/v (22.7 mg/ml) | Solution for peritoneal dialysis | Intraperitoneal use |
| Ireland | Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk, IP24 3SE, United Kingdom | Dianeal PD4 Glucose 3.86 % w/v (38.6 mg/ml) Solution for peritoneal dialysis | 3.86 % w/v (38.6 mg/ml) | Solution for peritoneal dialysis | Intraperitoneal use |
| Ireland | Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk, IP24 3SE, United Kingdom | EXTRANEAL Solution for peritoneal dialysis | | Solution for peritoneal dialysis | Intraperitoneal use |
| Italy | Baxter SPA piazzale dell' industria 20 - 00144-Roma Italy | EXTRANEAL | 7.5% | Solution for dialysis peritoneal | Intraperitoneal use |
| Italy | Baxter SPA piazzale dell' industria 20 - 00144-Roma Italy | SOLUZIONI PER DIALISI PERITONEALE BAXTER | 4,95 g/l - 49,54 g/l; | Solution for dialysis peritoneal | Intraperitoneal use |

| Member State | Marketing authorisation holder | Product name | Strength | Pharmaceutical form | Route of administration |
|--------------|---|--|--|----------------------------------|-------------------------|
| Latvia | Baxter Healthcare S.A. Moneen Road Castlebar County Mayo IRELAND | Dianeal PD4 Glucose 1,36 % w/v/13,6 mg/ml solution for peritoneal dialysis | 1,36% w/v 0,538% w/v 0,448% w/v 0,0184% w/v 0,0051% w/v | Solution for peritoneal dialysis | Intraperitoneal use |
| Latvia | Baxter Healthcare S.A. Moneen Road Castlebar County Mayo IRELAND | Dianeal PD4 Glucose 2,27% w/v//22,7 mg/ml solution for peritoneal dialysis | 2,27 % w/v 0,538% w/v 0,448% w/v 0,0184% w/v 0,0051% w/v | Solution for peritoneal dialysis | Intraperitoneal use |
| Latvia | Baxter Healthcare S.A. Moneen Road Castlebar County Mayo IRELAND | Dianeal PD4 Glucose 3,86 % w/v/38,6 mg/ml solution for peritoneal dialysis | 3,86% w/v 0,538% w/v 0,448% w/v 0,0184% w/v 0,0051% w/v | Solution for peritoneal dialysis | Intraperitoneal use |
| Latvia | Baxter Oy Valimotie 15 A 00380 Helsinki Finland FINLAND | Extraneal solution for peritoneal dialysis | 75g/L 5,4g/L 4,5g/L 0,257g/L 0,051g/L | Solution for peritoneal dialysis | Intraperitoneal use |
| Lithuania | Baxter Healthcare S.A., Moneen Road, Castlebar County Mayo, Ireland | Dianeal PD4 Glucose | 13,6g+5,38g+4,48g+0,184g+0,051g/l | Solution for peritoneal dialysis | Intraperitoneal use |
| Lithuania | Baxter Healthcare S.A., Moneen Road, Castlebar County Mayo, Ireland | Dianeal PD4 Glucose | 22,7g+5,38g+4,48g+0,184g+0,051g/l | Solution for peritoneal dialysis | Intraperitoneal use |
| Lithuania | Baxter Healthcare S.A., Moneen Road, Castlebar County Mayo, Ireland | Dianeal PD4 Glucose | 38,6g+5,38g+4,48g+0,184g+0,051g/l | Solution for peritoneal dialysis | Intraperitoneal use |

| Member State | Marketing authorisation holder | Product name | Strength | Pharmaceutical form | Route of administration |
|--------------|--|--|--|----------------------------------|-------------------------|
| Lithuania | Baxter Oy, P.O. Box 270 Valimotie 15A 00381 Helsinki, Finland | EXTRANEAL | 75g+5,4g+4,5g+0,257g+0,051g/1000ml | Solution for peritoneal dialysis | Intraperitoneal use |
| Luxembourg | Baxter SA, Bd René Branquart 80, B-7860 Lessines Belgium | Dianeal PD4 Glucose | 1,36%/2,27%/3,86% dextrose anydre | Solution for peritoneal dialysis | Intraperitoneal use |
| Luxembourg | Baxter SA, Bd René Branquart 80, B-7860 Lessines Belgium | Extraneal | 75.00 g/l Icodextrine | Solution for peritoneal dialysis | Intraperitoneal use |
| Malta | Baxter Healthcare Ltd., Caxton Way, Thetford, Norfolk, IP24 3SE United Kingdom | Dianeal PD4 Glucose 1.36%w/v 13.6mg/ml | Anhydrous Glucose Ph.Eur. 1.36 % w/v or Glucose Monohydrate Ph.Eur. 1.50 % w/v Sodium Chloride Ph.Eur. 0.538 % w/v Sodium Lactate Ph.Eur. 0.448 % w/v Calcium Chloride Ph.Eur. 0.0184 % w/v Magnesium Chloride Ph.Eur. 0.0051 % w/v | Solution for peritoneal dialysis | Intraperitoneal use |
| Malta | Baxter Healthcare Ltd., Caxton Way, Thetford, Norfolk, IP24 3SE United Kingdom | Dianeal PD4 Glucose 2.27%w/v 22.7mg/ml | Anhydrous Glucose Ph.Eur. 2.27 % w/v or Glucose Monohydrate Ph.Eur. 2.50 % w/v Sodium Chloride Ph.Eur. 0.538 % w/v Sodium Lactate Ph.Eur. 0.448 % w/v Calcium Chloride Ph.Eur. 0.0184 % w/v Magnesium Chloride Ph.Eur. 0.0051 % w/v | Solution for peritoneal dialysis | Intraperitoneal use |
| Malta | Baxter Healthcare Ltd., Caxton Way, Thetford, Norfolk, IP24 3SE United Kingdom | Dianeal PD4 Glucose 3.86%w/v 38.6mg/ml | Anhydrous Glucose Ph.Eur. 3.86 % w/v or Glucose Monohydrate Ph.Eur. 4.25 % w/v Sodium Chloride Ph.Eur. 0.538 % w/v Sodium Lactate Ph.Eur. 0.448 % w/v Calcium Chloride Ph.Eur. 0.0184 % w/v Magnesium Chloride Ph.Eur. 0.0051 % w/v | Solution for peritoneal dialysis | Intraperitoneal use |

| Member State | Marketing authorisation holder | Product name | Strength | Pharmaceutical form | Route of administration |
|--------------|---|--|---|----------------------------------|-------------------------|
| Malta | Baxter Healthcare Ltd., Caxton Way, Thetford, Norfolk, IP24 3SE United Kingdom | Extraneal (Icodextrin 7.5%) | Icodextrin (75 g/l), Sodium chloride (5.4 g/l), Calcium chloride (0.257 g/l), Magnesium chloride (0.051 g/l), Sodium lactate solution (4.5 g/l) | Solution for peritoneal dialysis | Intraperitoneal use |
| Norway | Baxter AS Gjerdrumsvei 11 0484 Oslo, Norway | Extraneal | 75 mg/ml | Solution for peritoneal dialysis | Intraperitoneal use |
| Poland | Baxter Polska SP. z o.o. Kruczkowskiego 8 st., 00-380 Warszawa, Poland | Dianeal PD4 (glukoza 1,36%). Zestaw do dializy otrzewnowej | | Solution for peritoneal dialysis | Intraperitoneal use |
| Poland | Baxter Polska SP. z o.o. Kruczkowskiego 8 st., 00-380 Warszawa, Poland | Dianeal PD4 (glukoza 2,27%). Zestaw do dializy otrzewnowej | | Solution for peritoneal dialysis | Intraperitoneal use |
| Poland | Baxter Polska SP. z o.o. Kruczkowskiego 8 st., 00-380 Warszawa, Poland | Dianeal PD4 (glukoza 3,86%). Zestaw do dializy otrzewnowej | | Solution for peritoneal dialysis | Intraperitoneal use |
| Poland | Baxter Polska SP. z o.o. Kruczkowskiego 8 st., 00-380 Warszawa, Poland | Extraneal Zestaw do dializy otrzewnowej | | Solution for peritoneal dialysis | Intraperitoneal use |

| Member State | Marketing authorisation holder | Product name | Strength | Pharmaceutical form | Route of administration |
|--------------|---|---|--|----------------------------------|-------------------------|
| Poland | Baxter Polska SP. z o.o. Kruczkowskiego 8 st., 00-380 Warszawa, Poland | Extraneal Zestaw do dializy otrzewnowej | | Solution for peritoneal dialysis | Intraperitoneal use |
| Portugal | Baxter Médico-Farmacêutica, Lda. Zona Industrial da Abrunheira - Edifício 10 - Sintra Business Park, 2710-089 Sintra Portugal | Dianeal Pd4 | 42,5 mg/ml Glucose Monohydrate; 5,38 mg/ml Sodium Chloride; 0,184 mg/ml Calcium Chloride Dihydrate; 0,051 mg/ml Magnesium Chloride Hexahydrate; 4,48 mg/ml Sodium Lactate. | Solution for peritoneal dialysis | Intraperitoneal use |
| Portugal | Baxter Médico-Farmacêutica, Lda. Zona Industrial da Abrunheira - Edifício 10 - Sintra Business Park, 2710-089 Sintra Portugal | Dianeal Pd4 | 25 mg/ml Glucose Monohydrate; 5,38 mg/ml Sodium Chloride; 0,184 mg/ml Calcium Chloride Dihydrate; 0,051 mg/ml Magnesium Chloride Hexahydrate; 4,48 mg/ml Sodium Lactate. | Solution for peritoneal dialysis | Intraperitoneal use |
| Portugal | Baxter Médico-Farmacêutica, Lda. Zona Industrial da Abrunheira - Edifício 10 - Sintra Business Park, 2710-089 Sintra Portugal | Dianeal Pd4 | 15 mg/ml Glucose Monohydrate; 5,38 mg/ml Sodium Chloride; 0,184 mg/ml Calcium Chloride Dihydrate; 0,051 mg/ml Magnesium Chloride Hexahydrate; 4,48 mg/ml Sodium Lactate. | Solution for peritoneal dialysis | Intraperitoneal use |
| Portugal | Baxter Médico-Farmacêutica, Lda. Zona Industrial da Abrunheira - Edifício 10 - Sintra Business Park, 2710- | Extraneal | 75 mg/ml Icodextrin; 5,4 mg/ml Sodium Chloride; 4,5 mg/ml Sodium (S) - lactate solution; 0,051 mg/ml Magnesium Chloride; 0,257 mg/ml Calcium Chloride. | Solution for peritoneal dialysis | Intraperitoneal use |

| Member State | Marketing authorisation holder | Product name | Strength | Pharmaceutical form | Route of administration |
|-----------------|---|--|--------------|----------------------------------|-------------------------|
| | 089 Sintra Portugal | | | | |
| Romania | BAXTER HEALTHCARE S.A. Moneen Road, Castelbar, County Mayo, Ireland | DIANEAL PD4 GLUCOSE 1,36% m/v (13,6 mg/ml), | 13,6 mg/ml | Solution for peritoneal dialysis | Intraperitoneal use |
| Romania | BAXTER HEALTHCARE S.A. Moneen Road, Castelbar, County Mayo, Ireland | DIANEAL PD4 GLUCOSE 2,27% m/v (22,7 mg/ml) | 22,7 mg/ml | Solution for peritoneal dialysis | Intraperitoneal use |
| Romania | BAXTER HEALTHCARE S.A. Moneen Road, Castelbar, County Mayo, Ireland | DIANEAL PD4 GLUCOSE 3,86% m/v (38,6 mg/ml) | 38,6 mg/ml | Solution for peritoneal dialysis | Intraperitoneal use |
| Romania | BAXTER HEALTHCARE Ltd., Caxton Way, Thetford, Norfolk, 1P24 3SE, Thetford, United Kingdom | EXTRANEAL | 75 mg/ml | Solution for peritoneal dialysis | Intraperitoneal use |
| Slovak Republic | Baxter Healthcare SA Moneen Rd Castlebar, Co. Mayo Ireland | DIANEAL PD4 glucose 1,36 % w/v/13,6 mg/ ml | 13,6 mg/1 ml | Solution for peritoneal dialysis | Intraperitoneal use |
| Slovak Republic | Baxter Healthcare SA Moneen Rd Castlebar, Co. Mayo Ireland | DIANEAL PD4 glucose 2,27 % w/v/22,7 mg/ ml | 22,7 mg/1 ml | Solution for peritoneal dialysis | Intraperitoneal use |

| Member State | Marketing authorisation holder | Product name | Strength | Pharmaceutical form | Route of administration | | |
|-----------------|---|---|-------------------------|----------------------------------|-------------------------|----------------------------------|---------------------|
| Slovak Republic | Baxter Healthcare SA Moneen Rd Castlebar, Co. Mayo Ireland | DIANEAL PD4 glucose 3,86 % w/v/38,6 mg/ ml | 38,6 mg/1 ml | Solution for peritoneal dialysis | Intraperitoneal use | | |
| Slovak Republic | Baxter Healthcare Ltd.Caxton Way Thetford Norfolk IP24 3SE United Kingdom | EXTRANEAL | 7.5% | Solution for peritoneal dialysis | Intraperitoneal use | | |
| Slovenia | Baxter d.o.o., Zelezna cesta 18, Ljubljana, SI-1000, Slovenia | Dianeal PD4 13,6 mg/ml glukoze raztopina za peritonealno dializo | 13,6 mg/ml | Solution for peritoneal dialysis | Intraperitoneal use | | |
| Slovenia | Baxter d.o.o., Zelezna cesta 18, Ljubljana, SI-1000, Slovenia | Dianeal PD4 22,7 mg/ml glukoze raztopina za peritonealno dializo | 22,7 mg/ml | Solution for peritoneal dialysis | Intraperitoneal use | | |
| Slovenia | Baxter d.o.o., Zelezna cesta 18, Ljubljana, SI-1000, Slovenia | Dianeal PD4 38,6 mg/ml glukoze raztopina za peritonealno dializo | 38,6 mg/ml | Solution for peritoneal dialysis | Intraperitoneal use | | |
| Slovenia | Baxter d.o.o., Zelezna cesta 18, Ljubljana, SI-1000, Slovenia | Extraneal 75 mg/ml ikodekstrina raztopina za peritonealno dializo | 75 mg/ml | Solution for peritoneal dialysis | Intraperitoneal use | | |
| Spain | BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394 Spain | Dianeal PD4 Glucosa 1,36% | 15,0 g/l; 0,184 g/l; | 5,38 g/l; 0,051 g/l | 4,48 g/l; | Solution for peritoneal dialysis | Intraperitoneal use |

| Member State | Marketing authorisation holder | Product name | Strength | | | Pharmaceutical form | Route of administration |
|--------------|---|--|--------------------------|------------------------|-----------|-------------------------------------|-------------------------|
| Spain | BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394 Spain | Dianeal PD4 Glucosa 1,36% con sistema de desconexión integrado | 15,0 g/l; 0,184 g/l; | 5,38 g/l; 0,051 g/l | 4,48 g/l; | Solution for peritoneal dialysis | Intraperitoneal use |
| Spain | BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394 Spain | Dianeal PD4 Glucosa 2,27% | 25,0 g/l; 0,184 g/l; | 5,38 g/l; 0,051 g/l | 4,48 g/l; | Solution for peritoneal dialysis | Intraperitoneal use |
| Spain | BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394 Spain | Dianeal PD4 Glucosa 2,27% con sistema de desconexión integrado | 25,0 g/l; 0,184 g/l; | 5,38 g/l; 0,051 g/l | 4,48 g/l; | Solution for peritoneal dialysis | Intraperitoneal use |
| Spain | BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394 Spain | Dianeal PD4 Glucosa 3,86% | 42,50 g/l; 0,184 g/l; | 5,38 g/l; 0,051 g/l | 4,48 g/l; | Solution for peritoneal dialysis | Intraperitoneal use |
| Spain | BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394 Spain | Dianeal PD4 Glucosa 3,86% con sistema de desconexión integrado | 42,50 g/l; 0,184 g/l; | 5,38 g/l; 0,051 g/l | 4,48 g/l; | Solution for peritoneal dialysis | Intraperitoneal use |
| Spain | BAXTER S.L. Pouet de Camilo 2 46394 Ribarroja del Turia (Valencia) Spain | EXTRANEAL Solución para diálisis peritoneal | 75 g/l; 0,257 g/l; | 5,4 g/l; 0,051 g/l | 4,5 g/l; | Solution for peritoneal dialysis | Intraperitoneal use |

| Member State | Marketing authorisation holder | Product name | Strength | Pharmaceutical form | Route of administration |
|-----------------|---|---|----------------------------|----------------------------------|-------------------------|
| Sweden | Baxter Healthare SA Moneen Road Castlebar County Mayo Ireland | Dianeal PD4 med glucos 13,6 mg/ml | 13,6 mg/ml | Solution for peritoneal dialysis | Intraperitoneal use |
| Sweden | Baxter Healthare SA Moneen Road Castlebar County Mayo Ireland | Dianeal PD4 med glucos 22,7 mg/ml | 22,7 mg/ml | Solution for peritoneal dialysis | Intraperitoneal use |
| Sweden | Baxter Healthare SA Moneen Road Castlebar County Mayo Ireland | Dianeal PD4 med glucos 38,6 mg/ml | 38,6 mg/ml | Solution for peritoneal dialysis | Intraperitoneal use |
| Sweden | Baxter Medical AB Box 63 164 94 Kista Sverige Sweden | Extraneal | 7.5% | Solution for peritoneal dialysis | Intraperitoneal use |
| The Netherlands | Baxter B.V., Kobaltweg 49, 3542 CE Utrecht, the Netherlands | Dianeal PD4 Glucose 1.36%/13,6 mg/ml, peritoneaaldialysevloeistof | 13,6 g/l glucose anhydrate | Solution for peritoneal dialysis | Intraperitoneal use |
| The Netherlands | Baxter B.V., Kobaltweg 49, 3542 CE Utrecht, the Netherlands | Dianeal PD4 Glucose 2.27%/22,7 mg/ml, peritoneaaldialysevloeistof | 22,7 g/l glucose anhydrate | Solution for peritoneal dialysis | Intraperitoneal use |
| The Netherlands | Baxter B.V., Kobaltweg 49, 3542 CE Utrecht, the Netherlands | Dianeal PD4 Glucose 3.86%/38,6 mg/ml, peritoneaaldialysevloeistof | 38,6 g/l glucose anhydrate | Solution for peritoneal dialysis | Intraperitoneal use |

| Member State | Marketing authorisation holder | Product name | Strength | Pharmaceutical form | Route of administration |
|-----------------|---|--|---|----------------------------------|-------------------------|
| The Netherlands | Baxter B.V., Kobaltweg 49, 3542 CE Utrecht, the Netherlands | EXTRANEAL 7,5 %, oplossing voor peritoneale dialyse | 75 g/l icodextrine | Solution for peritoneal dialysis | Intraperitoneal use |
| United Kingdom | Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk IP24 3SE, United Kingdom | Dianeal PD4 Glucose 1.36% w/v /13.6mg/ml | magnesium chloride 0.005%w/v; glucose 1.36%w/v; sodium lactate 0.45%w/v; calcium chloride 0.018%w/v; sodium chloride 0.54%w/v | Solution for peritoneal dialysis | Intraperitoneal use |
| United Kingdom | Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk IP24 3SE, United Kingdom | Dianeal PD4 Glucose 2.27% w/v /22.7mg/ml | magnesium chloride 0.005%w/v; glucose 2.27%w/v; sodium lactate 0.45%w/v; calcium chloride 0.018%w/v; sodium chloride 0.54%w/v | Solution for peritoneal dialysis | Intraperitoneal use |
| United Kingdom | Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk IP24 3SE, United Kingdom | Dianeal PD4 Glucose 3.86% w/v /38.6mg/ml | magnesium chloride 0.005%w/v; glucose 3.86%w/v; sodium lactate 0.45%w/v; calcium chloride 0.018%w/v; sodium chloride 0.54%w/v | Solution for peritoneal dialysis | Intraperitoneal use |
| United Kingdom | Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk IP24 3SE, United Kingdom | Extraneal (Icodextrin 7.5%) Solution for peritoneal dialysis | icodextrin 75g/l; sodium chloride 5.4g/l; calcium chloride 0,257g/l; magnesium chloride 0.051g/l; sodium s-lactate 4.5g/l | Solution for peritoneal dialysis | Intraperitoneal use |