

<b>EU (MA) number</b>	<b>Invented name</b>	<b>Strength</b>	<b>Pharmaceutical form</b>	<b>Target species</b>	<b>Route of administration</b>	<b>Packaging</b>	<b>Content</b>	<b>Package size</b>	<b>Withdrawal period</b>
EU/2/20/263/001	Rexxolide	100 mg/ml	Solution for injection	Cattle, pigs and sheep	Subcutaneous use (cattle), intramuscular use (pigs, sheep)	Vial (glass)	50 ml	1 vial	Meat and offal: Cattle: 22 days; Pigs: 13 days; Sheep: 16 days
EU/2/20/263/002	Rexxolide	100 mg/ml	Solution for injection	Cattle, pigs and sheep	Subcutaneous use (cattle), intramuscular use (pigs, sheep)	Vial (glass)	100 ml	1 vial	Meat and offal: Cattle: 22 days; Pigs: 13 days; Sheep: 16 days
EU/2/20/263/003	Rexxolide	100 mg/ml	Solution for injection	Cattle, pigs and sheep	Subcutaneous use (cattle), intramuscular use (pigs, sheep)	Vial (glass)	250 ml	1 vial	Meat and offal: Cattle: 22 days; Pigs: 13 days; Sheep: 16 days