

London, 6 November 2008
Doc. Ref. EMEA/HMPC/234497/2008

COMMITTEE ON HERBAL MEDICINAL PRODUCTS (HMPC)

DRAFT

LIST OF REFERENCES FOR ASSESSMENT OF:

**Absinthii herba
Artemisia absinthium L., herba
(wormwood herb)**

The EMEA acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

1. AB-DDR (1988) Pharmacopoeia of the German Democratic Republic. Berlin; Akademie-Verlag
2. Alonso JR (1998) Tratado de Fitomedicina. Bases Clinicas y Farmacologicas. Buenos Aires: ISIS Ediciones SRL
3. Ariño A et al. (1999a) Seasonal variations in wormwood (*Artemisia absinthium* L.) essential oil composition. J. Essent. Oil Res. 11: 619-622
4. Ariño A et al. (1999b) Essential Oil of *Artemisia absinthium* L. from the Spanish Pyrenees. J. Essent. Oil Res. 11: 182-184
5. Ariño A et al. (1999c) Influence of extraction method and storage conditions on the volatile oil of wormwood (*Artemisia absinthium* L.) 209(2): 126-129
6. Arnold WN (1989) Absinthe. Sci Am 260(6): 112-117
7. Baumann IC (1975) Über die Wirkung von *Chelidonium*, *Curcuma*, Absinth und *Carduus Marianus* auf die Galle- und Pankreassekretion bei Hepatopathien. Med Mschr 29:173-180
8. Baumann IC, Glatzel H, Muth HW (1975) Untersuchungen der Wirkung von Wermut (*Artemisia absinthium* L.) auf die Gallen- und Pankreassaf-Sekretion des Menschen. Z Allgemeinmed. 51(17): 784-791
9. Bayerl C & Jung EG (1996) Allergic contact stomatitis from aristochol, a phytotherapeutic chalagogue. Contact Dermatitis 34(3): 222-223
10. Bielenberg J (2002) Die "Grüne Fee". ÖAZ Aktuell, issue 12/2002; www.oeaz.at
11. Blumberger W & Glatzel H (1966) Über die Speichelwirksamkeit von Bitterstoffen. Planta Medica 14 (Suppl): 52-60

12. Bonkovsky HL, Cable EE, Cable JW et al. (1992) Porphyrogenic properties of the terpenes, camphor, pinene and thujone (With a note on historic implications for absinthe and the illness of Vincent van Gogh). *Biochem Pharmacol* 43: 2359-2368
13. British Herbal Pharmacopoeia 1976, Bournemouth: British Herbal Medicine Association, 1983
14. Canadanovic-Brunet JM, Djilas SM, Cetkovic GS et al. (2005) Free radical scavenging activity of wormwood (*Artemisia absinthium* L) extracts. *J Sci Food Agric* 85: 265-272
15. Carnat AP et al. (1992) Cis-Chrysanthenol, a main component in essential oil of *Artemisia absinthium* L. growing in Auvergne (Massif Central), France. *J. Essent. Oil Res.* 4: 487-490
16. Centini F & Laurini GP (1987) Una intossicazione da olio di salvia. *Zacchia* 60: 263-274
17. Chialva F et al. (1983) Chemotaxonomy of wormwood (*Artemisia absinthium* L.) I. Composition of the essential oil of several chemotypes. *Z. Lebensm. Unters. Forsch.* 176: 363-366
18. Chiasson H, Belanger A, Bostanian N et al. (2001) Ascaricidal properties of *Artemisia absinthium* and *Tanacetum vulgare* (Asteraceae) essential oils obtained by three methods of extraction. *J Econ. Entomol.* 94(1): 167-171
19. Cobb S. (1922) A case of epilepsy with a general discussion of pathology. *Med Clin N Am* 5: 1403-1420
20. COUNCIL DIRECTIVE of 22 June 1988 on the approximation of the laws of the Member States relating to flavourings for use in foodstuffs and to source materials for their production (88/388/EEC) (OJ L 184, 15.7.1988, p. 61-66)
21. Council of Europe (1999) Document RD 4.2/14-44. Revised Detailed Datasheet on Thujone
22. DAC (2007) Deutscher Arzneimittel-Codex. Ergänzungsbuch zum Arzneibuch. Hrsg. ABDA – Bundesvereinigung Deutscher Apothekerverbände. Eschborn; Govi-Verlag Pharmazeutischer Verlag GmbH and Stuttgart; Deutscher Apotheker Verlag
23. Del Castillo J, Anderson M, Rubottom GM (1975) Marijuana, absinthe and the central nervous system. *Nature* 253(5490): 365-366
24. Dettling A, Grass H, Svhuff A et al. (2004) Absinthe: attention performance and mood under the influence of thujone. *Journal of studies on alcohol* 65: 573-581
25. European Pharmacopoeia, Ph. Eur. 6.0, 1380 (01/2008)
26. Firouzi R, Azadbakht M, Nabinedjad A (1998) Anti-listerial activity of essential oils of some plants. *J Appl. Anim. Res.* 14: 75-80
27. de Freitas MV, Netto Rde C, da Costa Huss JC et al. (2008) Influence of aqueous crude extracts of medicinal plants on the osmotic stability of human erythrocytes. *Toxicology in vitro* 22: 219-224
28. Gambelunghe C & Melai P (2002) Absinthe: enjoying a new popularity among young people? *Forensic Science International* 130: 183-186
29. Gebhardt R. (1997) Stimulation of acid secretion by extracts of *Gentiana lutea* L. in cultured cells from rat gastric mucosa. *Pharmaceut & Pharmacol Letters* 7(2-3): 106-108

30. German Pharmacopoeia (1872) Berlin; Verlag der königlichen Geheimen Ober-Hofdruckerei
31. Gessner O. (1974) Gift- und Arzneipflanzen von Mitteleuropa. Hrsg. G. Orzechowski; 3. Aufl.; Heidelberg; Carl-Winter-Universitätsverlag
32. Gilani AH & Janbaz KH (1995) Preventive and curative effects of *Artemisia absinthium* on acetaminophen and CCl₄-induced hepatotoxicity. Gen. Pharmac. 26(2): 309-315
33. Guerrera PM (2005) Traditional phytotherapy in Central Italy (Marche, Abruzzo, and Latium). Fitoterapia 76: 1-25
34. Hafner & Schultz (1979) Normdosen der gebräuchlichen Arzneimittel. Hrsg. Schmid W & Schultz OE; 6. Aufl.; Stuttgart; Wissenschaftliche Verlagsgesellschaft mbH
35. Hager CD-ROM (2006) Absinthii herba
36. Hänsel R & Sticher O (2007) Pharmakognosie – Phytopharmazie. 8. Aufl.; Heidelberg; Springer Medizin Verlag
37. Hausen BM & Vieluf IK (1997) Allergiepflanzen – Pflanzenallergene. 2. Aufl.; Landsberg/München; ecomed Verlagsgesellschaft mbH
38. Hernandez H, Mendiola J, Torres D et al. (1990) Effect of aqueous extracts of Artemisia on the in vitro culture of Plasmodium falciparum. Fitoterapia 61(6): 540-541
39. Höld KM, Sirisoma NS, Ikeda T et al. (2000a) α -Thujone (the active component of absinthe): γ -Aminobutyric acid type A receptor modulation and metabolic detoxification. PNAS 97(8): 3826-3831
40. Höld KM, Sirisoma NS, Sparks SE et al. (2000b) α -Thujone and absinthe: structural and metabolic aspects of neurotoxic action. TOXI 023, 219th ACS National meeting, San Francisco, CA, March 26-30th 2000
41. Höld KM, Sirisoma NS, Casida JE (2001) Detoxification of α - and β -thujones (the active ingredients of absinthe): Site specificity and species differences in cytochrome P450 oxidation in vitro and in vivo. Chem. Res. Toxicol. 14: 589-595
42. Hose S (2002) Der Wermut – *Artemisia absinthium* L. Arzneipflanze für Kranke und “Kultige”. Zeitschrift für Phytotherapie 23: 187-194
43. Ikram M, Shafi N, Mir I et al. (1987) 24zeta-Ethylcholesta-7,22-Dien-3beta-ol: a possibly antipyretic constituent of *Artemisia absinthium*. Planta medica 53(4): 389
44. Ishida T, Toyota M, Asakawa Y (1989) Terpenoid biotransformation in mammals. V. Metabolism of (+)-citronellal, (\pm)-7-hydroxycitronellal, citral, (-)-perillaldehyde, (-)-myrtenal, cuminaldehyde, thujone and (\pm)-carvone in rabbits. Xenobiotica 19: 843-855
45. Jaenson TGT, Palsson K, Borg-Karlson AK (2005) Evaluation of extracts and oils of tick-repellent plants from Sweden. Medical and Veterinary Entomology 19: 345-352
46. Jagusch M (1988) Die Pankreasenzymstimulierende Wirkung von *Artemisia absinthium* im Vergleich zur Wirkung einer alkoholischen Placebolösung. Inaugural-Dissertation Bayerische Julius-Maximilians-Universität, Würzburg
47. Juteau F, Jerkovic I, Masotti V et al. (2003) Composition and Antimicrobial Activity of the Essential Oil of *Artemisia absinthium* from Croatia and France. Planta Med 69: 158-161

48. Kalemba JG, Kurowska A, Majda T et al. (1993) Analysis of essential oils in aspects of their influence to insects. *Zeszyty Nauk. Politechnik. Lodz.* 589: 5-14
49. Karwowska K, Stegman J, Duszkiewicz-Reinhard W et al. (1997) Studies on isolation and chemical composition of biologically active compounds of wormwood (*Artemisia absinthium*). Part II. *Ann. Warsaw Agricult. Univ. – SGGW, Horticult.* 18:105-108
50. Kaul VK, Nigam SS, Dhar KL (1976) Antimicrobial activities of the essential oils of *Artemisia absinthium* Linn, *Artemisia vestita* Wall, and *Artemisia vulgaris* Linn. *The Indian Journal of Pharmacy* 38(1): 21-22
51. Kaul VK, Nigam SS, Banerjee AK (1978) Insecticidal activity of some essential oils. *The Indian Journal of Pharmacy* 40(1): 22
52. Keith HM & Stavraky GW (1953) Experimental convulsions induced by administration of thujone. A pharmacologic study of the influence of the autonomic nervous system on these convulsions. *Arch. Neurol. Psychiatr.* 34:1022
53. Khattak SG, Gilani SN, Ikram M (1985) Antipyretic studies on some indigenous pakistani medicinal plants. *Journal of Ethnopharmacology* 14: 45-51
54. Kim JO, Kim YS, Lee JH et al. Antimutagenic effect of the major volatile compounds identified from mugwort (*Artemisia asictica nakai*) leaves. *J Korean Soc Food Nutr* 21(3): 308-313
55. Kistler B (1988) Die galletreibende Wirkung der Einzeldroge Wermut gegenüber Placebo bei intraduodenaler Applikation am Menschen im Doppelblindversuch. Inaugural-Dissertation Bayerische Julius-Maximilians-Universität, Würzburg
56. Kordali S, Kotan R, Mavi A et al. (2005) Determination of the chemical composition and antioxidant activity of the essential oil of *Artemisia dranunculus* and of the antifungal and antibacterial activities of Turkish *Artemisia absinthium*, *A. dranunculus*, *A. santonicum*, and *Artemisia spicigera* essential oils. *J. Agric. Food Chem.* 53: 9452-9458
57. Kordali S, Aslan I, Çalmaşur O et al. (2006) Toxicity of essential oils isolated from three *Artemisia* species and some of their major components to granary weevil, *Sitophilus granaries* (L.) (Coleoptera: Curculionidae). *Industrial Crops and Products* 23: 162-170
58. Kreitmair H (1951) *Artemisia absinthium* L. – der echte Wermut. *Pharmazie* 6: 27-28
59. Kröner LU, Padosch SA, Lachenmeier DW et al. (2005) Untersuchungen zur forensischen Relevanz thujonhaltiger Spirituosen unter besonderer Berücksichtigung toxikologisch-analytischer Aspekte. *Blutalkohol* 42: 263-271
60. Lee HG, Kim H, Oh WK et al. Tetramethoxy Hydroxyflavone p7F downregulates inflammatory mediators via the inhibition of Nuclear Faktor κB. *Ann. N.Y. Acad. Sci* 1030: 555-568
61. Lewin L (1929) Gifte und Vergiftungen. 4. Aufl.; Berlin, Verlag von Georg Stilke
62. Li Y & Ohizumi Y (2004) Search for constituents with neurotrophic factor-potentiating activity from the medicinal plants of Paraguay and Thailand. *Yakugaku Zasshi* 124(7): 417-424
63. Madaus G. (1976) Lehrbuch der biologischen Heilmittel. Hildesheim; Georg Olms Verlag (reprint of Madaus G. (1938) Lehrbuch der biologischen Heilmittel. Leipzig; Georg Thieme Verlag)
64. Margaria R (1963) Acute and sub-acute toxicity study on thujone. Unpublished report of the Instituto de Fisiologia, Universita di Milano (cited from the CoE Datasheet RD 4.2/14-44, 1999)

65. Martindale, The Extra Pharmacopoeia. 29th edition. The Pharmaceutical Press London, 1989
66. Mendiola J, Bosa M, Perez N et al. (1991) Extracts of *Artemisia abrotanum* and *Artemisia absinthium* inhibit growth of Naegleria fowleri in vitro. Transactions of the Royal Society of Tropical Medicine and Hygiene 85: 78-79
67. Meschler JP & Howlett AC (1999) Thujone exhibits low affinity for cannabinoid receptors but fails to evoke cannabimimetic responses. Pharmacology Biochemistry and Behavior 62(3): 473-480
68. Milet Y, Jouglard J, Steinmetz MD et al. (1981) Toxicity of some essential plant oils. Clinical and experimental study. Clin Toxicol 18(12): 1485-1498
69. Muto T, Watanabe T, Okamura M et al. (2003) Thirteen-week repeated dose toxicity study of wormwood (*Artemisia absinthium*) extract in rats. J Toxicol Sciences 28(5): 471-478
70. Niesel S (1992) Untersuchungen zum Freisetzungsvorverhalten und zur Stabilität ausgewählter wertbestimmender Pflanzeninhaltsstoffe unter besonderer Berücksichtigung moderner phytochemischer Analysenverfahren. Inaugural-Dissertation Freie Universität, Berlin
71. NTP (2003) National Toxicology Program. Testing status of alpha-thujone and alpha/beta-thujone. http://ntp-apps.niehs.nih.gov/ntp_tox/index.cfm
72. Omer B, Krebs S, Omer H et al. (2007) Steroid-sparing effect of wormwood (*Artemisia absinthium*) in Crohn's Disease: A double-blind placebo-controlled study. Phytomedicine 14: 87-95
73. Opdyke DL (1975) Monographs on fragrance raw materials. Food Cosmet Toxicol 13(Suppl.): 683-923
74. Pinto-Sconamiglio W (1967) Effetti del tujone sull'attività spontanea e sul comportamento condizionato del ratto. Bull Chim Farm. 107: 780-791
75. Qureshi RA, Ahmad M, Yousaf Z et al. (2002) Taxonomic study and medicinal importance of three species of the genus *Artemisia* LINN. The Pakistan Journal of Forestry 52(1): 57-64
76. Ramos A, Visozo A, Piloto J et al. (2003) Screening of antimutagenicity via antioxidant activity in Cuban medicinal plants. Journal of Ethnopharmacology 87: 241-246
77. Rao VSN, Menezes AMS, Gadelha MGT (1987) Antifertility screening of some indigenous plants of Brasil. Fitoterapia 59(1): 17-20
78. Rice KC & Wilson RS (1976) (-)-3-Isothujone, a small nonnitrogenous molecule with antinociceptive activity in mice. Journal of Medicinal Chemistry 19(8): 1054-1057
79. Roth L, Daunderer M, Kormann K (1994) Giftpflanzen – Pflanzengifte. 4. Aufl.; Hamburg: Nikol Verlagsgesellschaft mbH & Co KG
80. Rozengurt E (2006) Taste receptors in the gastrointestinal tract. I. Bitter taste receptors and α -gustducin in the mammalian gut. Am J Physiol Gastrointest Liver Physiol 291: G171-177
81. SCF (2002) Opinion of the Scientific Committee on Food on Thujone (http://ec.europa.eu/food/fs/sc/scf/out162_en.pdf)
82. Schulz V & Hänsel R (2004) Rationale Phytotherapie. 5. Aufl.; Berlin Heidelberg New York; Springer Verlag

83. Shafi N, Khan GA, Ghauri EG (2004) Antiulcer effect of *Artemisia absinthium* L. in rats. Pak. J Sci. Ind. Res. 47(2): 130-134
84. Surber W (1962) Etude de toxicité sous-chronique de la thujone sur rats. Rapport Final. Institut Battelle: Geneve
85. Tahir M, Siddiqui MMH, Khan AB (1997) Effect of Afsanteen (*Artemisia absinthium* L.) in acute intestinal amoebiasis. Hamdrad medicus 40(3): 24-27
86. Tegtmeier M & Harnischfeger G (1994) Methods for the reduction of thujone content in pharmaceutical preparations of Artemisia, Salvia and Thuja. Eur. J. Pharm. Biopharm. 40(5): 337-340
87. Teuscher E (1989) Pharmakognosie. 3. Aufl.; Berlin; Akademie-Verlag
88. Tosi B, Bonora A, Dall'Olio G et al. (1991) Screening for toxic thiophene compounds from crude drugs of the family Compositae used in Northern Italy. Phytotherapy Research 5(2): 59-62
89. Wake G, Court J, Pickering A et al. (2000) CNS acetylcholine receptor activity in European medicinal plants traditionally used to improve failing memory. Journal of Ethnopharmacology 69: 105-114
90. Wegener T (1998) Anwendung eines Trockenextraktes aus *Gentiana lutea* radix bei dyspeptischem Symptomenkomplex. Zeitschrift für Phytotherapie 19: 163-164
91. Weisbord SD, Soule JB, Kimmel PL (1997) Poison on line – acute renal failure caused by oil of wormwood purchased through the internet. New Eng Med 337:825-527
92. Weiss RF & Fintelmann V (1999) Lehrbuch der Phytotherapie. 9. Aufl.; Stuttgart; Hippokrates Verlag
93. Wichtl M (2002) Teedrogen und Phytotherapeutika. 4. Aufl.; Stuttgart; Wissenschaftliche Verlagsgesellschaft mbH
94. Zafar MM, Hamdard ME; Hameed A (1990) Screening of *Artemisia absinthium* for antimalarial effects on plasmodium berghei in mice: a preliminary report. Journal of Ethnopharmacology 30: 223-226