



European Medicines Agency
Evaluation of Medicines for Human Use

London, 14 January 2010
Doc. Ref.: EMA/HMPC/246770/2009

COMMITTEE ON HERBAL MEDICINAL PRODUCT (HMPC)

DRAFT

LIST OF REFERENCES FOR ASSESSMENT OF

Arctium lappa L.
Arctii radix
(burdock root)

The EMEA acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Awale S., Lu J., Kalauni S. *et al.* Identification of Arctigenin as an Antitumor Agent Having the Ability to Eliminate the Tolerance of Cancer Cells to Nutrient Starvation. *Cancer Res* 2006; **66** (3): 1751-1756.

Bahk J., Marth E. Aflatoxin production is inhibited by selected herbal drugs. *Mycopathologia* 1983; **83** (3): 129-134.

Barnes J., Anderson L.A., Phillipson J.D. *Herbal Medicines. Third Edition.* Pharmaceutical Press (an imprint of RPS Publishing): London, 2007; 102-104.

Bennett L., Montgomery J., Steinberg S. *et al.* Flor-Essence herbal tonic does not inhibit mammary tumor development in Sprague Dawley rats. *Breast Cancer Res Treat* 2004; **88** (1): 87-93.

Blaschek W., Hänsel R., Keller K., Reichling J., Rimpler H., Schneider G. (Hrsg.). *Hagers Handbuch der Pharmaceutischen Praxis, Drogen A-K*, Vol 5. 2th ed. Springer: Berlin Heidelberg, 1998; 140-158.

Bruneton J. *Pharmacognosie, Phytochimie plantes médicinales.* Tec & Doc: Paris, 1999; 172-173.

Capasso F., Gaginella T.S., Grandolini G., Izzo A.A. *Phytotherapy, A Quick Reference to Herbal Medicine.* Springer-Verlag: Berlin Heidelberg, 2003; 372.

Delfosse M. *Drogues végétales et plantes médicinales.* Service Scientifique de l'Association Pharmaceutique Belge: Bruxelles, 1998; 60-61.

De Smet P.A.G.M., Keller K., Hänsel R., Chandler R.F. *Adverse effects of Herbal Drugs, Volume 2.* Springer-Verlag: Berlin Heidelberg, 1993; 21, 141-146.

Di Mambro V., Fonseca M. Assays of physical stability and antioxidant activity of a topical formulation added with different plant extracts. *J Pharm Biomed Anal* 2005; **37** (2): 287-295.

Duke J.A. *Handbook of Medicinal Herb, Sixth Printing*. CRC Press, Inc. 1988; 53-54.

Fante C., Dieterish S., Rodriguez R. Betamethasone and aqueous extract of *Arctium lappa* for treating angiostrongyliasis. *Rev Soc Bras Med Trop* 2008; **41** (6): 654-657.

Gentil M., Pereira J., Sousa Y. *et al.* In Vitro Evaluation of the Antibacterial Activity of *Arctium lappa* as a Phytotherapeutic Agent used in Intracanal Dressings. *Phytother Res* 2006; **20** (3): 184-186.

Grases F., Melero G., Costa-Bauzá A. *et al.* Urolithiasis and phytotherapy. *Int Urol Nephrol* 1994; **26** (5): 507-511.

Ishihara K., Yamagishi N., Saito Y. *et al.* Arctigenin from Fructus Arctii is a novel suppressor of heat shock response in mammalian cells. *Cell Stress and Chaperones* 2006; **11** (2): 154-161.

[javascript:PopUpMenu2_Set\(Menu7860196\);](#)Iwakami S., Wu J., Ebizuka Y. *et al.* Platelet Activating Factor (PAF) Antagonists Contained in Medicinal Plants: Lignans and Sesquiterpenes. *Chem Pharm Bull* 1992; **40** (5): 1196-1198.

Kardošová A., Machová E. Antioxidant activity of medicinal plant polysaccharides. *Fitoterapia* 2006; **77** (5): 367-373.

Kim B., Hong S., Kwon S. *et al.* Diarctigenin, a Lignan Constituent from *Arctium lappa*, Down-Regulated Zymosan-Induced Transcription of Inflammatory Genes through Suppression of DNA Binding Ability of Nuclear Factor- κ B in Macrophages. *J Pharmacol Exp Ther* 2008; **327** (2): 393-401.

Knipping K., van Esch E., Wijering S. *et al.* In vitro and in vivo anti-allergic effects of *Arctium lappa* L. *Exp Biol Med (Maywood)* 2008; **233** (11): 1469-1477.

Knott A., Reuschlein K., Mielke H. *et al.* Natural *Arctium lappa* fruit extract improves the clinical signs of aging skin. *J Cosmet Dermatol* 2008; **7** (4): 281-289.

Kulp K., Montgomery J., Nelson D. *et al.* Essiac and Flor-Essence herbal tonics stimulate the *in vitro* growth of human breast cancer cells. *Breast Cancer Res Treat* 2006; **98** (3): 249-259.

Lambinon J., De Langhe J., Delvosalle L., Duvigneaud J. *Flora van België, het Groothertogdom Luxemburg, Noord-Frankrijk en de aangrenzende gebieden, derde druk*. Uitgave van de Nationale Plantentuin van België, Meise, 1998; 692-694.

Lans C., Turner N., Khan T. *et al.* Ethnoveterinary medicines used for ruminants in British Columbia, Canada. *J Ethnobiol Ethnomed* 2007; **3**: 11.

Leclerc H. *Précis de phytothérapie, essais de thérapeutique par les plantes françaises*. Masson et C^{ie}: Paris, 1966; 82-84.

Leonard S., Keil D., Mehlman T. *et al.* Essiac tea: Scavenging of reactive oxygen species and effects on DNA damage. *J Ethnopharmacol*, 2006; **103** (2): 288-296.

Li D., Kim J., Jin Z. *et al.* Prebiotic effectiveness of inulin extracted from edible burdock. *Anaerobe* 2008; **14** (1): 29-34.

Lin S., Lin C.H., Lin C.C. *et al.* Hepatoprotective effects of *Arctium lappa* Linne on liver injuries induced by chronic ethanol consumption and potentiated by carbon tetrachloride. *J Biomed Sci* 2002; **9** (5): 401-409.

Matsumoto T., Hosono-Nishiyama K., Yamada H. Antiproliferative and apoptotic effects of butyrolactone lignans from *Arctium lappa* on leukemic cells. *Planta Med* 2006; **72** (3): 276-278.

Matsuzaki Y., Koyama M., Hitomi T. *et al.* Arctiin induces cell growth inhibition through the down-regulation of cyclin D1 expression. *Oncol Rep* 2008; **19** (3): 721-727.

Park S., Hong S., Han X. *et al.* Lignans from *Arctium lappa* and their inhibition of LPS-induced nitric oxide production. *Chem Pharm Bull* 2007; **55** (1): 150-152.

Rodriguez P., Blanco J., Juste S. *et al.* Allergic contact dermatitis due to Burdock (*Arctium lappa*). *Contact Dermatitis* 1995; **33** (2): 134.

Sasaki Y., Kimura Y., Tsunoda T. *et al.* Anaphylaxis due to burdock. *Int J Dermatol* 2003; **42** (6): 472-473.

Scott IM., Ledic RI., Burt AJ., Marles RJ., Arnason JT., Foster BC. The inhibition of human cytochrome P450 by ethanol extracts of North American botanicals. *Pharmaceutical Biology* 2006; **44**: 315-327.

Swanston-Flatt S.K., Day C., Flat P.R., *et al.* Glycaemic effects of traditional European plant treatments for diabetes. Studies in normal and streptozotocin diabetic mice. *Diabetes Res* 1989; **10**: 69-73.

Tai J., Cheung S. *In Vitro* culture studies of FlorEssence on human tumor cell lines. *Phytother Res* 2005; **19** (2): 107-112.

Uchiyama Y., Tagami J., Kamisuki S. *et al.* Selective inhibitors of terminal deoxyribonucleotidyltransferase (TdT): Baicalin and genistin. *Biochim et Biophys Acta* 2005; **1725** (3): 298-304.

Van Hellemont J. *Fytotherapeutisch Compendium*. APB, Brussel, 1985; 67-68.

van Os F. *Gids voor geneeskrachtige planten*. The Reader's Digest NT: Amsterdam-Buitenveldert & NV Readers's Digest SA: Brussel, 1980; 154.

Wichtl M., English translation by Bisset N.G. *Herbal drugs and phytopharmaceuticals*. Medpharm Scientific Publishers: Stuttgart, 1994; 99-101.

Williamson E., Driver S., Baxter K. *Stockley's Herbal Medicines Interactions*. Pharmaceutical Press London 2009, 92.

Xie L., Ahn E., Akao T. *et al.* Transformation of arctiin to estrogenic and antiestrogenic substances by human intestinal bacteria. *Chem Pharm Bull (Tokyo)* 2003; **51** (4): 378-384.

Xu Z., Wang X., Zhou M. *et al.* The Antidiabetic Activity of Total Lignan from *Fructus Arctii* against Alloxan-induced Diabetes in Mice and Rats. *Phytother Res* 2008; **22** (1): 97-101.

Zeng Y., Yokohira M., Takeuchi H. *et al.* Lack of significant modifying effect of arctiin on prostate carcinogenesis in probasin/SV40 T antigen transgenic rats. *Cancer Lett* 2005; **222** (2): 145-151.

Zick S., Sen A., Feng Y. *et al.* Trial of Essiac to Ascertain Its Effect in Women with Breast Cancer (TEA-BC). *J Altern and Complement Med* 2006; **12** (10): 971-980.

NOT CITED REFERENCE

Blumenthal M., Busse W.R., Goldberg A., Gruenwald J., Hall T., Klein S., Riggins C.W., Rister R.S. *The Complete German Commission E Monographs, Therapeutic Guide to Herbal Medicines*. American Botanical Council: Austin, Texas, 1998; 318.