

London, 4 September 2008
Doc. Ref. EMEA/HMPC/115209/2008

COMMITTEE ON HERBAL MEDICINAL PRODUCTS (HMPC)

DRAFT

LIST OF REFERENCES FOR ASSESSMENT OF:

Hamamelis cortex, Hamamelis folium, Hamamelis folium et cortex, distillate
Hamamelis virginiana L.
(hamamelis bark, hamamelis leaf, hamamelis distillate)

The EMEA acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Aronson JK et al. Mayler's Side Effects of Drugs. The International Encyclopedia of Adverse Drugs Reactions and Interactions. 15th ed. Elsevier BV, Amsterdam, 2006

Aronson JK, Van Boxtel CJ. Side Effects of Drugs Annual 19 (SEDA- 19). Elsevier Science B. V., Amsterdam, 1996

Abeck D. Optimal management of atopic dermatitis. *American Journal of Clinical Dermatology [Am J Clin Dermatol]* 2000 Jan-Feb ; Vol. 1 (1) : 41-6.

Agence du médicament: Médicaments à base de plantes. Les cahiers de l'Agence n°3. Sant Denis, Paris, 1998.

Balansard P, Faure F, Balansard G, Delaage M, Roussey A, Bouyard P. [Tonivenous effect of a purified extract from hamamelis virginiana]. *Therapie.* 1972 Sep-Oct, 27(5):793-9.

Berardi RR et al. Handbook of Nonprescription Drugs – An Interactive Approach to Self-care. 15th edition. American Pharmacists Association, Washington, 2006

Bernard P, Balansard P, Balansard G, Bovis A. [Venitonic pharmacodynamic value of galenic preparations with a base of hamamelis leaves]. Valeur pharmacodynamique toniveineuse des préparations galéniques à base de feuilles d'hamamélis. *Journal De Pharmacie De Belgique [J Pharm Belg]* 1972 Jul-Aug; Vol. 27 (4), 505-12.

Bisset NG. Herbal Drugs and Phytopharmaceuticals. 3rd ed. (translated from: Teedrogen Herbal Drugs and Phytopharmaceutical, 1994) Wichtl M, Medpharm GmbH Scientific Publishers, Stuttgart 2004.

Blumenthal M, Hall T et al. The ABC Clinical Guide to herbs. American Botanical Council Austin, Texas. 2003.

Blumenthal M, Goldberg A, Brinckmann J, eds. *Herbal Medicine, Expanded Commission E Monographs*. American Botanical Council Austin, Texas. 2000.

Blumenthal M, Busse WR, Goldberg A, Gruenwald J, Hall T, Riggins W and Rister RS, eds. *The Complete German Commission E Monographs: Therapeutic Guide to Herbal Medicines*. American Botanical Council Austin, Texas. 1998: 82-83

British Herbal Pharmacopoeia. 1983. Bournemouth: British Herbal Medicine Association, 1983.

British Herbal Compendium (BHC) Volume I. 1992

Bruneton J. *Pharmacognosy. Phytochemistry Medicinal Plants*. 2nd ed. (translation by Hatton CK). Intercept Ltd. 1999.

Bruynzeel DP (et al). Contact sensitization by alternative topical medicaments containing plant extracts. The Dutch Contact Dermatoses Group. *Contact Dermatitis [Contact Dermatitis]*, 1992 Oct; Vol 27 (4): 277-8

Cañigueral S, Vila R (translated from Wichtl M Teedrogen Herbal Drugs and Phytopharmaceutical, 2nd ed. 1989). *Plantas medicinales y drogas vegetales para infusión y tisana*. OEMF, 1998.

(*) Choi HR, Choi JS, Han YN, Bae SJ, Chung HY. Peroxynitrite scavenging activity of herb extracts. *Phytotherapy Research: PTR [Phytother Res]* 2002 Jun; Vol. 16 (4), 364-7.

CGCOF. Consejo General de Colegios Oficiales de Farmacéuticos (España). *Catálogo de Plantas Medicinales* 2007.

CGCOF. Consejo General de Colegios Oficiales de Farmacéuticos (España). *Catálogo de Medicamentos* 2007.

Dauer A, Hensel A, Lhoste E, Knasmüller S, Mersch-Sundermann V. Genotoxic and antigenotoxic effects of catechin and tannins from the bark of Hamamelis virginiana L. in metabolically competent, human hepatoma cells (Hep G2) using single cell gel electrophoresis. *Phytochemistry* 2003 May; Vol. 63 (2), 199-207.

Dauer A, Rimpler H, Hensel A. Polymeric proanthocyanidins from the bark of Hamamelis virginiana. *Planta Medica [Planta Med]* 2003 Jan; Vol. 69 (1): 89-91.

Dauer A, Metzner P, Schimmer O. Proanthocyanidins from the bark of Hamamelis virginiana exhibit antimutagenic properties against nitroaromatic compounds. *Planta Medica [Planta Med]* 1998 May; Vol. 64 (4), 324-7.

Deters A, Dauer A, Schnetz E, Fartasch M, Hensel A. High molecular compounds (polysaccharides and proanthocyanidins) from Hamamelis virginiana bark: influence on human skin keratinocyte proliferation and differentiation and influence on irritated skin. *Phytochemistry*, 2001 Nov; Vol. 58 (6), 949-58.

De Smet PAGM, Keller K, Hansel R, Chandler RF, eds. *Adverse effects of herbal drugs*, Volume 2. Berlin: Springer, 1993:62.

Diemunsch A M et Mathis C. Effect vasoconstricteur de l'hamamélis en application externe. (*Sciences Techniques et Practiques Pharmaceutiques*) S.T.P. Pharma, 1987; 3(2): 111-114.

Dixon RA, Xie DY, Shama SB. Proanthocyanidins- a final frontier in flavonoid research? *The New Phytologist [New Phytol]* 2005 Jan; Vol. 165 (1): 9-28

Duke JA. Handbook of Medicinal Herbs. 2nd ed. CRC Press, Boca Raton, Florida. 2002.

Duke JA. Handbook of Medicinal Herbs. CRC Press, Boca Raton, 1985.

Duwiejua M, Zeitlin IJ, Waterman PG, Gray AI. Anti-inflammatory activity of Polygonum bistorta, Guaiacum officinale and Hamamelis virginiana in rats. *The Journal of Pharmacy and Pharmacology [J Pharm Pharmacol]* 1994 Apr; Vol. 46 (4), 286-90.

East C, Begg L, Henshall N, Marchant P, Wallace K. Local cooling for relieving pain from perineal trauma sustained during childbirth. Available in: Cochrane database of systematic reviews, 2007 (4) Cochrane AN= CD006304

Ebadi MS. Pharmacodynamic Basis of Herbal Medicine. CRC Press, 2002. ISBN 0-8493-0743-0

Engel R, Gutmann M, Hartisch C, Kolodziej H, Nahrstedt A. Study on the composition of the volatile fraction of Hamamelis virginiana. *Planta Medica* 1998, 64(3): 251-253

Erdelmeier CAJ, Ciantl J Jr., Rabenau H, Doerr HW, Biber A, Koch E. Antiviral and Antiphlogistic Activities of Hamamelis virginiana Bark. *Planta Medica* (1996), 62(3), 241-245.

Falch B. [Hamamelis water in dermatology. Experiences in the treatment of seborrheic, atopic and non-atopic dermatitis] Hamameliswasser in der Dermatologie. Erfahrungen bei der Behandlung vonseborrhoischer, atopischer und nichtatopischer Dermatitis. *Forschende Komplementärmedizin [Forsch Komplementarmed]* 1999 Jun; Vol. 6 (3), 167-8.

Gäbler H, 1978, 100 Jahre Hamamelis Salbe [100 years of Hamamelis ointment] Dtsch Apoth 30: 202-204.

Gloor M, Wasik B, Gehring W. Does hamamelis have anti-inflammatory activity? Z. Hautkur, 2001. 76: 429-435.

Gloor M, Reichling J, Wasik B, Holzgang HE. Antiseptic effect of a topical dermatological formulation that contains Hamamelis distillate and urea. *Forschende Komplementärmedizin Und Klassische Naturheilkunde = Research In Complementary And Natural Classical Medicine [Forsch Komplementarmed Klass Naturheilkd]* 2002 Jun; Vol. 9 (3), 153-9.

Gosselin RE, Hodge HC, Smith RP and Gleason MN. Clinical Toxicology of Commercial Products. 4th ed. Baltimore: Williams and Wilkins, 1976., II-150

Gracza L. Hamamelidis cortex. Hamamelisrinde. In: Wichtl M, editor. Teedrogen und Phytopharmaka, 3rd ed. Stuttgart: Wissenschaftliche Verlagsgesellschaft, 1997:270-2.

Grandlund H. Contact Allergy to witch hazel. *Contact Dermatitis [Contact Dermatitis]* 1994 Sep; Vol 31 (3): 195

Gruenwald J, Brendler T, Jaenicke MD. PDR for Herbal Medicines. 3rd ed. Thomson, 2004.

Haberland C, Kolodziej H. Novel Galloylhamameloses from Hamamelis virginiana. *Planta Medica [Planta Med]* 1994 Oct; Vol. 60 (5), 464-6.

Habtemariam S. Hamamelitannin from Hamamelis virginiana inhibits the tumour necrosis factor-alpha (TNF)-induced endothelial cell death in vitro. *Toxicon: Official Journal Of The International Society On Toxicology [Toxicon]* 2002 Jan; Vol. 40 (1), pp. 83-8

Hamamelidis aqua (Hamamelis water). European Scientific Cooperative on Phytotherapy, Exeter, 2003. In: *ESCOP Monographs, 2nd edition (2003)*.

Hamamelidis cortex (Hamamelis bark). European Scientific Cooperative on Phytotherapy, Exeter, 2003. In: *ESCOP Monographs, 2nd edition* (2003).

Hamamelidis folium (Hamamelis leaf). European Scientific Cooperative on Phytotherapy, Exeter 2003. In: *ESCOP Monographs, 2nd edition* (2003)

Hamamelidis folium. Hamamelis leaf. Monograph: 04/2008:0909. In: European Pharmacopoeia. 6th Ed. 2007. Vol 6.1:3471.

Hamamélis. In: Abrégé de Matière Médicale (Pharmacognosie). Tome 1, monographies: 107-109. Paris M, Hurabielle M and Cohen Y.

Hamamelis. In: British Pharmaceutical Codex 1973. London. Pharmaceutical Society of Great Britain. Pharmaceutical Press 1973: 218

Hamamelis. In: Fitoterapia. Vademecum de prescripción (4^a ed). Masson. 2003. Vanaclocha B, Cañiguer S.

Hamamelis. In: Monografías Farmacéuticas. Colegio Oficial de Farmacéuticos de Alicante, 1998. Vidal Aliaga JL (et al).

Hamamelis. In: RTECS. Registry of Toxic Effects of Chemical Substances, 38916. NIOSH, 85-86 Ed. JNCIAM 60,683,78

Hamamelis. In: RTECS. Registry of Toxic Effects of Chemical Substances, 38916, NIOSH, 85-86 Ed. Environ Mutagen 8 (Suppl 7); 1:86.

Hamamelis. In: WHO monographs on selected medicinal plants. WHO Geneva (2002): 124-136.

Hänsel R, Keller K, Rimpler H, Schneider G. eds. Hagers Handbuch der Pharmazeutischen Praxis, Drogen E-O. Vol 5: 367-384. 5th ed. (Hamamelis). Springer Verlag. Berlin 1993.

Hänsel R, Sticher O. Pharmakognosie – Phytopharmazie. Springer, Heidelberg, 2007

Harkness R, Bratman S. Iron Salts- Beverage Teas. In: Mosby's Handbook of Drug-Herb and Drug-Supplement Interactions. Mosby, 2003.

Hartisch C, Kolodziej H, von Bruchhausen F. Dual inhibitory activities of tannins from Hamamelis virginiana and related polyphenols on 5-lipoxygenase and lyso-PAF: acetyl-CoA acetyltransferase. *Planta Medica [Planta Med]* 1997 Apr; Vol. 63 (2), 106-10.

Hartmann W, Wolff HH and Welzel J. "Mit der Kraft der Zubernuss gegen trockene, juckende Haut", [The force of the witch hazel against dry, itching skin.] Deutsche Apotheker Zeitung; n° 1; 2005: 99

Haseman JK, Crawford DD, Huff JE, Boorman GA, McConnell EE. Results from 86 two-year carcinogenicity studies conducted by the National Toxicology Program. *Journal of Toxicology and Environmental Health* (1984), 14(5-6):621-39.

Hill N, Tam C, van Haselen RA. The efficacy of Prikweg gel in the treatment of insect bites: a double-blind, placebo-controlled clinical trial. *Pharmacy World & Science: PWS [Pharm World Sci]* 1996 Jan; Vol. 18 (1), 35-41.

Hughes-Formella BJ, Filbry A, Gassmueller J, Rippke F. Anti-inflammatory efficacy of topical preparations with 10% hamamelis distillate in a UV erythema test. *Skin Pharmacology and Applied Skin Physiology [Skin Pharmacol Appl Skin Physiol]* 2002 Mar-Apr; Vol. 15 (2), pp. 125-32.

Hughes-Formella BJ, Bohnsack K, Rippke F, Benner G, Rudolph M, Tausch I, Gassmueller J. Anti-inflammatory effect of hamamelis lotion in a UVB erythema test. *Dermatology (Basel, Switzerland)* 1998; 196(3): 316-22.

IARC monographs on the evaluation of carcinogenic risk of chemicals to man, tannic acid and tannins. *International Agency of Research on Cancer. Lyon* 1976 Vol 10: 253-262.

Johanson JF, Sonnenberg A. The prevalence of haemorrhoids and chronic constipation. An epidemiologic study. *Gastroenterology* 1990; 98: 380-386.

Knoch HG, Klug W, Hubber WD. Salbenbehandlung von hämorrhoiden ersten grades [First degree hemorrhoids: Comparison of the effectiveness of a herb based preparation and two ointments containing synthetic agents]. *Forstschritte der Medizin.* 1992; 110 (8): 69-74

Knoch HG. Hämorrhoiden ersten Grades: Wirksamkeit einer Salbe auf pflanzlicher Basis. *Müncher Medizinische Wochenschrift* 199; 133(31/32): 481-484

Korting HC, Schäfer-Korting M, Klövekorn W, Klövekorn G, Martin C, Laux P. Comparative efficacy of hamamelis distillate and hydrocortisone cream in atopic eczema. *European Journal of Clinical Pharmacology [Eur J Clin Pharmacol]* 1995; Vol. 48 (6): 461-5.

Korting HC, Schäfer-Korting M, Hart H, Laux P, Schmid M. Anti-inflammatory activity of hamamelis distillate applied topically to the skin. Influence of vehicle and dose. *European Journal of Clinical Pharmacology [Eur J Clin Pharmacol]* 1993; Vol. 44 (4): 315-8

Lamont Hume A and Strong KM. In: *Handbook of Nonprescription Drugs* (15th edition) 2006, 1122

Laux P, Oschmann R. Die Zaubernul. Hamamelis virginiana L. *Zeitschrift für Phytotherapie, Vol. 14, n° 3: 155-166, 13 June 1993.*

Leung, AY and Foster. *Encyclopedia of Common Natural Ingredients Used in Food, Drugs and Cosmetic*, 2nd ed. New York, John Wiley & Sons, Inc. 1996.

McGuffin M, Hobbs C, Upton R, Goldberg A. American Herbal Products Association's Botanical Safety Handbook: Guidelines for the safe use and labelling for herbs in commerce. ISBN. 0-8493-1675-8. CRC Press LLC, 1997.

MacKay D. Hemorrhoids and varicose veins: a review of treatment options. *Alternative Medicine Review: A Journal of Clinical Therapeutic [Altern Med Rev]* 2001 Apr; Vol. 6 (2): 126-40.

Mahady GB. Medicinal Plants for the Prevention and Treatment of Bacterial Infections. *Current Pharmaceutical Design*, 2005, 11, 2405-2427

Masaki H, Atsumi T, Sakurai H. Protective activity of hamamelitannin on cell damage induced by superoxide anion radicals in murine dermal fibroblasts. *Biological & Pharmaceutical Bulletin* (1995), 18(1): 59-63.

Masaki Hitoshi, Sakaki Sachiko, Atsumi Takamasa, Sakurai Hiromu. Active oxygen-scavenging activity of plant extracts. *Biological & Pharmaceutical Bulletin [Biol Pharm Bull]* (1995) 18(1):162-6.

Masaki H. Active oxygen-scavenging activity of plant extracts. *Fragrance Journal*, 1995; Volume 23 (8): 65-74.

Masaki H, Atsumi T, Sakurai H. Protective activity of hamamelitannin on cell damage of murine skin fibroblasts induced by UVB irradiation. *Journal of Dermatological Science [J Dermatol Sci]* 1995 Jul; Vol. 10 (1): 25-34.

Masaki H, Atsumi T, Sakurai H. Evaluation of superoxide scavenging activities of hamamelis extract and hamamelitannin. *Free Radical Research Communications [Free Radic Res Commun]* 1993; Vol. 19 (5): 333-40.

Masaki H, Sekihara K, Sakak S, Fujii M, Atumi T and Suzuki K. Development of anti-aging component as a cosmetic ingredient. Effect of hamamelitannin as the active oxygen scavenger. *IFSCC International Congress Yokohama. Abstracts*, 1992, 2:437-439.

McGregor DB, Brown A, Cattanach P, Edwards I, McBride D and Caspary WJ. Responses of the L5178Y tk+/tk- mouse lymphoma cell forward mutation assay. II: 18 coded chemicals. *Environ Mol Mutagen* 1988; 11(1): 91-118.

Mercier F and Vignoli L. Remarques sur des essais physiologiques de l'extrait fluide d'Hamamélis. *Comptes Rendus Société de Belgique*, 1936, 121: 668-672

Millikan LE. Alternative therapy in pruritus. *Dermatologic Therapy*, Vol. 16, 2003, 175–180

Mills S and Bone K. Principles and Practice of Phytotherapy. Modern Herbal Medicine. Churchill Livingstone, 2000. ISBN: 0-443-060169

Ministère des Affaires Sociales et de l'Emploi. Direction de la Pharmacie et du Médicament: Avis aux fabricants concernant les demandes d'autorisation de mise sur le marché de spécialités pharmaceutiques à base de plantes. *Bulletin officiel n° 86/20 bis (Août, 1986)*; (1990)

Moore W and James DK. A random trial of three topical analgesic agents in the treatment of episiotomy pain following instrumental vaginal delivery. *Journal of Obstetrics and Gynaecology* 1989; 10:35-39

Mortelmans K, Haworth S, Lawlor T, Speck W, Tainer B, Zeiger E. Salmonella Mutagenicity tests: II. Results from the testing of 270 Chemicals. *Environmental Mutagenesis*, 1986, 8, Suppl. 7: 1-27.

Neugebauer H. Über die wirkung der distillate von Hamamelis virginiana und von Corylus avellana. [On the effect of the distillates from Hamamelis virginiana and Corylus avellana] *Die Pharmazie*, 1948, 3:313-314.

Ortiz KJ, Yiannias JA. Contact dermatitis to cosmetics, fragrances, and botanicals. *Dermatologic Therapy*, Vol. 17, 2004, 264–271

Periera da Silva A, Rocha R, Silva CM, Mira L, Duarte MF; Florencio MH. Antioxidants in medicinal plant extracts. A research study of the antioxidant capacity of Crataegus, Hamamelis and Hydrastis. *Phytotherapy Research*, 2000; 14(8): 612-616.

Piegorsch WW and Hoel DG. Exploring relationships between mutagenic and carcinogenic potencies. *Mutation Research*, 1988, 196:161-175.

Pfister R. [Problems in treatment and follow-up treatment of chronic dermatoses] Zur problematische der Behandlung und Nachbehandlung Chronischer Dermatosen. Eine Klinische Studie über Hametum Salbe. *Fortschr. Med.* 1981(99): 1254-1268.

Pray WS et al. Nonprescription Product Therapeutics, 2nd ed. ISBN 0-7817-3498-3 (alk. Paper). Lippincot Williams & Wilkins, Maryland, 2006

Sagareishvili TG, Yarosh EA, Kemertelidze EP. Phenolic compounds from leaves of Hamamelis virginiana. *Chemistry of Natural Compounds (Translation of Khimiya Prirodykh Soedinenii)* (2000); Volume Date 1999, 35(5): 585.

Sorkin B. Hametum Salbe, eine kortikoidfreie antiinflammatorische Salbe. [Hametum Salbe, a corticoid-free, antiinflammatory ointment] *Physikalische Medizin und Rehabilitation. Zeitschrift für praxisnahe Medizin*. 21st year, n° 1, Jan 1980: 53-57.

Sweetman SC et al. Martindale: The Complete Drug Reference, 35th ed. London. Pharmaceutical Press, London 2007.

Thappa DM, Pise GA. Anti-aging therapies: Other half of the story. Indian Journal of Dermatology, Venereology & Leprology [*Indian J Dermatol Venereol Leprol*], 2006 Nov; Vol. 72 (6): 459-460

Thomson KF, Wilkinson SM. Allergic contact dermatitis to plant extracts in patients with cosmetic dermatitis. *The British Journal of Dermatology [Br J Dermatol]* 2000 Jan; Vol. 142 (1): 84-88

Vennat B, Pourrat H, Pouget MP, Gross D, Pourrat A. Tannins from Hamamelis virginiana: Identification of Proanthocyanidins and Hamamelitannin Quantification in Leaf, Bark, and Stem Extracts. *Planta Medica [Planta Med]* 1988 Oct; Vol. 54 (5), 454-7.

Wang H, Provan GJ, Helliwell K. Determination of hamamelitannin, catechins and gallic acid in witch hazel bark, twig and leaf by HPLC. *Journal of Pharmaceutical And Biomedical Analysis [J Pharm Biomed Anal]* 2003 Nov 24; Vol. 33 (4): 539-44

Welzel J, Walther C, Kieser M, Wolff HH. Hamamelis Ointment in the Care of Dry Aging Skin. *Journal of Phytotherapy* 2005; 26: 6-13.

Wolff HH, Kieser M. Hamamelis in children with skin disorders and skin injuries: results of an observational study. *European Journal of Pediatrics [Eur J Pediatr]* 2007 Sep; Vol. 166 (9): 943-8.

Wolff HH, Walther C, Funk P, Kieser M. Efficacy and tolerability of Hamamelis ointment in children. Congress Phytopharmaka Phytotherapie 2005, 6.10.2005- 8.10.2005, Berlin. Z Phytother 26 (Kongressbd.) abstract S20.

Wichtl, M and Bisset, N.G.. 1994. Herbal drugs and Pharmaceuticals. Stuttgart: Medpharm GmbH Scientific Publishers.

Witch Hazel. In: FEDERAL REGISTER, 1982; 47:180-1.

Zimmerman D.R. Zimmerman's Complete Guide to Nonprescription Drugs. Visible Ink Press, 1993. ISBN 0-8103-9421-9

II. References read but not included to the AR

Agencia Española de Medicamentos y Productos Sanitarios. GPT, Guía de Prescripción Terapéutica (adaptación española del BNF) 2006.

Alonso D, Lazarus MC, Baumann L. Effects of Topical Arnica Gel on Post-Laser Treatment Bruises. By *The American Society for Dermatologic Surgery, Inc. Dermatol Surg* 2002, Ago; 28(8):686-688

Baumgartner M, Kohler S, Moll I, Kieser M, Jung EG. Hamamelis special extract for topical treatment of herpes labialis. A placebo controlled double blind study. *Zeitschrift fur*

Allgemeinmedizin. 1998; 74 (3):158-61

Baxter K et al. Stokley Interacciones Farmacológicas. Pharma editores S. L., 2007

Callender VD. Acne in ethnic skin: special considerations for therapy. *Dermatologic Therapy [Dermatol Ther]* 2004; Vol. 17(2):184–195

Font Quer P. Plantas Medicinales, El Dioscorides renovado. Ed. Labor, SA 1993.

Gregor BE; Jemec MD; Thorsteinsdóttir MD; Wulf HC. The changing referral pattern in Danish dermatology – Rigshospitalet, Copenhagen, 1986-1995. *International Journal of Dermatology* 1997 Jun, Vol. 36 (6): 453-456

(*) Kaul R. Hamamelis leaves: an important tannin drug in dermatology. *Deutsche Apotheker Zeitung* 2001 Vol. 141 (5): 115-120. General Review written in German.

Lauk L, Lo Bue AM, Milazzo I, Rapisarda A, Blandino G. Antibacterial activity of medicinal plant extracts against periodontopathic bacteria. *Phytotherapy Research: PTR [Phytother Res]* 2003 Jun; Vol. 17 (6): 599-604.

Leyden JJ, Stewart R, Kligman AM. Updated in vivo methods for evaluating topical antimicrobial agents in human skin. *J Invest Dermatol* 1979; 72: 165-170

Magin PJ, Adams J, Heading GS, Pond DC, Smith W. Complementary and alternative medicine therapies in acne, psoriasis, and atopic eczema: results of a qualitative study of patients' experiences and perceptions. *Journal of Alternative and Complementary Medicine (New York, N. Y.). [J Altern Complement Med]* 2006 Jun; Vol. 12 (5): 451-7

Rebora A. The Management of Rosacea. *American Journal of Clinical Dermatology [Am J Clin Dermatol]* 2002 Jan-Feb ; Vol. 3 (7) : 489-496.

Rombi M. 100 Plantes Médicinales, Composition, Mode d'action et Intérêt Thérapeutique. Ed Romart 1991.

Samira Hasfa MD and Richard H. Schwartz MD. Two 6-Year-Old Twin Girls with Primary Axillary Bromhidrosis: Discussion, Differential Diagnosis, and Management Options. *Clinical-Pediatrics*. 2007 Oct, Vol. 46(8): 743-745

Sarpel U, Jacob BP, Steinhagen RM. The American Society of Colon and Rectal Surgeons. Reduction of a Large Incarcerated Rectal Prolapse by Use of an Elastic Compression Wrap. Published online: 21 March 2005. *Diseases of the Colon and Rectum [Dis Colon Rectum]* 2005; 48: 1320–1322

(*) Serper A, Ozbek M, Calt S. Accidental sodium hypochlorite-induced skin injury during endodontic treatment. *Journal of Endodontics [J Endod]* 2004 Mar; Vol. 30 (3), 180-1.

Steinmetz E F. Codex vegetabilis.

Steinhart GP. Anorektale Beschwerden: Viele Symptome und was zu tun? Hammamelis Salbe bewährt sich als entzündungshemmendes Externum zur Langzeithandtherapie. [Anorectal complaints: many symptoms and what to do?] *Ärztliche Praxis*, 1982, 34:963-964.

For articles marked by asterisk (*) only the abstract is available.