



European Medicines Agency
Evaluation of Medicines for Human Use

London, 8 May 2008
Doc. Ref. EMEA/HMPC/600670/2007

COMMITTEE ON HERBAL MEDICINAL PRODUCTS (HMPC)

DRAFT

LIST OF REFERENCES FOR ASSESSMENT OF:

Polypodii rhizoma
***Polypodium vulgare* L., rhizoma**
(polypody rhizome)

The EMEA acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

- Adrian-Romerol, M., G. Blunden, B. G. Carpenter, and E. Tyihák (1999). HPLC Quantification of Formaldehyde, as Formaldemethone, in Plants and Plant- like Organisms. *Chromatographia* 50: 160-167.
- Arai, Y., K. Shiojima and H. Ageta (1989). *Chemical and Pharmaceutical Bulletin*. 37: 560-562.
- Arai, Y., M. Yamaide, S. Yamazaki and H. Ageta (1991). *Phytochemistry* 30: 3369-337.
- Artsdatabanken; <http://artskart.artsdatabanken.no/FaneKart.aspx>
- Berger, F. von (1939). Die Wichtigsten, im Europäischen Handel Vorkommenden Drogen. *Scientia Pharmaceutica* 10:145- 147.
- Berlin, N.J. (1849). *Den Svenska Farmakopeen*. C.W.K Gleerups Förlag, Stockholm; 514-515.
- Berti, G., F. Bottari, A. Marsili and I. Morelli (1966). A Triterpenoid Epoxide from *Polypodium vulgare*. *Tetrahedron Letters* ; 979-982.
- Berti, G., F. Bottari, A. Marsili, I. Morelli and A. Mandelbaum (1967). Isolation of Serratene from *Polypodium vulgare*. *Journal of the Chemical Society, Chemical Communications* ; 50.
- Berti, G., F. Bottari, B. Macchia and A. Marsili (1964). Triterpènes cyclo-lanostaniques isolés de Fougères. *Bulletin de la Société Chimique de France* ; 2359-2360.
- Bown, D. (2002). *New Encyclopedia of Herbs & Their Uses*. London:DK; 327.
- Burnett, B. P., S. Silva, M. H. Mesches, S. Eilson and Q. Jia (2007). Safety Evaluation of a Combination, Defined Extract of *Scutellaria Baicalensis* and *Acacia Catechu*. *Journal of Food Biochemistry* 31; 797-825.
- Campbell, N.A. and J.B. Reece (2002). *Biology* 6. Pearson/Benjamin Cummings, Sansome; 721-724.

- Chang P., J. Mirsalis, E. S. Riccio, J. P. Bakke, P. S. Lee, J. Shimon, S. Phillips, D. Fairchild, Y. Hara and J. A. Crowell (2003). Genotoxicity and Toxicity of the Potential Cancer-Chemical Communications ; 1401-1403.
- Chevallier, A. (1996). The Encyclopedia of Medicinal Plants. Dorling Kindersley, London; 310.
- Chiej, R. (1988). The Macdonald Encyclopedia of Medicinal Plants. Macdonald & Co, Verona; 244.
- Chiricuta, I., Z. Uray, M. Maniu, Z. Frenkel and A.D. Abraham (1985). The Response of some Endocrine Glands to Acute Polydin Therapy. Rom. Revista de Chirurgie, Oncologie, Radiologie, ORL, Oftalmologie, Stomatologie: Oncologia 24; 9-13.
- Chopra, R.N., S.L. Nayar and I.C. Chopra (1956). Glossary of Indian Medicinal Plants. Council of Scientific & Industrial Reserach, New Delhi; 201.
- Christophersen, Erling (1960). Norske Medisinplanter. Aschehoug & Co, Oslo; 65.
- Constantinescu, E., M. Palde and I. Panait (1966). Chemische Studien an Rhizoma Polypodii. Die Pharmazie 21; 121.
- Davys, M., A. Alcaide, F. Pinte and M. Barbier (1970). Pollinastanol dans la Fougère *Polypodium vulgare* L. et la Salsepareille *Smilax medica* Schlecht et Cham. Comptes Rendus de l'Academie des Sciences du Paris 269; 2033-2035.
- De Souza, N.J., E. L. Ghisalberti, H. Rees and T.W. Goodwin (1970). Studies on Insect Moulting Hormones: Biosynthesis of Ecdysone, Ecdysterone and 5 β -hydroxyecdysterone in *Polypodium vulgare*. Phytochemistry 9; 1247-1252.
- Det Beste (1984). Våre Medisinske Planter. Forlaget Det Beste, Barcelona; 250.
- Duke, J.A. and E.S. Ayensu (1985). Medicinal Plants of China 4, vol. 2. Reference Publications; Michigan; 517-518.
- EFSA: Public Hearing. Safety Assessment of Botanicals and Botanicals Preparations Intended for Use as Food supplements:
- Extracts for Enzyme Inhibitory Activity and Techniques for Their Removal. Phytomedicine 3; 281-285.
- Faarlund, T. and E. Wendelberger (1981). Legeplanter. NKS, Oslo: 18
- Foster, S. (1990). A Field Guide to Medicinal Plants. Houghton Mifflin, Boston; 306.
- Frerichs, G., H. Hager, G. Arends and H. Zörnig (1938). Hagers Handbuch Der Pharmazeutischen Praxis, Band 1, Springer, Berlin; 1302-1303.
- Fujii H., B. Sun, H. Nishioka, A. Hirose and O. I. Aruoma (2007). Evaluation of The Safety and Toxicity of The Oligomerized Polyphenol Oligonol. Food and Chemical Toxicology 45 (3); 378–387
- Ghisalberti, E. L., N. J. De Souza, H. H. Rees, L. J. Goad and T. W. Goodwin (1969). Biosynthesis of Cyclaudenol in *Polypodium vulgare* Linn. Journal of the Chemical Society,
- Glei, M., M. Matuschek, C. Steiner, V. Böhm, C. Persin and B. L. Pool- Zobel (2003). Initial In Vitro Toxicity Testing of Functional Foods Rich in Catechins and Anthocyanins in Human Cells.
- Grieve, M. (1995). A Modern Herbal/ <http://www.botanical.com/botanical/mgmh/f/ferns-08.html>. Retrieved 15. November 2007.
- Grzybek, J. (1976) Biological and Phytochemical Investigations on *Polypodium vulgare* L, Growing in Poland. III. Polyphenolic Compounds and Free Sugars in Leaves. Acta Biologica Cracoviensia, Series Botanica 19; 69-82
- Hegnauer, R. (1962). Chemotaxonomie der Pflanzen, vol. I. Birkhäuser Verlag, Stuttgart; 287-288.
- Heinrich, G. and H. Hoffmeister (1967). 5 β -Hydroxyecdysterone, ein Pflanzensteroid mit Häutungshormonaktivität aus *Polypodium vulgare* L. Tetrahedron Letters ; 6063-6064.

- Høeg, A. O. (1975). Planter og Tradisjon. Universitetsforlaget, Oslo; 516-518.
- Hostettmann, K. and A. Marston (1995). Saponins. University Press, Cambridge; 86-87.
- http://www.efsa.europa.eu/EFSA/efsa_locale-1178620753812_1178669754855.htm Retrived 2004-02-04.
- Husson, G.P., R. Vilagines and P. Delaveau (1986). Recherche de Propriétés Antivirales de quelques Extraits D'origine Naturelle. Ann. Pharmaceutiques Françaises 44; 41-48.
- Jermstad, A., E. Brochmann-Hanssen, A. B. Svendsen (1949). Meddelelser fra Norsk Farmaceutisk Selskap 11 (6); 65-73,79-93,97-104.
- Jizba, J. and V. Herout (1967). Isolation of Constituents of Common Polypody Rhizomes. Collection Czechoslovak Chemical Communications 32; 2867-2874.
- Jizba, J., L. Dolejš, V. Herout, F. Šorm, H.W. Fehlhäber, G. Snatzke, R. Tschesche and G. Wulff (1971). Polypodosaponin, ein Neuer Saponintyp aus *Polypodium vulgare* L. Chemische Berichte 104; 837-846.
- Jizba, J., V. Herout and F. Šorm (1967). Isolation of Ecdysterone (Crustecdysone) from *Polypodium vulgare* L. Rhizomes. Tetrahedron Letters ; 1689-1691.
- Jizba, J., V. Herout and F. Šorm (1967). Polypodine B- A Novel Ecdysone-Like Substance from Plant Material. Tetrahedron Letters ; 5139-5143.
- Källman, S. (2006). Vilda Växter som Mat och Medicin. ICA bokförlag, Västerås; 70-71.
- Kim H.-J., H.-S. Chun and R. Yang (2000). Inhibition of Benzo[a]pyrene-Induced Cytotoxicity and Cytochrome P450 1A Activity by Dietary Flavonoids in Human Liver Cell Model: Structure-Activity Relationship. Biotechnology Letters 22 (24); 1941–1946.
- Kinghorn, A.D., N. Kaneda, N. Baek, E. J. Kennelly, and D.D. Soejarto (1998). Noncariogenic Intense Natural Sweeteners. Medicinal Research Reviews, 18; 347-360.
- Krishnakumaran, A. and H.A. Schneiderman (1968). Chemical Control of Moulting in Arthropods. Nature 220; 601-603.
- Lid, J. and D.T. Lid (2005). Norsk Flora 7. Det Norske Samlaget, Otta; 138.
- Ljungqvist, K. (2006): Nyttans växter. Dals Rostock, Calluna Förlag; 399.
- Lyle, T.J. (1932). Physio-Medical Therapeutics, Materia Medica and Pharmacy. The National Association of Medical Herbalists of Great Britain, Ltd; London; 288.
- Madaus, G. (1938). Lehrbuch der Biologischen Heilmittel, Band 3. Georg Thieme Verlag, Leipzig; 2198-2202.
- Mannan, A., R.A. Khan and M. Asif (1989). Pharmacodynamic studies on *Polypodium vulgare* (Linn.). Indian Journal of Experimental Biology 27; 556-560.
- Meltzer, H. M. and K. E. Malterud (1997). Can Dietary Flavonoids Influence the Development of Coronary Heart Disease? Scandinavian Journal of Nutrition 41 (1); 50-57.
- Middelkamp-Hup, M., M. A. Pathak, C. Parrado, T. Garcia-Callero, F. Ruis-Dias, T. B. Fitzpatrick and S. Gonzales (2007). Orally Administered *Polypodium leucotomos* Extract Decreases Psoralen-UVA-induced Phototoxicity, Pigmentation, and Skin damage of Human skin. Journal of the American Academy of Dermatology 50; 41-49.
- Moran, R. C. (2004). A Natural History of Ferns. Timber Press, Portland/Cambridge; 90-96.
- Nabors, M.W. (2004). Introduction to Botany. Pearson/Benjamin Cummings, Sansome; 60-61, 454-459.
- Nadkarni, K. M. (1976). Dr. K.M. Nadkarni's Indian Materia Medica. Popular Prakashan, Bombay; 1001.
- Nielsen, H. (1977). Planter i Folkemedisinen. Cappelen forlag, Oslo; 91.
- Nishizawa, M. and H. Yamada (1996). Saponins Used in Food and Agriculture. Advances in Experimental Medicine and Biology 405; 25-36.

- Øllgaard, B. and K. Tind (1993). Scandinavian Ferns. Rhodos, Aarhus; 88-91.
- Partin, J.F. and Y.R. Pushkin (2004). Tachyarrhythmia and Hypomania With Horny Goat Weed. *Psychosomatics* 45; 536-537.
- Potterton, D. (1983). Culpepper's Colour Herbal. J.R. Press, Berkshire; 147.
- Preventive Agent Polyphenon E. *Environmental and Molecular Mutagenesis* 41; 43–54.
- Reichborn-Kjennerud, I. (1922). Våre folkemedisinske lægeurter. Oslo (Kristiania); 18.
- Retrieved 20. November 2007.
- Rodriguez, A. , M. De Barrio, C. De Frutos, V. de Benito and M. L. Baeza (2001). Occupational Allergy to Ferns. *Allergy* 56 ; 89-90.
- Ryvarden, L. (1993). Norske Planter 1. Cappelen Forlag a.s., Oslo; 43-44.
- Shivas, M.G. (1961). Contributions to The Cytology and Taxonomy of Species of *Polypodium* in Europe and America. *Journal of the Linnean Society of Botany* 58; 13-25, 27-38.
- Smith, A. R., K. M. Pryer, E. Schuettpelz, P. Korall, H. Schneider and P. G. Wolf (2006). A Classification for Extant Ferns. *Taxonomy* 55; 705-731.
- Stern, K. R. (1997). *Introductory Plant Biology* 7, Wm. C. Brown Publishers, Dubuque; 61-72, 88, 549.
- Svanberg, I. (1998). Människor och Växter. Bokförlaget Arena, Stockholm; 284.
- The International Plant Name Index: http://www.ipni.org/ipni/idPlantNameSearch.do?id=17028560-1&back_page=%2Fipni%2FeditSimplePlantNameSearch.do%3Ffind_wholeName%3DAspidium%2Bfilix-mas%26output_format%3Dnormal . Retrieved 20. September 2007.
- Toxicology In Vitro* 17; 723-729.
- Umek, A., V. Pavli and M. Puki (1984). Determination of Glycyrrhizine in Radix *Glycyrrhizae* and Rhizoma *Polypodii*. *Farmaceutski Vestnik* 35; 13-18
- Uvarova, N. I., J. Jizba and V. Herout (1967). The Proof of Structure of Polydine- A Glycoside. *Collection of Czechoslovak Chemical Communications* 32; 3075-3078.
- Vijver, L.M. and O.F. Uffellie (1966). An Investigation on the Presence of Glycyrrhizinic Acid in Rhizomes of *Polypodium vulgare* L., Collected in the Netherlands. *Pharmaceutisch Weekblad* 101; 1137-1139.
- Volmar, P. and E. Reeb (1924). *Polypodium vulgare* L.. *Journal de Pharmacie d'Alsace et de Lorraine*; 190-193.
- Wall, M. E. , M.C. Wani and D.M. Brown (1996), Effect of Tannins on Screening of Plant
- Weinges, V. K., and R. Wild (1970). Die Konstitution des Polydins. *Liebigs Annalen der Chemie* 734; 46-55
- Williamson, E. M.: (2003). *Potter's Herbal Cyclopaedia*. Saffron Walden, Essex; 352.
- Yamada, H., M. Nishizawa and C. Katayama (1992). Osladin, A Sweet Principle of *Polypodium vulgare*. *Tetrahedron Letters* 33; 4009-4010.