



London, 5 July 2007
Doc. Ref: EMEA/HMPC/189625/2007

COMMITTEE ON HERBAL MEDICINAL PRODUCTS (HMPC)

DRAFT

LIST OF REFERENCES FOR ASSESSMENT OF:

**Rhei radix
Rheum palmatum L.; *Rheum officinale* Baillon
(rhubarb)**

The EMEA acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

- (1) European Pharmacopoeia 5th edition 2007, Rhubarb (Rhei radix)
- (2) German monograph of Rhei radix (Rhabarber), BanzNr. 133 vom 21.07.1993
- (3) HagerROM 2004 - 2005, Springer Verlag, Heidelberg, Rhei radix (Rhabarberwurzel)
- (4) ESCOP monograph "Frangulae Cortex" (Frangula Bark), 2nd edition 2003, Thieme Verlag Stuttgart, New York
- (5) WHO monographs on selected medicinal plants. Rhizoma Rhei. WHO Geneva 1999
- (6) Zhang T-Y et al. Separation of hydroxyanthraquinone derivatives extracted from rheum with analytical high-speed counter-current chromatography. Journal of Chromatography 1988; 442: 455-458
- (7) Chirikdjian JJ et al. Über die laxative Wirkung eines neuen Anthrachinonglykosides aus Rhadix Rhei. The Laxative Action of a New Anthraquinone Glycosides from Rhubarb Roots. Planta med 1983; 48: 34-37
- (8) Harima S et al. Study of Various Rhubarbs Regarding the Cathartic Effect and Endotoxin-Induced Disseminated Intravascular Coagulation. Biol. Pharm. Bull 1994; 17 (11); 1522-25
- (9) Yagi T et al. The synergistic purgative action of aloe-emodin anthrone and rhein anthrone on mice: synergism in large intestinal propulsion and secretion. Journal of Pharmacy and Pharmacology 1997; 49 (1): 22-5
- (10) Yagi t et al. Synergistic effects of anthraquinones on the purgative activity of rhein anthrone in mice. Journal of Pharmacy and Pharmacology 1999; 51 (1): 93-5
- (11) Bae EA et al. Anti-Helicobacter pylori activity of herbal medicines. Biol Pharm Bull 1998; 21: 990-2

- (12) Hsiang CY et al. Inhibitory effect of anti-pyretic and anti-inflammatory herbs on Herpes simplex virus replication. *Am J Chin Med* 2001; 29: 459-67
- (13) Blaszczyk T et al. Screening for antimycotic properties of 56 traditional Chinese drugs. *Phytother Res* 2000; 14: 210-2
- (14) Cyong JC et al. Anti-Bacteroides fragilis substance from rhubarb. *J Ethnopharmacol* 1987; 19: 279-83
- (15) Oshio H et al. Investigations of Rhubarbs. III. New Purgative Constituents, Sennosides E and F. *Chem. Pharm. Bull.* 1974; 22 (4): 823-31
- (16) Yokozawa T et al. Effect of Orally Administered Rhubarb Extract in Rats with Chronic Renal Failure. *Chem. Pharm. Bull.* 1984; 32 (11): 4506-13
- (17) Yokozawa T et al. Effect of Extracts Obtained from Rhubarb in Rats with Chronic Renal Failure. *Chem. Pharm. Bull.* 1986; 34 (11): 4718-23
- (18) Yokozawa T et al. Effects of Rhubarb Extract in Rats with diabetic Nephropathy. *Phytother Res* 1997; 11:73-5
- (19) Zhang G et al. The effect of rhubarb extract on experimental fibrosis. *Nephrol Dial Transplant* 1996; 11: 186-90
- (20) Kubo I et al. Efficient isolation of glycosidase inhibitory stilbene glycosides from *Rheum palmatum*. *Journal of Natural Product* 1991; 54 (4): 1115-8
- (21) Yokozawa T et al. Changes in the Urinary Constituents in Rats with Chronic Renal Failure during Oral Administration of Rhubarb Extract. *Chem. Pharm. Bull.* 1985; 33 (10): 4508-14
- (22) Yokozawa T et al. Effect of Extract from *Rhei Rhizoma* on dietary Hyperazotemia in Rats. *Planta Medica* 1987: 124-7
- (23) Kosuge T et al. Studies on Active Substances in the Herbs Used for Oketsu ("Stagnant Blood") in Chinese Medicine. IV. On the Anticoagulative Principle in *Rhei Rhizoma*. *Chem. Pharm. Bull.* 1985; 33 (4): 1503-6
- (24) Yim H et al. Emodin, an Anthraquinone Derivative Isolated from the Rhizomes of *Rheum palmatum*, Selectively Inhibits the Activity of Casein Kinase II as a Competitive Inhibitor. *Planta medica* 1999; 65: 9-13
- (25) Su YT et al. Emodin induces apoptosis in human lung adenocarcinoma cells through a reactive oxygen species-dependent mitochondrial signalling pathway. *Biochemical Pharmacology* 2005; 70: 229-241
- (26) Huang Q et al. Emodin inhibits tumor cell migration through suppression of the phosphatidylinositol 3-kinase-Cdc45/Rac1 pathway. *CMLS, Cell. Mol. Life Sci.* 2005; 62: 1167-1175
- (27) Kwak HJ et al. Emodin inhibits vascular endothelial growth factor-A-induced angiogenesis by blocking receptor-2 (KDR/Flk-1) phosphorylation. *Int. J. Cancer* 2006; 118: 2711-20
- (28) Fairbairn JW et al. The relative purgative activities of 1,8-dihydroxyanthracene derivatives. *J. Pharm. Pharmacol.* 1970; 22: 584-93
- (29) Leng-Peschlow E. Dual effect of orally administered sennoside on large intestine transit and fluid absorption in the rat. *J. Pharm. Pharmacol* 1986; 38: 606-10

- (30) Leng-Peschlow E. effects of Sennosides A + B and Bisacodyl on Rat Large Intestine. Pharmacology 1989; 38: 310-8
- (31) De Witte P, Lemli L. The metabolism of anthranoid laxatives. Hepato-gastroenterology 1990; 37 (6): 601-5
- (32) De Witte P; Lemli J: Metabolism of 14C-rhein and 14C-rhein anthrone in rats. Pharmacology 1988; 36 (Suppl 1): 152-7
- (33) Lang W. Pharmacokinetic-metabolic studies with 14C-aloe emodin after oral administration to male and female rats. Pharmacology 1993; 47 (Suppl 1): 110-9
- (34) Liang JW et al. Emodin pharmacokinetics in rabbits. Planta medica 1995; Vol 61 (5): 406-8
- (35) Müller SO et al. Biotransformation of the anthraquinones emodin and chrysophanol by cytochrome P450 enzymes. Bioactivation to genotoxic metabolites. Drug metabolism and disposition: the biological fate of chemicals 1998; 26 (6): 540-6
- (36) Takara K et al. Effects of 19 Herbal Extracts on the Sensitivity to Paclitaxel or 5-Fluorouracil in HeLa Cells. Biol. Pharm. Bull. 2005; 28 (1): 138-142
- (37) Kazuhiro S et al. Phytoestrogen activity of emodin, an anthraquinone derivative isolated from rhizomes of *Rheum palmatum*. Research Communications in Pharmacology and Toxicology 2000; Vol. 5, Nos. 3&4: 179-89
- (38) Primschitz E. Screening of Chinese herbs for cholinesterase inhibition and antioxidant activity. Diplomarbeit, November 2005
- (39) Yan M et al. Nephrotoxicity study of total rhubarb anthraquinones on Sprague Dawley rats using DNA microarrays. Journal of Ethnopharmacology 2006; 107: 308-11
- (40) Kubo I et al. Cytotoxic anthraquinones from *Rheum palmatum*. Phytochemistry 1992; 31 (3): 1063-65
- (41) Paneitz A et al. anthranoid contents of rhubarb (*Rheum undulatum* L.) and other *Rheum* species and their toxicological relevance. Eur Food Res Technol 1999; 210: 97-101
- (42) Mori H et al. Carcinogenicity of naturally occurring 1-hydroxyanthraquinone in rats: induction of large bowel, liver and stomach neoplasms. Carcinogenesis 1990; 11, 5: 799-802
- (43) Siegers C-P et al. Anthranoid laxatives and colorectal cancer. Trends in Pharmacological Sciences 1992; 13, 6: 229-231
- (44) Brusick D et al. Assessment of the Genotoxic Risk from Laxative Senna Products. Environ. Mol. Mutagen. 1997; 29: 1-9
- (45) Wölflle D et al. Hydroxyanthraquinones as tumor promoters: enhancement of malignant transformation of c3h mouse fibroblasts and growth stimulation of primary rat hepatocytes. Cancer Res 1990; 50: 6540-4
- (46) Westendorf J et al. Genotoxicity of naturally occurring hydroxyanthraquinones. Mutat Res 1990; 240: 1-12
- (47) Westendorf J. Pharmakologische und toxikologische Bewertung von Anthranoiden. Pharm Ztg. 1993; 138, 48: 3891-3902
- (48) Sandnes D et al. Mutagenicity of Crude Senna and Senna Glycosides in *Salmonella typhimurium*. Pharmacol. Toxicol. 1992; 71: 165-172

- (49) Heidemann A et al. The Genotoxicity Status of Senna. *Pharmacology* 1993; 47, Suppl. 1: 178-186
- (50) NTP Technical Report on the Toxicology and Carcinogenesis Studies of Emodin in F344/N Rats and B6C3F1 Mice. National Toxicology Programm, June 2001, NTP TR 493, NIH Publication No. 01-3952
- (51) Masuda T et al. 2-Hydroxyemodin, an active metabolite of emodin in the hepatic microsomes of rats. *Mutation Research* 1985; 149: 327-332
- (52) Submission of a review of data from the national toxicology program and relevant to the status of cascara sagrada ingredients as over-the counter drug active ingredients by the American herbal products association, December 19, 2002, Docket No. 78N-036L
- (53) Committee for veterinary medicinal products; Rhei Radix – Summary Report; EMEA/MRL/648/99-Final, November 1999
- (54) Mengs U et al. Lack of emodin genotoxicity in the mouse micronucleus assay. *Mutation Research* 1997; 393: 289-293
- (55) Jahnke GD et al. Developmental toxicity evaluation of emodin in rats in mice. *Birth Defects Research Part B – Developmental and Reproductive Toxicology* 2004; 71 (2): 89-101
- (56) Heidemann a et al. Genotoxicity of aloemodin in vitro and in vivo. *Mutation Research* 1996; 367: 123-3
- (57) Schörkhuber M et al. Effect of anthraquinone-laxatives on the proliferation and urokinase secretion of normal, premalignant and malignant colonic epithelial cells. *European Journal of Cancer* 1998; 34 (7): 1091-8
- (58) Mueller SO et al. Occurrence of emodin, chrysophanol and physcion in vegetables, herbs and liquors. Genotoxicity and anti-genotoxicity of the anthraquinones and of the whole plants. *Food and Chemical Toxicology* 1999; 37: 481-491
- (59) Tarpila S et al. Efficacy of ground flaxseed on constipation in patients with irritable bowel syndrome. *Current Topics in Nutraceutical Research* 2004; 2: 119-25
- (60) Bundesinstitut für Arzneimittel und Medizinprodukte. Bekanntmachung über die Zulassung und Registrierung von Arzneimitteln – Abwehr von Arzneimittelrisiken, Stufe II – Humanarzneimitteln zur innerlichen Anwendung, ausgenommen nach HAB 1 hergestellte homöopathische Arzneimittel, welche Drogen, Drogenzubereitungen oder isolierte Inhaltsstoffe der Anthranoid- (Hydroxyanthracenderivat-)haltigen Pflanzengattungen Andira, Cassia, Rhamnus, Rheum oder Aloe enthalten (German pharmacovigilance actions for anthranoid-containing laxatives) vom 21. Juni 1996, Bundesanzeiger vom 05.07.1996 Nr. 123, Seite 7581
- (61) Vyth A and Kamp PE. Detection of anthraquinone laxatives in the urine. *Pharm Weekbl SCI ED* 1979; No.2: 456-59
- (62) Zhu W et al. Pharmacokinetic of rhein in healthy male volunteers following oral and retention enema administration of rhubarb extract: a single dose study. *American Journal of Chinese medicine* 2005; 33 (6): 839-50
- (63) Mitsuma T et al. Differences in cathartic action among different types of the origin drug rhubarb. *Journal of Traditional Medicines* 1998; 15 (1): 45-51

¹ Official journal for European Organisation for Research and Treatment of Cancer (EORTC) (and) European Association for Cancer Research (EACR)

- (64) Konsensuspapier Expertenforum: Obstipation und Laxanzien. Praxis 1999; 88: 1269-1274
- (65) Hübner WD, Moser EH. Charcoal tablets in the treatment of patients with irritable bowel syndrome. Advances in Therapy 2002; 19 (5): 245-252
- (66) Moser EH, Hübner WD. Behandlung von Patienten mit Reizdarmsyndrom mittels Eucarbon-Tabletten (Treatment of the irritable bowel syndrome with Eucarbon). Zeitschrift für Phytotherapie 2003; 24 (1): 15-21
- (67) Syndis RJ et al. Inactivation of enveloped viruses by anthraquinones extracted from plants. Antimicrobial agents and chemotherapy 1991; 35 (12): 2463-6
- (68) Fotiades P et al. Die Behandlung der chronischen Obstipation mit Laxariston Granulat bei Patienten des rheumatischen Formenkreises. Treatment of chronic constipation with Laxariston granules in patients with rheumatic diseases. Medizinische Welt 1976; 27 (30): 1441-1445
- (69) Bauer H. Behandlung der Obstipation mit Laxariston in der gynäkologischen Praxis. Treatment of obstipation in gynecological practice with Laxariston. Therapie der Gegenwart 1977; 116 (12): 2305-2312
- (70) Borgia M et al. A double-blind double-controlled multicenter study of the therapeutic efficacy of a well-known combination of medicinal herbs. Clin Ther 1985; 114 (5): 401-9
- (71) Willems M et al. Anthranoid self-medication causing rapid development of melanosis coli. The Netherlands Journal of Medicine 2003; 61 (1): 22-4
- (72) Peng A et al. Herbal treatment for renal diseases. Ann Acad Med Singapore 2005; 34: 44-51
- (73) Li X, Wang H. Chinese herbal medicine in the treatment of chronic kidney disease. Advances in Chronic Kidney Disease 2005; 12 (3): 276-81
- (74) Engelshove R. Rhabarber eine alte Droge – noch immer aktuell. Pharmazie in unserer Zeit 1985; 14: 40 – 9
- (75) Zhou H; Jiao D. 312 cases of gastric and duodenal ulcer bleeding treated with 3 kinds of alcoholic extract rhubarb tablets. Chinese journal of modern developments in traditional medicine 1990; 10 (3): 150-1, 131-2
- (76) Saller R et al. Combined Herbal Preparation for Topical Treatment of Herpes labialis. Forsch Komplementärmed Klass Naturheilk 2001; 8: 373-382
- (77) Williams CL et al. A summary of conference recommendations on dietary fiber in childhood: Conference on Dietary Fiber in Childhood, New York (New York, USA), May 24, 1994. Pediatrics 1995; 96: 1023-1028
- (78) Fok TF. Neonatal jaundice – traditional Chinese medicine approach. Journal of Perinatology²; 2001; 21 (1): S98-S100; discussion S104-7
- (79) Sitzmann FC et al. Lokale Nebenwirkungen an der Haut durch Anthraglykoside. Pädiatr Prax 1979; 21: 355-358
- (80) Li LF. A clinical and patch test study of contact dermatitis from traditional Chinese medicinal materials. Contact Dermatitis 1995; 33: 392-5
- (81) Yuen MF et al. Traditional Chinese medicine causing hepatotoxicity in patients with chronic hepatitis B infection: a 1-year prospective study. Aliment Pharmacol Ther 2006; 24: 1179-86

² Official journal of the California Perinatal Association

- (82) Müller-Lissner S. Myths and misconceptions about chronic constipation. *Am J Gastroenterol* 2005; 100: 232-242
- (83) Smith B. Effect of irritant purgatives on the myenteric plexus in man and mouse. *Gut* 1968; 9: 139-45
- (84) Riemann JF et al. The fine structure of colonic submucosal nerves in patients with chronic laxative abuse. *Scand J Gastroenterol* 1980; 15: 761-8
- (85) Riemann JF et al. Ultrastructural changes in the gut autonomic nervous system following laxative abuse and in other conditions. *Scand J Gastroenterol* 1982; 71: 11-24
- (86) Berkelhammer C et al. Low-volume oral colonoscopy bowel preparation: sodium phosphate and magnesium citrate. *Gastrointest Endosc* 2002; 56: 89-94
- (87) Meisel JL et al. Human rectal mucosa: proctoscopic and morphological changes caused by laxatives. *Gastroenterology* 1977; 72: 1274-9
- (88) Pockros PJ et al. Golytely lavage versus a standard colonoscopy preparation. Effect on normal colonic mucosal histology. *Gastroenterology* 1985; 88: 545-8
- (89) Riecken EO et al. The effect of an anthraquinone laxative on colonic nerve tissue: A controlled trial in constipated women. *Z Gastroenterol* 1990; 28: 660-4
- (90) Siegers C-P et al. Anthranoid laxative abuse – A risk for colorectal cancer? *Gut* 1993; 34 (8): 1099-1101
- (91) Kune GA et al. The role of chronic constipation, diarrhea, and laxative use in the etiology of large-bowel cancer. Data from the Melbourne Colorectal Cancer Study. *Diseases of the colon and rectum* 1988; 31 (7): 507 – 12
- (92) Kune GA. Laxative use not a risk for colorectal cancer: data from the Melbourne Colorectal Cancer Study. *Zeitschrift für Gastroenterologie* 1993; 31 (2): 140-3
- (93) Nusko G et al. Retrospective study on laxative use and melanosis coli as risk factors for colorectal neoplasia. *Pharmacology* 1993; 47 Suppl 1: 234-41
- (94) Sonnenberg A, Muller AD. Constipation and cathartics as risk factors of colorectal cancer: A meta-analysis. *Pharmacology* 1993; 47 (Suppl.): 224-33
- (95) Loew D et al. Anthranoid laxatives: cause of colorectal cancer? *Deutsche Apotheker-Zeitung* 1994; 134 (Aug 25): 30, 32-33
- (96) Jacobs EJ et White E. Constipation, laxative use, and colon cancer among middle-aged adults. *Epidemiology* 1998; 9: 385-91
- (97) Nusko G et al. Anthranoide laxative use is not a risk factor for colorectal neoplasia: results of a prospective case control study. *Gut* 2000; 46: 651-55
- (98) Roberts MC et al. Constipation, laxative use, and colon cancer in a North Carolina population. *Am J Gastroenterol* 2003; 98: 857-64
- (99) Nilsson SE et al. Laxative treatment elevates plasma homocysteine: A study on a population-based Swedish sample of old people. *European Journal of Clinical Pharmacology* 2004; 60 (1): 45-49
- (100) Jae Sik Joo et al. Alterations in colonic anatomy induced by chronic stimulant laxatives: The cathartic colon revisited. *Journal of Clinical Gastroenterology* 1998; 26 (4): 283-286

- (101) Van Gorkom BA et al. Review article: anthranoid laxatives and their potential carcinogenic effects. *Alimentary pharmacology & therapeutics* 1999; 13 (4): 443-52
- (102) Goodman & Gilman's. *The Pharmacological Basis of Therapeutics*. Eleventh edition. Section VI / Drugs affecting gastrointestinal function. Stimulant (Irritant) Laxatives
- (103) Steinegger. *Pharmakognosie – Phytopharmazie*, Springer Verlag 7. Auflage
- (104) Faber P et al. Relevance of rhein excretion into breast milk. *Pharmacology* 1988; 36 (Suppl 1): 212-20
- (105) Bright E, Takyi BE. Excretion of drugs in human milk. *J. Hosp. Pharm.* 1970; 28 (Nov): 317-26
- (106) Gerhard Madaus. *Lehrbuch der biologischen Heilmittel Band I*, 1938; Rheum: p. 2300-6. Reprint Georg Olms Verlag Hildesheim New York 1976
- (107) Pedanios Dioskurides *Materia medica* book III, chapter 2. Rhapontik. 1st century BC. German translation Julius Berendes 1902
- (108) Martindale. *The Extra Pharmacopoeia*. 27th edition London: Pharmaceutical Press, 1977: 1341 -2
- (109) Weiss RF. *Lehrbuch der Phytotherapie*. 3rd edition Stuttgart: Hippokrates, 1974: 113-8
- (110) Martindale. *The Extra Pharmacopoeia*. 25th edition London: Pharmaceutical Press, 1967
- (111) Hagers *Handbuch der Pharmazeutischen Praxis*. Dr. G. Frerichs, G. Arends, Dr. H. Zörnig (Herausgeber), Verlag von Julius Springer, Berlin 1927
- (112) You-Ping Zhu. *Chinese Materia Medica*. CRC Press 1998
- (113) Li LS. Rhubarb in preventing progression of chronic renal disease. *Nephrology* 1996; 2 (1): S146-S150
- (114) Helmholz H et al. Genotoxizität der Faulbaumrinde. Genotoxicity of buckthorn bark. *Pharmazeutische Zeitung* 1993; 138 (Oct 28): 48-50