



London, 14 January 2009
Doc. Ref.: EMEA/HMPC/579635/2008

COMMITTEE ON HERBAL MEDICINAL PRODUCT (HMPC)

DRAFT

LIST OF REFERENCES FOR ASSESSMENT OF :

Taraxaci folium
***Taraxacum officinale* Weber ex Wigg., folium**
(dandelion leaf)

The EMEA acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Ahuja TS, Freeman D, Mahnken JD, Agraharkar M, Siddiqui M, Memon A.
Predictors of the development of hyperkalemia in patients using angiotensin-converting enzyme inhibitors.

Am J Nephrol. 2000; 20: 268-272.

Akhtar MS, Khan QM, Khaliq T.

Effects of *Portulaca oleracea* (kulfa) and *Taraxacum officinale* (dhudhal) in normoglycaemic and alloxan-treated hyperglycaemic rabbits.

J Pakistan Med Assoc. 1985; 35: 207–210.

Blumenthal M, Busse WR, Goldberg A, Gruenwald J, Hall T, Riggins CW, Rister RS. (eds)

“Dandelion herb” and “Dandelion root with herb”

In: The Complete German Commission E Monographs. Therapeutic Guide to Herbal Medicines. American Botanical Council, Austin, Texas, 1998; 118–120.

Böhm K.

Untersuchungen über choleretische Wirkungen einiger Arzneipflanzen.

Arzneim.Forsch./Drug Res. 1959; 9: 376-378.

Bradley PR ed. British Herbal Compendium Volume I, British Herbal Medicine Association, Bournemouth 1992, 73-75.

British Herbal Pharmacopoeia (BHP). Part One, British Herbal Medicine Association, Exeter UK, 1996, 199-199.

Budzianowski J.

Coumarins, caffeoyltartaric acids and their artifactual methyl esters from *Taraxacum officinale* leaves. *Planta Medica* 1997; 63: 288-288.

Chabrol E, Charonnat R, Maximin M, Walzt R, Porin J.
L'action cholérétique des Compositées.
CR Soc Biol. 1931; 108: 1100-1102.

Choi JH, Shin KM, Kim NY, Hong JP, Lee YS, Kim HJ, Park HJ, Lee KT.
Taraxinic Acid, a Hydrolysate of Sesquiterpene Lactone Glycoside from the *Taraxacum coreanum* NAKAI, Induces the Differentiation of Human Acute Promyelocytic Leukemia HL-60 Cells.
Biol Pharm Bull. 2002; 25: 1446–1450.

Clifford MN, Shutler S, Thomas GA, Ohiokpehai O.
The chlorogenic acids content of coffee substitutes.
Food Chem. 1987; 24: 99–107.

DAC 2004. Löwenzahn. *Taraxaci herba cum radice*.

Day JRS, Chaudhry AN, Hunt I, Taylor KM.
Heparin-induced hyperkalemia after cardiac surgery.
Ann Thorac Surg. 2002; 74: 1698–1700.

Dietary Guidelines for Americans 2005. Chapter 8: Sodium and Potassium [article online]. U.S. Department of Agriculture.
Available from <http://www.health.gov/Dietary-Guidelines/dga2005/document/html/chapter8.htm>.
Accessed 7 November 2008.

Evans KJ and Greenberg A.
Hyperkalemia: A Review
J Intensive Care Med. 2005; 20: 272-290.

Faber K.
Dandelion—*Taraxacum officinale* Weber.
Pharmazie 1958; 13: 423–436.

Fernandez C, Martin-Esteban M, Fiandor A, Pascual C, Lopez Serrano C, Marinez Alzamora F, Diaz Pena JM, Ojeda Casas JA.
Analysis of cross-reactivity between sunflower pollen and other pollens of the Compositae family.
J Allergy Clin Immunol. 1993; 92: 660-667.

Funke I and Melzig MF.
Phytotherapie bei Typ-2 Diabetes mellitus.
Z Phytother. 2005; 26: 271-274.

Gehrman B, Koch WG, Tschirch CO, Brinkmann H.
Medicinal Herbs. A Compendium.
The Haworth Medicinal Press, New York London Oxford, 2005; 64.

Gennari FJ.
Hypokalemia.
N Engl J Med. 1998; 339: 451-458.

Goldberg ED, Amosova EN, Zueva EP, Razina TG, Krylova SG, Reikhart DV.
Effects of Extracts from Medicinal Plants on the Development of Metastatic Process.
Bull Exp Biol Med. 2004; 138(3): 288-294.

Gross JL, de Azevedo MJ, Silveiro SP, Canani LH, Caramori ML, Zelmanovitz T.
Diabetic nephropathy: diagnosis, prevention, and treatment.
Diabetes Care 2005; 28: 164–176.

HagerROM 2006. Hagers Handbuch der Drogen und Arzneistoffe. Version 5.0, Blaschek W, Ebel S, Hackenthal E, Holzgrabe U, Keller K, Reichling J, Schulz V. (eds). Deutscher Apotheker Verlag, Stuttgart, Germany.

Hagymási K, Blázovics A, Fehér J, Lugasi A, Kristó ST, Kéry A.
The in vitro effect of dandelion antioxidants on microsomal lipid peroxidation.
Phytother Res. 2000a; 14: 43–44.

Hagymási K, Blázovics A, Lugasi A, Kristó ST, Fehér J, Kéry A.
In vitro antioxidant evaluation of dandelion (*Taraxacum officinale* WEB.) water extracts.
Acta Alimentaria 2000b; 29: 1–7.

Hagymási K, Blázovics A, Lugasi A, Kristó ST, Fehér J, Kéry A.
In vitro antioxidant evaluation of dandelion (*Taraxacum officinale* web.) water extracts.
Accredit Quality Assurance 2000c; 5: 1-7.

Hausen BM.
Taraxinsäure-1'-O- β -D-glucopyranosid, das Kontaktallergen des Löwenzahns (*Taraxacum officinale* Wiggers).
Dermatosen 1982; 30: 51-53.

Hausen BM and Vieluf IK.
Allergiepflanzen/Pflanzenallergene: Handbuch und Atlas der Allergie-induzierenden Wild- und Kulturpflanzen, 2nd edition.
Landsberg München: Ecomed Verlagsgesellschaft mbH, 1997.

Hance P, Martin Y, Vasseur J, Hilbert JL, Trotin F.
Quantification of chicory root bitterness by an ELISA for 11 β ,13-dihydrolactucin.
Food Chem. 2007; 105: 742-748.

Harkness R, Bratman S.
Mosby's Handbook of Drug-Herb and Drug-Supplement Interactions. Mosby, St. Louis London Philadelphia Sydney Toronto, 2003; 163.

Hänsel R, Kartarahardja M, Huang JT, Bohlmann F.
Sesquiterpenlacton- β -D-glucopyranoside sowie ein neues Eudesmanolid aus *Taraxacum officinale*.
Phytochemistry 1980; 19: 857–861.

He FJ and MacGregor GA.
Beneficial effects of potassium on human health.
Physiol Plant. 2008; 133: 725-735.

Hemmerle H, Burger HJ, Below P, Schubert G, Rippel R, Schindler PW, Paulus E, Herling AW.
Chlorogenic acid and synthetic chlorogenic acid derivatives : novel inhibitors of hepatic glucose-6-phosphate translocase.
J Med Chem. 1997; 40: 137-145.

Hook I, McGee A, Henman M.
Evaluation of dandelion for diuretic activity and variation in potassium content.
Int J Pharmacogn. 1993; 31: 29–34.

Hussain Z, Waheed A, Qureshi RA, Burdi DK, Verspohl EJ, Khan N, Hasan M.
The Effect of Medicinal Plants of Islamabad and Murree Region of Pakistan on Insulin Secretion from INS-1 Cells.
Phytother Res. 2004; 18: 73–77.

- Hyung M, -Hwan C, Chung CK.
Activation of inducible nitric oxide synthase by *Taraxacum officinale* in mouse peritoneal macrophages.
Gen Pharmacol. 1999; 32: 683–688.
- Jarman PR, Kehely AM, Mather HM.
Hyperkalemia in diabetes: prevalence and associations.
Postgrad Med J. 1995; 71: 551-552.
- Jeon HJ, Kang HJ, Jung HJ, Kang YS, Lim CJ, Kim YM, Park EH.
Anti-inflammatory activity of *Taraxacum officinale*.
J Ethnopharmacol. 2008; 115: 82–88.
- Johnston KL, Clifford MN, Morgan LM.
Coffee acutely modifies gastrointestinal hormone secretion and glucose tolerance in humans: glycemic effects of chlorogenic acid and caffeine.
Am J Clin Nutr. 2003; 78: 728-733.
- Jovanović, M, Mimica-Dukić, N, Poljački, M, Božá, P.
Erythema multiforme due to contact with weeds: A recurrence after patch testing.
Contact Dermatitis 2003; 48: 17-25.
- Kaurinovic B, Popovic M, Cebovic T, Mimica-Dukic N.
Effects of *Calendula officinalis* L. and *Taraxacum officinale* WEBER (Asteraceae) extracts on the production of OH radicals.
Fresenius Environ Bull. 2003; 12: 250–253.
- Keane B, Collier MH, Shann JR, Rogstad SH.
Metal content of dandelion *Taraxacum officinale* leaves in relation to soil contamination and airborne particulate matter.
Sci Total Environ. 2001; 281: 63-78
- Khan MG.
Cardiac Drug Therapy, 6th edition.
Philadelphia: W.B. Saunders, 2003.
- Kober L, Torp-Pedersen C, Carlsen JE, Bagger H, Eliassen P, Lyngborg K, Videbaek J, Cole DS, Auclert L, Pauly NC.
A clinical trial of the angiotensin-converting-enzyme inhibitor trandolapril in patients with left ventricular dysfunction after myocardial infarction. Trandolapril Cardiac Evaluation. (TRACE) Study Group.
N Engl J Med. 1995; 333: 1670–1676.
- Koo HN, Hong SH, Song BK, Kim CH, Yoo YH, Kim HM.
Taraxacum officinale induces cytotoxicity through TNF-and IL-1secretion in Hep G2 cells.
Life Sci. 2004; 74: 1149–1157.
- Kostis JB, Shelton B, Gosselin G, Goulet C, Hood WB Jr, Kohn RM, Kubo SH, Schron E, Weiss MB, Willis PW III, Young JB, Probstfield J.
Adverse effects of enalapril in the Studies of Left Ventricular Dysfunction (SOLVD).
Am Heart J. 1996; 131: 350–355.
- Kristó ST, Ganzler K, Apáti P, Szöke E, Kéry A.
Analysis of antioxidant flavonoids from Asteraceae and Moraceae plants by capillary electrophoresis.
Chromatographia 2002; 56: 121–126.

- Kroeber L.
Zur Pharmakologie der Inulindrogen und ihre therapeutische Verwendung.
Pharmazie 1950; 5: 122–127.
- Królak E.
Accumulation of Zn, Cu, Pb and Cd by dandelion (*Taraxacum officinale* WEB.) in environments with various degrees of metallic contamination.
Pol. J. Environ. Studies 2003; 12: 713-721.
- Kuusi T, Pyysalo H, Autio K.
The bitterness properties of dandelion. II. Chemical investigations.
Lebensmittel-Wiss Technol. 1985; 18: 347-349.
- Leung, AY, Foster S. Dandelion root. In: Encyclopedia of Common Natural Ingredients Used in Food, Drugs and Cosmetics, second ed. John Wiley & Sons, New York 1996; 205–207.
- Lopatina KA, Razina TG, Zueva EP, Krylova SG, Amosova EN, Guryev AM.
Plant Polysaccharides in Combined Therapy of Transplanted Tumors.
Bull Exp Biol Med. 2007; 143 Suppl 1: 24-27.
- Lovell CR, Rowan M.
Dandelion dermatitis.
Contact Dermatitis 1991; 25: 185–188.
- Macdonald JE and Struthers AD.
What is the optimal serum potassium level in cardiovascular patients?
J Am Coll Cardiol. 2004; 43: 155–161.
- Mark KA, Brancaccio RR, Soter NA, Cohen DE.
Allergic contact and photoallergic contact dermatitis to plant and pesticide allergens.
Arch Dermatol. 1999; 135: 67–70.
- Önal S, Timur S, Okutucu B, Zihnioğlu F.
Inhibition of α -Glucosidase by Aqueous Extracts of Some Potent Antidiabetic Medicinal Plants.
Prep Biochem Biotechnol. 2005; 35: 29-36.
- Palmer BF.
Managing hyperkalemia caused by inhibitors of the renin-angiotensin-aldosterone system.
N Engl J Med. 2004; 351: 585–592.
- Pharmacopoea Bohemoslovaca. Vol.2 , Ed.4, Avicenum-zdravotnické nakladatelství, Praha; 1987, 816-817.
- Popovic M, Kaurinovic B, Mimica-Dukic N, Vojinovic-Miloradov M, Dordevic A.
Combined effects of plant extracts and xenobiotics on liposomal lipid peroxidation. Part 3. Dandelion extract—CCl₄/fullnerol.
Oxidation Commun. 2001; 24: 335–343.
- Rácz-Kotilla E, Rácz G, Solomon A.
The action of *Taraxacum officinale* extracts on the body weight and diuresis of laboratory animals.
Planta Med. 1974; 26: 212–217.
- Rivera-Núñez, D. *Taraxacum vulgare* (Lam.) Schrank =T. *Officinale* Weber. In: Aritio, L.B. (Ed.), La guía de incafo de las plantas utiles y venenosas de la Peninsula Ibérica y Baleares (excluidas medicinales). Incafo, Madrid 1991; 1024–1026.

- Rote Liste 1975. Arzneimittelverzeichnis. Bundesverband der Pharmazeutischen Industrie (ed.), Aulendorf/Württ., Editio Cantor.
- Queralt I, Ovejero M, Carvalho ML, Marques AF, Llabrés JM.
Quantitative determination of essential and trace element content of medicinal plants and their infusions by XRF and ICP techniques.
X-Ray Spectrom. 2005; 34: 213-217.
- Saulnier P, Crosbie L, Duttaroy AK.
Inhibitory effect of aqueous extracts of some herbs on human platelet aggregation in vitro.
Platelets 2005; 8: 469-473.
- Seo SW, Koo HN, An HJ, Kwon KB, Lim BC, Seo EA, Ryu DG, Moon G, Kim HY, Kim HM, Hong SH.
Taraxacum officinale protects against cholecystokinin-induced acute pancreatitis in rats
World J Gastroenterol. 2005; 11: 597-599.
- Sigstedt SC, Hooten CJ, Callewaert MC, Jenkins AR, Romero AE, Pullin MJ, Kornienko A, Lowrey TK, Slambrouck SV, Steelant WF.
Evaluation of aqueous extracts of Taraxacum officinale on growth and invasion of breast and prostate cancer cells.
Int J Oncology 2008; 32: 1085-1090.
- Simándi B, Kristó ST, Kéry Á, Selmeczi LK, Kmecz I, Kemény S.
Supercritical fluid extraction of dandelion leaves.
J Supercrit Fluids 2002; 23: 135-142.
- Tsialtas JT, Kassioumi M, Veresoglou DS.
Evaluating Leaf Ash Content and Potassium Concentration as Surrogates of Carbon Isotope Discrimination in Grassland Species.
J. Agronomy Crop Sci. 2002; 188: 168-175.
- Wagner H, Wiesenauer M.
Phytotherapie. Phytopharmaka und pflanzliche Homöopatika.
Gustav Fischer Verlag. Stuttgart Jena New York, 1995, 132-134.
- Westermann I, Roddick K.
Annual variation in sterol levels in leaves of Taraxacum officinale Weber.
Plant Physiol. 1981; 68: 872-875.
- Welsch CA, Lachance PA, Wasserman BP.
Dietary phenolic compounds: inhibition of Na⁺ dependent D-glucose uptake in rat intestinal brush border membrane vesicles.
J Nutr. 1989; 119: 1698-1704.
- Weiss RF.
Lehrbuch der Phytotherapie. 7 ed.
Hippokrates Verlag, Stuttgart, 1991; 162-163.
- Wichtl M.
Teedrogen. Ein Handbuch für Apotheker und Ärzte
Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart, 1984; 217-219.
- Williams CA, Goldstone F, Greenham J.
Flavonoids, cinnamic acids and coumarins from the different tissues and medicinal preparations of Taraxacum officinale.
Phytochemistry 1996; 42: 121-127.

- Wilman D, Riley JA.
Potential nutritive value of a wide range of grassland species.
J Agric Sci. 1993; 120: 43–49.
- Wilman, D., Derrick, R.W.
Concentration and availability to sheep of N, P, K, Ca, Mg, and Na in chickweed, dandelion, dock, ribwort and spurrey, compared with perennial ryegrass.
J Agric Sci. 1994; 122: 217–223.
- Wolbis M and Krolikowska M.
Polyphenolic compounds of dandelion (*Taraxacum officinale*).
Acta Pol Pharm. 1985; 42: 215.
- Wolbis M, Królikowska M, Bednarek P.
Polyphenolic compounds in *Taraxacum officinale*.
Acta Pol Pharm. 1993; 50: 153–158.
- Wu SH, Luo XD, Ma YB, Hao XJ, Wu DG.
Anti-gastric ulcer sesquiterpene lactone glycosides from *Crepis napifera*.
Yaoxue Xuebao 2002; 37: 33-36.
- Yasukawa K, Akihisa T, Inoue Y, Tamura T, Yamanouchi S, Takido M.
Inhibitory effect of the methanol extracts from Compositae plants on 12-O-tetradecanoylphorbol-13-acetate-induced ear oedema in mice.
Phytother Res. 1998; 12: 484–487.
- Zeller W, de Gols M, Hausen BM.
The sensitizing capacity of Compositae plants VI. Guinea pig sensitization experiments with ornamental plants and weeds using different methods.
Arch Dermatol Res. 1985; 277: 28–35.