



European Medicines Agency
Evaluation of Medicines for Human Use

London, 14 May 2009
Doc. Ref.: EMEA/HMPC/216362/2008

COMMITTEE ON HERBAL MEDICINAL PRODUCTS (HMPC)

DRAFT

LIST OF REFERENCES FOR ASSESSMENT OF:

Valerianae radix and Lupuli flos
Valerian officinalis L. and Humulus lupulus L.
(valerian root and hop strobiles)

The EMEA acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Abourashed EA, Koetter U, Brattström A. *In vitro* binding experiments with a valerian, hops and their fixed combination extract (Ze91019) to selected central nervous system receptors. *Phytomedicine* 2004; 11: 633-638

Balduini W, Cattabeni F. Displacement of [³H]N⁶-cyclohexyladenosine binding to rat cortical membranes by an hydroalcoholic extract of *Valeriana officinalis*. *Med Sci Res* 1989; 17: 639-640

Bos R, Woerdenbag HJ, De Smet PAGM et al. Valeriana species. In: De Smet PGMA, Keller K, Haensel R, Chandler RD (eds.): *Adverse effects of herbal drugs*. Vol 3, Springer-Verlag Berlin, 1998; 165-180

Brattström A. Wirksamkeitsnachweis von Phytopharmaka am Beispiel einer Hopfen-Baldrian-Kombination *Forsch Komplementärmed* 1996; 3: 188-195

Brattström A. Scientific evidence for a fixed extract combination (Ze 91019) from valerian and hops traditionally used as a sleep-induced aid. *Wien Med Wochenschr* 2007; 157 (13-14): 367-370

Butterweck V, Brattstroem A, Grundmann O, Koetter U. Hypothermic effects of hops are antagonized with the competitive melatonin receptor antagonist luzindole in mice. *J Pharm Pharmacol* 2007; 59: 549-552

Cavadas C, Araújo I, Cotrim MD, Amaral T, Cunha AP, Macedo T, Fontes Ribeiro C. *In vitro* study on the interaction of *Valeriana officinalis* L. extracts and their amino acids on GABA-A receptor in rat brain. *Arzneim.-Forsch./Drug Res* 1995; 45/II (7): 753-755

Coxeter PD, Schluter PJ, Eastwood HL, et al. Valerian does not appear to reduce symptoms for patients with chronic insomnia in general practice using a series of randomised n-of-I trials. *Complementary Therapies in Medicine* 2003; 11: 215-222

7 Westferry Circus, Canary Wharf, London, E14 4HB, UK

Tel. (44-20) 74 18 84 00 Fax (44-20) 75 23 70 51

E-mail: mail@emea.europa.eu http://www.emea.europa.eu

© European Medicines Agency, 2009. Reproduction is authorised provided the source is acknowledged

Dorn M. Efficacy and tolerability of valerian versus oxazepam in non-organic and non-psychiatric insomnias: a randomized, double-blind, clinical, comparative study. *Komplementärmedizin und Klassische Naturheilkunde* 2000; 7: 79-84

Estrada J, Gozala F, Cecchini L, Casquette E. Contact urticaria from hops (*Humulus lupulus*) in a patient with previous urticaria-angioedema from peanut, chestnut, and banana. *Contact Dermat* 2002; 46: 127

Flesch P. Hopfen-Baldrian-Kombination als Benzodiazepin-Ersatz? *Geriatric Praxis* 1, 1997 (suppl.) 21-23

Füssel A, Wulf A, Brattström, A. Effect of a fixed valerian-hop extract combination (ZE91019) on sleep polygraphy in patients with non-organic insomnia: a pilot study. *Eur J Med Res* 2000; 18 (5): 385-390

Gerhauser C, Frank N. Xanthohumol, a new all-rounder? *Molec Nutr & Food Res* 2005; 49 (9): 821-823

Göggelmann W, Schimmer O. Mutagenic activity of phytotherapeutical drugs. In: Knudsen I, editor. *Genetic Toxicology of the Diet*. New York, Alan R. Liss, 1986; 63-72

Grundmann O, Brattström A, Koetzer U, Butterweck V. Hypothermic effects of hops could antagonise with the competitive melatonin receptor antagonist luzindole. *Planta Medica* 2006; (11): 1065, P 281

Hendriks H, Bos R, Woerdenbag HJ, Joster AS. Central nervous depressant activity of valerianic acid in the mouse. *Planta Med* 1985; 51: 28-31

Jacobs BP, Bent S, Tice JA, et al. An internet-based randomized, placebo-controlled trial of kava and valerian for anxiety and insomnia. *Medicine* 2005; 84: 197-207

Kamm-Kohl AV, Jansen W, Brockmann P. Moderne Baldriantherapie gegen nervöse Störungen im Senium. *Med Welt* 1984; 35: 1450-1454

Koetter U, Schrader E, Käufeler R, Brattström A. A randomized, double-blind, placebo-controlled, prospective clinical study to demonstrate clinical efficacy of a fixed valerian hops extract combination (Ze 91019) in patients suffering from non-organic sleep disorder. *Phytother Res* 2007; 21: 847-851

Lataster MJ, Brattström A. Die Behandlung von Patienten mit Schlafstörungen. Wirksamkeit und Verträglichkeit von Baldrian-Hopfen-Dragees. *Notabene Medici* 1996; 4: 182-185

Leathwood PD, Chauffard F, Heck E, Munoz-Box R. Aqueous extracts of valerian root (*Valeriana officinalis* L.) improves sleep quality in man. *Pharmacol Biochem Behav* 1982; 17: 65-71

Mennini T, Bernasconi P, Bombardelli E, Morazzoni P: *In vitro* study on the interactions of extracts and pure compounds from *Valeriana officinalis* roots with GABA, benzodiazepine and barbiturate receptors in rat brain. *Fitoterapia* 1993; 64 (4): 291-300

Milligan S, Kalita J, Pocock V, Heyerick A, De Cooman L, Rong H, De Keukeleire D. Oestrogenic activity of the hop phyto-oestrogen, 8-prenylnaringenin. *Reproduction* 2002; 123: 235-242

Morin CM, Koetter U, Bastien C, Wane JC, Wootter V. Valerian-hops combination and diphenhydramine for treating insomnia: a randomised placebo-controlled clinical trial. *Sleep* 2005; 28 (11): 1465-1471

Mueller-Limmroth W, Ehrenstein W. Experimental studies of the effects of Seda-Kneipp on the sleep of sleep disturbed subjects: implications of the treatment of different sleep disturbances. *Med Klin* 1977; 72: 1119-1125

Mueller CE, Schumacher R, Brattström A, Abourashed EA, Koetter E. Interactions of valerian extracts and a fixed valerian-hop extract combination with adenosine receptors. Life Sciences 2002; 71 (16): 1939-1949

Notter D, Brattström A, Morandell D, Polasek W. Wirksamkeit und Sicherheit eines Baldrian-Hopfen-Kombinationspräparates bei verschiedenen Schlafstörungen. Phytotherapie 2003; 3: 9-12

Ortiz JG, Nieves-Natal J, Chavez P. Effects of *Valeriana officinalis* extracts on [³H]flunitrazepam binding, synaptosomal [³H]GABA uptake and hippocampal [³H]GABA release. Neurochem Res 1999; 24: 1373-1378

Rodenbeck A, Hajek G. Polysomnographische Pilotstudie zur Wirkung von Hopfen/Baldrian auf den Schlaf von Patienten mit primärer Insomnie. Eine doppelblinde, randomisierte, placebokontrollierte Studie im Schlaflabor. 1998, Study Report MI 9221

Romero-Jimenez M. et al. Genotoxicity and antygenotoxicity of some traditional medicinal herbs. Mut Res 2005; 147-155.

Rücker G, Tautges J, Sieck A, Wenzl H, Graf E. Untersuchungen zur Isolierung und pharmakodynamischen Aktivität des Sesquiterpens Valeranon aus *Nardostachys jatamansi* DC. Arzneim.-Forsch./Drug Res 1978; 28/I (1): 7-13

Schellenberg A, Sauer S, Abourashed EA, Koetter U, Brattström A. The fixed combination of valerian and hops (Ze91019) acts via a central adenosine mechanism. Planta Med 2004; 70: 694-697

Schmitz M, Jäckel M. Comparative study for assessing quality of life of patients with exogenous sleep disorders (temporary sleep onset and sleep interruption disorders) treated with a hops-valerian preparation and a benzodiazepine drug. Wien Med Wochenschr 1998; 148: 291-298

Stevens JF, Page JE. Xanthohumol and related prenylflavonoids from hops and beer: to your good health! Phytochem 2004; 65: 1317-1330

Vonderheid-Guth B, Iodora A, Brattström A, Dimpfel W. Pharmacodynamic effects of valerian and hops extract combination (Ze 91019) on the quantitative-topographical EEG in healthy volunteers. Eur J Med Res 2000; 5: 139-144

Von Skramlik E. Über die Giftigkeit und Verträglichkeit von ätherischen ölen. Pharmazie 1959; 14: 435-445

Vorbach EU, Goertelmeyer R, Brüning J. Therapie von Insomnien. Wirksamkeit und Verträglichkeit eines Baldrianpräparates. Psychopharmakontherapie 1996; 3: 109-115

Wegener T. Phytopharmaka zur Anxiolyse. Zur Wirkung einer Kombination von Baldrian und Hopfen bei Angstzuständen. Dt Apoth Ztg 2003; 143: 618-625

Yuan CH, Mehendale S, Yiao Y, et al: The gamma-aminobutyric acidergic effects of valerian and valerenic acid on rat brainstem neuronal activity. Anesth Anal 2004; 98: 353-358

Ziegler G, Ploch, Miettinen-Baumann A, Colle W. Efficacy and tolerability of valerian extract LI 156 compared with oxazepam in the treatment of non-organic insomnia – a randomized, double-blind, comparative clinical study. Eur J Med Res 2002; 7: 480-486