



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

15 January 2013
EMA/HMPC/320452/2012
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Andrographis paniculata* Nees, folium

Draft

The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Abu-Ghefreh AA, Canatan H, Ezeamuzie CI (2009) In vitro and in vivo anti-inflammatory effects of andrographolide. *Int Immunopharmacol* 9: 313-318.

Akbarsha M, Murugaian P (2000) Aspects of the male reproductive toxicity/male antifertility property of andrographolide in albino rats: Effect on the testis and the cauda epididymidal spermatozoa. *Phytotherapy Research* 14: 432-435.

Akowuah GA, Zhari I, Mariam A, Yam MF (2009) Absorption of andrographolides from *Andrographis paniculata* and its effect on CCl₄-induced oxidative stress in rats. *Food and Chemical Toxicology* 47: 2321-2326.

Al-Bayaty FH, Abdulla MA, Abu Hassan MI, Ali HM (2012) Effect of *Andrographis paniculata* leaf extract on wound healing in rats. *Natural Product Research* 26: 423-429.

Allan JJ, Pore MP, Deepak M, Murali B, Mayachari AS, Agarwal A (2009) Reproductive and Fertility Effects of an Extract of *Andrographis paniculata* in Male Wistar Rats. *Int J Toxicol* 28: 308-317.

Amaryan G, Astvatsatryan V, Gabrielyan E, Panossian A, Panosyan V, Wikman G (2003) Double-blind, placebo-controlled, randomized, pilot clinical trial of ImmunoGuard (R) - a standardized fixed combination of *Andrographis paniculata* Nees, with *Eleutherococcus senticosus* Maxim, *Schizandra chinensis* Bail. and *Glycyrrhiza glabra* L. extracts in patients with Familial Mediterranean Fever. *Phytomedicine* 10: 271-285.

Amroyan E, Gabrielian E, Panossian A, Wikman G, Wagner H (1999) Inhibitory effect of andrographolide from *Andrographis paniculata* on PAF-induced platelet aggregation. *Phytomedicine* 6: 27-31.

Aromdee C, Suebsasana S, Ekakaksananan T, Pientong C, Thongchai S (2011) Stage of Action of Naturally Occurring Andrographolides and Their Semisynthetic Analogues against Herpes Simplex Virus Type 1 in Vitro. *Planta Med* 77: 915-921.



- Avani G, Rao MV (2008) In vitro cytogenetic effects of *Andrographis paniculata* (kalmegh) on arsenic. *Phytomedicine* 15: 221-5.
- Bao Z, Guan S, Cheng C, Wu S, Wong SH, Kemeny DM, Leung BP, Wong WSF (2009) A Novel Antiinflammatory Role for Andrographolide in Asthma via Inhibition of the Nuclear Factor-kappa B Pathway. *American Journal of Respiratory and Critical Care Medicine* 179: 657-665.
- Batkhuu J, Hattori K, Takano F, Fushiya S, Oshiman K, Fujimiya Y (2002) Suppression of NO production in activated macrophages in vitro and ex vivo by neoandrographolide isolated from *Andrographis paniculata*. *Biol Pharm Bull* 25: 1169-1174.
- Burgos R, Caballero E, Sanchez N, Schroeder R, Wikman G, Hancke J (1997) Testicular toxicity assessment of *Andrographis paniculata* dried extract in rats. *J Ethnopharmacol* 58: 219-224.
- Burgos R, Imilan M, Sanchez N, Hancke J (2000) *Andrographis paniculata* (Nees) selectively blocks voltage-operated calcium channels in rat vas deferens. *J Ethnopharmacol* 71: 115-121.
- Burgos R, Aguila M, Santiesteban E, Sanchez N, Hancke J (2001) *Andrographis paniculata* (Ness) induces relaxation of uterus by blocking voltage operated calcium channels and inhibits Ca²⁺ influx. *Phytotherapy Research* 15: 235-239.
- Burgos R, Loyola M, Hidalgo M, Labranche T, Hancke J (2003) Effect of 14-deoxyandrographolide on calcium-mediated rat uterine smooth muscle contractility. *Phytotherapy Research* 17: 1011-1015.
- Burgos RA, Hancke JL, Bertoglio JC, Aguirre V, Arriagada S, Calvo M, Caceres DD (2009) Efficacy of an *Andrographis paniculata* composition for the relief of rheumatoid arthritis symptoms: a prospective randomized placebo-controlled trial RID C-2339-2009. *Clin Rheumatol* 28: 931-946.
- Caceres D, Hancke J, Burgos R, Wikman G (1997) Prevention of common colds with *Andrographis paniculata* dried extract. A pilot double blind trial RID C-2339-2009. *Phytomedicine* 4: 101-104.
- Caceres D, Hancke J, Burgos R, Sandberg F, Wikman G (1999) Use of visual analogue scale measurements (VAS) to assess the effectiveness of standardized *Andrographis paniculata* extract SHA-10 in reducing the symptoms of common cold. A randomized double blind-placebo study RID C-2339-2009. *Phytomedicine* 6: 217-223.
- Calabrese C, Berman S, Babish J, Ma X, Shinto L, Dorr M, Wells K, Wenner C, Standish L (2000) A phase I trial of andrographolide in HIV positive patients and normal volunteers. *Phytotherapy Research* 14: 333-338.
- Chan SJ, Wong WSF, Wong PTH, Bian J (2010) Neuroprotective effects of andrographolide in a rat model of permanent cerebral ischaemia. *Br J Pharmacol* 161: 668-679.
- Chander R, Srivastava V, Tandon J, Kapoor N (1995) Antihepatotoxic Activity of Diterpenes of *Andrographis-Paniculata* (Kal-Megh) Against Plasmodium-Berghei-Induced Hepatic Damage in *Mastomys-Natalensis*. *International Journal of Pharmacognosy* 33: 135-138.
- Chandrasekaran CV, Thiyagarajan P, Sundarajan K, Goudar KS, Deepak M, Murali B, Allan JJ, Agarwal A (2009) Evaluation of the genotoxic potential and acute oral toxicity of standardized extract of *Andrographis paniculata* (KalmCold (TM)). *Food and Chemical Toxicology* 47: 1892-1902.
- Chandrasekaran CV, Gupta A, Agarwal A (2010) Effect of an extract of *Andrographis paniculata* leaves on inflammatory and allergic mediators in vitro. *J Ethnopharmacol* 129: 203-207.
- Chandrasekaran CV, Thiyagarajan P, Deepak HB, Agarwal A (2011) In vitro modulation of LPS/calcimycin induced inflammatory and allergic mediators by pure compounds of *Andrographis paniculata* (King of bitters) extract. *Int Immunopharmacol* 11: 79-84.

- Chao C, Lii C, Tsai I, Li C, Liu K, Tsai C, Chen H (2011) Andrographolide Inhibits ICAM-1 Expression and NF-kappa B Activation in TNF-alpha-Treated EA.hy926 Cells. *J Agric Food Chem* 59: 5263-5271.
- Chao H, Kuo C, Chiu J, Fu S (2010) Andrographolide Exhibits Anti-Invasive Activity against Colon Cancer Cells via Inhibition of MMP2 Activity. *Planta Med* 76: 1827-1833.
- Chao W, Kuo Y, Hsieh S, Lin B (2011) Inhibitory Effects of Ethyl Acetate Extract of *Andrographis paniculata* on NF-kappa B Trans-Activation Activity and LPS-Induced Acute Inflammation in Mice. *Evidence-Based Complementary and Alternative Medicine* : 1-9.
- Chen H, Lin A, Chu H, Li C, Tsai C, Chao C, Wang C, Lii C, Liu K (2011) Inhibition of TNF-alpha-Induced Inflammation by Andrographolide via Down-Regulation of the PI3K/Akt Signaling Pathway. *J Nat Prod* 74: 2408-2413.
- Chen J, Hsiao G, Lee A, Wu C, Yen M (2004) Andrographolide suppresses endothelial cell apoptosis via activation of phosphatidyl inositol-3-kinase/Akt pathway. *Biochem Pharmacol* 67: 1337-1345.
- Chenniappan K, Kadarkarai M (2008) Synergistic activity of *Andrographis paniculata* Nees extracts against the larvae of the malarial vector *Anopheles stephensi* Liston (Diptera : Culicidae). *J Entomol Res Soc* 10: 13-22.
- Chenniappan K, Chellamuthu V, Dhandapani A, Kadarkarai M (2011) Synergistic Activity of *Andrographis paniculata* Nees with *Bacillus thuringiensis* var *israelensis* Against Malarial Vector, *Anopheles stephensi* Liston (Diptera: Culicidae). *J Entomol Res Soc* 13: 71-86.
- Chien C, Wu Y, Lee W, Lin L, Tsai T (2010) Herb-drug interaction of *Andrographis paniculata* extract and andrographolide on the pharmacokinetics of theophylline in rats. *Chem Biol Interact* 184: 458-465.
- Chiou W, Lin J, Chen C (1998) Andrographolide suppresses the expression of inducible nitric oxide synthase in macrophage and restores the vasoconstriction in rat aorta treated with lipopolysaccharide. *Br J Pharmacol* 125: 327-334.
- Chiou W, Chen C, Lin J (2000) Mechanisms of suppression of inducible nitric oxide synthase (iNOS) expression in RAW 264.7 cells by andrographolide. *Br J Pharmacol* 129: 1553-1560.
- Dey KL, Mair W. *The Indigenous Drugs of India: Short Descriptive Notices of the Principal Medicinal Products Met with in British India.* Thacker, Spink and Co, Calcutta, 1896: 27-28. (Accessed at <http://archive.org/stream/indigenousdrugs00mairgoog#page/n72/mode/2up> on 12/12/2012).
- Dua VK, Verma G, Dash AP (2009) In Vitro Antiprotozoal Activity of Some Xanthenes Isolated from the Roots of *Andrographis paniculata*. *Phytotherapy Research* 23: 126-128.
- Gabrielian E, Shukarian A, Goukasova G, Chandanian G, Panossian A, Wikman G, Wagner H (2002) A double blind, placebo-controlled study of *Andrographis paniculata* fixed combination Kan Jang in the treatment of acute upper respiratory tract infections including sinusitis. *Phytomedicine* 9: 589-597.
- Ganguly M, Manna A, Chandra G, Ghosh D, Ghosh LK, Gupta BK (2001) *Andrographis paniculata* : a promising herbal plant. *Indian J Pharm Education* 35: 63-4. Only front page available)
- Geethangilil M, Rao YK, Fang S, Tzeng Y (2008) Cytotoxic Constituents from *Andrographis paniculata* Induce Cell Cycle Arrest in Jurkat Cells RID G-4743-2011. *Phytotherapy Research* 22: 1336-1341.
- Govindarajan M (2011a) Evaluation of *Andrographis paniculata* Burm.f. (Family: Acanthaceae) extracts against *Culex quinquefasciatus* (Say.) and *Aedes aegypti* (Linn.) (Diptera: Culicidae). *Asian Pacific Journal of Tropical Medicine* 4: 176-181.

- Govindarajan M (2011b) Evaluation of *Andrographis paniculata* Burm.f. (Family: Acanthaceae) extracts against *Culex quinquefasciatus* (Say.) and *Aedes aegypti* (Linn.) (Diptera: Culicidae). *Asian Pacific Journal of Tropical Medicine* 4: 176-181.
- Guan S, Kong L, Cheng C, Lim JCW, Wong WSF (2011) Protective Role of 14-Deoxy-11,12-didehydroandrographolide, a Noncytotoxic Analogue of Andrographolide, in Allergic Airway Inflammation. *J Nat Prod* 74: 1484-1490.
- Gupta P, Tandon J, Patnaik G (1998) Antiallergic activity of Andrographolides isolated from *Andrographis paniculata* (Burm F) Wall. *Pharm Biol* 36: 72-74.
- Habtemariam S (1998) Andrographolide inhibits the tumour necrosis factor-alpha-induced upregulation of ICAM-1 expression and endothelial-monocyte adhesion. *Phytotherapy Research* 12: 37-40.
- Hagers Handbuch der Pharmazeutischen Praxis 4th ed. Band 3. Berlin-Heidelberg-New York. Springer-Verlag 1998: 81-82.
- Hanapi NA, Azizi J, Ismail S, Mansor SM (2010) Evaluation of Selected Malaysian Medicinal Plants on Phase I Drug Metabolizing Enzymes, CYP2C9, CYP2D6 and CYP3A4 Activities in vitro RID B-7741-2011. *International Journal of Pharmacology* 6: 494-499.
- Hancke J, Burgos R, Caceres D, Wikman G (1995) A double-blind study with a new monodrug Kan Jang: Decrease of symptoms and improvement in the recovery from common colds RID C-2339-2009. *Phytotherapy Research* 9: 559-562.
- Harjotaruno S, Widyawaruyanti A, Zaini NC (2007) Apoptosis inducing effect of andrographolide on td-47 human breast cancer cell line. *African Journal of Traditional Complementary and Alternative Medicines* 4: 345-351.
- Hermawan W, Kajiyama S, Tsukuda R, Fujisaki K, Kobayashi A, Nakasuji F (1994) Antifeedant and Antioviposition Activities of the Fractions of Extract from a Tropical Plant, *Andrographis-Paniculata* (Acanthaceae), Against the Diamondback Moth, *Plutella-Xylostella* (Lepidoptera, Yponomeutidae). *Appl Entomol Zool* 29: 533-538.
- Hermawan W, Nakajima S, Tsukuda R, Fujisaki K, Nakasuji F (1997) Isolation of an antifeedant compound from *Andrographis paniculata* (Acanthaceae) against the diamondback moth, *Plutella xylostella* (Lepidoptera: Yponomeutidae). *Appl Entomol Zool* 32: 551-559.
- Hovhannisyan A, Abrahamyan H, Gabrielyan E, Panossian A (2006) The effect of Kan Jang extract on the pharmacokinetics and pharmaeodynamics of warfarin in rats. *Phytomedicine* 13: 318-323.
- Jarukamjorn K, Don-in K, Makejaruskul C, Laha T, Daodee S, Pearaksa P, Sripanidkulchai B (2006) Impact of *Andrographis paniculata* crude extract on mouse hepatic cytochrome P450 enzymes. *J Ethnopharmacol* 105: 464-467.
- Jaruchotikamol A, Jarukamjorn K, Sirisangtrakul W, Sakuma T, Kawasaki Y, Nemoto N (2007) Strong synergistic induction of CYP1A1 expression by andrographolide plus typical CYP1A inducers in mouse hepatocytes. *Toxicol Appl Pharmacol* 224: 156-162.
- Jarukamjorn K (2008) *Andrographis paniculata*: A review of aspects of regulatory mechanisms of hepatic CYP1A enzymes. *Boletin Latinoamericano Y Del Caribe De Plantas Medicinales Y Aromaticas* 7: 100-107.
- Ji L, Liu T, Liu J, Chen Y, Wang Z (2007) Andrographolide inhibits human hepatoma-derived Hep3B cell growth through the activation of c-Jun N-terminal kinase. *Planta Med* 73: 1397-1401.

- Kapli A, Koul I, Banerjee S, Gupta B (1993) Antihepatotoxic Effects of Major Diterpenoid Constituents of *Andrographis-Paniculata*. *Biochem Pharmacol* 46: 182-185.
- Koh PH, Mokhtar RAM, Iqbal M (2011) *Andrographis paniculata* ameliorates carbon tetrachloride (CCI(4))-dependent hepatic damage and toxicity: Diminution of oxidative stress. *Redox Report* 16: 134-143.
- Kumar R, Sridevi K, Kumar N, Nanduri S, Rajagopal S (2004) Anticancer and immunostimulatory compounds from *Andrographis paniculata*. *J Ethnopharmacol* 92: 291-295.
- Kuppusamy C, Murugan K (2010) Effects of *Andrographis paniculata* Nees on growth, development and reproduction of malarial vector *Anopheles stephensi* Liston (Diptera: Culicidae). *Tropical Biomedicine* 27: 509-516.
- Lee Y, Lin H, Hsu C, Wang C, Chiang T, Chen J (2010) Inhibitory effects of andrographolide on migration and invasion in human non-small cell lung cancer A549 cells via down-regulation of PI3K/Akt signaling pathway. *Eur J Pharmacol* 632: 23-32.
- Lin FL, Wu SJ, Lee SC, Ng LT (2009) Antioxidant, Antioedema and Analgesic Activities of *Andrographis paniculata* Extracts and their Active Constituent Andrographolide. *Phytotherapy Research* 23: 958-964.
- Lin H, Tsai C, Chou F, Wang C, Hsuan S, Wang C, Chen J (2011) Andrographolide down-regulates hypoxia-inducible factor-1 alpha in human non-small cell lung cancer A549 cells. *Toxicol Appl Pharmacol* 250: 336-345.
- Lin T, Chen S, Duh P, Chang L, Liu Y (2008) Inhibition of the Epstein-Barr Virus Lytic Cycle by Andrographolide. *Biol Pharm Bull* 31: 2018-2023.
- Liu J, Wang Z, Ji L (2007) In vivo and in vitro anti-inflammatory activities of neoandrographolide. *Am J Chin Med* 35: 317-328.
- Liu J, Wang Z, Ge B (2008) Andrograpanin, isolated from *Andrographis paniculata*, exhibits anti-inflammatory property in lipopolysaccharide-induced macrophage cells through down-regulating the p38 MAPKs signaling pathways. *Int Immunopharmacol* 8: 951-958.
- Lu W, Lee J, Chou D, Jayakumar T, Fong T, Hsiao G, Sheu J (2011) A novel role of andrographolide, an NF-kappa B inhibitor, on inhibition of platelet activation: the pivotal mechanisms of endothelial nitric oxide synthase/cyclic GMP. *Journal of Molecular Medicine-Jmm* 89: 1261-1273.
- Mandal S, Dhara A, Maiti B (2001) Studies on psychopharmacological activity of *Andrographis paniculata* extract. *Phytotherapy Research* 15: 253-256.
- Matsuda T, Kuroyanagi M, Sugiyama S, Umehara K, Ueno A, Nishi K (1994) Cell Differentiation-Inducing Diterpenes from *Andrographis-Paniculata* Nees. *Chem Pharm Bull* 42: 1216-1225.
- Melchior J, Palm S, Wikman G (1997) Controlled clinical study of standardized *Andrographis paniculata* extract in common cold - A pilot trial. *Phytomedicine* 3: 315-318.
- Melchior J, Spasov A, Ostrovskij O, Bulanov A, Wikman G (2000) Double-blind, placebo-controlled pilot and Phase III study of activity of standardized *Andrographis paniculata* Herba Nees extract fixed combination (Kan jang) in the treatment of uncomplicated upper-respiratory tract infection. *Phytomedicine* 7: 341-350.
- Mishra US, Mishra A, Kumari R, Murthy PN, Naik BS (2009) Antibacterial Activity of Ethanol Extract of *Andrographis paniculata*. *Indian Journal of Pharmaceutical Sciences* 71: 436-U155.

- Mkrtchyan A, Panosyan V, Panossian A, Wikman G, Wagner H (2005) A phase I clinical study of *Andrographis paniculata* fixed combination Kan Jang (TM) versus ginseng and valerian on the semen quality of healthy male subjects. *Phytomedicine* 12: 403-409.
- Muniramappa RP, Farooqi AA, Gowda HGR, Maricapu S (1997) Influence of macro nutrients on yield and active principle content in kalmegh. *Journal of Medicinal and Aromatic Plant Sciences (India)* 19: 1039-1042.
- Murugan K, Selvanayaki K, Al-Sohaibani S (2011) Antibiofilm activity of *Andrographis paniculata* against cystic fibrosis clinical isolate *Pseudomonas aeruginosa*. *World J Microbiol Biotechnol* 27: 1661-1668.
- Nagalekshmi R, Menon A, Chandrasekharan DK, Nair CKK (2011) Hepatoprotective activity of *Andrographis Paniculata* and *Swertia Chirayita*. *Food and Chemical Toxicology* 49: 3367-3373.
- Naik SR, Hule A (2009) Evaluation of immunomodulatory activity of an extract of andrographolides from *Andrographis paniculata*. *Planta Medica* 75: 785-91.
- Najila M, Rain A, Kamel A, Zahir S, Khozirah S, Hakim S, Zakiah I, Azizol A (2002) The screening of extracts from *Goniothalamus scortechinii*, *Aralidium pinnatifidum* and *Andrographis paniculata* for anti-malarial activity using the lactate dehydrogenase assay. *J Ethnopharmacol* 82: 239-242.
- Neogy S, Das S, Mahapatra SK, Mandal N, Roy S (2008) Amelioratory effect of *Andrographis paniculata* Nees on liver, kidney, heart, lung and spleen during nicotine induced oxidative stress. *Environ Toxicol Pharmacol* 25: 321-328.
- Ooi JP, Kuroyanagi M, Sulaiman SF, Muhammad TST, Tan ML (2011) Andrographolide and 14-Deoxy-11, 12-Didehydroandrographolide inhibit cytochrome P450s in HepG2 hepatoma cells RID C-9455-2011. *Life Sci* 88: 447-454.
- Pan Y, Abd-Rashid BA, Ismail Z, Ismail R, Mak JW, Pook PCK, Er HM, Ong CE (2011) In vitro determination of the effect of *Andrographis paniculata* extracts and andrographolide on human hepatic cytochrome P450 activities. *Journal of Natural Medicines* 65: 440-447.
- Panneerselvam S, Arumugam G (2011) A biochemical study on the gastroprotective effect of hydroalcoholic extract of *Andrographis paniculata* in rats. *Indian Journal of Pharmacology* 43: 402-408.
- Panneerselvam S, Arumugam G, Karthikeyan NSSM (2011) Effect of andrographolide on cysteamine-induced duodenal ulcer in rats. *Natural Product Research* 25: 1560-1564.
- Panossian A, Kochikian A, Gabrielian E, Muradian R, Stepanian H, Arsenian E, Wagner H (1999) Effect of *Andrographis paniculata* extract on progesterone in blood plasma of pregnant rats. *Phytomedicine* 6: 157-161.
- Panossian A, Hovhannisyan A, Mamikonyan G, Abrahamian H, Hambardzumyan E, Gabrielian E, Goukasova G, Wikman G, Wagner H (2000) Pharmacokinetic and oral bioavailability of andrographolide from *Andrographis paniculata* fixed combination Kan Jang in rats and human. *Phytomedicine* 7: 351-364.
- Panossian A, Davtyan T, Gukassyan N, Gukasova G, Mamikonyan G, Gabrielian E, Wikman G (2002) Effect of Andrographolide and Kan Jang - fixed combination of extract SHA-10 and extract SHE-3 - on proliferation of human lymphocytes, production of cytokines and immune activation markers in the whole blood cells culture. *Phytomedicine* 9: 598-605.

Panossian A, Hambartsumyan M, Panosyan L, Abrahamyan H, Mamikonyan G, Gabrielyan E, Amaryan G, Astvatsatryan V, Wikman G (2003) Plasma nitric oxide level in familial Mediterranean fever and its modulations by Immuno-Guard. *Nitric Oxide-Biology and Chemistry* 9: 103-110.

Parichatikanond W, Suthisisang C, Dhepakson P, Herunsalee A (2010) Study of anti-inflammatory activities of the pure compounds from *Andrographis paniculata* (burm.f.) Nees and their effects on gene expression. *Int Immunopharmacol* 10: 1361-1373.

Pekthong D, Martin H, Abadie C, Bonet A, Heyd B, Manton G, Richert L (2008) Differential inhibition of rat and human hepatic cytochrome P450 by *Andrographis paniculata* extract and andrographolide. *J Ethnopharmacol* 115: 432-440.

Pekthong D, Blanchard N, Abadie C, Bonet A, Heyd B, Manton G, Berthelot A, Richert L, Martin H (2009) Effects of *Andrographis paniculata* extract and Andrographolide on hepatic cytochrome P450 mRNA expression and monooxygenase activities after in vivo administration to rats and in vitro in rat and human hepatocyte cultures. *Chem Biol Interact* 179: 247-255.

Pfisterer PH, Rollinger JM, Schyschka L, Rudy A, Vollmar AM, Stuppner H (2010) Neoandrographolide from *Andrographis paniculata* as a Potential Natural Chemosensitizer. *Planta Med* 76: 1698-1700.

Pharmacopoeia of the People's Republic of China Vol 1. People's Medical Publishing House, 2005: 121, 659.

Poolsup N, Suthisisang C, Prathanturarug S, Asawamekin A, Chanchareon U (2004) *Andrographis paniculata* in the symptomatic treatment of uncomplicated upper respiratory tract infection: systematic review of randomized controlled trials. *J Clin Pharm Ther*. 29: 37-45.

Pramyoithin P, Udomuksorn W, Pongshompoo S, Chaichantipyuth C (1994) Hepatoprotective Effect of *Andrographis-Paniculata* and its Constituent, Andrographolide, on Ethanol Hepatotoxicity in Rats. *Asia Pacific Journal of Pharmacology* 9: 73-78.

Puri A, Saxena R, Saxena R, Saxena K, Srivastava V, Tandon J (1993) Immunostimulant Agents from *Andrographis-Paniculata*. *J Nat Prod* 56: 995-999.

Radhika P, Rajendra PY, Sastry BS, Lakshmi RK (2009) Anti-inflammatory Activity of Chloroform Extract of *Andrographis Paniculata* Nees Stem. *Research Journal of Biotechnology* 4: 35-38.

Reyes B, Bautistac N, Tanquilut N, Anunciado R, Leung A, Sanchez G, Magtoto R, Castronuevo P, Tsukamura H, Maeda K (2006) Anti-diabetic potentials of *Momordica charantia* and *Andrographis paniculata* and their effects on estrous cyclicity of alloxan-induced diabetic rats. *J Ethnopharmacol* 105: 196-200.

Saranya P, Geetha A (2011) Antiulcer activity of *Andrographis paniculata* (Burm.f.) Wall. against cysteamine-induced duodenal ulcer in rats. *Indian J Exp Biol* 49: 525-533.

Sattayasai J, Srisuwan S, Arkaravichien T, Aromdee C (2010) Effects of andrographolide on sexual functions, vascular reactivity and serum testosterone level in rodents. *Food and Chemical Toxicology* 48: 1934-1938.

Saxena RC, Singh R, Kumar P, Yadav SC, Negi MPS, Saxena VS, Joshua AJ, Vijayabalaji V, Goudar KS, Venkateshwarlu K, Amit A (2010) A randomized double blind placebo controlled clinical evaluation of extract of *Andrographis paniculata* (KalmCold (TM)) in patients with uncomplicated upper respiratory tract infection. *Phytomedicine* 17: 178-185.

Sheeja K, Kuttan G (2006) Protective effect of *Andrographis paniculata* and andrographolide on cyclophosphamide-induced urothelial toxicity. *Integrative Cancer Therapies* 5: 244-251. [only abstract]

- Sheeja K, Shihab P, Kuttan G (2006) Antioxidant and anti-inflammatory activities of the plant *Andrographis paniculata* nees. *Immunopharmacol Immunotoxicol* 28: 129-140.
- Sheeja K, Guruvayoorappan C, Kuttan G (2007) Antiangiogenic activity of *Andrographis paniculata* extract and andrographolide. *Int Immunopharmacol* 7: 211-221.
- Sheeja K, Kuttan G (2007) Modulation of natural killer cell activity, antibody-dependent cellular cytotoxicity, and antibody-dependent complement-mediated cytotoxicity by andrographolide in normal and Ehrlich ascites carcinoma-bearing mice. *Integrative Cancer Therapies* 6: 66-73.
- Sheeja K, Kuttan G (2010) *Andrographis paniculata* Downregulates Proinflammatory Cytokine Production and Augments Cell Mediated Immune Response in Metastatic Tumor-Bearing Mice. *Asian Pacific Journal of Cancer Prevention* 11: 723-729.
- Shen Y, Chen C, Chiou W (2002) Andrographolide prevents oxygen radical production by human neutrophils: possible mechanism(s) involved in its anti-inflammatory effect. *Br J Pharmacol* 135: 399-406.
- Shi M, Lin H, Lee Y, Chao J, Lin R, Chen J (2008) Inhibition of cell-cycle progression in human colorectal carcinoma Lovo cells by andrographolide. *Chem Biol Interact* 174: 201-210.
- Shi M, Lin H, Chiang T, Tsai L, Tsai S, Lee Y, Chen J (2009) Andrographolide could inhibit human colorectal carcinoma Lovo cells migration and invasion via down-regulation of MMP-7 expression RID C-7002-2009. *Chem Biol Interact* 180: 344-352.
- Singh P, Srivastava MM, Khemani LD (2009) Renoprotective effects of *Andrographis paniculata* (Burm. f.) Nees in rats. *Ups J Med Sci* 114: 136-139.
- Singh R, Banerjee S, Rao A (2001) Modulatory influence of *Andrographis paniculata* on mouse hepatic and extrahepatic carcinogen metabolizing enzymes and antioxidant status. *Phytotherapy Research* 15: 382-390.
- Singha P, Roy S, Dey S (2003) Antimicrobial activity of *Andrographis paniculata*. *Fitoterapia* 74: 692-694.
- Spasov A, Ostrovskij O, Chernikov M, Wikman G (2004) Comparative controlled study of *Andrographis paniculata* fixed combination, Kan Jang (R) and an Echinacea preparation as adjuvant, in the treatment of uncomplicated respiratory disease in children. *Phytotherapy Research* 18: 47-53.
- Subramanian R, Asmawi MZ (2006) Inhibition of alpha-glucosidase by *Andrographis paniculata* ethanol extract in rats. *Pharm Biol* 44: 600-606.
- Subramanian R, Asmawi MZ, Sadikun A (2008) In vitro alpha-glucosidase and alpha-amylase enzyme inhibitory effects of *Andrographis paniculata* extract and andrographolide. *Acta Biochim Pol* 55: 391-398.
- Sulaiman MR, Zakaria ZA, Rahman AA, Mohamad AS, Desa MN, Stanslas J, Moin S, Israf DA (2010) Antinociceptive and Antiedematogenic Activities of Andrographolide Isolated From *Andrographis paniculata* in Animal Models. *Biol Res Nurs* 11: 293-301.
- Sule A, Ahmed QU, Samah OA, Omar MN (2011) Bacteriostatic and bactericidal activities of *Andrographis paniculata* extracts on skin disease causing pathogenic bacteria. *Journal of Medicinal Plants Research* 5: 7-14.
- Tan M, Kuroyanagi M, Sulaiman S, Najimudin N, Muhammad T (2005) Cytotoxic activities of major diterpenoid constituents of *Andrographis paniculata* in a panel of human tumor cell lines RID C-9455-2011 RID B-2952-2011. *Pharm Biol* 43: 501-508.

- Tan Y, Chiow KH, Huang D, Wong SH (2010) Andrographolide regulates epidermal growth factor receptor and transferrin receptor trafficking in epidermoid carcinoma (A-431) cells. *Br J Pharmacol* 159: 1497-1510.
- Tang T, Targan SR, Li Z-, Xu C, Byers VS, Sandborn WJ (2011) Randomised clinical trial: herbal extract HMPL-004 in active ulcerative colitis - a double-blind comparison with sustained release mesalazine. *Aliment Pharmacol Ther* 33: 194-202.
- Thamlikitkul V, Dechatiwongse T, Theerapong S, Chantrakul C, Boonroj P, Punkrut W, Ekpalakorn W, Boontaeng N, Taechaiya S, Petcharoen S, et al. (1991) Efficacy of *Andrographis paniculata*, Nees for pharyngotonsillitis in adults. *J Med Assoc Thai*. 74: 437-42.
- Thisoda P, Rangkadilok N, Pholphana N, Worasuttayangkurn L, Ruchirawat S, Satayalvivad J (2006) Inhibitory effect of *Andrographis paniculata* extract and its active diterpenoids on platelet aggregation. *Eur J Pharmacol* 553: 39-45.
- Tripathi G, Tripathi Y (1991) Choleric Action of Andrographolide obtained from *Andrographis-Paniculata* in Rats. *Phytotherapy Research* 5: 176-178.
- Tripathi R, Kamat JP (2007) Free radical induced damages to rat liver subcellular organelles: Inhibition by *Andrographis paniculata* extract. *Indian J Exp Biol* 45: 959-967.
- Trivedi NP, Rawal UM, Patel BP (2007) Hepatoprotective effect of andrographolide against hexachlorocyclohexane-induced oxidative injury. *Integrative Cancer Therapies* 6: 271-280.
- Trivedi NP, Rawal UM, Patel BP (2009) Potency of Andrographolide as an Antitumor Compound in BHC-Induced Liver Damage. *Integrative Cancer Therapies* 8: 177-189.
- Varma A, Padh H, Shrivastava N (2011) Andrographolide: a new plant-derived antineoplastic entity on horizon. *Evid Based Complement Alternat Med*. 2011:815390. doi: 10.1093/ecam/nep135.
- Verma N, Vinayak M (2008) Antioxidant action of *Andrographis paniculata* on lymphoma. *Mol Biol Rep* 35: 535-540.
- Visen P, Shukla B, Patnaik G, Dhawan B (1993) Andrographolide Protects Rat Hepatocytes Against Paracetamol-Induced Damage. *J Ethnopharmacol* 40: 131-136.
- Wang D, Zhao H (1994) Prevention of Atherosclerotic Arterial-Stenosis and Restenosis After Angioplasty with *Andrographis-Paniculata* Nees and Fish-Oil - Experimental Studies of Effects and Mechanisms. *Chin Med J* 107: 464-470. [only abstract]
- Wasman SQ, Mahmood AA, Chua LS, Alshawsh MA, Hamdan S (2011) Antioxidant and gastroprotective activities of *Andrographis paniculata* (Hempedu Bumi) in Sprague Dawley rats RID B-2887-2010. *Indian J Exp Biol* 49: 767-772.
- WHO Monographs on Selected Medicinal Plants Vol 2. World Health Organization, Geneva 2004: 12-24.
- Wiat C, Kumar K, Yusof M, Hamimah H, Fauzi Z, Sulaiman M (2005) Antiviral properties of ent-labdene diterpenes of *Andrographis paniculata* Nees, inhibitors of herpes simplex virus type 1. *Phytotherapy Research* 19: 1069-1070.
- Widiarta I, Hermawan W, Oya S, Nakajima S, Nakasuji F (1997) Antifeedant activity of constituents of *Andrographis paniculata* (Acanthaceae) against the green rice leafhopper, *Nephotettix cincticeps* (Hemiptera: Cicadellidae). *Appl Entomol Zool* 32: 561-566.
- Wong HC, Sagineedu SR, Lajis NH, Loke SC, Stanslas J (2011) Andrographolide induces cell cycle arrest and apoptosis in PC-3 prostate cancer cells. *African Journal of Pharmacy and Pharmacology* 5: 225-233.

- Woo AYH, Waye MMY, Tsui SKW, Yeung STW, Cheng CHK (2008) Andrographolide up-regulates cellular-reduced glutathione level and protects cardiomyocytes against hypoxia/reoxygenation injury RID A-9674-2008. *J Pharmacol Exp Ther* 325: 226-235.
- Yang L, Wu D, Luo K, Wu S, Wu P (2009) Andrographolide enhances 5-fluorouracil-induced apoptosis via caspase-8-dependent mitochondrial pathway involving p53 participation in hepatocellular carcinoma (SMMC-7721) cells. *Cancer Lett* 276: 180-188.
- Yang S, Evens AM, Prachand S, Singh ATK, Bhalla S, David K, Gordon LI (2010) Mitochondrial-Mediated Apoptosis in Lymphoma Cells by the Diterpenoid Lactone Andrographolide, the Active Component of *Andrographis paniculata*. *Clinical Cancer Research* 16: 4755-4768.
- Yu B, Hung C, Chen W, Cheng J (2003) Antihyperglycemic effect of andrographolide in streptozotocin-induced diabetic rats. *Planta Med* 69: 1075-1079.
- Zhang C, Tan B (1996) Hypotensive activity of aqueous extract of *Andrographis paniculata* in rats. *Clinical and Experimental Pharmacology and Physiology* 23: 675-678.
- Zhang C, Tan B (1997) Mechanisms of cardiovascular activity of *Andrographis paniculata* in the anaesthetized rat. *J Ethnopharmacol* 56: 97-101.
- Zhang C, Kuroyangi M, Tan B (1998) Cardiovascular activity of 14-deoxy-11,12-didehydroandrographolide in the anaesthetised rat and isolated right atria. *Pharmacological Research* 38: 413-417.
- Zhang C, Tan B (1998) Vasorelaxation of rat thoracic aorta caused by 14-deoxyandrographolide. *Clinical and Experimental Pharmacology and Physiology* 25: 424-429.
- Zhang C, Tan B (1999) Effects of 14-deoxyandrographolide and 14-deoxy-11,12-didehydroandrographolide on nitric oxide production in cultured human endothelial cells. *Phytotherapy Research* 13: 157-159.
- Zhang X, Tan B (2000a) Anti-diabetic property of ethanolic extract of *Andrographis paniculata* in streptozotocin-diabetic rats. *Acta Pharmacol Sin* 21: 1157-1164.
- Zhang X, Tan B (2000b) Antihyperglycaemic and anti-oxidant properties of *Andrographis paniculata* in normal and diabetic rats. *Clinical and Experimental Pharmacology and Physiology* 27: 358-363.
- Zhao F, He E, Wang L, Liu K (2008) Anti-tumor activities of andrographolide, a diterpene from *Andrographis paniculata*, by inducing apoptosis and inhibiting VEGF level. *J Asian Nat Prod Res* 10: 473-479.
- Zhao H, Fang W (1991) Antithrombotic Effects of *Andrographis-Paniculata* Nees in Preventing Myocardial-Infarction. *Chin Med J* 104: 770-775.
- Zhou J, Lu G, Ong C, Ong C, Shen H (2008) Andrographolide sensitizes cancer cells to TRAIL-induced apoptosis via p53-mediated death receptor 4 up-regulation RID E-8638-2010 RID B-5942-2011. *Molecular Cancer Therapeutics* 7: 2170-2180.