



EUROPEAN MEDICINES AGENCY  
SCIENCE MEDICINES HEALTH

28 March 2018  
EMA/HMPC/750270/2016  
Committee on Herbal Medicinal Products (HMPC)

## List of references supporting the assessment of *Arctostaphylos uva-ursi* (L.) Spreng., folium

Draft

**The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.**

Adesunloye BA. Acute renal failure due to the herbal remedy CKLS. *Am J Med* 2003, 115(6):506-7

Ahn KS, Moon KY, Lee J, Kim YS. Downregulation of NF-kappaB activation in human keratinocytes by melanogenic inhibitors. *J Dermatol Sci* 2003, 31(3):193-201

Alvarado F. The relationship between Na<sup>+</sup> and the active transport of arbutin in the small intestine. *Biochim Biophys Acta* 1965, 109:478-94

Alvarado F, Monreal J. Na<sup>+</sup>-Dependent active transport of phenylglucosides in the chicken small intestine. *Comp Biochem Physiol* 1967, 20:471-88

Annik H, Hirno S, Türi E, Mikelsaar M, Arak E, Wadström T. Effect on cell surface hydrophobicity and susceptibility of *Helicobacter pylori* to medicinal plant extracts. *FEMS Microbiol Lett* 1999, 172:41-5

Assaf MH, Makboul MA, Beck JP, Anton R. Preliminary study of phenolic glycosides from *Origanum majorana*; quantitative estimation of arbutin, cytotoxic activity of hydroquinone. *Planta Med* 1987, 53(4):343-5

Barnes J, Anderson L, Phillipson D. Herbal Medicines: A guide for healthcare professionals. 3<sup>rd</sup> ed. Pharmaceutical Press, London 2002, 577-9

Beaux D, Fleurentin J, Mortier F. Effects of extracts of *Ortosiphon stamineus* Benth., *Hieracium pilosella* L., *Sambucus nigra* L. and *Arctostaphylos uva-ursi* (L.) Spreng. in rats. *Phytother Res* 1999, 13:222-5

Blumenthal M, Busse WR, Goldberg A, Gruenwald J, [et al.], editors. The Complete German Commission E Monographs. American Botanical Council, Austin Texas 1998, 224-5

Borkowski B. Diuretische Wirkung einiger Flavondrogen. *Planta Med* 1960, 8:95-104 - abstract



- Bradley PR, editor. Uva ursi. In: British Herbal Compendium. Volume 1. British Herbal Medicine Association 1992, 211-3
- British Herbal Pharmacopoeia 1983. British Herbal Medicine Association, Bournemouth 1983, 29 – 30
- British Herbal Pharmacopoeia. 4<sup>th</sup> ed. British Herbal Medicine Association, Bournemouth 1996, 211-12
- Britton G, Haslam E. Gallotanins. Part XII. Phenolic constituents of *Arctostaphylos uva-ursi*. (L.) Spreng. *J Chem Soc* 1965, 7312-9
- Brusch JL. Urinary Tract Infections in Males. Medscape Reference, Drugs, Diseases & Procedures, 2011 Available at <http://emedicine.medscape.com/article/231574-overview>. Accessed 18/01/2017
- Československý lékopis (Pharmacopoeia Bohemoslovenica), 1<sup>st</sup> ed. Folia uvae ursi. Státní Tiskárna 1947, 192-93
- Český lékopis (Pharmacopoeia Bohemica MMV), Vol. 3. Uvae ursi folium – Medvědicový list. Grada Publishing 2005, 5.0: 1054
- Chauhan B, Yu C, Krantis A, Scott I, Arnason JT, Marles RJ, et al. In vitro activity of uva-ursi against cytochrome P450 isoenzymes and P-glycoprotein. *Can J Physiol Pharmacol* 2007, 85(11):1099-107
- Choi S, Park YI, Lee SK, Kim JE, Chung MH. Aloesin inhibits hyperpigmentation induced by UV radiation. *Clin Exp Dermatol* 2002, 27(6):513-15
- Clifford GM, Farmer RD. Medical therapy for benign prostatic hyperplasia: a review of the literature. *Eur Urol* 2000, 38:2-19
- Cybulska P, Thakur SD, Foster BC, Scott IM, Leduc RI, Arnason JT, et al. Extracts of Canadian first nations medicinal plants, used as natural products, inhibit *Neisseria gonorrhoeae* isolates with different antibiotic resistance profiles. *Sex Transm Dis* 2011, 38(7):667-71
- DeCaprio AP. The toxicology of hydroquinone – relevance to occupational and environmental exposure. *Critical Rev Toxicol* 1999, 29(3):283-330
- Deisinger PJ, Hill TS, English JC. Human exposure to naturally occurring hydroquinone. *J Toxicol Environ Health* 1996, 47(1):31-46
- Deutsches Arzneibuch. 6<sup>th</sup> ed. Folia uvae ursi. Druckerei des Protektorates Böhmen und Mähren, Prague 1926, 207-8
- Deutsches Arzneibuch. 9<sup>th</sup> ed. Bärentraubenblätter – Uvae ursi folium. Deutscher Apotheker Verlag, Stuttgart 1986, 539-41
- Deysson G, Truhaut R. Influence of glucoside formation on radiomimetic activity: comparison of hydroquinone and its glucoside, arbutoside. *Comp Rendus Seanc Soc Biol Fil* 1957, 151:1719-22
- DiVincenzo GD, Hamilton ML, Reynolds RC, Ziegler DA. Metabolic Fate Disposition of [<sup>14</sup>C] Hydroquinone Given Orally to Sprague-Dawley Rats. *Toxicology* 1984, 33:9-18
- Dorsch W, Loew D, Meyer-Buchtela E, Schilcher H. Kinderdosierungen von Phytopharmaka: Uvae ursi folium. Kooperation Phytopharmaka, Bonn 1998, 139-140
- Dykes GA, Amarowicz R, Pegg RB. Enhancement of Nisin antibacterial activity by a bearberry (*Arctostaphylos uva-ursi*) leaf extract. *Food Microbiol* 2003, 20:211-16
- English JC, Deisinger PJ. Metabolism and disposition of hydroquinone in Fischer 344 rats after oral or dermal administration. *Food Chem Toxicol* 2005, 43:483-93

- English JC, Hill T, O'Donoghue JL, Reddy MV. Measurement of nuclear DNA modification by <sup>32</sup>P-postlabeling in the kidneys of male and female Fischer 344 rats after multiple gavage doses of hydroquinone. *Fund Appl Toxicol* 1994, 23(3):391-396
- ESCOP Monographs 2<sup>nd</sup> ed. Uvae ursi folium – Bearberry leaf. European Scientific Cooperative on Phytotherapy, editor. Thieme, Stuttgart 2003, 536-37
- European Pharmacopoeia 9.0. 9<sup>th</sup> ed. Bearberry Leaf – Uvae ursi folium. Council of Europe 2017, 07/2013: 1054
- Foxman B. Epidemiology of urinary tract infections: incidence, morbidity, and economic costs. *Am J Med* 2002, 113 Suppl 1A:5S-13S
- Frerichs G, Arends G, Zörnig H, editors. Hagers Handbuch der Pharmazeutischen Praxis, Volume 1. 2<sup>nd</sup> ed. Arctostaphylos. Springer-Verlag, Berlin 1938, 521-24
- Frohne D. Untersuchungen zur Frage der harndesinfizierenden Wirkungen von Bärentraubenblatt-Extrakten. *Planta Med* 1970, 18:1-25
- Frohne D. Arctostaphylos uva-ursi (L.) Spreng. (Bärentraube). Kooperation Phytopharmaka. Unpublished review, Bonn 1977
- Frohne D. Bearberry leaf. In: Wichtl M, editor. Herbal drug and Phytopharmaceuticals. 3<sup>rd</sup> ed. MedPharm Scientific Publishers GmbH, Stuttgart 2004, 626-29
- Gad-El-Karim MM, Sadagopa Ramanujam VM, Ahmed AE, Legator MS. Benzene myeloclastogenicity: a function of its metabolism. *Am J Ind Med* 1985, 7:475-84
- Garcia de Arriba S, Naser B, Nolte KU. Risk assessment of free hydroquinone derived from Arctostaphylos Uva-ursi folium herbal preparations. *Int J Toxicol* 2013, 32(6):442-53
- Glöckl I, Blaschke G, Veit M. Validated methods for direct determination of hydroquinone glucuronide and sulfate in human urine after oral intake of bearberry leaf extract by capillary zone electrophoresis. *J Chromatogr B Biomed Sci Appl* 2001, 761:261-66
- Gottshall RY, Lucas EH, Lickfeldt A, Roberts M. The occurrence of antibacterial substances active against *Mycobacterium tuberculosis* in seed plants. *J Clin Invest* 1949, 920-23
- Grases F, Melero G, Costa-Bauzá A, Prieto R, March JG. Urolithiasis and phytotherapy. *Int Urol Nephrol* 1994, 26:507-11
- Gruenwald J, Brendler T, Jaenicke C, editors. PDR for herbal medicines. 3<sup>rd</sup> ed. Arctostaphylos uva-ursi. Thomson PDR, Montvale 2004, 847-51
- Guay DR. Contemporary management of uncomplicated urinary tract infections. *Drugs* 2008, 68(9):1169-205
- Hänzel R, Keller K, Rimpler H, Schneider G, editors. Arctostaphylos. In: Hagers Handbuch der Pharmazeutischen Praxis, 5<sup>th</sup> ed. Volume 4: Drogen A-D. Springer-Verlag, Berlin 1993, 328-38
- Hard GC, Seely JC. Recommendations for the interpretation of renal tubule proliferative lesions occurring in rat kidneys with advanced chronic progressive nephropathy (CPN). *Toxicol Pathol* 2005, 33:641-49
- Hard GC, Whysner J, English JC, Zhang E, Williams GM. Relationship of hydroquinone-associated rat renal tumors with spontaneous chronic progressive neuropathy. *Toxicol Pathol* 1997, 25:132

- Holopainen M, Jahodář L, Seppänen-Laakso T, Laakso I, Kauppinen V. Antimicrobial Activity of Some Finnish Ericaceous Plants. *Acta Pharm Fenn* 1988, 97:197-202
- IARC. IARC Monographs on the Evaluation of Carcinogenic Risk to Humans, Hydroquinone, Vol. 71, part 2. Available at: <http://monographs.iarc.fr/ENG/Monographs/vol71/mono71-30.pdf>. Accessed 10/11/2016
- IPCS Environmental Health Criteria 157. Hydroquinone. WHO, Geneva 1994. Available at: <http://www.inchem.org/documents/ehc/ehc/ehc157.htm>. Accessed 18/01/2017
- IPCS Health and Safety Guide. Hydroquinone: Health and safety guide No.101. WHO, Geneva 1996. Available at: <http://www.inchem.org/documents/hsg/hsg/hsg101.htm>. Accessed 18/01/2017
- Jahodář L, Leifertová I, Lisá M. Investigation of iridoid substances in *Arctostaphylos uva-ursi*. *Pharmazie* 1978, 33:536-7
- Jahodář L, Leifertová I, Lisá M. Elimination of arbutin from the organism. *Pharmazie* 1983, 38:780-1
- Jahodář L, Jílek P, Pátková M, Dvořáková V. Antimikrobiální působení arbutinu a extraktu z listů medvědice léčivé in vitro. [Antimicrobial Action of Arbutin and the Extract from the Leaves of *Arctostaphylos uva-ursi* in vitro.] *Českoslov Farm* 1985, 34(5):174-180
- Joksic G, Stankovic M, Novak A. Antibacterial medicinal plants *Equiseti herba* and *Ononidis radix* modulate micronucleus formation in human lymphocytes in vitro. *J Environ Pathol Toxicol Oncol* 2003, 22:41-8
- Kamei H, Koide T, Kojima T, Hashimoto Y, Hasegawa M. Inhibition of cell growth in culture by quinones. *Cancer Biother Radiopharm* 1998, 13:185-88
- Kedzia B, Wrocinski T, Mrugasiewicz K, Gorecki P, Grzewinska H. Antibacterial action of urine containing arbutin metabolic products. *Med Dosw Mikrobiol* 1975, 27:305-14
- Kern W, List PH, Hörhammer L. Hagers Handbuch der Pharmazeutischen Praxis. 4<sup>th</sup> ed. Volume 3: Chemikalien und Drogen AM-CH. Springer-Verlag, Berlin 1972, 177 – 184
- Kubo M, Ito M, Nakata H, Matsuda. Pharmacological studies on leaf of *Arctostaphylos uva-ursi* (L.) Spreng. I. Combined effect of 50% methanolic extract from *Arctostaphylos uva-ursi* (L.) Spreng. (bearberry leaf) and prednisolone on immuno-inflammation. *Yakug Zasshi* 1990, 110(1):59-67 abstract
- Lee M. Tamsulosin for the treatment of benign prostatic hypertrophy. *Ann Pharmacother* 2000, 34:188-199
- Li S, Liu G, Zhang Y, Xu J. Experimental study on antitussive effect of arbutin (Chin.). *Yaoxue Tongbao* 1982, 17(12):720-22
- Li H, Jeong YM, Kim SY, Kim MK, Kim DS. Arbutin inhibits TCCSUP human bladder cancer cell proliferation via up-regulation of p21. *Pharmazie* 2011, 66(4):306-9
- Lim SS, Joo WK, Jung SH, Cho S, Shin KH. Effects of *Vaccinium koreanum* on rat lens aldose reductase and platelet aggregation (Korean with English summary). *Korean J Pharmacogn* 2003, 34(4):314-17
- Management of Chronic Kidney Disease, SelectHealth and Intermountain Healthcare, Care Process Model, 2015. Available at: <https://intermountainhealthcare.org/ext/Dcmnt?ncid=521395847>. Accessed 16/1/2017
- Martindale. The Extra Pharmacopoeia. 34<sup>th</sup> ed. The Pharmaceutical Press, London 2004, 1659

- Matsuda H, Nakata H, Tanaka T, Kubo M. [Pharmacological study on *Arctostaphylos uva-ursi* (L.) Spreng. II. Combined effects of arbutin and prednisolone or dexamethazone on immuno-inflammation]. *Yakug Zasshi* 1990, 110(1):68-76. 111(4-5):253-8. [Japanese, abstract]
- Matsuda H, Tanaka T, Kubo M. [Pharmacological study on *Arctostaphylos uva-ursi* (L.) Spreng. III. Combined effect of arbutin and indomethacin on immuno-inflammation]. *Yakug Zasshi* 1991, 111(4-5):253-8. [Japanese with English summary, abstract ]
- Matsuda H, Nakamura S, Shiimoto H, Tanaka T, Kubo M. [Pharmacological studies on leaf of *Arctostaphylos uva-ursi* (L.) Spreng. IV. effect of 50% methanolic extract from *Arctostaphylos uva-ursi* (L.) Spreng. (Bearberry Leaf) on melanin synthesis]. *Yakug Zasshi* 1992a, 112(4) 276-82. [Japanese with English summary, abstract]
- Matsuda H, Nakamura S, Tanaka T, Kubo M. [Pharmacological studies on leaf of *Arctostaphylos uva-ursi* (L.) Spreng. V. Effect of water extract from *Arctostaphylos uva-ursi* (L.) Spreng. (Bearberry Leaf) on the Antiallergic and Antiinflammatory Activities of Dexamethasone Ointment]. *Yakug Zasshi* 1992b, 112(9): 673-77. [Japanese with English summary, abstract]
- May G, Willuhn G. Antiviral activity of aqueous plant extracts in tissue cultures. *Arzneimittel-Forschung* 1978, 28(1):1-7
- McGregor D. Hydroquinone: An evaluation of the human risks from its carcinogenic and mutagenic properties. *Crit Rev Toxicol* 2007, 37:887-914
- Moreira RR, Carlos IZ, Vilega W. Release of intermediate reactive hydrogen peroxide by macrophage cells activated by natural products. *Biol Pharm Bull* 2001, 24:201-4
- Morimoto I, Watanabe F, Osawa T, Okitsu T. Mutagenicity screening of crude drugs with *Bacillus subtilis* rec-assay and *Salmonella*/microsome reversion assay. *Mutat Res* 1982, 97:81-102
- Moskalenko SA. Preliminary screening of far eastern ethnomedical plants for antibacterial activity. *J Ethnopharmacol* 1986, 15:231-59
- Müller L, Kasper P. The mutagenic potential of arbutine, a naturally occurring hydroquinone glycoside. *Mutat Res* 1996, 360:291-292. Abstract
- Namba T, Tsunozuka M, Hwan Bae K, Hattori M. Studies on dental caries prevention by traditional Chinese medicines. Part I. Screening of crude drugs for antibacterial action against *Streptococcus mutans*. *Shoyakugaku Zasshi* 1981, 35:295-302
- NTP (U.S. National Toxicology Program) Toxicology and carcinogenesis studies of hydroquinone (CAS No. 123-31-9) in F344/N rats and B6C3F1 mice (Technical Report Series No. 366; NIH Publ. No.90-2821) 1989. Research Triangle Park, NC. Available at: [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr366.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr366.pdf). Accessed 10/11/2016
- NTP Supporting Information for Toxicological Evaluation by the National Toxicology Program. Hydroquinone [CAS 123-31-9], 2009, Available at: [https://ntp.niehs.nih.gov/ntp/noms/support\\_docs/hydroquinone\\_may2009.pdf](https://ntp.niehs.nih.gov/ntp/noms/support_docs/hydroquinone_may2009.pdf). Accessed 10/11/2016.
- NTP (National Toxicology Program). Chemical information review document for arbutin CAS No. 497-76-7] and extracts from *Arctostaphylos uva-ursi*. Integrated Laboratory Systems, Inc. 2006. Available at: [https://ntp.niehs.nih.gov/ntp/htdocs/chem\\_background/exsumpdf/arbutin\\_508.pdf](https://ntp.niehs.nih.gov/ntp/htdocs/chem_background/exsumpdf/arbutin_508.pdf). Accessed 18/01/2017

OECS/SIDS Organization for Economic Cooperation and Developments/Screening Information Data (2002). Hydroquinone (CAS No. 123-31-9), UNEP Publication 2002, <http://webnet.oecd.org/hpv/UI/handler.axd?id=7ca97271-99ed-4918-90e0-5c89d1ce200c>. Accessed 9/10/2016

Österreichisches Arzneibuch, 9<sup>th</sup> ed. Volume 2. Folium Uvae-ursi – Bärentraubenblatt. Österreichische Staatsdruckerei, Wien 1960, 748-49

Paper DH, Koehler J, Franz G. Bioavailability of drug preparations containing a leaf extract of *Arctostaphylos uva-ursi* (L.) Spreng. (Uvae ursi folium). *Pharm Pharmacol Lett* 1993, 3: 63-6

Pečivová J, Nosál' R, Svitekova K, Mačičková T. Arbutin and decrease of potentially toxic substances generated in human blood neutrophils. *Interdiscip Toxicol* 2014, 7(4): 195-200

Pharmacopoea Helvetica V. 5<sup>th</sup> German ed. Folium uvae ursi; Species anticystiticae. Eidgenössisches Drucksachen- und Materialzentrale, Bern 1953, 481-82; 964

Quintus J, Kovar KA, Link P, Hamacher H. Urinary excretion of arbutin metabolites after oral administration of bearberry leaf extracts. *Planta Med* 2005, 71: 147-52

Ríos JL, Recio MC, Villar A. Antimicrobial activity of selected plants employed in the Spanish Mediterranean area. *J Ethnopharmacol* 1987, 21: 139-52

Robertson JA, Howard LA. Effect of carbohydrates on growth of *Uroplasma urealyticum* and *Mycoplasma hominis*. *J Clin Microbiol* 1987, 25: 160-1

Saeed F, Mehjabeen S, Sikandar K S, Jahan N, Ahmad M. Diuretic & Anti-urolithic activity of Some Crude Extracts. *Int J Pharmacogn Phytochem Res* 2015, 7(1): 128-131

Saeed F, Mehjabeen S, Jahan N, Ahmad M. *In vivo* evaluation & safety profile evaluation of *Arctostaphylos uva-ursi* (L.) Spreng. extract in rabbits. *Pak J Pharm Sci* 2014, 27(6): 2197-2205

Schindler G, Patzak U, Brinkhaus B, Nieciek A, Wittig J, Krahmer N, et al. Urinary excretion and metabolism of arbutin after oral administration of *Arctostaphylos uvae ursi* extract as film-coated tablets and aqueous solution in healthy humans. *J Clin Pharmacol* 2002, 42: 920-27

Semenza G, Bircher J, Mülhaupt E, Koide T, Pfenninger E, Marthaler TH, et al. Arbutin absorption in human small intestine: a simple procedure for the determination of active sugar uptake in peroral biopsy specimens. *Clinic Chim Acta* 1969, 25: 213-19

Shipochliev T. Uterotonic action of extracts from group of medicinal plants. *Veterinarno-meditsinski Nauki* 1981, 18(4): 94-8

Siegers CP, Siegers JP, Pentz R, Bodinet C, Freudenstein J. Metabolism of arbutin from *Uvae Ursi*-extracts in humans. *Pharm Pharmacol Lett* 1997, 7: 90-2

Siegers C, Bodinet C, Ali SS, Siegers CP. Bacterial deconjugation of arbutin by *Escherichia coli*. *Phytomedicine* 2003, 10(4): 58-60

Standard Zulassungen für Fertigarzneimittel, Volume 1. Bärentraubenblätter. Govi-Verlag Pharmazeutischer Verlag, Frankfurt am Main 1996, Lfd.-Nr. 68

Strapkova A, Jahodář L, Nosál'ová G. Antitussive effect of arbutin. *Pharmazie* 1991, 46: 611-12

Tolmacheva AA, Rogozhin EA, Deryabin DG. Antibacterial and quorum sensing regulatory activities of some traditional Eastern-European medicinal plants. *Acta Pharmaceut* 2014, 64(2): 173-86

Topping DC, Bernard LG, Donoghue JL, English JC. Hydroquinone: Acute and sunchronic toxicity studies with emphasis on neurobehavioral and nephrotoxic effects. *Food Chem Toxicol* 2007, 45: 70-78

Türi M, Türi E, Köljalg S, Mikelsaar M. Influence of aqueous extracts of medicinal plants on surface hydrophobicity of *Escherichia coli* strains of different origin. *APMIS* 1997, 105(12):956-62

Varga JM, Kalchschmid G, Klein GF, Fritsch P. Mechanism of allergic cross-reactions—I. Multispecific binding of ligands to a mouse monoclonal anti-DNP IgE antibody. *Mol Immunol* 1991, 28(6):641-54

Vučić DM, Petković MR, Rodić-Grabovac BB. Vasić SM, Čomić LR. In vitro efficacy of extracts of arctostaphylos uva-ursi l. On clinical isolated escherichia coli and enterococcus faecalis strains. *Kragujevac J Sci* 2013, 35:107-113

Wade A, editor. Martindale. The Extra Pharmacopoeia. 27<sup>th</sup> ed. The Pharmaceutical Press, London 1977, 1725

Wang X, Zhang F, Yang L, Mei Y, Long H, Zhang X, et al. Ursolic acid inhibits proliferation and induces apoptosis of cancer cells in vitro and in vivo. *J Biomed Biotechnol* 2011, 419343:1-8

Weiss RF. In: Lehrbuch der Phytotherapie. 6th ed. Hippokrates Verlag, Stuttgart 1985, 304-6.

WHO Monographs on Selected Medicinal Plants, Volume 2. Folium Uvae ursi. World Health Organization, Geneva 2002, 342-51

Wilde MI, Goa KL. Finasteride: an update of its use in the management of symptomatic benign prostatic hyperplasia. *Drugs* 1999, 57: 557-581

Williams GM, Iatropoulos MJ, Jeffrey AM, Duan J-D. Inhibition by dietary hydroquinone of acetylaminofluorene induction of initiation of rat liver carcinogenesis, *Food Chem Toxicol* 2007, 45:1620-1625

Woodard G, Hagan CE, Radomski JL. Toxicity of hydroquinone for laboratory animals. *Fed Proc* 1949, 8:348

Workowski KA, Berman SM. Sexually transmitted diseases treatment guidelines, 2006. *MMWR Recomm Rep*. 2006, 55:1-94

Wu LH, Li P, Zhao QL, Piao JL, Jiao YF, Kadowaki M, et al. Arbutin, an intracellular hydroxyl radical scavenger, protects radiation-induced apoptosis in human lymphoma U937 cells. *Pez Fdn Sym* 2014, 19(11):1654-63. abstract