



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

15 July 2010
EMA/HMPC/573461/2009
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Arctostaphylos uva-ursi* (L.) Spreng, folium Uvae ursi folium (Bearberry leaf)

Draft

The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Adesunloye BA. Acute renal failure due to the herbal remedy CKLS. *American Journal of Medicine* 2003, 9343(03):00427-3.

Ahn KS, Moon K-Y, Lee J, Kim YS. Downregulation of NF-kappaB activation in human keratinocytes by melanogenic inhibitors. *J Dermatol Sci* 2003, 31(3):193-201.

Albrecht J, Kreyes G. Langzeitbehandlung von Dauerkatheterpatienten: Chemoprophylaxe oder Phytotherapie? *Extracta urologica* 1988, 11 5:277-80.

Alvarado F. The relationship between Na⁺ and the active transport of arbutin in the small intestine. *Biochim. Biophys. Acta* 1965, 109:478-94.

Alvarado F, Monreal J. Na⁺-Dependent active transport of phenylglucosides in the chicken small intestine. *Comp.Biochem.Physiol* 1967, 20:471-88.

Annik H, Hirno S, Türi E, Mikelsaar M, Arak E, Wadström T. Effect on cell surface hydrophobicity and susceptibility of *Helicobacter pylori* to medicinal plant extracts. *FEMS Microbiol Lett* 1999, 172:41-5.

Assaf MH, Makboul MA, Beck JP, Anton R. Preliminary study of phenolic glycosides from *Origanum majorana*; quantitative estimation of arbutin, cytotoxic activity of hydroquinone, *Planta Medica* 1987, 53(4):343-5.

Barnes J, Anderson L, Phillipson D. Herbal Medicines: A guide for healthcare professionals. 3rd ed. Pharmaceutical Press, London 2002, 577-9.



Bartleby. Potent Herbal for Pee Problems. Associated content. 2006. Available at: www.associatedcontent.com/article/19953/effects_of_bearberry_uva_ursi_for_urinary_infections.htm Accessed 3/9/2009.

Beaux D, Fleurentin J, Mortier F. Effects of extracts of *Ortosiphon stamineus* Benth., *Hieracium pilosella* L., *Sambucus nigra* L. and *Arctostaphylos uva-ursi* (L.) Spreng. in rats. *Phytotherapy Res.* 1999, 13:222-5.

Beeko R, Schneider, E-M, Schneeberger W, Hesse A. Häufige Harnwegsinfekte: nur im Akutstadium Antibiotika! *Ärztl. Praxis* 1983, 35:2196-97.

Blumenthal M, Busse WR, Goldberg A, Gruenwald J, [et al.], editors. The Complete German Commission E Monographs. American Botanical Council, Austin Texas 1998, 224-5.

Borkowski B. Diuretische Wirkung einiger Flavondrogen. *Planta Med* 1960, 8:95-104. Available at: www.thieme-connect.de/ejournals/abstract/plantamedica/doi/10.1055/s-0028-1101541. Accessed 1/9/2009.

Bradley PR, editor. Uva ursi. In: British Herbal Compendium. Volume 1. British Herbal Medicine Association 1992, 211-3.

British Herbal Pharmacopoeia. 4th ed. British Herbal Medicine Association 1996, 211-12.

Britton G, Haslam E. Gallotanins. Part XII. Phenolic constituents of *Arctostaphylos uva-ursi* L. Spreng. *J. Chem Soc* 1965, 7312-9.

Československý lékopis (Pharmacopoea Bohemoslovenica), 1st ed., Folia uvae ursi. Státní tiskárna 1947, 192-93.

Český lékopis (Pharmacopoea Bohemica MMV), Vol. 3. Uvae ursi folium – Medvědicový list. Grada Publishing 2005, 5.0:1054.

Chauhan B, Yu C, Krantis A, Scott I, Arnason JT, Marles RJ, Foster BC. In vitro activity of uva-ursi against cytochrome P450 isoenzymes and P-glycoprotein. *Canadian Journal of Physiology and Pharmacology* 2007, 85(11):1099-107.

Choi S, Park YI, Lee SK, Kim JE, Chung MH. Aloesin inhibits hyperpigmentation induced by UV radiation. *Clin Exp Dermatol* 2002, 27(6):513-15.

DeCaprio AP. The Toxicology of Hydroquinone – Relevance to Occupational and Environmental Exposure. *Critical Rev. in Toxicology* 1999;29(3):283-330 –abstract.

Deisinger PJ, Hill TS, English JC. Human exposure to naturally occurring hydroquinone. *J Toxicol Environ Health*, 1996, 47(1):31-46.

Deisinger, PJ, and English JC. Bioavailability and metabolism of hydroquinone after intratracheal instillation in male rats. *Drug Metab. Dispos* 1999, 27:442-48.

Deutsches Arzneibuch, 6th ed. Folia uvae ursi. Druckerei des Protektorates Böhmen und Mähren, Praha, 1926; 207-8.

Deutsches Arzneibuch, 9th ed. Bärentraubenblätter – Uvae ursi folium. Deutscher Apotheker Verlag, Stuttgart, 1986; 539-41.

Deysson G, and Truhaut R. Influence of glucoside formation on radiomimetic activity; comparison of hydroquinone and its glucoside, arbutoside. *Comp Rendus Seanc Soc Biol Fil*, 1957, 151:1719-22.

- Dykes GA, Amarowicz R, Pegg RB. Enhancement of Nisin antibacterial activity by a bearberry (*Arctostaphylos uva-ursi*) leaf extract. *Food Microbiology* 2003, 20:211-16.
- English JC, Deisinger PJ. Metabolism and disposition of hydroquinone in Fischer 344 rats after oral or dermal administration. *Food and Chemical Toxicology* 2005, 43:483-93.
- ESCOP Monographs 2nd ed. *Uvae ursi folium* – Bearberry leaf. European Scientific Cooperative on Phytotherapy, editor. Thieme, Stuttgart 2003, 536-37.
- European Pharmacopoeia 6.5. 6th ed. Bearberry Leaf – *Uvae ursi folium*. Council of Europe 2009, 04/2008:1054.
- Frerichs G, Arends G, Zörnig H, editors. Hagers Handbuch der Pharmazeutischen Praxis, Volume 1. 2nd ed. *Arctostaphylos*. Springer-Verlag, Berlin 1938, 521-24.
- Frohne D. Untersuchungen zur Frage der harndesinfizierenden Wirkungen von Bärentraubenblatt-Extrakten. *Planta Med* 1970, 18:1-25.
- Frohne D. *Arctostaphylos uva-ursi* (L.) Spreng. (Bärentraube). Kooperation Phytopharmaka. Unpublished review, Bonn 1977.
- Frohne D. Bearberry leaf. In: Wichtl M, editor. Herbal drug and Phytopharmaceuticals, 3rd ed. MedPharm Scientific Publishers GmbH, Stuttgart 2004, 626-29.
- Gad-El-Karim MM, Sadagopa Ramanujam VM, Ahmed AE, Legator MS. Benzene myeloclastogenicity: a function of its metabolism. *Am J Ind Med* 1985, 7:475-84.
- Glöckl I, Blaschke G, Vei M. Validated methods for direct determination of hydroquinone glucuronide and sulfate in human urine after oral intake of bearberry leaf extract by capillary zone electrophoresis. *J Chromatogr B Biomed Sci Appl* 2001, 761:261-66
- Gottshall RY, Lucas EH, Lickfeldt A, Roberts M. The Occurrence of Antibacterial Substances Active against *Mycobacterium tuberculosis* in seed plants. 1949, 920-23.
- Grases F, Melero G, Costa-Bauzá A, Prieto R, March JG. Urolithiasis and phytotherapy. *International Urology and Nephrology* 1994, 26:507-11.
- Gruenwald J, Brendler T, Jaenicke C, editors. PDR for herbal medicines. 3rd ed. *Arctostaphylos uva-ursi*. Thomson PDR, Montvale 2004, 847-51.
- Hänsel R, Keller K, Rimpler H, Schneider G, editors. *Arctostaphylos*. In: Hagers Handbuch der Pharmazeutischen Praxis, 5th ed. Volume 4: Drogen A-D. Springer-Verlag, Berlin 1993, 328-38.
- Hard GC, Seely JC. Recommendations for the interpretation of renal tubule proliferative lesions occurring in rat kidneys with advanced chronic progressive nephropathy (CPN) *Toxicol. Pathol* 2005, 33:641-49.
- Herbal Medicines. *Uva-ursi*. Pharmaceutical Press 2008 [electronic version]. Available at: www.medicinescomplete.com/mc/herbals/current/1000738619.htm. Accessed 11/3/2009.
- Holopainen M, Jahodář L, Seppänen-Laakso T, Laakso I, Kauppinen V. Antimicrobial Activity of Some Finnish Ericaceous Plants. *Acta Pharm Fenn* 1988, 97:197-202.
- IPCS Environmental Health Criteria 157. Hydroquinone. WHO, Geneva, 1994. Available at: <http://www.inchem.org/documents/ehc/ehc/ehc157.htm>. Accessed 3/9/2009.
- IPCS Health and Safety Guide. Hydroquinone:.. Health and safety guide No.101. WHO, Geneva, 1996. Available at: <http://www.inchem.org/documents/hsg/hsg/hsg101.htm>. Accessed 3/9/2009.

- Jahodář L, Leifertová I, Lisá M. Investigation of Iridoid Substances in *Arctostaphylos uva-ursi*. *Pharmazie* 1978, 33:536-7.
- Jahodář L, Leifertová I, Lisá M. Elimination of Arbutin from the Organism. *Pharmazie* 1983, 38:780-1.
- Jahodář L, Jílek P, Pátková M, Dvořáková V. Antimikrobiální působení arbutinu a extraktu z listů medvědice léčivé in vitro. [Antimicrobial Action of Arbutin and the Extract from the Leaves of *Arctostaphylos uva-ursi* in vitro.] *Českoslov Farm* 1985, 34(5):174-180.
- Joksic G, Stankovic M, Novak A. Antibacterial medicinal plants *Equiseti herba* and *Ononidis radix* modulate micronucleus formation in human lymphocytes in vitro. *J Environ Pathol Toxicol Oncol* 2003, 22:41-8.
- Kamei H, Koide T, Kojima T, Hashimoto Y, Hasegawa M. Inhibition of cell growth in culture by quinones. *Cancer Biother Radiopharm* 1998, 13:185-88.
- Kedzia B, Wrocinski T, Mrugasiewicz K, Gorecki P, Grzewinska H. Antibacterial action of urine containing arbutin metabolic products. *Med Dosw Mikrobiol* 1975; 27:305-14.
- Kubo M, Ito M, Nakata H, Matsuda. Pharmacological studies on leaf of *Arctostaphylos uva-ursi* (L.) Spreng. I. Combined effect of 50% methanolic extract from *Arctostaphylos uva-ursi* (L.) Spreng. (bearberry leaf) and prednisolone on immuno-inflammation. *Yakug Zasshi* 1990, 110(1):59-67 - abstract.
- Larsson B, Jonasson A & Pianu S. Prophylactic effect of UVE E in women with recurrent cystitis: A preliminary report. In: *Current Therapeutic Research Clinical and Experimental* 1993, 53(4):441-443.
- Li S, Liu G, Zhang Y, Xu J. Experimental study on antitussive effect of arbutin (Chin.). *Yaoxue Tonbao*, 1982, 17(12):720-22.
- Lim SS, Joo WK, Jung SH, Cho S, Shin KH. Effects of *Vaccinium koreanum* on rat lens aldose reductase and platelet aggregation (Korean). *Korean J Pharmacol* 2003, 34(4):314-17.
- Martindale. The Extra Pharmacopoeia. 34th ed. The pharmaceutical Press London 2004, 1659.
- Matsuda H, Nakata H, Tanaka T, Kubo M. [Pharmacological study on *Arctostaphylos uva-ursi* (L.) Spreng. II. Combined effects of arbutin and prednisolone or dexamethazone on immuno-inflammation]. *Yakug Zasshi* 1990, 110(1):68-76. 111(4-5):253-8. [Japanese] Available at: <http://www.ncbi.nlm.nih.gov/pubmed/>. Accessed 3/9/2009.
- Matsuda H, Tanaka T, Kubo M. [Pharmacological study on *Arctostaphylos uva-ursi* (L.) Spreng. III. Combined effect of arbutin and indomethacin on immuno-inflammation]. *Yakug Zasshi* 1991, 111(4-5):253-8. [Japanese] Available at: <http://www.ncbi.nlm.nih.gov/pubmed/>. Accessed 3/9/2009.
- Matsuda H, Nakamura S, Shiimoto H, Tanaka T, Kubo M. [Pharmacological Studies on Leaf of *Arctostaphylos uva-ursi* (L.) Spreng. IV. Effect of 50% Methanolic Extract from *Arctostaphylos uva-ursi* (L.) Spreng. (Bearberry Leaf) on Melanin Synthesis]. *Yakug Zasshi* 1992, 112(4) 276-82. [Japanese]-abstract.
- Matsuda H, Nakamura S, Tanaka T, Kubo M. [Pharmacological studies on leaf of *Arctostaphylos uva-ursi* (L.) Spreng. V. Effect of water extract from *Arctostaphylos uva-ursi* (L.) Spreng. (Bearberry Leaf) on the Antiallergic and Antiinflammatory Activities of Dexamethasone Ointment]. *Yakug Zasshi* 1992 b, 112(9): 673-77. [Japanese] – abstract.
- May G, Willuhn G. Antiviral activity aqueous extracts from medicinal plants in tissue cultures. *Arzneimittel-Forschung*, 1978, 18:23-5.

McGregor D. Hydroquinone: An Evaluation of the Human Risks from its Carcinogenic and Mutagenic Properties. *Critical Reviews in Toxicology* 2007, 37:887-914.

Moreira RR, Carlos IZ, Vilega W. Release of intermediate reactive hydrogen peroxide by macrophage cells activated by natural products. *Biol Pharm Bull* 2001, 24:201-4.

Morimoto I, Watanabe F, Osawa T, Okitsu T. Mutagenicity screening of crude drugs with *Bacillus subtilis* rec-assay and *Salmonella*/microsome reversion assay. *Mutat Res* 1982, 97:81-102.

Moskalenko SA. Preliminary Screening of Far Eastern Ethnomedical Plants for Antibacterial Activity. *J Ethnopharmacol* 1986, 15:231-59.

Müller L, Kasper P. The mutagenic potential of arbutine, a naturally occurring hydroquinone glycoside. Abstract. *Abstracts/Mutat Res* 1996, 360:201-300 (8-8).

Namba T, Tsunozuka M, Hwan Bae K, Hattori M. Studies on dental caries prevention by traditional Chinese medicines. Part I. Screening of crude drugs for antibacterial action against *Streptococcus mutans*. *Shoyakugaku Zasshi* 1981, 35:295-302.

NTP (U.S. National Toxicology Program) Toxicology and Carcinogenesis Studies of Hydroquinone (CAS No. 123-31-9) in F344/N Rats and B6C3F1Mice (Technical Report Series No. 366; NIH Publ. No.90-2821) 1989. Research Triangle Park, NC. Available at: http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr366.pdf.

NTP (National Toxicology program). Chemical Information Review Document for Arbutin [CAS No. 497-76-7] and Extracts from *Arctostaphylos uva-ursi*. Integrated Laboratory Systems, Inc. 2006. Available at: <http://ntp.niehs.nih.gov/files/Arbutin.pdf> . Accessed 1/9/2009.

Österreichisches Arzneibuch, 9th ed. Volume 2. Folium Uvae-ursi – Bärentraubenblatt; Species urologicae – Blasentee. Österreichische Staatsdruckerei, Wien 1960, 748-49; 1393.

Paper DH, Koehler J, Franz G. Bioavailability of drug preparations containing a leaf extract of *Arctostaphylos uva-ursi* (L.) Spreng. (Uvae ursi folium). *Pharm Pharmacol Lett* 1993, 3:63-6.

Quintus J, Kovar K-A, Link P, Hamacher H. Urinary Excretion of Arbutin Metabolites after Oral Administration of Bearberry Leaf Extracts. *Planta Med* 2005, 71:147-52.

Pharmacopoea Helvetica V, 5th German ed. Folium uvae ursi; Species anticystiticae. Eidgenössisches Drucksachen- und Materialzentrale, Bern 1953, 481-82; 964.

Pharmacopoea Helvetica VII, 7th German ed. Species anticystiticae. Eidgenössisches Departement des Innern, Bern 1993.

Ríos JL, Recio MC, Villar A. Antimicrobial activity of selected plants employed in the Spanish Mediterranean area. *Journal of Ethnopharmacology*, 1987, 21:139-52.

Robertson JA, Howard LA. Effect of carbohydrates on growth of *Uroplasma urealyticum* and *Mycoplasma hominis*. *Journal of clinical Microbiology*, 1987, 25:160-1.

Schindler G, [et al.] Urinary Excretion and Metabolism of Arbutin after Oral Administration Of *Arctostaphylos uva-ursi* Extract as Film-Coated Tablets and Aqueous Solution in Healthy Humans. *J Clin Pharmacol* 2002, 42:920-27.

Schnitker J. Klinischer Erfahrungsbericht über Cystinol®-Lösung und andere Bärentraubenblätterextraktpräparate bei urologischen Erkrankungen der ableitenden Harnwege (Clinical final report on the use of Cystinol solution and other bearberry preparations in urological

complaints of the urinary tract). Statistischer Bericht, IAS GmbH, im Auftrag von Schaper & Brümmer, 28.10.1993.

Semenza G, Bircher J, Mülhaupt E, Koide T, Pfenninger E, Marthaler Th, Gmünder U, Haemmerli UP. Arbutin absorption in human small intestine: a simple procedure for the determination of active sugar uptake in peroral biopsy specimens. *Clinic. Chim. Acta* 1969, 25:213-19.

Shipochliev T. Uterotonic action of extracts from group of medicinal plants, *Veterinarno-meditsinski nauki* 1981, 18(4):94-8.

Siegers CP, Siegers JP, Pentz R, Bodinet C, Freudenstein J. Metabolism of arbutin from *Uvae Ursi*-extracts in humans, *Pharm Pharmacol Lett* 1997, 7:90-2.

Siegers C, Bodinet C, Ali SS, Siegers CP. Bacterial deconjugation of arbutin by *Escherichia coli*. *Phytomedicine* 2003, 10, Suppl. 4:58-60.

Slovenský farmaceutický kódex (Codex Pharmaceuticus Slovacus). 1st ed. Urologicae species. Herba, Bratislava 1997, 345.

Standard Zulassungen für Fertigarzneimittel, Volume 1. Bärentraubenblätter. Govi-Verlag Pharmazeutischer Verlag, Frankfurt am Main 1996, Lfd.-Nr. 68.

Strapkova A, [et al.] Antitussive effect of arbutin. *Pharmazie* 1991, 46:611-12.

Türi M, Turi E, Koljalg S [et al.], Influence of aqueous extracts of medicinal plants on surface hydrophobicity of *Escherichia coli* strains of different origin, *APMIS* 1997, 105(12):956-62.

Varga JM, Kalchschmid G, Klein GF, Fritsch P. Mechanism of allergic cross-reactions—I. Multispecific binding of ligands to a mouse monoclonal anti-DNP IgE antibody. *Mol Immunol* 1991, 28(6):641-54.

Wade A, editor. de. The Extra Pharmacopoeia. 27th ed. The pharmaceutical Press London 1977, 1725.

Weiss RF. In: Lehrbuch der Phytotherapie. 6th ed. Hippokrates Verlag, Stuttgart 1985, 304-6.

WHO Monographs on Selected Medicinal Plants, Volume 2. Folium *Uvae Ursi*. World Health Organization, Geneva 2002, 342–51.

Woodard G, Hagan CE, Radomski JL. Toxicity of hydroquinone for laboratory animals. *Fed Proc* 1949, 8:348.