



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

12 March 2013
EMA/HMPC/7702/2013
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Camellia sinensis* (L.) Kuntze, non fermentatum folium

Draft

The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Adhami V.M, Siddiqui IA, Ahmad N, *et al.* Oral Consumption of Green Tea Polyphenols Inhibits Insulin-Like Growth Factor I Induced Signaling in an Autochthonous Mouse Model of Prostate Cancer. *Cancer Res* 2004, 64:8715-8722

AFSSAPS, Agence Française de Sécurité Sanitaire des Produits de Santé, Communiqué de Presse. Suspension de l'autorisation de mise sur le marché de la spécialité pharmaceutique EXOLISE® (gallate d'épigallocatechol). 2003

Agarwal R, Katiyar SK, Khan SG, Mukhtar H. Protection against ultraviolet B radiation-induced effects in the skin of SKH-1 hairless mice by a polyphenolic fraction isolated from green tea. *Photochem Photobiol* 1993, 58(5):695-700 (Abstract)

Arab L, Liu W, Elashoff D. Green and Black Tea Consumption and Risk of Stroke: A Meta-Analysis. *Stroke* 2009, 40:1786-1792

Arts I, Hollman P, Feskens E, Bueno de Mesquita BH, Kromhout D. Catechin intake might explain the inverse relation between tea consumption and ischemic heart disease: the Zutphen Elderly Study. *Am J Clin Nutr* 2001,74:227-232

Aucamp J, Gaspar A, Haa Y, Apostolides Z. Inhibition of Xantine oxidase by catechins from tea (*Camellia sinensis*). *Anticancer Research*, 1997, 17:4381-4386

Augustyniak A, Waszkiewicz E, Skrzydlewska E. Preventive action of green tea from changes in the liver antioxidant abilities of different aged rats intoxicated with ethanol. *Nutrition* 2005, 21(9):925-932 (Abstract)

Auvichayapat P, PrapoChanung M, Tunkamnerdthai O, Sripanidkulchai BO, Auvichayapat N, Thinkhamrop B, *et al.* Effectiveness of green tea on weight reduction in obese Thais: A randomized, controlled trial. *Physiol Behav* 2008, 27 93(3):486-491 (Abstract)



- Balentine D, Wiseman S, Bouwens L. The chemistry of tea flavonoids. *Critical Reviews in Food Sci Nutr* 1997, 37(8):693-704
- Bandyopadhyay D, Chatterjee TK, Dasgupta A, Lourduraja J, Dastidar S. *In Vitro* and *in Vivo* Antimicrobial Action of Tea: The Commonest Beverage of Asia. *Biol Pharm Bull* 2005, 28(11):2125-2127
- Belza A, Toubro S, Astrup A. The effect of caffeine, green tea and tyrosine on thermogenesis and energy intake. *Eur J Clin Nutr*. 2009, 63(1):57-64 (epub: 2007)
- Bérubé-Parent S, Pelletier C, Doré J, Tremblay A. Effects of encapsulated green tea and Guarana extracts containing a mixture of epigallocatechin-3-gallate and caffeine on 24 h energy expenditure and fat oxidation in men. *Br J Nutr* 2005 94(3):432-436 (Abstract)
- Blumenthal M. Herbal Medicine –Expanded Commission E Monographs. Integrative Medicine Communications Publishes, 2000, 72-74
- Boehm K, Borrelli F, Ernst E, Habacher G, Hung SK, Milazzo S, Horneber M. Green tea (*Camellia sinensis*) for the prevention of cancer. *Cochrane Database of Systematic Reviews* 2009, Issue 3
- Bokhtear S.U. Medicinal Plants of Bangladesh, 2011
Available at: <http://www.mpbd.info/plants/camellia-sinensis.php>
- Bonkovsky HL. Hepatotoxicity associated with supplements containing Chinese green tea (*Camellia sinensis*). *Annals of Internal Medicine* 2006, 144:68-71
- Bose M, Lambert J D, Ju J, Reuhl K, Shapses S, Yang C. The Major Green Tea Polyphenol, (-)-Epigallocatechin-3-Gallate, Inhibits Obesity, Metabolic Syndrome, and Fatty Liver Disease in High-Fat–Fed Mice. *J Nutr* 2008, 138:1677–1683
- Bun SS, Bun H, Guédon D, Rosier C, Ollivier E. Effect of green tea extracts on liver functions in Wistar rats. *Food Chem Toxicol* 2006, 44(7):1108-1113
- Chacko S.M, Thambi PT, Kuttan R, Nishigaki I. Beneficial effects of green tea: A literature review. *Chinese Medicine* 2010, 5:13
- Chan PC, Ramot Y, Malarkey D E, Blackshear P, Kissling G.E, Travlos G, Nyska A. Fourteen Week Toxicity Study of Green Tea Extract in Rats and Mice. *Toxicologic Pathology* 2010, 38:1070-1084
- Chang PY, Mirsalis J, Riccio ES, Bakke JP, Lee PS, Shimon J, *et al*. Genotoxicity and toxicity of the potential cancerperspective agent polyphenon E. *Environmental and Molecular Mutagenesis* 2003, 41:43-54
- Chen L, Lee M, Li H, Yang CS. Absorption, distribution and elimination of tea polyphenols in rats. *DMD* 1997, (25)9: 1045- 1050
- Chow S, Cai Y, Alberts D, *et al*. Phase I Pharmacokinetic Study of Tea Polyphenols following Single-dose Administration of Epigallocatechin Gallate and Polyphenon E. *Cancer Epidemiol Biomarkers Prev* 2001, 10:53-58
- Chow HH, Cai Y, Hakim IA, Crowell JA, Shahi F, Brooks CA *et at*. Pharmacokinetics and safety of green tea polyphenols after multiple-dose administration of epigallocatechin gallate and polyphenon E in healthy individuals. *Clin Cancer Res* 2003, 9(9):3312–3319
- Culpeper N. Culpeper's Complete Herbal: consisting of a comprehensive description of nearly all herbs. Ed. Foulsham & Co, 1880, 363

Dimpfel W, Kler A, Kriesl E, Lehnfeld R, Keplinger-Dimpfel IK. Source density analysis of the human EEG after ingestion of a drink containing decaffeinated extract of green tea enriched with L-theanine and theogallin. *Nutr Neurosci* 2007, 10(3-4):169-180 (Abstract)

Domatcha –The Way of Matcha Available at: <http://www.domatcha.com/matcha/>

Duke J. A.. *Camellia sinensis* (L.) Kuntze. Handbook of Energy Crops, 1983 Available at: http://www.hort.purdue.edu/newcrop/duke_energy/Camellia_sinensis.html

Dullo A, Duret C, Rohrer D, Girardier L, Mensi N, Fathi M, Chantre P, Vandermander J Efficacy of a green tea extract rich in catechin polyphenols and caffeine in increasing 24-h energy expenditure and fat oxidation in humans. *Am J Clin Nutr* 1999, 70:1040–1045

EFSA. Advice on the EFSA guidance document for the safety assessment of botanicals and botanical preparations intended for use as food supplements, based on real case studies. *EFSA Journal* 2009, 7(9):280:32-64

Embola CW, Weisburger JH, Weisburger M. Urinary excretion of n-OH-2-amino-3-methylimidazo[4,5-f]quinoline-N-glucuronide in F344 rats is enhanced by green tea. *Carcinogenesis* 2001, 22(7):1095-1098

Faqi AS, Crowell JA, Polen M, McCormick DL. Developmental toxicity of polyphenon E in rats. SOT Annual Meeting, 2001, vol 1050:220 (Abstract)

FDA (Food and Drug Administration), Veregen TM, 2006, NDA 21-902

Ferrara L, Montesano D, Senatore A. The distribution of minerals and flavonoids in the tea plant (*Camellia sinensis*). *Il Farmaco* 2001, 56:397–401

Galati G, Lin A, Sultan AM, O'Brien PJ. Cellular and *in vivo* hepatotoxicity caused by green tea phenolic acids and catechins. *Free Radical Biology & Medicine* 2006, 40:570-580

Gardner EJ, Ruxton CHS, Leeds AR. Black Tea – helpful or harmful? A review of evidence. *European Journal of Clinical Nutrition* 2007, 61:3–18

Geleijnse J, Launer L, Hofman A, Pols H, Witteman J. Tea Flavonoids May Protect Against Atherosclerosis. *Arch Intern Med* 1999, 159:2170-2174

Giesbrecht T, Rycroft JA, Rowson MJ, De Bruin EA. -The combination of L-theanine and caffeine improves cognitive performance and increases subjective alertness. *Nutr Neurosci* 2010, 13(6):283-290 (Abstract)

Goodin M, Rosengren R.J- Epigallocatechin gallate modulates CYP450 isoforms in the female Swiss-Webster mouse. *Toxicological Science* 2003, 76:262-270

Gruenwald J, Brendler T, Jaenike C. PDR for Herbal Medicines. 2nd ed. Montvale, NJ, Medical Economics Company, Inc, 2004, 408-414

Guleria RS, Jain A, Tiwari V, Misra MK. Protective effect of green tea extract against the erythrocytic oxidative stress injury during *Mycobacterium tuberculosis* infection in mice *Molecular and Cellular Biochemistry* 2002, 236: 173–181

Gupta S, Hastak K, Ahmad N, Lewin JS, Mukhtar H. Inhibition of prostate carcinogenesis in TRAMP mice by oral infusion of green tea polyphenols. *PNAS* 2001, 98(18):10350–10355

Hakim IA, Harri, RB, Brown S, Chow HH, Wiseman S, Agarwal S, Talbot W. Effect of increased tea consumption on oxidative DNA damage among smokers: a randomized controlled study. *Journal of Nutrition* 2003, 133(10): 3303–3309

Hara Y. Green tea- Health benefits and application, Marcel Dekker Inc, 2001, Chapter 18, 178

Health Canada. Available at: http://www.hc-sc.gc.ca/ahc-asc/media/advisories-avis/_2010/2010_40-eng.php, March 2012

Henning S, Niu Y, Lee N, Thames G, Minutti R, Wang H, *et al.* Bioavailability and antioxidant activity of tea flavanols after consumption of green tea, black tea, or a green tea extract supplement. *Am J Clin Nutr* 2004, 80:1558–1564

Hill A, Coates A, Buckley J, Ross R, Thielecke F, Howe P. Can EGCG Reduce Abdominal Fat in Obese Subjects? *J Am Coll Nutr* 2007, 26(4):396-402

Hirose M, Hoshiya T, Akagi K, Takahashi S, Hara Y, It, N. Effects of green tea catechins in a rat multi-organ carcinogenesis model. *Carcinogenesis* 1993, 14(8):1549-1553

Hooper L, Kroon P, Rimm E, Cohn J, Harvey I, Le Cornu K, *et al.* Flavonoids, flavonoid-rich foods, and cardiovascular risk: a meta-analysis of randomized controlled trials. *Am J Clin Nutr* 2008, 88:38–50

Hsu CH, Liao YL, Lin SC, Tsai TH, Huang CJ, Chou P. Does supplementation with green tea extract improve insulin resistance in obese type 2 diabetics? A randomized, double-blind, and placebo-controlled clinical trial. *Altern Med Rev* 2011,16(2):157-163

Hsu CH, Tsai TH, Kao YH, Hwang KC, Tseng TY, Chou P. Effect of green tea extract on obese women: a randomized, double-blind, placebo-controlled clinical trial. *Clin Nutr* 2008, 27(3):363-370

<http://kaleidoscope.culturalchina.com/en/131Kaleidoscope5704.html>

Hursel R, Westerterp-Plantenga M. Green tea catechin plus caffeine supplementation to a high-protein diet has no additional effect on body weight maintenance after weight loss. *Am J Clin Nutr* 2009, 89:822–830

Huynh HT, Teel RW. Effects of plant-derived phenols on rat liver cytochrome P450 2B1 activity. *Anticancer Research* 2002, 22:1699-1704

IARC Monographs on the evaluation of carcinogenic risks to humans, coffee, tea, mate, methylxanthines and methylglyoxal. Vol. 51. WHO 1991

Isbrucker RA, Bausch J, Edwards JA, Wolz E. Safety studies on epigallocatechin gallate (EGCG) preparations. Part 1: Genotoxicity. *Food and Chemical Toxicology*, 2006, 44:626–635

Isbrucker RA, Edwards JA, Wolz E, Davidovich A, Bausch J. Safety studies on epigallocatechin gallate (EGCG) preparations. Part 3: Teratogenicity and reproductive toxicity studies in rats. *Food and Chemical Toxicology* 2006, 44:651–661

Isbrucker RA, Edwards JA, Wolz E, Davidovich A, Bausch J. Safety studies on epigallocatechin gallate (EGCG) preparations. Part 2: Dermal, acute and short-term toxicity studies. *Food and Chemical Toxicology* 2006, 44:636–650

Iso H, Date C, Wakai K, Fukui M, Tamakoshi A. The relationship between green tea and total caffeine intake and risk for self-reported type 2 diabetes among Japanese adults. *Ann Intern Med* 2006, 144(8):554-562

- Ito J, Ichikawa T, Morohoschi Y, Nakamura T *et al.* Effects of tea catechins on body fat accumulation in rats fed a normal diet. *Biomedical Research*, 2008, 29(1):27-32
- Jimenez-Saenz M, Martinez-Sanchez M del C. Green Tea Extracts and Acute Liver Failure: The Need for Caution in Their Use and Diagnostic Assessment. *Liver Transplantation* 2007, 13:1067
- Jimenez-Saenz M, Martinez-Sanchez MC. Acute hepatitis associated with the use of green tea infusions. *J Hepatology*, 2006, 44:616-619
- Johnson WD, McCormick DL, Morrissey RL, Crowell JA. 13 week dietary toxicity study of EGCG in rats. SOT Annual Meeting, 2001, 324:1538 (Abstract)
- Jones C, Woods K, Whittle G, Worthington H, Taylor G Sugar, drinks, deprivation and dental caries in 14-year-old children in the north west of England in 1995. *Community Dent Health* 1999, 16(2):68-71
- Ju J, Hong J, Zhou JN, Pan Z, Bose M, Liao J, Yang GY, *et al.* Inhibition of intestinal tumorigenesis in Apcmin/+ mice by (-)-epigallocatechin-3-gallate, the major catechin in green tea. *Cancer Res* 2005, 65(22):10623-10631
- Ju J, Lu G, Lambert JD, Yang CS. Inhibition of carcinogenesis by tea constituents. *Semin Cancer Biol* 2007, 17(5):395-402
- Kao YH, Hiipakka R, Liao S. Modulation of Endocrine Systems and Food Intake by Green Tea Epigallocatechin Gallate. *Endocrinology* 2000, 141(3):980-987
- Khare CP. Indian Medicinal Plants, An illustrated Dictionary, Springer-Verlag Heidelberg, 2007:114-115
- Kida K, Suzuki M, Matsumoto N, Nanjo F, Hara Y. Identification of biliary metabolites of (-) epigallocatechin gallate in rats. *J Agric Food Chem*, 2000, 48:4151-4155
- Kim HJ, Jeon SM, Lee MK, Ju U, Shin SK, Choi MS. Antilipogenic effect of green tea extract in C57BL/6J-Lep ob/ob mice. *Phytother Res* 2009, 23(4):467-471
- Kim S, Lee MJ, Hong J, Li C, Smith T, Yang G *et al.* Plasma and tissue levels of tea catechins in rats and mice during chronic consumption of green tea polyphenols. *Nutrition and Cancer* 2000, 37(1):1-48
- Kohri T, Matsumoto N, Yamakawa M, Suzuki M, Nanjo F, Hara Y, Oku N. Metabolic fate of (-) [4-³H]epigallocatechingallate in rats after oral administration. *J Agric Food Chem* 2001, 49:4102-4112
- Kuriyama S, Shimazu T, Ohmori K, Kikuchi N, Nakaya N, Nishino Y, Tsubono Y, Tsuji I. Green tea consumption and mortality due to cardiovascular disease, cancer, and all causes in Japan: the Ohsaki study. *JAMA*. 2006, 13 296(10):1255-1265 (Abstract)
- Lambert JD, Lee Mao-Jung, Lu H, Meng X, Ju J, Seri DN, Sturgill MG, Yang CS. Epigallocatechin-3-Gallate Is Absorbed but Extensively Glucuronidated Following Oral Administration to Mice. *J Nutr* 2003, 133:4172–4177
- Lee JE, Lee BJ, Chung JO, Hwang JA, Lee SJ, Lee CH, Hong YS. Geographical and Climatic Dependencies of Green Tea (*Camellia sinensis*) Metabolites: A H NMR-Based Metabolomics Study, *J Agric Food Chem* 2010, 58(19):10582-10589 (Abstract)
- Lee MJ, Maliakal P, Chen L, *et al.* Pharmacokinetics of Tea Catechins after Ingestion of Green Tea and (-)-Epigallocatechin-3-gallate by Humans: Formation of Different Metabolites and Individual Variability. *Cancer Epidemiol Biomarkers Prev* 2002, 11:1025-1032

- Lee MJ, Wang ZY, Li H. Analysis of plasma and urinary tea polyphenols in human subjects. *Cancer Epidemiol Biomarkers Prev* 1995, 4:393-399
- Leurier MM, Manceau P. *Precis de Matiere Medicale*, Tome Premier, cinquieme edition, Librairie Maloine 1946, 816-838
- Liang W, Lee A, Binns C, Huang R, Hu D, Zhou Q. Tea Consumption and Ischemic Stroke Risk: A Case-Control Study in Southern China. *Stroke* 2009, 40:2480-2485
- Lin JK, Chen PC, Ho CT, Lin-Shiau SY. Inhibition of xanthine oxidase and suppression of intracellular reactive oxygen species in HL-60 cells by theaflavin-3,3'-digallate, (-)-epigallocatechin-3-gallate, and propyl gallate. *J Agric Food Chem* 2000, 48(7):2736-2743 (Abstract)
- Lin Y-L, Lin J-K. (2)-Epigallocatechin-3-gallate Blocks the Induction of Nitric Oxide Synthase by Down-Regulating Lipopolysaccharide- Induced Activity of Transcription Factor Nuclear Factor-kB. *Mol Pharmacol* 1997, 52:465-472
- Long L.H, Clement MV, Halliwell B. Artifacts in Cell Culture: Rapid Generation of Hydrogen Peroxide on Addition of (2)-Epigallocatechin, (2)-Epigallocatechin Gallate, (1)-Catechin, and Quercetin to Commonly Used Cell Culture Media. *Biochem Biophys Res Commun* 2000, 273:50-53
- Lu H, Meng X, Yang CS. Enzymology of methylation of tea catechins and inhibition of catechol-O-methyl transferase by (-) epigallocatechin gallate. *DMD* 2003, 31:572-579
- Lu YP, Lou YR, Lin Y, Shih W J, Huang MT, Yang CS, Conney AH. Inhibitory Effects of Orally Administered Green Tea, Black Tea, and Caffeine on Skin Carcinogenesis in Mice Previously Treated with Ultraviolet B Light (High-Risk Mice): Relationship to Decreased Tissue Fat. *Cancer Research* 2001, 61:5002-5009
- Maki K, Reeves M, Farmer M, Yasunaga K, Matsuo N, Katsuragi Y, et al. Green Tea Catechin Consumption Enhances Exercise-Induced Abdominal Fat Loss in Overweight and Obese Adults. *J Nutr* 2009, 139:264-270
- Making Matcha Tea Available at: <http://www.obubutea.com/tea-info/how-to-make-matcha-tea>
- Maron D, Lu GP, Cai NS et al. Cholesterol-Lowering Effect of a Theaflavin-Enriched Green Tea Extract. A Randomized Controlled Trial. *Arch Intern Med* 2003, 163:1448-1453
- Martinez-Sierra C, Unceta PR, Herrera LM. Hepatitis aguda tras ingestion de té verde. *Med Clin (Barc)* 2006, 127(3):117-119
- McCormick DL, Johnson WD, Morrissey R.L, Crowell JA. Subchronic oral toxicity of epigallocatechingallate in rats and dogs. *The Toxicologist* 1999, 48(1S):57
- Meng X, Sang S, Zhu N, Lu H, Sheng S, Lee MJ, Ho CT. Identification and characterization of methylated and ring-fission metabolites of tea catechins formed in humans, mice and rats. *Chem Res Toxicol*, 2002, 15:1042-1050
- Michna L, Lu YP, Lou YR, Wagner GC, Conney AH. Stimulatory effect of oral administration of green tea and caffeine on locomotor activity in SKH-1 mice. *Life Sci* 2003, 73(11):1383-1392
- Molinari M, Watt, KDS, Kruszyna T, Nelson R, Walsh M, Huang WY, et al. Acute liver failure induced by green tea extracts: case report and review of the literature. *Liver Transplantation* 2006, 12:1892-1895
- Murase T, Haramizu S, Shimotoyodome A, Tokimitsu I. Reduction of diet-induced obesity by a combination of tea-catechin intake and regular swimming. *Int J Obes* 2006, 30:561-568

- Murase T, Haramizu S, Shimotoyodome A, Nagasawa A, Tokimitsu I. Green tea extract improves endurance capacity and increases muscle lipid oxidation in mice. *Am J Physiol Regul Integr Comp Physiol* 2, 2005, 88:708–715
- Nagao T, Komine Y, Soga S, Meguro S, Hase T, Tanaka Y, Tokimitsu I. Ingestion of a tea rich in catechins leads to a reduction in body fat and malondialdehyde-modified LDL in men. *Am J Clin Nutr* 2005, 81:122–129
- Nakachi K, Matsuyama S, Miyake S, Suganuma M, Imai K. Preventive effects of drinking green tea on cancer and cardiovascular disease: epidemiological evidence for multiple targeting prevention. *Biofactors* 2000, 13(1-4):49-54
- Natsume M, Osakabe N, Oyama M, Sasaki M, Baba S, Nakamura Y, Osawa T, Terao J. Structures of (-) epicatechin glucuronide identified from plasma and urine after oral ingestion of (-) epicatechin: differences between human and rat. *Radl Biol & Med* 2003, (34)7:840–849
- Omer GA, Dashwood WM, Blum CA, Díaz GD, Li Q, Dashwood RH. Suppression of tumorigenesis in the *Apcmin* mouse: downregulation of β -catenin signaling by a combination of tea plus sulindac. *Carcinogenesis* 2003, 24:263–267
- Ota N, Soga S, Shimotoyodome A, Haramizu S, Inaba M, Murase T, Tokimitsu I. Effects of combination of regular exercise and tea catechins intake on energy expenditure in humans. *Journal of health science* 2005, 51(2):233-236
- Otake S, Makimura M, Kuroki T, Nishihara Y, Hirasawa M. Anticaries Effects of Polyphenolic Compounds from Japanese Green Tea. *Caries Res* 1991, 25:438-443
- Park SK, Jung IC, Lee W, Lee Y, Park H, Go H, *et al.* A Combination of Green Tea Extract and L-Theanine Improves Memory and Attention in Subjects with Mild Cognitive Impairment: A Double-Blind Placebo-Controlled Study. *J Med Food* 14 (4) 2011, 334–343
- Peters U, Poole C, Arab L. Does Tea Affect Cardiovascular Disease? A Meta-Analysis. *Am J Epidemiol* 2001, 154:495–503
- Peterson J, Dwyer J, Bhagwat S, Haytowitz D, Holden J. Major flavonoids in dry tea *J Food Comp Anal* 2005, 18:487–501
- Pharmacopée française, Substances d'origine végétale, The vert. On line edition, 2010
- Potenza MA, Marasciulo F L, Tarquinio M, Tiravanti E, Colantuono G, Federici A, *et al.* EGCG, a green tea polyphenol, improves endothelial function and insulin sensitivity, reduces blood pressure, and protects against myocardial I/R injury in SHR. *Am J Physiol Endocrinol Metab* 2007, 292:1378–1387
- Powdered Decaffeinated Green Tea Extract, USP35-NF34 Second Supplement, Dietary Supplements, on line edition
- Princen HM, van Duyvenvoorde W, Buytenhek R, Blonk C, Tijburg LB, Langius JA, Meinders AE, Pijl H. No effect of consumption of green and black tea on plasma lipid and antioxidant levels and on LDL oxidation in smokers. *Arterioscler Thromb Vasc Biol* 1998, 18(5):833-841
- Richard D, Kefi K, Barbe U, Poli A, Bausero P, Visioli F. Weight and plasma lipid control by decaffeinated green tea. *Pharmacol Res* 2009, 59:351–354
- Rogers P, Smith J, Heatherley S, Pleydell-Pearce W. Time for tea: mood, blood pressure and cognitive performance effects of caffeine and theanine administered alone and together. *Psychopharmacol* 2008, 195:569–577

- Sakamoto Y, Mikuriya H, Tayama K, Takahashi H, Nagasawa A, Yano N, *et al.* Goitrogenic effects of green tea extract catechins by dietary administration in rats- *Arch Toxicol* 2001, 75:591-596
- Samman S, Sandstrom B, Toft MB, Bukhave K, Jensen M, Sorensen SS, Hansen M. Green tea or rosemary extract added to foods reduces nonheme-iron absorption. *Am J Clin Nutr* 2001, 73(3):607-612
- Sasazuki S, Kodama H, Yoshimasu K, Liu Y, Washio M, Tanaka K, Tokunaga S, *et al.* Relation between green tea consumption and the severity of coronary atherosclerosis among Japanese men and women. *Ann Epidemiol* 2000, 10(6):401-408 (Abstract)
- Schmidt M, Schmitz HJ, Baumgart A, Guedon D, Netsch MI, Kreuter MH-*et al.* Toxicity of green tea extracts and their constituents in rat hepatocytes in primary culture. *Food Chem Toxicol* 2005, 43:307–314
- Sharma VK., Bhattacharya A, Kumar A, Sharma HK. Health Benefits of Tea Consumption. *Trop J Pharm Res* 2007, 6 (3):785-792
- Singal A, Kaur , Tirkey N, Chopra K. Green Tea Extract and Catechin Ameliorate Chronic Fatigue-Induced Oxidative Stress in Mice. *Journal of Medicinal Food* 2005, 8(1):47-52
- Singh E, Sharma S, Dwivedi J, Singh G, Mehra S, Sharma S. Evaluation of Green Tea on Lipid Profile of Hypercholesterolemic Patients: A Case Study. *Pharmacologyonline* 2011, 3:547-555
- Stockley's Herbal Medicines Interactions. Tea (*Camellia sinensis*). Pharmaceutical Press, 2009, 382-388
- Suganuma M, Ohkura Y, Okabe S, Fujiki H. Combination cancer chemoprevention with green tea extract and sulindac shown in intestinal tumor formation in Min mice. *J Cancer Res Clin Oncol* 2001, 127: 69-72
- Suganuma M, Okabe S, Oniyama M, Tada Y, Ito H, Fujiki H. Wide distribution of H³-(-) epigallocatechingallate, a cancer preventive tea polyphenol, in mouse tissue. *Carcinogenesis* 1998, 19(10):1771-1776
- Swezey RR, Aldridge DE, LeValley SE, Crowell JA, Hara Y, Green CE-Absorption, tissue distribution and elimination of 4-[(3)h]-epigallocatechin gallate in beagle dogs. *Int J Toxicol* 2003, 22(3):187-193 (Abstract)
- Tatti S, Swinehart J, Thielert C, Tawfik H, Mescheder A Beutner K. Sinecatechins, a Defined Green Tea Extract, in the Treatment of External Anogenital Warts. A Randomized Controlled Trial. *Obstet Gynecol* 2008, 111:1371–1379
- Thomson Micromedex. Healthcare series. Caffeine. In Drug interaction for the health care professional. Vol. 1. USP DI 27th ed. 2007, 665
- Tijburg L.BM, Wiseman SA, Meijer GW, Weststrate JA. Effects of green tea, black tea and dietary lipophilic antioxidants on LDL oxidizability and atherosclerosis in hypercholesterolaemic rabbits. *Atherosclerosis* 1997, 135:37–47
- Tschirch A. Handbuch der pharmakognosie. Ed. Verlag von Chr. Herm. Tauchnitz, Leipzig, 1923, 367-370
- Tsubono Y, Nishino Y, Komatsu S, Hsieh CC, Kanemura S, Tsuji I, *et al.* - Green Tea and the Risk of Gastric Cancer in Japan. *New England Journal of Medicine* 2001, 344(9):632–636

- Van Amelsvoort J.MM, Van Het Hof KH, Mathot JN, Mulder TPJ, Wiersma A, Tijburg LBM. Plasma concentrations of individual tea catechins after a single oral dose in humans. *Xenobiotica* 2001, 31(12) 891-901
- van het Hof KH, de Boer HS, Wiseman SA, Lien N, Westrate JA, Tijburg LB. Consumption of green or black tea does not increase resistance of low-density lipoprotein to oxidation in humans. *Am J Clin Nutr* 1997, 66(5):1125-1132
- Venables MC, Hulston C, Cox H, Jeukendrup A. Green tea extract ingestion, fat oxidation, and glucose tolerance in healthy humans. *Am J Clin Nutr* 2008, 87:778–784
- Wang YZ, Das M, Bickers DR, Mukhtar H. Interaction of epicatechins derived from green tea with rat hepatic cytochrome P-450. *DMD* 1988, 16:98-103
- Williamson EM. Potter's Herbal Cyclopaedia. C.W.Daniel Co. Ltd. 2003, 426-427
- Wolfram S, Raederstorff D, Preller M, Wang Y, Teixeira SR, Riegger C, Weber P. Epigallocatechin gallate supplementation alleviates diabetes in rodents. *J Nutr* 2006, 136:2512–2518
- Wolfram S, Raederstorff D, Wang Y, Teixeira SR, Elste V, Weber P. TEAVIGO (epigallocatechin gallate) supplementation prevents obesity in rodents by reducing adipose tissue mass. *Ann Nutr Metab* 2005, 49(1):54-63 (Abstract)
- Wu LY, Juan CC, Ho LT, Hsu YP, Hwang LS. Effect of green tea supplementation on insulin sensitivity in Sprague–Dawley rats. *J Agric Food Chem* 2004, 52:643–648
- Xu X, Zhou XD, Wu CD. The Tea Catechin Epigallocatechin Gallate Suppresses Cariogenic Virulence Factors of *Streptococcus mutans*- *Antimicrob agents chemother* 2011, 3:1229–1236
- Yang C S, Maliakal P, Meng X. Inhibition of carcinogenesis by tea. *Annu Rev Pharmacol Toxicol* 2002. 42:25–54
- Yang C.S, Chen L, Lee M J, *et al.* Blood and urine levels of tea catechins after ingestion of different amounts of green tea by human volunteers. *Cancer Epidemiol Biomarkers Prev* 1998, 7:351-354
- Yang CS, Wang X, Lu G, Picinich S. Cancer prevention by tea: animal studies, molecular mechanisms and human relevance. *Nature* 2009, 9:429- 439
- Yang MH, Wang CH, Chen HL. Green, oolong and black tea extracts modulate lipid metabolism in hyperlipidemia rats fed high-sucrose diet. *J Nutr Biochem* 2001, 12:14–20
- Yang YC, Lu F, Wu JS, Wu C, Chang C. The Protective Effect of Habitual Tea Consumption on Hypertension. *Arch Intern Med* 2004, 164:1534-1540
- Yin P, Jinying Z, Cheng S, Zhu Q, Liu Z. Experimental studies of the inhibitory effects of green tea catechin on mice large intestinal cancers induced by 1,2-dimethylhydrazine. *Cancer Letters* 1994, 79:33-38
- Yuan G, Gong Z, Zhou X, Zhang P, Sun X, Li X. Epigallocatechin-3-Gallate Ameliorates Alcohol-Induced Liver Injury in Rats. *Int J Mol Sci* 2006, 7:204-219
- Zhang L, Zheng Y, Moses SS, Chow, Zuo Z. Investigation of intestinal absorption and disposition of green tea catechins by Caco-2 monolayer model. *Int J Pharm* 2004, 287:1–12
- Zhu M, Chen J, Li RC. Pharmacokinetics and systemn linearity of tea catechins in rat. *Xenobiotica* 2001, 1(1):51-60

References consulted but not included in the Assessment Report

- Bruno R, Dugan C, Smyth J, Di Natale D, Koo S. Green Tea Extract Protects Leptin-Deficient, Spontaneously Obese Mice from Hepatic Steatosis and Injury. *J Nutr* 138: 323–331, 2008
- Chow H-HS, Hakim IA. Pharmacokinetic and chemoprevention studies on tea in humans. *Pharmacol Res* 2011, 64(2):105-12
- Erba D, Riso P, Bordoni A, Foti P, Biagi PL, Testolin G. Effectiveness of moderate green tea consumption on antioxidative status and plasma lipid profile in humans. *J Nutr Biochem* 2005, 16(3):144-149
- Kelly S, Gomez-Ramirez M, Montesi J, Foxe JL. Theanine and Caffeine in Combination Affect Human Cognition as Evidenced by Oscillatory alpha-Band Activity and Attention Task Performance. *J Nutr* 2008, 138:1572–1577
- Okushio K, Suzuki M, Matsumoto N, Nanjo F, Hara Y. Methylation of tea catechins by rat liver homogenates. *Biosci. Biotechnol Biochem* 1999, 63(2): 430-432
- Sarkar A, Bhaduri A. Black Tea is a Powerful Chemopreventor of Reactive Oxygen and Nitrogen Species: Comparison with Its Individual Catechin Constituents and Green Tea. *Biochem Biophys Res Commun* 2001, 284:173–178
- Yamane T, Nakatani H, Kikuoka N, Matsumoto H, Iwata Y, Kitao Y, T. Takahashi. Inhibitory Effects and Toxicity of Green Tea Polyphenols for Gastrointestinal Carcinogenesis. *Cancer* 1996, 77:1662-1667
- Yang CS, Lambert JD, Ju J, Lu G, Sang S. Tea and cancer prevention: Molecular mechanisms and human relevance. *Toxicol Appl Pharmacol* 2007, 224:265–273
- Zhu BT, Patel UK, Cai XM. O-methylation of tea polyphenols catalized by human placental cytosolic catechol-O-methyltransferase. *DMD* 2000, 28:1024-1030