



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

7 July 2015
EMA/HMPC/278090/2015
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Equisetum arvense* L. herba.

Draft

The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Agustín-Ubide MP, Martínez-Cócera C, Alonso-Llamazares A, Robledo T, Lombardero M, Domínguez J *et al.* Diagnostic approach to anaphylaxis by carrot, related vegetables and horsetail (*Equisetum arvense*) in a homemaker. *Allergy* 2004, 59(7): 786-787

Alexandru V, Necula R, Ghita G, Gaspar A, Toma A, Tatia R, Gille E. Evaluation of four traditional Romanian medicinal plants as wound healing agents. *Planta Medica* 2011, 77: 1317 (PF43)

Alexandru V, Petrusca DN, Gille E. Investigation of pro-apoptotic activity of *Equisetum arvense* L. water extract on human leukemia U 937 cells. *Romanian Biotechnological Letters* 2007, 12: 3139-3147

Anton R, Patri F, Silano V. (editors) Plants in cosmetics: Plants and plant preparations used as ingredients for cosmetic products. Vol II. 1st ed. Council of Europe Publishing 2001, 125-126

Aswal BS, Bhakuni DS, Goel AK, Kar K, Mehrotra BN. Screening of Indian Plants for Biological Activity. *Indian Journal of Experimental Biology* 1984, 22(9): 487-504

Baracho NC, Vicente BB, Arruda GD, Sanches BC, de Brito J. Study of acute hepatotoxicity of *Equisetum arvense* L. in rats. *Acta Cirúrgica Brasileira* 2009, 24(6): 449-453

Belkin M, Fitzgerald DB, Felix MD. Tumor-damaging capacity of plant materials: II. Plants used as diuretics. *Journal of the National Cancer Institute* 1952, 13(3): 741-744

Bessa Pereira C, Gomes PS, Costa-Rodrigues J, Almeida Palmas R, Vieira L, Ferraz MP *et al.* *Equisetum arvense* hydromethanolic extracts in bone tissue regeneration: in vitro osteoblastic modulation and antibacterial activity. *Cell proliferation* 2012, 45(4): 386-396

Bézanger-Beauquesne L, Pinkas M, Torck M. Les plantes dans la thérapeutique moderne. Maloine SA, 1986, 199-200 [French]

Bézanger-Beauquesne L, Pinkas M, Torck M, Trotin F. Plantes médicinales des régions tempérées. 2th ed. Maloine SA, 1990, 18 [French]



- Blaschek W, Hilgenfeldt U, Holzgrabe U, Reichling J, Ruth P, Schulz V. (editors) HagerROM 2013: Hagers Enzyklopädie der Drogen und Arzneistoffe. Version 10.5. Springer-Verlag, Berlin Heidelberg 2013
- Blumenthal M; Busse WR; Goldberg A; Gruenwald J; Hall T; Riggins W *et al.* (editors) The Complete German Commission E Monographs. American Botanical Council, Austin Texas 1998, 150-151
- Boulos A, Broadwater K, Bouserhal C. A deadly game of horsetail: A case report of *Equisetum arvense* toxicity in adult female. *American Journal of Respiratory and Critical Care Medicine* 2011, 183(1): 3875
- Bradley PR. (editor) British Herbal Compendium, Volume 1. British Herbal Medicine Association, Bournemouth 1992, 92-94
- Braun R (editor) Standardzulassungen für Fertigarzneimittel. Schachtelhalmkraut. DAV Stuttgart Govi Verlag GmbH, Frankfurt 2004 [German]
- Breitwieser K. Versuche über die Brauchbarkeit von Herba Equiseti als Diuretikum. *Archiv der Pharmazie* 1939, 277: 53-61 [German]
- BHMA. A guide to traditional herbal medicines: A Sourcebook of accepted traditional uses of medicinal plants within Europe. British Herbal Medicine Association, Bristol 2003, 134
- BHP (British Herbal Pharmacopoeia). British Herbal Medicinal Association, Bournemouth 1976, 75
- BHP (British Herbal Pharmacopoeia). 4th ed. British Herbal Medicinal Association, Exeter 1996, 76
- Bye R, Thingstad SF, Paulsen BS. Horsetail (*Equisetum* spp.) as a source of silicon supplement in human nutrition - a myth? *Journal of Herbs, Spices & Medicinal Plants* 2010, 16(2): 119-125
- Cahier No 3 de l'Agence du Médicament: Médicaments à base de plantes. Agence du Médicament, Paris 1998, 1-88
- Canadanovic-Brunet JM, Cetkovic GS, Djilas SM, Tumbas VT, Savatovic SS, Mandic AI *et al.* Radical scavenging and antimicrobial activity of horsetail (*Equisetum arvense* L.) extracts. *International Journal of Food Science & Technology* 2009, 44(2): 269-278
- Carneiro DM, Freire RC, Honório TC, Zoghaib I, Cardoso FF, Tresvenzol LM *et al.* Randomized, double-blind clinical trial to assess the acute diuretic effect of *Equisetum arvense* (field horsetail) in healthy volunteers. *Evidence-based Complementary and Alternative Medicine* 2014, doi: 10.1155/2014/760683
- Cetojevic-Simin DD, Canadanovic-Brunet JM, Bogdanovic GM, Djilas SM, Cetkovic GS, Tumbas VT *et al.* Antioxidative and antiproliferative activities of different horsetail (*Equisetum arvense* L.) extracts. *Journal of medicinal Food* 2010, 13(2): 452-459
- Cetto AA, Wiedenfeld H, Revilla MC, Sergio IA. Hypoglycemic effect of *Equisetum myriochaetum* aerial parts on streptozotocin diabetic rats. *Journal of Ethnopharmacology* 2000, 72(1/2): 129-133
- Ceyhan N, Keskin D, Ugur A. Antimicrobial activities of different extracts of eight plant species from four different family against some pathogenic microorganisms. *Journal of Food, Agriculture & Environment* 2012, 10: 193-197
- Cow D. Einige Studien über Diurese. *Archiv für. experimentelle Pathologie und Pharmakologie* 1912, 69: 393-411 [German]

de Oliveira JR, de Castro VC, das Gracas Figueiredo Vilela P, Camargo SE, Carvalho CA, Jorge AO *et al.* Cytotoxicity of Brazilian plant extracts against oral microorganisms of interest to dentistry. *BMC Complementary and Alternative Medicine* 2013, doi: 10.1186/1472-6882-13-208

Do Monte FH, Dos Santos JG Jr, Russi M, Lanziotti VM, Leal LK, Cunha GM. Antinociceptive and anti-inflammatory properties of the hydroalcoholic extract of stems from *Equisetum arvense* L. in mice. *Pharmacological Research* 2004, 49(3): 239-243

Dorsch W, Loew D, Meyer-Buchtela E, Schilcher H. Equiseti herba (Schachtelhalmkraut) 5.23. Kinderdosierungen von Phytopharmaka. Kooperation Phytopharmaka GbR, Bonn 1998, 56-57 [German]

Dos Santos JG Jr, Blanco MM, Do Monte FH, Russi M, Lanziotti VM, Leal LK, Cunha GM. Sedative and anticonvulsant effects of hydroalcoholic extract of *Equisetum arvense*. *Fitoterapia* 2005a, 76(6): 508-513

Dos Santos JG Jr, Do Monte FH, Blanco MM, Lanziotti VM, Maia FD, Leal LK. Cognitive enhancement in aged rats after chronic administration of *Equisetum arvense* L. with demonstrated antioxidant properties in vitro. *Pharmacology Biochemistry and Behaviour* 2005b, 81(3): 593-600

Duke JA. Handbook of medicinal herbs. CRC Press, Boca Raton, Florida 1985, 178-179, 519, 555

Duke JA. Handbook of medicinal herbs. 2nd ed. CRC Press, Boca Raton, Florida 2002, 391-392

EB 6. Ergänzungsbuch zum Deutschen Arzneibuch (EB 6) 6th ed. Deutscher Apotheker Verlag, Stuttgart 1953, 244-245 [German]

EFSA (European Food Safety Authority). Scientific opinion on the substantiation of health claims related to *Equisetum arvense* L. and invigoration of the body (ID 2437), maintenance of skin (ID 2438), maintenance of hair (ID 2438), maintenance of bone (ID 2439), and maintenance or achievement of a normal body weight (ID 2783) pursuant to Article 13 of Regulation (EC) No 1924/2006. *EFSA Journal* 2009, 7(10), article 1289

European Pharmacopoeia, 8th ed. Equisetum Stem - Equiseti herba. Council of Europe. 04/2012: 1825, 1237-1238

Fabre B, Geay B, Beauvils P. Thiaminase activity in *Equisetum arvense* and its extracts. *Plantes medicinales et phytothérapie* 1993, 26(3): 190-197

Frohne D, Pfänder HJ. A colour atlas of poisonous plants. A Wolfe Science Book 1984, 103-104

Garnier G, Bezanger-Beauquesne L, Debraux G. Ressources medicinales de la flore française. Vigot Freres impr. Jouve, Paris 1961, 90-91 [French]

Geetha RV, Lakshmi T, Roy A. In vitro evaluation of anti-bacterial activity of *Equisetum arvense* Linn on urinary tract pathogens. *International Journal of Pharmacy and Pharmaceutical Sciences* 2011, 3: 323-325

Graefe EU, Veit M. Urinary metabolites of flavonoids and hydroxycinnamic acids in humans after application of a crude extract from *Equisetum arvense*. *Phytomedicine* 1999, 6: 239-246

Goun EA, Petrichenko VM, Solodnikov SU, Suhinina TV, Kline MA, Cunningham G *et al.* Anticancer and antithrombin activity of Russian plants. *Journal of Ethnopharmacology* 2002, 81(3): 337-342

Grases F, Melero G, Costa-Bauza A, Prieto R, March JG. Urolithiasis and phytotherapy. *International Urology and Nephrology* 1994, 26(5): 507-511

- Guerin JC, Reveillere HP. Activité antifongique d'extraits végétaux à usage thérapeutique. I. Etude de 41 extraits sur 9 souches fongiques. [Antifungal Activity of Plant Extracts in Therapy. I. Study of 41 extracts against 9 fungal species.] *Annales Pharmaceutiques Françaises* 1984, 42(6): 553-559 [French]
- Hager H, Blaschek W, Ebel S, Hackenthal E. (editors) *Equisetum*. HagerROM 2003: Hagers Handbuch der Drogen und Arzneistoffe. Version 3. Springer Medizin Verlag, Heidelberg 2003 [German]
- Hamon NW, Awang DV. Horsetail. *Canadian Pharmaceutical Journal* 1992, 125: 399-401
- Hänsel R, Keller K, Rimpel H, Schneider G. (editors) *Hagers Handbuch der Pharmazeutischen Praxis. Drogen E-O. Vol 5. 5th ed.* Springer Verlag, Berlin 1993, 64-69 [German]
- Harkness R, Bratman S. Mosby's Handbook of drug-herb and drug-supplement interactions. Mosby, 2002, 163-164
- Hayat A, Temamogullari F, Yilmaz R, Karabulut O. Effect of *Equisetum arvense* on wound contraction of full-thickness skin wounds in rabbits. *Journal of Animal and Veterinary Advances* 2011, 10(1): 81-83
- HC (Health Canada). Natural Health Products Ingredients Database. *Equisetum arvense*, 2014. Available at: <http://webprod.hc-sc.gc.ca/nhpid-bdipsn/ingredReq.do?id=6117&lang=eng>. Accessed 12/05/2015
- HC (Health Canada). Multi-vitamin /mineral supplement monograph, 2007. Silicon, 15-17. Available at: <http://webprod.hc-sc.gc.ca/nhpid-bdipsn/ingredReq.do?id=816&lang=eng>. Accessed 18/05/2015
- Heisey RM, Gorham BK. Antimicrobial Effects of Plant Extracts on *Streptococcus mutans*, *Candida albicans*, *Trichophyton rubrum* and other micro-organisms. *Letters in Applied Microbiology* 1992, 14(4): 136-139
- Henderson JA, Evans EV, McIntosh RA. The antithiamine action of *Equisetum*. *Journal of the American Veterinary Medical Association* 1952, 120(903): 375-378
- Herbal Medicines: Horsetail. Available at: <https://www.medicinescomplete.com/mc/herbals/2011/HBL216234.htm>. Accessed: 18/05/2015
- Herre E. Die diuretische Wirkung der in Naturheilkunde und Volksmedizin angewandten harntreibenden Mittel. *Archiv für. experimentelle Pathologie und Pharmakologie* 1937, 184: 710-715 [German]
- Hoppe HA. *Equisetum*. Drogenkunde. 8th ed. Walter de Gruyter Verlag, Berlin 1975, 173-175 [German]
- Husson GP, Vilagines R, Delaveau P. Recherche de propriétés antivirals de quelques extraits d'origine naturelle. [Research into the antiviral properties of a few natural extracts.] *Annales Pharmaceutiques Françaises* 1986, 44(1): 41-48 [French]
- Jaretsky R, Breitwieser K, Neuwald F. Diureseversuche mit Kieselsäure und Kieselsäuredrogen an Ratten. *Archiv der Pharmazie* 1938, 276: 552-559 [German]
- Jean-Blain C, Grisvard M. Plantes veneneuses-toxicologie. La Maison Rustique, 1973, 20-21 [French]
- Joksic G, Stankovic M, Novak A. Antibacterial medicinal plants *Equiseti herba* and *Ononidis radix* modulate micronucleus formation in human lymphocytes in vitro. *Journal of Environmental Pathology, Toxicology and Oncology* 2003, 22(1): 41-48
- Katalinic V, Milos M, Kulisic T, Jukic M. Screening of 70 medicinal plant extracts for antioxidant capacity and total phenols. *Food Chemistry* 2006, 94(4): 550-557

- Kommission E (German Commission E). *Equiseti herba*, Schachtelhalmkraut. *Bundesanzeiger* 1986; 173 (18.09.1986): 13284 [German]
- Kolettis TM, Oikonomou G, Novas I, Sideris DA. Transient complete atrioventricular block associated with herb intake. *Europace* 2005, 7(3): 225-226
- Kreitmair H. Pharmakologische Versuche mit einigen einheimischen Pflanzen. *Merck's Jahresbericht* 1936, 50: 103-110 [German]
- Kreitmair H. *Equisetum arvense* - der Ackerschachtelhalm. *Pharmazie* 1953, 3: 298-300 [German]
- Kukric Z, Topalic-Trivunovic L, Pavicic S, Zabic M, Matos S, Davidovic A. Total phenolic content, antioxidant and antimicrobial activity of *Equisetum arvense* L. *Chemical Industry & Chemical Engineering Quarterly* 2013, 19(1): 37-43
- Kumar A, Kaushik P. Antibacterial effect of *Equisetum arvense* L. *Asian Journal of Biological Sciences* 2011, 6 (2): 184-187
- Länger R. *Uncaria tormentosa*. *Österreichische Apothekerzeitung* 2002, Available at: http://www.oeaz.at/zeitung/3aktuell/2002/04/haupt/haupt04_2002eine.html. Accessed: 18/05/2015 [German]
- Langhammer AJ, Nilsen OG. In vitro inhibition of human CYP1A2, CYP2D6, and CYP3A4 by six herbs commonly used in pregnancy. *Phytotherapy Research* 2014, 28(4): 603-610
- Lemus I, Garcia R, Erazo S, Pena R, Parada M, Fuenzalida M. Diuretic activity of a *Equisetum bogotense* tea (Platero herb): evaluation in healthy volunteers. *Journal of Ethnopharmacology* 1996, 54: 55-58
- Lovkova MY, Shelepova OV, Sokolova SM, Sabirova NS, Rabinovich AM. Selenium in medicinal plants of the Russian flora. *Biology Bulletin of the Russian Academy of Sciences* 1993, 20(6): 669-673
- Madaus G. Lehrbuch der biologischen Heilmittel. Vol. 2. Georg Olms Verlag, Hildesheim New York 1976 (reprint of Madaus G. Lehrbuch der biologischen Heilmittel. Georg Thieme Verlag, Leipzig, 1938), 1267-1278 [German]
- Maeda H, Miyamoto K, Sano T. Occurrence of dermatitis in rats fed a cholesterol diet containing field horsetail (*Equisetum arvense* L.). *Journal of Nutritional Science and Vitaminology* 1997, 43(5): 553-563
- Martindale The Extra Pharmacopoeia. *Equisetum*. 27th ed. Pharmaceutical Society of Great Britain, London 1977, 1754
- Martindale: The Complete Drug Reference. *Equisetum*. 2013 Available at: <https://www.medicinescomplete.com/mc/martindale/2009/12699-v.htm>. Accessed: 18/05/2015
- Meyer U, Staiger K, Seitz A. "Rechnen Sie auf die Kieselsäure" – Pharmazeutische Gesichtspunkte zu einer möglichen Optimierung der *Equisetum*-Therapie. ['Do count on the silica' (i) - Pharmaceutical aspects of possible optimization of *Equisetum* therapy]. *Merkurstab* 2012, 65(2): 112-116 [German]
- Milovanovic V, Radulovic N, Todorovic Z, Stankovic M, Stojanovic G. Antioxidant, antimicrobial and genotoxicity screening of hydro-alcoholic extracts of five serbian *Equisetum* species. *Plant foods for human nutrition* 2007, 62(3): 113-119
- Mills S, Bone K. The essential guide to herbal safety. Elsevier, Churchill Livingstone 2005, 476-478

Nagai T, Myoda T, Nagashima T. Antioxidative activities of water extract and ethanol extract from field horsetail (tsukushi) *Equisetum arvense* L. *Food Chemistry* 2005, 91(3): 389-394

Oh H, Kim DH, Cho JH, Kim YC. Hepatoprotective and free radical scavenging activities of phenolic petrosins and flavonoids isolated from *Equisetum arvense*. *Journal of Ethnopharmacology* 2004, 95(2-3): 421-424

Ortega Garcia JA, Angulo MG, Sobrino-Najul EJ, Soldin OP, Mira AP, Martínez-Salcedo E *et al.* Prenatal exposure of a girl with autism spectrum disorder to 'horsetail' (*Equisetum arvense*) herbal remedy and alcohol: A case report. *Journal of Medical Case Reports* 2011, 5(129), doi: 10.1186/1752-1947-5-129

Ozay Y, Kasim Cayci M, Guzel-Ozay S, Cimbiz A, Gurlek-Olgun E, Sabri Ozyurt M. Effects of *Equisetum arvense* ointment on diabetic wound healing in rats. *Wounds* 2013, 25(9): 234-241

Paris RR, Moyse H. *Precis de matiere medicale*. 2nd ed. Masson, 1976, 376-378 [French]

Patri G, Silano V. Plant preparations used as ingredients of cosmetic products. 1st ed. Council of Europe Press 1989, 142-143

Perazella MA. Drug induced hyperkalemia – the reply. *The American Journal of Medicine* 2002, 112(4): 334-335

Pérez Gutiérrez RM, Yescas Laguna G; Walkowski A. Diuretic activity of Mexican equisetum. *Journal of Ethnopharmacology* 1985, 14(2/3): 269-272

Pharmacopoea Helvetica. Equiseti herba. Verlag Eidgenössische Drucksachen und Materialzentrale, Bern 1971, 691-692

Pohl RW. Toxicity of ferns and Equisetum. *American Fern Journal* 1955, 45(3): 95-97

Pyeovich D, Bogenschütz MP. Herbal diuretics and lithium toxicity. *The American Journal of Psychiatry* 2001, 158: 1329

Rafsanjany N, Lechtenberg M, Petereit F, Hensel A. Antiadhesion as a functional concept for protection against uropathogenic *Escherichia coli*. In vitro studies with traditionally used plants with antiadhesive activity against uropathogenic *Escherichia coli*. *Journal of Ethnopharmacology* 2013, 145: 591-597

Rapp WF. The toxicity of Equisetum. *American Fern Journal* 1954, 44(4): 148-154

Rebuelta M, San Roman L. Study of the diuretic effect of *Equisetum arvense* L. *Anales del Instituto Botanico A.J. Cavanilles* 1978, 34: 703–714 [Spanish]

Revilla MC, Andrade-Cetto A, Islas S, Wiedenfeld H. Hypoglycemic effect of *Equisetum myriochaetum* aerial parts on type 2 diabetic patients. *Journal of Ethnopharmacology* 2002, 81(1): 117-120

Rezaie A, Ahmadizadeh C, Mosavi G, Nazeri M, Jafari B, Ebadi R. Comparative Study of sedative, pre-anesthetic and anti-anxiety effects of *Equisetum arvense* extract compared with diazepam on rats. *Australian Journal of Basic and Applied Sciences* 2011, 5(10): 786-789

Samoilova Z, Muzyka N, Lepekhina E, Oktyabrsky O, Smirnova G. Medicinal plant extracts can variously modify biofilm formation in *Escherichia coli*. Antonie van Leeuwenhoek, *International Journal of General and Molecular Microbiology* 2014, 105(4): 709-722

Sandhu NS, Kaur S, Chopra D. *Equisetum arvense*: Pharmacology and Phytochemistry - A Review. *Asian Journal of Pharmaceutical and Clinical Research* 2010, 3(3): 146-150

- Saint-Paul A. La composition elementaire de quelques *Equisetum* medicaux. *Plantes medicinales et phytotherapie* 1980, 14(2): 73-82 [French]
- Schauss AG, Steels E. Preliminary evidence of the safety and efficacy of UroLogic (TM), an herbal formulation for the treatment of urinary incontinence and overactive bladder. *The FASEB Journal* 2006, 20: A990
- Schneider K, Kubelka W. Zur Hämolysischen Wirkung von Schachtelhalmkraut (Herba Equiseti). *Scientia Pharmaceutica* 1989, 57(3): 214-215 [German]
- Scott IM, Leduc RI, Burt AJ, Marles RJ, Arnason JT, Foster BC. The inhibition of human cytochrome P450 by ethanol extracts of North American botanicals. *Pharmaceutical Biology* 2006, 44(5): 315-327
- Serta K, Ekiz F, Basar Ö, Coban S, Yüksel O. *Equisetum arvense* (field horsetail)-induced liver injury. *European Journal of Gastroenterology & Hepatology* 2012, 24(2): 213-214
- Sevior DK, Hokkanen J, Tolonen A, Abass K, Tursas L, Pelkonen O *et al.* Rapid screening of commercially available herbal products for the inhibition of major human hepatic cytochrome P450 enzymes using the N-in-one cocktail. *Xenobiotica* 2010, 40(4): 245-254
- Singh N, Kaur S, Bedi PM, Kaur D. Anxiolytic effects of *Equisetum arvense* Linn. extracts in mice. *Indian Journal of Experimental Biology* 2011, 49(5): 352-356
- Sinha SN. In vitro antibacterial activity of ethanolic extract of *Equisetum arvense* L. *International Journal of Pharmaceutical and Biological Research* 2012, 3(1): 19-21
- Soleimani S, Azarbaizani FF, Nejati V. The effect of *Equisetum arvense* L. (*Equisetaceae*) in histological changes of pancreatic beta-cells in streptozotocin-induced diabetic in rats. *Pakistan Journal of Biological Sciences* 2007a, 10(23): 4236-4240
- Soleimani S, Fathallah F, Vahid N, Habib SS, Nabat N. Effect of *Equisetum arvense* L. (*Equisetaceae*) in microalbuminuria and creatinine excretion in streptozotocin-induced diabetes in male rats. *International Journal of Pharmacology* 2007b, 3(2): 155-159
- Sparavigna A, Setaro M, Genet M, Frisenda L. *Equisetum arvense* in a new transungual technology improves nail structure and appearance. *Journal of Plastic Dermatology* 2006, 2(1): 31-38
- Stajner D, Popovic BM, Canadanovic-Brunet J, Boza P. Free radical scavenging activity of three *Equisetum* species from Fruska gora mountain. *Fitoterapia* 2006, 77(7-8): 601-604
- Sudan BJ. Seborrheic dermatitis induced by nicotine of horsetails (*Equisetum arvense* L.). *Contact Dermatitis* 1985;13: 201-202
- Suganda AG, Amoros M, Girre L, Fauconnier B. Inhibitory Effects of some crude and semi-purified extracts of plants indigenous to France on the replication of Human Herpes Virus 1 and Human Poliovirus 2 in cell culture. *Journal of Natural Products* 1983, 46(5): 626-632 [French]
- Tago Y, Wei M, Ishii N, Kakehashi A, Wanibuchi H. Evaluation of the subchronic toxicity of dietary administered *Equisetum arvense* in F344 rats. *Journal of Toxicologic Pathology* 2010, 23(4): 245-251
- Trouillas P, Calliste CA, Allais DP, Simon A, Marfak A, Delage C *et al.* Antioxidant, anti-inflammatory and antiproliferative properties of sixteen water plant extracts used in the Limousin countryside as herbal teas. *Food Chemistry* 2003, 80(3): 399-407
- Uslu ME, Erdogan I, Bayraktar O, Ates M. Optimization of extraction conditions for active components in *Equisetum arvense* extract. *Romanian Biotechnological Letters* 2013, 18(2): 8115-8131

- Van Hellemont J. Compendium de Phytotherapie. A.P.B., 1986, 144-146 [French]
- Veit M. Die Schachtelhalme (*Equisetaceae*). Objekte der Forschung und der Praxis. *Deutsche Apotheker Zeitung* 1987, 127(41): 2049-2056 [German]
- Veit M. Probleme bei der Bewertung pflanzlicher Diuretika. Als Beispiel Schachtelhalmkraut DAB 10 (*Equiseti herba*). *Zeitschrift für Phytotherapie* 1994, 15: 331-341 [German]
- Vollmer H. Untersuchungen über einige pflanzliche Diuretica. *Fortschritte der Therapie* 1941, 19: 322-328 [German]
- Vollmer V, Hindemith H. Untersuchungen über die diuretische Wirkung von *Ononis spinosa* L. und *Equisetum arvense* L. an Kaninchen und Mäusen. *Archiv für experimentelle Pathologie und Pharmakologie* 1937, 186: 565-573 [German]
- Vollmer H; Hübner K: Untersuchung über die diuretische Wirkung der *Fructus juniperi*, *Radix levistici*, *Radix ononidis*, *Folia betulae*, *Radix liquiritiae* und *Herba equiseti* an Ratten. *Archiv für experimentelle Pathologie und Pharmakologie* 1937, 186: 592-605 [German]
- Wachter R. Vergleichende Versuche über die diuretischen Wirkung einiger in der Volksmedizin gebräuchlicher Pflanzen., Dissertation, Gießen 1938 [German]
- Whiting PW, Clouston A, Kerlin P. Black cohosh and other herbal remedies associated with acute hepatitis. *Medical Journal of Australia* 2002, 177(8): 440-443
- Wichtl M, Anton R. *Plantes thérapeutiques*. 2nd ed. Tec & Doc Lavoisier, 2003, 195-199 [French]
- Wichtl M. *Herbal drugs and Phytopharmaceuticals*. 3rd ed. MedPharm Scientific Publishers GmbH, Stuttgart 2004, 195-199
- Williamson EM. Interactions between herbal and conventional medicines. *Expert Opinion Drug Safety* 2005, 4(2): 355-378
- Willuhn G. Phytopharmaka in der Dermatologie. *Zeitschrift für Phytotherapie* 1995, 16(6): 325-342 [German]
- Wojnicz D, Kucharska AZ, Sokół-Letowska A, Kicia M, Tichaczek-Goska D. Medicinal plants extracts affect virulence factors expression and biofilm formation by the uropathogenic *Escherichia coli*. *Urological research* 2012, 40(6): 683-697