



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

21 September 2022
EMA/HMPC/367012/2021
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Fumaria officinalis* L., herba

Draft – Revision 1

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Adham AN, Naqishbandi AM, Efferth T. Cytotoxicity and apoptosis induction by *Fumaria officinalis* extracts in leukemia and multiple myeloma cell lines. *J Ethnopharmacol* 2021, 266(10), Article No 113458

Akkol EK, Karpuz B, Sobarzo-Sánchez E, Khan H. A phytopharmacological overview of medicinal plants used for prophylactic and treatment of colitis. *Food Chem Toxicol* 2020, 144, Article No 111628

Anderson LA, Phillipson JD. Herbal medicine, education and the pharmacist. *Pharm J* 1986, 236:303 (abstract only)

Barnes J, Anderson LA, Phillipson JD. Herbal Medicines. 2nd ed. Pharmaceutical Press, London 2002

Blaschek W, Ebel S, Hackethal E, Holzgrabe U, Keller K, Reichling J, editors. HagerROM 2006: Hagers Handbuch der Drogen und Arzneistoffe. Springer Medizin Verlag, Berlin, Heidelberg 2006

Blumenthal M, Busse WR, Goldberg A, Gruenwald J, et al., editors. The Complete German Commission E Monographs. American Botanical Council, Austin Texas 1998, 221

Boegge SC, Narhstedt A, Linscheid M, Nigge W. Distribution and stereochemistry of hydroxycinnamoylmalic acids and of free malic acids in Papaveraceae and Fumariaceae. *Z Naturforsch* 1995, 50c: 608-615

Bonnet D, Mejdoubi S, Sommet A, Alric L. Hépatite aiguë probablement imputable au fumeterre et à la vigne rouge, produits de phytothérapie. *Gastroentérol Clin Biol* 2007, 31(11): 1041-1042 (abstract only)

Boucard M, Laubenheimer B. Action du nébulisat de fumeterre sur le débit biliaire du rat. *Thérapie* 1966, 21:903-911

Bourjat P. Xérostomies par radiothérapie. Essais de traitement par le nébulisat de *Fumaria officinalis*. [Xerostomia due to radiotherapy: trials of treatment with nebulizate of *Fumaria officinalis*.] *Gazette Med Fr* 1974, 81(12): 1549-1552 (abstract only)

Official address Domenico Scarlattilaan 6 • 1083 HS Amsterdam • The Netherlands

Address for visits and deliveries Refer to www.ema.europa.eu/how-to-find-us

Send us a question Go to www.ema.europa.eu/contact **Telephone** +31 (0)88 781 6000

An agency of the European Union



- Bradley PR. British Herbal Compendium. Vol 1. Fumitory - Fumariae herba. British Herbal Medicine Association, Bournemouth 1992, 102-104
- Brinkhaus B, *et al.* Herbal medicine with curcuma and fumitory in the treatment of irritable bowel syndrome: a randomized, placebo-controlled, double-blind clinical trial. *Scand J Gastroenterol* 2005, 40:936-943 (abstract only)
- British Herbal Pharmacopoeia (BHP). Vol. 1. Fumitory. Fumariae herba. British Herbal Medicine Association, Exeter 1976, 91
- Bulletins Officiels N° 86/20 bis and N° 90/22 bis. Direction de la Pharmacie et du Médicament, French Health Authorities, 1986
- Chlebek J, *et al.* Isoquinoline alkaloids from *Fumaria officinalis* L. and their biological activities related to Alzheimer's disease. *Chem Biodiver* 2016, 13(1), 91-99
- Delaveau. Fumeterre. *Les actualites pharmaceutiques* 1980, 172:33-34
- Denden S, *et al.* Analyse biologique et phytothérapie clinique de l'asthme dans une population de la Tunisie centrale. *Acta Horticulturae* 2010, 853:391-396
- DerMarderosian A, Beutler JA. The Review of Natural Products. 4th ed. Lippincott Williams & Wilkins, Wolters Kluwer Health Inc. 2005, 458-460
- Edziri H, Guerrab M, Anthonissen R, Mastouri M, Verschaeve L. Phytochemical screening, antioxidant, anticoagulant and *in vitro* toxic and genotoxic properties of aerial parts extracts of *Fumaria officinalis* L. growing in Tunisia. *S Afr J Bot* 2020, 130:268-273
- European Pharmacopoeia 10th ed. Fumariae herba – fumitory. Council of Europe. 07/2015:1869 corrected 9.2
- Fablet J, Coluin R, Geffroy Y. Action thérapeutiques du *Fumaria officinalis* dans le syndrome hépatobiliaires et les migraines. *Actualite Therap* 1968, 3376-3379
- Fatima S, *et al.* Antioxidant and alpha amylase inhibitory activities of *Fumaria officinalis* and its antidiabetic potential against alloxan induced diabetes. *Cell mol biol* (Noisy-le-Grand, France) 2019, 65(2): 50-57
- Fiegel G. Die amphocholoretische Wirkung der *Fumaria officinalis*. *Z Allgemeinmed Landarzt* 1971, 34: 1819-1820
- Forgacs P, Jehanno A, Provost J. Alcaloides des Papavéracées II: Composition chimique de dix-sept espèces de *Fumaria*. *Plantes Med Phytother* 1986, 20:64-81 (abstract only)
- Forgacs P, *et al.* Composition chimique des Fumariacées. Alcaloides de quatorze espèces de *Fumaria*. *Plantes Med Phytother* 1982, 16:99-115 (abstract only)
- Goetz P, Ghedira K, Le Jeune R. *Fumaria officinalis* L. (Fumariaceae). *Phytotherapie* 2009, 7:221-225
- Gorbunov NP, Molokhova LG, Shukhanov AA. Preparation and the arrhythmic activity of the total alkaloids of *Fumaria officinalis* L. *Pharm Chem J* 1977, 11(5):640-642
- Gruenwald J, Brendler T, Jaenicke C, editors. PDR for herbal medicines 3rd ed. Thomson PDR, Montvale 2007, 340
- Hahn R, Nahrstedt A. High content of hydroxycinnamic acids esterified with (+)-d-malic acid in the upper parts of *Fumaria officinalis*. *Planta Medica*, 1985, 59(2):189

- Heully F, Drouin P, Laurant J, Bas M, Mauuary G. Appreciation Des propriétés cholérétiques du nebulisat de *Fumaria officinalis* par le tubage duodenal minute. *Ann Med Nancy* 1969, 8:295-299
- Hermansson J, Sandberg F. Alkaloids of *Fumaria officinalis*. *Acta Pharm Suec* 1973, 10(6):520-522. Abstract only
- Hunold W. Klinische erfahrungen mit dem amphocholeretikum oddibil bei primar und sekundar organischen sowie funktionellen cholezysto- und cholangiohepatopathien. [Clinical experience with *Fumaria officinalis* ('Oddibil') in primary and secondary, organic or functional affections of the gall bladder and biliary system.] *Zeitschrift fur Allgemeinmedizin* 1975, 51(5):237-241
- Khamtache-Abderrahim S, et al. Isoquinoline alkaloid fractions of *Fumaria officinalis*: Characterization and evaluation of their antioxidant and antibacterial activities. *Industr Crops Prods* 2016, 94:1001-1008
- Khare R, Upmanyu N. *In vitro* – *In vivo* cellular reprogramming and antioxidant potential of herbal drug: *Fumaria officinalis*. *Res J Pharm Technol* 2019, 12(11):5517-5523
- Khoshvaghti A, Zamanzadeh A, Derakhshanian S, Safi S. The effect of *Fumaria officinalis* hydroalcoholic extract on blood urea nitrogen and creatinine in New Zealand rabbits. *Med Plants* 2013, 5(3),155-158 (only abstract available)
- Khoshvaghti A, Derakhshanian S, Zamanzadeh A, Sarvestani AA. The effects of *Fumaria officinalis* hydroalcoholic extracts on haematological profile of New Zealand rabbits. *Comp Clin Pathol*, 2014, 23(4):869-873 (only abstract available)
- Kopp H. Choleretsche Wirkung und Vertraeglichkeit von Chol-Kugeletten bei Cholezystopathien. *Therapiewoche* 1979, 29:5645-5655
- Les Cahier de l'Agence n° 3: Médicaments à base de plantes. *Fumeterre* ed. Agence du Médicament, Paris 2008
- Lagrange E, Aurousseau M. Effect of spray-dried product of *Fumaria officinalis* on experimental gall bladder lithiasis in mice. *Ann Pharm Fr* 1973, 31:357-362 (abstract only)
- Maheshwari R, Balaraman R, Sailor G, Parmar G, Patel A, Seth AK. Antiulcer and antioxidant effects of Normacid syrup (a polyherbal formulation) on experimentally-induced gastric ulcers'. *Orien Pharm Exp Med* 2014, 14(2):145-155
- Madaus G. Lehrbuch der biologischen Heilmittel band II, 1979, 1391-1397
- Mardirossian ZH, Kiryakovt HG, Ruder JP, MacLean DB. Alkaloids of *Fumaria officinalis*. *Phytochemistry* 1983, 22(3):759-761
- Martindale W. The extra pharmacopoeia 31st ed. RPS, London 1996
- Massa V, Susplugas P, Anelli A. Sur les pigments phenoliques du *Fumaria officinalis* L. *Trav Soc Pharm Montpellier* 1971, 31:233-236 (abstract only)
- Müscher CH. Fumarinhaltiges Amphocholeretikum Cholezystopathien und Hepatopathien. *Ärztliche Praxis* 1971, 49:2655-2656
- Pältinean R, et al. Evaluation of polyphenolic content, antioxidant and diuretic activities of six *Fumaria* species. *Molecules* 2017, 22(4):639
- Paris RR, Moyse H. Précis de Matière Médicale Tome II, Masson, Paris 1981, 207-208
- Pharmacopée Française, Codex medicamentarius Gallicus. *Fumeterre*. Masson et Cie, Paris 1908, 308

- Preininger V. The pharmacology and toxicology of the papaveraceae alkaloids. *The Alkaloids: Chemistry and Physiology*. Academic Press, London 1975, 15:207-261
- Raafat KM, El-Zahaby SA. Niosomes of active *Fumaria officinalis* phytochemicals: antidiabetic, antineuropathic, anti-inflammatory, and possible mechanisms of action. *Chin Med (UK)* 2020, 15(1),: 1-22
- Rahimi R, Abdollahi M. Herbal medicines for the management of irritable bowel syndrome: a comprehensive review. *World J Gastroenterol* 2012, 18(7),589-600
- Reynier M, Lagrange E, Godard F. Action du nebulisat de Fumeterre officinal sur la musculature lisse. [*Fumaria officinalis* spray action on smooth muscles.] *Travaux de la Société de Pharmacie de Montpellier* 1977i, 37(2):85-102 (abstract only)
- Reynier M, Lagrange E, Haring J, Vigouroux M. Effet du nebulisat de Fumeterre, de la Protopine et de la Papaverine sur la secretion biliaire du rat en hypocholerese. [*Fumaria* spray, protopine and papaverine effects on hypocholeresis rat biliary secretion.] *Travaux de la Societe de Pharmacie de Montpellier* 1977ii, 37(2):73-84 (abstract only)
- Roux M. Le nebulisat de fumeterre dans la régulation des troubles de intestinaux chroniques d'origine biliaire. *Gazette Médicale de France* 1977, 84(34):3794-3798
- Salembier Y. Study of the action of the aerosol Fumeterre on choleresis in 33 patients with external biliary drainage. *Lille Méd* 1967, 12(9):1134-1137 (abstract only)
- Tariq A, et al. Ethnomedicinal evaluation of medicinal plants used against gastrointestinal complaints. *BioMed Research Inter* 2015, 892947
- Torck M, et al. Flavonoids of *Fumaria officinalis* L. *Ann Pharm Fr* 1971, 29:591-596 (abstract only)
- Van Hellefont J. Compendium de Phytothérapie. Association Pharmaceutique Belge, 1986, 169-171
- Vrancheva RZ, et al. Alkaloid profiles and acetylcholinesterase inhibitory activities of *Fumaria* species from Bulgaria. *Zeitschr Naturforsch C J Biosci* 2016, 71(1-2):9-14
- Wawrzynowicz T, Waksmundzki A, Soczewiński E. Partition chromatography and countercurrent distribution of alcaloids of *Fumaria officinalis* I. Chromatographic separation of ternary bases. *Chromatographia* 1968, 1(7-8):327-331
- Wichtl M. Teedrogen und Phytopharmaka 4th ed. WVG (Wissenschaftlicher Verlagsgesellschaft mbH), Stuttgart 1998
- Wynne PM, Vine JH, Amiet RG. Protopine alkaloids in horse urine. *J Chromatography B: Anal Techn Biomed Life Sc* 2004, 811(1): 85-91
- Zacharewicz M, Chorazy W, Mossor ST, Zacharewicz MJr. *Fumaria* Nebulisat in der Behandlung von Gallenwegerkrankungen. *Wiener Med Wochenschr* 1979, 8:222-224
- Zawodsky, L. Klinische erfahrungen mit dem amphocholeretikum oddibil. [Clinical experience with *Fumaria officinalis* nebulisate, an amphocholinergic agent.] *Wiener Med Wochenschr* 1974, 124(46):677-680
- Zhang R, Guo Q, Kennelly EJ, Long C, Chai X. Diverse alkaloids and biological activities of *Fumaria* (Papaveraceae): An ethnomedicinal group. *Fitoterapia* 2020, 146, 104697