



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

2 February 2016
EMA/HMPC/627059/2015
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Harpagophytum procumbens* DC. and/or *Harpagophytum zeyheri* Decne., radix

Draft - Revision

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Al-Harbi NO, Al-Ashban RM, Shah Arif H. Toxicity studies on *Harpagophytum procumbens* (Devil's claw) capsules in mice. *Journal of Medicinal Plants Research* 2013, 7: 3089-3097

Andersen ML, Santos EH, Seabra Mde L, da Silva AA, Tufik S. Evaluation of acute and chronic treatments with *Harpagophytum procumbens* on Freund's adjuvant-induced arthritis in rats. *J Ethnopharmacol* 2004, 91: 325-330

Bae YH, Cuong TD, Hung TM, Kim JA, Woo MH, Byeon JS, et al. Cholinesterase inhibitors from the roots of *Harpagophytum procumbens*. *Arch Pharm Res* 2014, 37: 1124-1129

Baghdikian B, Lanhers MC, Fleurentin J, Ollivier E, Maillard C, Balansard G, et al. An analytical study, anti-inflammatory and analgesic effects of *Harpagophytum procumbens* and *Harpagophytum zeyheri*. *Planta Med* 1997, 63: 171-176

Baghdikian B, Guiraud-Dauriac H, Ollivier E, N'Guyen A, Dumenil G, Balansard G. Formation of nitrogen-containing metabolites from the main iridoids of *Harpagophytum procumbens* and *H. zeyheri* by human intestinal bacteria. *Planta Med* 1999, 65: 164-166

Bhattacharya A, Bhattacharya SK. Anti-oxidant activity of *Harpagophytum procumbens* (Devil's claw). *Brit J Phyt* 1998, 5: 68-71

Bisset NG, editor (translated from Wichtl M, editor. Teedrogen). *Harpagophyti radix*. In *Herbal Drugs and Phytopharmaceuticals*. Stuttgart, Medpharm, Boca Raton-London, *CRC Press* 1994, 248-250

Blumenthal M, Goldberg A, Brinckmann J, editors. *Herbal Medicine, Expanded Commission E Monographs*. American Botanical Council Austin, Texas 2000

Boje K, Lechtenberg M, Nahrstedt A. New and known iridoid- and phenylethanoid glycosides from *Harpagophytum procumbens* and their *in vitro* inhibition of human leukocyte elastase. *Planta Med* 2003, 69: 820-825



- Braun H, Frohne D. *Harpagophytum procumbens* DC. Teufelskralle. In Heilpflanzen-Lexikon für Ärzte und Apotheker. 5th ed. Stuttgart, Gustav Fisher 1987, 129
- Brendler T, Gruenwald J, Ulbricht C, Basch E. Devil's Claw (*Harpagophytum procumbens* DC): an evidence-based systematic review by the Natural Standard Research Collaboration. *J Herb Pharmacother* 2006, 6:89–126
- Brien S, Lewith GT, McGregor G. Devil's Claw (*Harpagophytum procumbens*) as a treatment for osteoarthritis: a review of efficacy and safety. *J Altern Complement Med* 2006, 12:981-993
- British Herbal Pharmacopoeia, 1983, 1: 111
- British Herbal Pharmacopoeia, 1992, 1: 78-80
- Bruneton J. *Phytothérapie. Les données de l'évaluation* Ed. TEC & DOC- EM Inter, 2002, 101-107
- Budzinski JW, Foster BC, Vandenhoeck S, Arnason JT. An in vitro evaluation of human cytochrome P450 3A4 inhibition by selected commercial herbal extracts and tinctures. *Phytomedicine* 2000, 7(4):273-82
- Chantre P, Cappelaere A, Leblan D, Guédon D, Vandermander J, Fournie B. Efficacy and tolerance of *Harpagophytum procumbens* versus Diacerhein in treatment of osteoarthritis. *Phytomedicine* 2000, 7:177-183
- Chrubasik S, Zimpfer Ch, Schütt U, Ziegler R. Effectiveness of *Harpagophytum procumbens* in treatment of acute low back pain. *Phytomedicine* 1996, 3:1-10
- Chrubasik S, Schmidt A, Junck H, Pfisterer M. Wirksamkeit und Wirtschaftlichkeit von Teufelskrallenwurzelextrakt bei Rückenschmerzen: erste Ergebnisse einer therapeutischen Kohortenstudie. *Forsch Komplementärmed* 1997, 4:332-336
- Chrubasik S, Junck H, Breitschwerdt H, Conradt Ch, Zappe H. Effectiveness of Harpagophytum extract WS 1531 in the treatment of exacerbation of low back pain: a randomized, placebo-controlled, double-blind study. *Eur J Anaesthesiol* 1999, 16:118-129
- Chrubasik S, Künzel O, Tanner J, Conradt C, Black A, Pollak S. Comparison of outcome measures during treatment with the proprietary Harpagophytum Extract Doloteffin® in patients with pain in the lower back, knee or hip. *Phytomedicine* 2002, 9:181-194
- Chrubasik S, Model A, Black A, Pollak S. A randomized double-blind pilot study comparing Doloteffin® and Vioxx® in the treatment of low back pain. *Rheumatology* 2003, 2:141-148
- Chrubasik S, Künzel O, Tanner J, Conradt C, Black A. A 1-year follow-up after a pilot study with Doloteffin® for low back pain. *Phytomedicine* 2005, 12:1-9
- Chrubasik S, Chrubasik C, Künzel O, Black A. Patient-perceived benefit during one year of treatment with Doloteffin. *Phytomedicine* 2007, 14:371-376
- Chrubasik S, Sporer F, Dillmann-Marschner R, Friedmann A, Wink M. Physicochemical properties of harpagoside and its in vitro release from *Harpagophytum procumbens* extract tablets. *Phytomedicine* 2000, 6:469-473
- Chrubasik S, Conradt C, Black A. The quality of clinical trials with *Harpagophytum procumbens*. *Phytomedicine* 2003, 10:613-623
- Circosta C, Occhiuto F, Ragusa S, Trovato A, Tumino G, Briguglio F, et al. A drug used in traditional medicine: *Harpagophytum procumbens* DC. II. Cardiovascular activity. *J Ethnopharmacol* 1984, 11:259-274

Clarkson C, Campbell WE, Smith P. In vitro antiplasmodial activity of abietane and totarane diterpenes isolated from *Harpagophytum procumbens* (devil's claw). *Planta Med* 2003, 69:720-724

Cuspidi C, Sala C, Tadic M, Grassi G, Mancina G. Systemic Hypertension Induced by *Harpagophytum procumbens* (devil's claw): A Case Report. *J Clin Hypertens* 2015, 17:908-910

Czygan FC. *Harpagophytum* – Teufelskralle. *Z Phytotherapie* 1987, 8:17-20

de Pasquale RC, Busa G, Circosta C, Lauk L, Ragusa S, Ficarra P, et al. A drug used in traditional medicine : *Harpagophytum procumbens* DC. III. Effects on hyperkinetic ventricular arrhythmias by reperfusion. *J Ethnopharmacol* 1985, 13:193-199

Dimitrova P, Georgiev M, Khan M, Ivanovska N. Evaluation of *Verbascum* species and harpagoside in models of acute and chronic inflammation. *Cent Eur J Biol* 2013, 8:186-194

Duke JA. *Handbook of Medicinal Herbs* 2nd ed. CRC Press, 2002, 248-249

Engel S. Rivoltan (Li 174) zur Behandlung von Patienten mit degenerativen Erkrankungen des Bewegungsapparates. *Deutsche Apotheker Zeitung* 2000, 140:1369

Eichler O, Koch C. [Antiphlogistic, analgesic and spasmolytic effect of harpagoside, a glycoside from the root of *Harpagophytum procumbens* DC]. *Arzneimittelforschung* 1970, 20:107-109

Erdös A, Fontaine R, Friehe H, Durand R, Pöppinghaus T. Beitrag zur Pharmakologie und Toxikologie verschiedener Extrakte, sowie des Harpagosids aus *Harpagophytum procumbens* DC. *Planta Med* 1978, 34:97-108

ESCOP. *Harpagophyti radix* (Devil's Claw root). In ESCOP Monographs. 2nd ed. Supplement 2009, 135-147

European Pharmacopoeia 8th ed. Devil's claw root. Council of Europe. 1/2011: 1095; *Harpagophyti extractum siccum*, monograph 01/2008:1871

Fiebich BL, Heinrich M, Hiller KO, Kammerer N. Inhibition of TNF- α synthesis in LPS-stimulated primary human monocytes by *Harpagophytum* extract SteiHap 69. *Phytomedicine* 2001, 8:28-30

Fiebich B, Muñoz E, Thorsten R, Weiss G, McGregor GP. Molecular Targets of the Antiinflammatory *Harpagophytum procumbens* (Devil's claw): Inhibition of TNF and COX-2 Gene Expression by Preventing Activation of AP-1 *Phytother Res* 2012, 26:806-811

French Pharmacopoeia III, 1989. *Harpagophyton* (*Harpagophytum procumbens*)

Frerick H, Biller A, Schmidt U. Stufenschema bei Coxarthrose. *Der Kassenarzt* 2001, 5:34-41

Gafner S. Botanical Adulterants Monitor Newsletter 2015, 5 Available at: <http://cms.herbalgram.org/BAP/V5/BAM5-DearReader.html> Accessed 27/11/2015

Gagnier JJ, Chrubasik S, Manheimer E. *Harpagophytum procumbens* for osteoarthritis and low back pain: a systematic review. *BMC Complement Altern Med* 2004, 4:13

Gagnier JJ. Evidence based review of natural health products for non-specific low back pain. *Open Pain J* 2010, 3(1):52-59

Gagnier JJ, Van Tulder MW, Berman B, Bombardier C. Herbal medicine for low back pain: A cochrane review. *Spine* 2007, 32(1):82-92

Göbel H, Heize A, Ingewersen M, Niederberger U, Gerber D. *Harpagophytum*-Extrakt LI 174 (Teufelskralle) bei der behandlung unspezifischer rüchenschmerzen. *Schmerz* 2001, 15:10-18

- Grigorescu EM, Ciulei I, Stanescu U.- Index Fitoterapeutic, Edit. Medicală, București 1986, 199-200
- Gyurkovska V, Alipieva K, Maciuk A, Dimitrova P, Ivanovska N, Haas C, et al. Anti-inflammatory activity of Devil's claw in vitro systems and their active constituents. *Food Chemistry* 2011, 125: 171–178
- Hänsel R, Keller K, Rimpler H, Schneider G, editors. *Harpagophytum*. In Hagers Handbuch des Pharmazeutischen Praxis. 5th ed. Vol 5. Drogen E – O. Springer-Verlag, Berlin 1993, 384-390
- Heck AM, DeWitt BA, Lukes AL. Potential interactions between alternative therapies and warfarin. *Am J Health Syst Pharm* 2000, 57: 1221-1227
- Hilgendorf C, Döppenschmidt S. Popular herbal drugs: screening of potential CYP inhibition/activation based metabolic interactions. *Int J Clin Pharmacol Therap* 2003; 41:537
- Hostanska K, Melzer J, Rostock M, Suter A, Saller R. Alteration of anti-inflammatory activity of *Harpagophytum procumbens* (devil's claw) extract after external metabolic activation with S9 mix. *J Pharm Pharmacol* 2014, 66: 1606-1614
- Huang TH, Tran VH, Duke RK, Tan S, Chrubasik S, Roufogalis BD, et al. Harpagoside suppresses lipopolysaccharide-induced iNOS and COX-2 expression through inhibition of NF-kappa B activation. *J Ethnopharmacol* 2006, 104: 149-155
- Izzo AA, Di Carlo G, Borrelli F, Ernst E. Cardiovascular pharmacotherapy and herbal medicines: the risk of drug interaction. *Int J Cardiol* 2005, 98: 1-14
- Jadot G, Lecomte A. Activité anti-inflammatoire d'*Harpagophytum procumbens* DC. *Lyon médit. Méd Méd Sud-Est* 1992, XXVIII: 29-31
- Jang MH, Lim S, Han SM, Park HJ, Shin I, Kim JW, et al. *Harpagophytum procumbens* suppresses lipopolysaccharide-stimulated expressions of cyclooxygenase-2 and inducible nitric oxide synthase in fibroblast cell line L929. *J Pharmacol Sci* 2003, 93: 367-371
- Kaszkin M, Beck KF, Koch E, Erdelmeier C, Kusch S, Pfeilschifter J, et al. Down regulation of iNOS expression in rat mesangial cells by special extracts of *Harpagophytum procumbens* derives from harpagoside-dependent and independent effects. *Phytomedicine* 2004, 11: 585-595
- Kloker B, Flammersfeld L. Rheumatherapie mit Teufelskrallenwurzelextrakt: eine multizentrische Praxisstudie. *Arztezeitschrift fur Naturheilverfahren* 2003, 44: 108-111
- Kundu JK, Mossanda KS, Na HK, Surh YJ. Inhibitory effects of the extracts of *Sutherlandia frutescens* (L.) R. Br. and *Harpagophytum procumbens* DC. on phorbol ester-induced COX-2 expression in mouse skin: AP-1 and CREB as potential upstream targets. *Cancer Lett* 2005, 218: 21-31
- Lanhers MC, Fleurentin J, Mortier F, Vinche A, Younos C. Anti-inflammatory and analgesic effects of an aqueous extract of *Harpagophytum procumbens*. *Planta Med* 1992, 58: 117-123
- Laudahn D and Walper A. Efficacy and tolerance of *Harpagophytum* Extract LI 174 in patients with chronic non-radicular back pain. *Phytother Res* 2001, 15: 621-624
- Leblan D, Chantre P, Fournie B. *Harpagophytum procumbens* in the treatment of knee and hip osteoarthritis. Four-month results of a prospective, multicenter, double-blind trial versus Diacerhein. *Joint Bone Spine* 2000, 67: 462-467
- Lecomte A, Costa JP. Harpagophytum dans l'arthrose: Etudes en double insu contre placebo. *Le Magazine* 1992, 15: 27-30

- Lienert A, Ruetten S, Kuhn M, Wartenberg-Demand A. A randomised, active-controlled, monocentric study of the herbal drug, Devil's claw (*Harpagophytum procumbens*) (ALLYA® tablets), Voltaren® and Vioxx® indicates equal efficacy in the treatment of patients with unspecific lumbar pain. Meeting abstract. 54. Jahrestagung der Norddeutschen Orthopädenvereinigung e.V. Hamburg 2005, 616-618
- Loew D, Möllerfeld J, Schrödter A, Puttkammer S, Kaszkin M. Investigations on the pharmacokinetic properties of *Harpagophytum* extracts and their effects on eicosanoid biosynthesis in vitro and ex vivo. *Clin Pharmacol Ther* 2001, 69:356-364
- Mahomed IM, Ojewole JA. Analgesic, antiinflammatory and antidiabetic properties of *Harpagophytum procumbens* DC (Pedaliaceae) secondary root aqueous extract. *Phytother Res* 2004, 18:982-989
- Mahomed IM, Ojewole JA. Anticonvulsant activity of *Harpagophytum procumbens* DC [Pedaliaceae] secondary root aqueous extract in mice. *Brain Res Bull* 2006, 69:57-62
- Mahomed IM, Ojewole JA. Uterotonic effect of *Harpagophytum procumbens* DC (Pedaliaceae) secondary root aqueous extract on rat isolated uterine horns. *J Smooth Muscle Res* 2009, 45:231-239
- McLeod DW, Revell P, Robinson BV. Investigations of *Harpagophytum procumbens* (Devil's Claw) in the treatment of experimental inflammation and arthritis in the rat. *Br J Pharmacol* 1979, 66:140-141
- Mncwangi N, Chen W, Vermaak I, Viljoen AM, Gericke N. Devil's Claw—A review of the ethnobotany, phytochemistry and biological activity of *Harpagophytum procumbens*. *J Ethnopharmacol* 2012, 143:755-771
- Modarai M, Suter A, Kortenkamp A, Heinrich M. The interaction potential of herbal medicinal products: a luminescence-based screening platform assessing effects on cytochrome P450 and its use with devil's claw (*Harpagophyti radix*) preparations. *J Pharm Pharmacol* 2011, 63:429-438
- Morgenstern E, Pollex S. Antiphlogistische und analgetische wirkung von Teufelskrallenextrakt LI 174(poster). In Abstracts of Gesellschaft für Phytotherapie Symposium (Phytopharmakaforschung 2000). Bonn 1998, 92-93
- Moussard C, Alber D, Toubin MM, Thevenon N, Henry JC. A drug used in traditional medicine, *Harpagophytum procumbens*: no evidence for NSAID-like effect on whole blood eicosanoid production in human. *Prostaglandins Leukotriens and Essential Fatty Acids* 1992, 46:283-286
- Müller B, Deitelhoff P, Petrowicz O. *Harpagophytum procumbens* ist effizient bei degenerativen Erkrankungen des Bewegungsapparates. *Natura Med* 2000, 15:21-29
- NHPD Compendium of Monographs, 2008. Available at: <http://webprod.hc-sc.gc.ca>[t1] Accessed: 22/06/2015
- Olivier DK, van Wyk BE. Bitterness values for traditional tonic plants of southern Africa. *J Ethnopharmacol* 2013, 147:676-679
- Patel JA, Gohil KJ. Warfarin-herb interactions: a review and study based on assessment of clinical case reports in literature. *Bol Latin americ Carib Plant Medicin Arom* 2008, 7:85-99
- PDR for Herbal Medicines 3rd ed. Thomson PDR 2004, 255-256
- Pinget M, Lecomte A. Die wirkung der "Harpagophytum Arkocaps" bei degenerativem rheuma. *Naturehellpraxis* 1997, 2:267-269
- Qi J, Chen JJ, Cheng ZH, Zhou JH, Yu BY, Qiu SX. Iridoid glycosides from *Harpagophytum procumbens* D.C. (devil's claw). *Phytochemistry* 2006, 67:1372-1377

- Ouitas NA, Heard CM. A novel ex vivo skin model for the assessment of the potential transcutaneous anti-inflammatory effect of topically applied *Harpagophytum procumbens* extract. *International Journal of Pharmaceutics* 2009, 376: 63–68
- Recio MC, Giner RM, Manez S, Rios JL. Structural considerations on the iridoids as antiinflammatory agents. *Planta Med* 1994, 60: 232-234
- Ribbat JM, Schakau D. Behandlung chronisch aktivierter Schmerzen am Bewegungsapparat. *Natura Med* 2001, 16: 23-30
- Romiti N, Tramonti G, Corti A, Chieli E. Effects of Devil's Claw (*Harpagophytum procumbens*) on the multidrug transporter ABCB1/P-glycoprotein. *Phytomedicine* 2009, 16: 1095-1100
- Salvemini D, Misko TP, Masferrer JL, Seibert K, Currie MG, Needleman P. Nitric oxide activates cyclooxygenase enzymes. *Proc Natl Acad Sci* 1993, 90: 7240-7244
- Schendel UM. Arthrose-Therapie : Verträglich geht es auch. Studie mit Teufelskrallenextrakt. *Der Kassernarzt* 2001, 29/30: 36-39
- Schilcher H. Teufelskralle. In Kleines Heilkräuter-Lexikon. 4th ed. Weil der Stadt, Haedeker 1999, 187-188
- Schmelz H, Hämmerle HD, Springorum HW. Analgetische Wirkung eines Teufelskrallenwurzel-Extraktes bei verschiedenen chronisch-degenerativen Gelenkerkrankungen. Hippokrates Verlag, Stuttgart 1997, 86-89
- Schmidt A, Berghol U, Schmidt E. Therapie der unspezifischen Lumbalgie mit Teufelskrallenwurzelextrakt – Ergebnisse einer Klinischen Studie. Effectiveness of *Harpagophytum procumbens* in treatment of unspecific low back pain. *Phys Med Rehab Kuror* 2005, 15: 317-321
- Schulze-Tanzil, G, Hansen, C, Shakibaei M. Effect of a *Harpagophytum procumbens* DC extract on matrix metalloproteinases in human chondrocytes in vitro. *Arzneimittelforschung* 2004, 54: 213–220
- Soulimani R, Younos C, Mortier F, Derrieu C. The role of stomachal digestion the pharmacological activity of plant extracts, using as example extracts of *Harpagophytum procumbens*. *Can J Physiol Pharmacol* 1994, 72: 1532-1536
- Stokley's Herbal Medicines Interactions. Devil's claw. *Pharmaceutical Press* 2009, 165-166
- Szczepanski L, Chudzik D, Mazurek M, Soroka P. Efficacy and tolerability of Pagosid (*Harpagophytum procumbens* root extract) in the treatment of rheumatoid arthritis and osteoarthritis. *Reumatologia* 2000, 38: 67-73 [Polish with English summary]
- Tomassini L, Serafini M, Foddai S, Ventrone A, Nicoletti M. A new iridoid diglucoside from *Harpagophytum procumbens*. *Nat Prod Res* 2015, 29: 1-5
- Uchida S, Hirai K, Hatanaka J, Hanato J, Umegaki K, Yamada S. Antinociceptive Effects of St. John's Wort, *Harpagophytum Procumbens* Extract and Grape Seed Proanthocyanidins Extract in Mice. *Biol Pharm Bull* 2008, 31: 240-245
- Unger M, Frank A. Simultaneous determination of the inhibitory potency of herbal extracts on the activity of six major cytochrome P450 enzymes using liquid chromatography/mass spectrometry and automated online extraction. *Rapid Commun Mass Spectrom* 2004, 18: 2273-2281
- van Haelen M. Aspects botaniques, constitution chimique et activité pharmacologique d'*Harpagophytum procumbens*. *Phytotherapy* 1983, 5: 7-13

- Vlachojannis J, Roufogalis BD, Chrubasik S. Systematic review on the safety of *Harpagophytum* preparations for osteoarthritic and low back pain. *Phytother Res* 2008, 22:149-152
- Warnock M, McBean D, Suter A, Tan J, Whittaker P. Effectiveness and Safety of Devil's Claw Tablets in Patients with General Rheumatic Disorders. *Phytother Res* 2007, 21:1228–1233
- Weckesser S, Engel K, Simon-Haarhaus B, Wittmer A, Pelz K, Schempp CM. Screening of plant extracts for antimicrobial activity against bacteria and yeasts with dermatological relevance. *Phytomedicine* 2007, 14:508–516
- Wegener T, Lüpke NP. Treatment of patients with arthrosis of hip or knee with an aqueous extract of Devil's Claw (*Harpagophytum procumbens* DC). *Phytother Res* 2003, 17:1165-1172
- Weiss RF. *Harpagophytum procumbens*, Teufelskralle. In *Lehrbuch der Phytotherapie*, 7th ed. Stuttgart, Hippokrates 1991, 86:340-342
- WHO monographs on selected medicinal plants. Vol. 3. Radix Harpagophyti. World Health Organisation. Geneva 2007, 182-194
- Wichtl M. *Herbal drug and Phytopharmaceuticals* 3rd ed. MedPharm GmbH Scientific Publishers 2004, 271-273
- Whitehouse WL, Znamirowska M, Paul CJ. Devil's Claw (*Harpagophytum procumbens*): no evidence for anti-inflammatory activity in the treatment of arthritic disease. *Can Med Assoc J* 1983, 129:249-251
- Wu Q, Wen XD, Qi LW, Wang W, Yi L, Bi ZM, et al. An *in vivo* microdialysis measurement of harpagoside in rat blood and bile for predicting hepatobiliary excretion and its interaction with cyclosporin A and verapamil. *J Chromatogr B Analyt Technol Biomed Life Sci* 2009, 877:751-756
- Zimmermann W. Pflanzliche Bitterstoffe in der Gastroenterologie. *Z Allgemeinmed* 1976, 54:1178-1184
- Zhang L, Feng L, Jia Q, Xu J, Wang R, Wang Z, et al. Effects of β -glucosidase hydrolyzed products of harpagide and harpagoside on cyclooxygenase-2 (COX-2) *in vitro*. *Bioorg Med Chem* 2011, 19:4882-4886