



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

5 June 2018
EMA/HMPC/749540/2016
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Malva sylvestris* L. and/or *Malva neglecta* Wallr., folium and *Malva sylvestris* L., flos

Draft

The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Afshar M, Ravarian B, Zardast M, Moallem SA, Fard MH, Valavi M.
Evaluation of cutaneous wound healing activity of *Malva sylvestris* aqueous extract in BALB/c mice.
Iran J Basic Med Sci. 2015; 18(6):616-22.

Aktaş B, Coban S, Başar O, Yaman S, Yılmaz B, Ekiz F, Yüksel O.
Fulminant liver failure and renal failure related with *malva sylvestris*.
Turk J Gastroenterol. 2014; 25(4):437.

Alesiani D, Pichichero E, Canuti L, Cicconi R, Karou D, D'Arcangelo G, Canini A.
Identification of phenolic compounds from medicinal and melliferous plants and their cytotoxic activity in cancer cells.
Caryologia 2007; 60(1-2), 90-95

Barros L, Carvalho AM, Ferreira IC.
Leaves, flowers, immature fruits and leafy flowered stems of *Malva sylvestris*: a comparative study of the nutraceutical potential and composition.
Food Chem Toxicol. 2010; 48(6):1466-72

Barros L, Dueñas M, Carvalho AM, Ferreira IC, Santos-Buelga C.
Characterization of phenolic compounds in flowers of wild medicinal plants from Northeastern Portugal.
Food Chem Toxicol. 2012; 50(5):1576-82

Beghdad MC, Benammar C, Bensalah F, Sabri F-Z.
Antioxidant activity, phenolic and flavonoid content in leaves, flowers, stems and seeds of mallow (*Malva.sylvestris* L.) from North Western of Algeria
Afr J Biotechn. 2014; 13(3):486-491

Benso B, Rosalen PL, Alencar SM, Murata RM.
Malva sylvestris inhibits inflammatory response in oral human cells. An in vitro infection model.
PLoS One 2015; 10(10):e0140331. doi: 10.1371/journal.pone.0140331. eCollection 2015.

Billeter M, Meier B, Sticher O.
8-hydroxyflavonoid glucuronides from *Malva sylvestris*.
Phytochemistry 1991; 30(3):987-990. Abstract.



Blunden G, Patel AV, Armstrong NJ, Gorham J.
Betaine distribution in the Malvaceae.
Phytochemistry 2001; 58(3):451-454.

Calvo MI, Akerreta S, Caverio RY.
Pharmaceutical ethnobotany in the Riverside of Navarra (Iberian Peninsula).
J Ethnopharmacol 2011; 135(1):22-33

Calvo MI, Caverio RY.
Medicinal plants used for neurological and mental disorders in Navarra and their validation from official sources.
J Ethnopharmacol 2015; 169():263-8

Čapek P.
Polysaccharides from the Flowers of *Malva sylvestris* L., ssp. *mauritiana* (L.) THELL.: The Structure of D-Glucan
Collect. Czech. Chem. Commun. 1992, 57, 2400-2406 (Abstract)

Čapek P, Kardošová A.
Polysaccharides from the flower of *Malva mauritiana* L.: Structure of arabinogalactan.
Collect Czech Chem Commun 1995, 60, 2112-2118

Čapek P, Kardošová A, Lath D.
A neutral heteropolysaccharide from the flowers of *Malva mauritiana* L.
Chem. Papers 1999; 53 (2) 131—136.

Cardoso AMR, Cavalcanti YW, Almeida LFD, Pérez ALAL, Padilha WWN.
Antifungal activity of plant-based tinctures on *Candida*.
RSBO 2012; 9(1):25-30.

Chiclana CF, Enrique A, Consolini AE.
Topical anti-inflammatory activity of *Malva sylvestris* L. (Malvaceae) on carragenin-induced edema in rats.
Lat Am J Pharm 2009; 28:275–278.

Classen B, Blaschek W.
High molecular weight acidic polysaccharides from *Malva sylvestris* and *Alcea rosea*.
Planta Med. 1998; 64(7):640-4. Abstract.

Classen B, Blaschek W.
An arabinogalactan-protein from cell culture of *Malva sylvestris*.
Planta Med. 2002; 68(3):232-236.

Cogo LL, Monteiro CLB, Miguel MD, Miguel OG, Machado Cunico M, Ribeiro ML et al.
Anti-*Helicobacter pylori* activity of plant extracts traditionally used for the treatment of gastrointestinal disorders
Braz J Microbiol 2010; 41(2):304–309.

Conforti F, Ioele G, Statti GA, Marrelli M, Ragno G, Menichini F.
Antiproliferative activity against human tumor cell lines and toxicity test on Mediterranean dietary plants.
Food Chem Toxicol. 2008; 46(10):3325-3332.

Cornara L, La Rocca A, Terrizzano L, Dente F, Mariotti MG.
Ethnobotanical and phytomedicinal knowledge in the North-Western Ligurian Alps.
J Ethnopharmacol 2014; 155(1):463-484

Cutillo F, D'Abrosca B, DellaGreca M, Fiorentino A, Zarrelli A.
Terpenoids and phenol derivatives from *Malva sylvestris*.
Phytochemistry 2006; 67(5):481–485

- Della Greca M, Cutillo F, D'Abrosca B, Fiorentino A, Pacifico S, Zarrelli A.
Antioxidant and radical scavenging properties of *Malva sylvestris*.
Nat Prod Commun. 2009;4(7):893-896
- Delaveau P, Lallouette P and Tessier AM
Drogues Végétales Stimulant l'Activité Phagocytaire du Système Réticulo-Endothélial
(Stimulation of the phagocytic activity of R.E.S. by plant extracts)
Planta Medica 1980; 40, 49-54
- Dieck A.
Heilpflanzen bei den ältesten Ackerbauern in Mitteleuropa vor etwa sechstausend Jahren.
Ethnobotanik—Ethnobotany 1985; 3/85: 31-32
- Di Novella R, Di Novella N, De Martino L, Mancini E, De Feo V.
Traditional plant use in the National Park of Cilento and Vallo di Diano, Campania, Southern, Italy.
J Ethnopharmacol 2013; 145(1):328-342.
- Duke JA.
CRC Handbook of Medicinal Herbs. Mallow. High Mallow.
CRC Press, Inc. Boca Raton. London, New York, Washington 2002, 482-483
- Ekiz F, Yuksel I, Basar O, Coban S, Yuksel O, Teber MA.
Liver injury associated with *Malva grandifolia*.
Hepatobiliary Pancreat Dis Int. 2010; 9(4):443-444.
- El Ghaoui WB, Ghanem EB, Chedid LA, Abdelnoor AM.
The effects of *Alcea rosea* L., *Malva sylvestris* L. and *Salvia libanotica* L. water extracts on the production of anti-egg albumin antibodies, interleukin-4, gamma interferon and interleukin-12 in BALB/c mice.
Phytother Res 2008; 22(12):1599-1604
- Elsagh M, Fartookzadeh MR, Kamalinejad M, Anushiravani M, Feizi A, Behbahani FA, Rafiei R, Arjmandpour A, Adibi P.
Efficacy of the *Malva sylvestris* L. flowers aqueous extract for functional constipation: A placebo-controlled trial.
Complement Ther Clin Pract. 2015; 21(2):105-111.
- ESCOP Monographs (European Scientific Cooperative on Phytotherapy)
Malvae Flos. Mallow flower,
The Scientific Foundation for Herbal Medicinal Products, 2nd ed. Supplement 2009.
Georg Thieme Verlag, Stuttgart, New York, 157-158
- Esteves PF, Sato A., Esquibel MA, de Campos-Buzzi, Meira AV, Cechinel –Filo V.
Antinociceptive Activity of *Malva sylvestris* L
Lat. Am. J. Pharm 2009; 28(3): 454-456.
- European Pharmacopoeia 8th ed. Mallow leaf. *Malvae folium*. Council of Europe.:2391.
- European Pharmacopoeia 8th ed. Mallow flower. *Malvae sylvestris flos*. Council of Europe. 1541.
- Farina A, Doldo A, Cotichini V, Rajevic M, Quaglia MG, Mulinacci N, Vincieri FF.
HPTLC and reflectance mode densitometry of anthocyanins in *Malva sylvestris* L.: a comparison with gradient-elution reversed-phase HPLC.
J Pharm Biomed Anal 1995; 14(1-2):203-211.
- Ferreira A, Proença C, Serralheiro ML, Araújo ME.
The in vitro screening for acetylcholinesterase inhibition and antioxidant activity of medicinal plants from Portugal.
J Ethnopharmacol 2006; 108(1):31-37.

- Flores M.
Thesis/dissertation (French). Unité de Formation et de Recherche de Sciences Pharmaceutiques, Université de Nantes 2011, pp. 221.
- Gasparetto JC, Martins CA, Hayashi SS, Otuky MF, Pontarolo R.
Ethnobotanical and scientific aspects of *Malva sylvestris* L.: a millennial herbal medicine.
J Pharm Pharmacol 2012; 64(2):172-189.
- Ghédira K, Goetz P.
Malva sylvestris L. (Malvaceae) : Mauve
Phytothérapie 2016; 14(1):68–72.
- Gobiec K, Konieczny Z.
Receptariusz Zielarski
Flos Malvae
Zjednoczenie Przemysłu Zielarskiego Herbapol
Warszawa 1967, p. 131
- Gonda R, Tomoda M, Shimizu N, Yamada H.
Structure and anticomplementary activity of an acidic polysaccharide from the leaves of *Malva sylvestris* var. *mauritiana*.
Carbohydr Res. 1990; 198(2):323-329.
- González JA, García-Barriuso M, Amich F.
Ethnobotanical study of medicinal plants traditionally used in the Arribes del Duero, western Spain.
J Ethnopharmacol 2010; 131(2):343-355.
- Gruenwald J, Brendler T, Jaenicke C, editors.
PDR for Herbal Medicines. 4th ed. Medical Economics Co., Inc., Montvale 2000.
- Guarrera PM, Forti G, Marignoli S.
Ethnobotanical and ethnomedicinal uses of plants in the district of Acquapendente (Latium, Central Italy).
J Ethnopharmacol 2005; 96(3):429-444.
- Guil JL, Torija ME, Gimenez JJ, Rodriguez I.
Identification of fatty acids in edible wild plants by gas chromatography.
J Chromatogr A, 1996; 719:229-235.
- Guil JL, Rodriguez-Garcia I, Torija ME.
Nutritional and toxic factors in selected wild edible plants.
Plant Foods Hum Nutr 1997; 51: 99–107.
- Haffner S, Schultz O-E, Schmid W, Braun R.
Normdosen gebräuchlicher Arzneistoffe und Drogen.
21., aktualisierte und erweiterte Auflage. Wissenschaftliche Verlagsgesellschaft Stuttgart 2016.
- Hajyani S, Modaresi M.
The effect of *Malva sylvestris* extract on blood protein and gamma interferon of *Candida albicans* infected mice.
J Chem Pharm Res 2016, 8(4):1277-1281.
- Hamed A, Rezaei H, Azarpira N, Jafarpour M, Ahmadi F.
Effects of *Malva sylvestris* and Its Isolated Polysaccharide on Experimental Ulcerative Colitis in Rats.
J Evid Based Complementary Altern Med. 2016; 21(1):14-22.
- Hänsel R, Keller K, Rimpler H, Schneider G, editors. Hagers Handbuch der Pharmazeutischen Praxis. Drogen P-Z. Vol 6. Springer-Verlag, Berlin 1994
- Hiçsönmez Ü, Ereeş FS, Özdemir C, Özdemir A, Çam S.

Determination of major and minor elements in the *Malva sylvestris* L. from Turkey using ICP-OES techniques.

Biol Trace Elem Res 2009; 128:248–257.

Hussain L, Ikram J, Rehman K, Tariq M, Ibrahim M, Akash M S H.

Hepatoprotective effects of *Malva sylvestris* L. against paracetamol-induced hepatotoxicity

Turk J Biol 2014; 38: 396-402

Idolo M, Motti R, Mazzoleni S.

Ethnobotanical and phytomedicinal knowledge in a long-history protected area, the Abruzzo, Lazio and Molise National Park (Italian Apennines).

J Ethnopharmacol 2010; 127(2):379-395.

ISO 11348-3/2007-12-01

Water quality — Determination of the inhibitory effect of water samples on the light emission of *Vibrio fischeri* (Luminescent bacteria test)

Jarić S, Mačukanović-Jocić M, Djurdjević L3, Mitrović M3, Kostić O3, Karadžić B3, Pavlović P3

An ethnobotanical survey of traditionally used plants on Suva planina mountain (south-eastern Serbia).

J Ethnopharmacol 2015; 175:93-108.

Kaileh M, Vanden Berghe W, Boone E, Essawi T, Haegeman G

Screening of indigenous Palestinian medicinal plants for potential anti-inflammatory and cytotoxic activity.

J Ethnopharmacol 2007; 113(3):510-6

Kern W, Roth HJ, Schmid W, List PH, Hörhammer L.

Hagers Handbuch der Pharmazeutischen Praxis für Apotheker, Arzneimittelhersteller, Ärzte und Medizinalbeamte.

4th ed. Band 4, Chemikalien und Drogen (H-M). Springer Verlag, Berlin, Heidelberg, New York 1976, 680-685

Kraft K, Hobbs Ch.

Pocket Guide to Herbal Medicine.

Thieme, Stuttgart-New York 2004, pp. 89-90.

Leonti M, Casu L, Sanna F, Bonsignore LA.

Comparison of medicinal plant use in Sardinia and Sicily-De Materia Medica revisited?

J Ethnopharmacol 2009; 121(2):255-267.

Leporatti ML, Corradi L.

Ethnopharmacobotanical remarks on the Province of Chieti town (Abruzzo, Central Italy)

J Ethnopharmacol 2001; 74:17–40.

Leporatti ML, Impieri M.

Ethnobotanical notes about some uses of medicinal plants in Alto Tirreno Cosentino area (Calabria, Southern Italy).

J Ethnobiol Ethnomed 2007; 5(3):34. DOI: 10.1186/1746-4269-3-34

Leto C, Tuttolomondo T, La Bella S, Licata M.

Ethnobotanical study in the Madonie Regional Park (Central Sicily, Italy)--medicinal use of wild shrub and herbaceous plant species.

J Ethnopharmacol 2013; 146(1):90-112.

List PH, Hörhammer L. (editors). Hagers Handbuch der Pharmazeutischen Praxis

Für Apotheker, Arzneimittelhersteller Drogisten, Ärzte und Medizinalbeamte.

5th Band.

Flores malvae. Folia Malvae

Julius Springer Verlag, Berlin, Heidelberg, New York 1976, pp. 680-685.

- Loizzo MR, Pugliese A, Bonesi M, Tenuta MC, Menichini F, Xiao J, Tundis R.
Edible Flowers: A Rich Source of Phytochemicals with Antioxidant and Hypoglycemic Properties.
J Agric Food Chem 2016; 64(12):2467-2474.
- Madaus G.
Lehrbuch der Biologischen Heilmittel (1938)
Malva silvestris L.
Georg Thieme Verlag, Leipzig 1938.
- Martins CA, Weffort-Santos AM, Gasparetto JC, Trindade AC, Otuki MF, Pontarolo R.
Malva sylvestris L. extract suppresses desferrioxamine-induced PGE₂ and PGD₂ release in differentiated U937 cells: the development and validation of an LC-MS/MS method for prostaglandin quantification.
Biomed Chromatogr 2014; 28(7):986-993.
- Menale B, De Castro O, Cascone C, Muoio R.
Ethnobotanical investigation on medicinal plants in the Vesuvio National Park (Campania, Southern Italy).
J Ethnopharmacol 2016; 192:320-329.
- Menale B, Muoio R
Use of medicinal plants in the South-Eastern area of the Partenio Regional Park (Campania, Southern Italy).
J Ethnopharmacol 2014; 153(1):297-307.
- Mihaylova D, Popova A, Denkova R, Alexieva I, Krastanov A.
In vitro antioxidant and antimicrobial activity of extracts of Bulgarian Malva sylvestris L.
Annuaire de l'Université de Sofia "St. Kliment Ohridski" Faculte de Biologie 2015; 100(4):41-48.
First National Conference of Biotechnology, Sofia 2014.
- Montesano V, Negro D, Sarli G, De Lisi A, Laghetti G, Hammer K.
Notes about the uses of plants by one of the last healers in the Basilicata region (South Italy).
J Ethnobiol Ethnomed 2012; 8:15. doi: 10.1186/1746-4269-8-15.
- Muszyński J, Górski MF, Kałużński H, Połomski Z.
Vademecum Fitoterapii.
Malva silvestris
Ministerstwo Przemysłu Rolnego i Spożywczego
Warszawa 1958, p. 138-139.
- Nasiri E, Hosseinimehr SJ, Azadbakht M, Akbari J, Enayati-Fard R, Azizi S.
Effect of Malva sylvestris cream on burn injury and wounds in rats.
Avicenna J Phytomed 2015; 5(4):341-354.
- Nawwar MAM, Buddrus J.
A gossypetin glucuronide sulphate from the leaves of Malva sylvestris
Phytochem 1981; 20 (10):2446-2448. Abstract
- Nawwar MAM, Dein AE, Sherbeiny AE, Ansari MAE, Sissi HIE.
Two new sulphated flavonol glucosides from leaves of Malva sylvestris.
Phytochem 1977; 16(1):145-146.
- Nosalova G, Čapek P, Kardosová A, Strapkova A.
Changes in cough reflex induced by administration of polysaccharides from flowers of Malva mauritiana L.
Pharm Pharmacol Lett 1994;3:245-248.
- Novais MH, Santos I, Mendes S, Pinto-Gomes C
Studies on pharmaceutical ethnobotany in Arrabida Natural Park (Portugal)
J Ethnopharmacol 2004; 93(2-3):183-195.
- Ożarowski A, Łańcucki J, Gąsiorowska K.

Flos Malvae. Kwiat ślazu.
Leki roślinne. Informator.
Zjednoczenie Przemysłu Zielarskiego Herbapol.
Warszawa 1978, p. 107.

Ożarowski A.
Malva silvestris L. In: Ziołolecznictwo.
Państwowy Zakład Wydawnictw Lekarskich, Warsaw 1982., p. 179.

Österreichisches Arzneibuch (ÖAB) (Austrian Pharmacopoeia) 20051960
Flos Malvae. Malvenblütte, p. 715; Folium Malvae. Malvenblatt , p. 733

Passalacqua NG, Guarrera PM, De Fine G.
Contribution to the knowledge of the folk plant medicine in Calabria region (Southern Italy).
Fitoterapia 2007; 78(1):52-68.

Pereira C, Barros L, Carvalho AM, Ferreira ICFR.
Use of UFLC-PDA for the analysis of organic acids in thirty-five species of food and medicinal plants.
Food Anal Methods 2013; 6:1337–1344.

Pharmacopoea Helvetica. 8e edition
Mauve (feuille de)
Mauve (fleur de)
Berne 1997

Pharmacopoea Hungarica. Editio VII.
Malvae flos.
Malvae folium.
Budapest 1986.

Pharmacopoeia Regni Poloniae,
Auctoritate Ministerii Administrationis Rerum Internarum et Disciplinae Publicae
Edita a Consilio Supremo Sanitatis
Varsoviae 1817, Flores Malvae vulgaris, p. 22.

Podlech D.
Malva sylvestris.
In: GU-Naturführer Heilpflanzen. (polish translation),
Gräfe und Unzer Verlag GmbH, Warszawa 1997, p. 92.

Pourrat H, Texier O, Barthomeuf C.
Identification and assay of anthocyanin pigments in Malva sylvestris L.
Pharm Acta Helv 1990; 65:93–96.

Prudente AS, Loddi AM, Duarte MR, Santos AR, Pochapski MT, Pizzolatti MG, Hayashi SS, Campos FR, Pontarolo R, Santos FA, Cabrini DA, Otuki MF.
Pre-clinical anti-inflammatory aspects of a cuisine and medicinal millennial herb: Malva sylvestris L.
Food Chem Toxicol 2013; 58:324-31.

Quave CL, Plano LR, Pantuso T, Bennett BC.
Effects of extracts from Italian medicinal plants on planktonic growth, biofilm formation and adherence of methicillin-resistant Staphylococcus aureus.
J Ethnopharmacol 2008; 118(3):418-428.

Razavi SM, Zarrini G, Molavi G, Ghasemi G.
Bioactivity of Malva sylvestris L., a medicinal plant from Iran.
Iran J Basic Med Sci 2011; 14(6):574-579

Redžić S, Hodžić N, Tuka M. Plant pigments (antioxidants) of medicinal plants Malva sylvestris L. and Malva moschata L. (Malvaceae).
Bosn J Basic Med Sci 2005; 5(2):53-58

Rigat M, Vallès J, D'Ambrosio U, Gras A, Iglésias J, Garnatje T.
Plants with topical uses in the Ripollès district (Pyrenees, Catalonia, Iberian Peninsula): ethnobotanical survey and pharmacological validation in the literature.
J Ethnopharmacol 2015; 164:162-79.

Samavati V, Manoochehrizade A.
Polysaccharide extraction from *Malva sylvestris* and its anti-oxidant activity.
Int J Biol Macromol 2013; 60:427-36.

Sarić-Kundalić B, Dobeš C, Klatte-Asselmeyer V, Saukel J.
Ethnobotanical study on medicinal use of wild and cultivated plants in middle, south and west Bosnia and Herzegovina.
J Ethnopharmacol 2010; 131(1):33-55.

Seiberg M, Stone VI, Zhao R.
Compositions containing *Malva sylvestris* extract and use thereof on mucosal tissues.
United States. Patent Application publication No: US 2006/0088616 A1.

Schimpfky R.
Unsere Heilpflanzen in Bild und Wort für Jederman. Ihr Nutzen and ihre Anwendung in Haus und Familie. Vol 1. Wilde Malve. *Malva sylvestris* L.
Hugo Bermühler Verlag, Berlin Lichterfelde 1900, p. 36.

Signorini MA, Piredda M, Bruschi P.
Plants and traditional knowledge: An ethnobotanical investigation on Monte Ortobene (Nuoro, Sardinia).
J Ethnobiol Ethnomed 2009; 5:6, doi: 10.1186/1746-4269-5-6.

Sleiman NH, Daher CF.
Malva sylvestris water extract: A potential anti-inflammatory and anti-ulcerogenic remedy
Planta Med 2009; 75 - PH10. DOI: 10.1055/s-0029-1234727. Congress Abstract

Spiteri M.
Herbal Monographs.
Mallow (High mallow) *Malva sylvestris*.
Department of Pharmacy University of Malta, 2011, p. 108-109.

Standardzulassungen für Fertigarzneimittel. Band 2.
Malvenblätter
Deutscher Apotheker Verlag
Govi Verlag Pharmazeutischer Verlag Eschborn, Stuttgart 2011.

Takeda K, Enoki S, Harborne JB, Eagles J.
Malonated anthocyanins in malvaceae: Malonylmalvin from *Malva sylvestris*
Phytochem 1989; 28(2):499-500.

Terninko I. I., Onishchenko U. E.
Component composition of organic acids in leaves of *Malva sylvestris*
Chem Nat Compounds 2013; 49(2):332-333.

Terninko I. I., Onishchenko U. E., Frolova A.
Research phenolic compounds *Malva sylvestris* by high performance liquid chromatography
Pharma Innov J 2014; 3(4):46-50.

Tomoda M, Gonda R, Shimizu N, Yamada H.
Plant mucilages. XLII. An anti-complementary mucilage from the leaves of *Malva sylvestris* var. *mauritanica*.
Chem Pharm Bull (Tokyo). 1989; 37(11):3029-3032.

Tosi B, Tirillini A, Donini A, Bruni A.

Presence of scopoletin in *Malva sylvestris*
Int J Pharmacogn 1995; 33(4): 353-355.

Tuttolomondo T, Licata M, Leto C, Bonsangue G, Letizia Gargano M, Venturella G, La Bella S
Popular uses of wild plant species for medicinal purposes in the Nebrodi Regional Park (North-Eastern Sicily, Italy).
J Ethnopharmacol 2014;157:21-37.

Usami A, Kashima Y, Marumoto S, Miyazawa M.
Characterization of aroma-active compounds in dry flower of *Malva sylvestris* L. by GC-MS-O analysis and OAV calculations.
J Oleo Sci 2013;62(8):563-70.

Vadivel V, Sriram S, Brindha P.
Distribution of flavonoids among Malvaceae family members – A review
IJGP 2016; 10 (1) Suppl: S33 – S45.

Van Wyk B-E, Wink M.
Malva sylvestris (in) Medicinal Plants of the World (polish translation)
Medpharm Wrocław 2008, p. 197

Veshkurova O, Golubenko Z, Pshenichnov E, Arzanova I, Uzbekov V, Sultanova E, Salikhov S, Williams HJ, Reibenspies JH, Puckhaber LS, Stipanovic RD.
Malvone A, a phytoalexin found in *Malva sylvestris* (family Malvaceae).
Phytochemistry 2006; 67(21):2376-2379.

Vitalini S, Tomè F, Fico G.
Traditional uses of medicinal plants in Valvestino (Italy).
J Ethnopharmacol 2009; 121(1):106-116.

Vitalini S, Puricelli C, Mikerezi I, Iriti M.
Plants, people and traditions: ethnobotanical survey in the Lombard Stelvio National Park and neighbouring areas (Central Alps, Italy).
J Ethnopharmacol 2015; 173:435-458.

Wichtl M (editor)
Malvenblüten. *Malvae flos*
(in) Teedrogen. Ein Handbuch für Apotheker und Ärzte
Wissenschaftliche Verlagsgesellschaft mbH Stuttgart 1984, pp. 227-228.

Wichtl M (editor)
Malvenblätter. *Malvae folium*
(in) Teedrogen. Ein Handbuch für Apotheker und Ärzte
Wissenschaftliche Verlagsgesellschaft mbH Stuttgart 1984, pp. 225-226.

Wichtl M, editor. *Malvae flos*. (in) Herbal drugs and phytopharmaceuticals. 3rd ed. Medpharm Scientific Publishers GmbH, Stuttgart 1994, pp. 313-314.

Wichtl M, editor. *Malvae folium*. (in) Herbal drugs and phytopharmaceuticals. 3rd ed. Medpharm Scientific Publishers GmbH, Stuttgart 1994, pp. 315-316.

Wiorogórski W, Zajączkowski W.
Flores Malvae vulgaris. (in) *Lexicon synonymorum pharmaceuticorum in linguis: Latina, Germanica, Gallica, Anglica, Polonica et Rossica*
The Pharmaceutical Society of Warsaw, Warszawa 1892 – 1918, p. 433-434.

Wurzer W. (editor)
Die grosse Enzyklopädie der Heilpflanzen: Ihre Anwendung und ihre natürliche Heilkraft Gebundene Ausgabe.

Malva sylvestris.
Neuer Kaiser Verlag, Klagenfurt. Copyright 1977, p. 362-363.

Zakhireh S, Hedayati MJ, Bahari S.
Identification of non-polar compounds of aerial organs of Malva sylvestris L. and its antioxidant effects.
Life Sci J 2013;10(4):2934-2937.

Zare P, Mahmoudi R, Shadfar S, Ehsani A, Afrazeh Y, Saeedan A, Niyazpour F, Seyed B. Pourmand.
Efficacy of chloroform, ethanol and water extracts of medicinal plants, Malva sylvestris and Malva neglecta on some bacterial and fungal contaminants of wound infections.
J Med Plants Res 2012; 6;(29): 4550-4552.