



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

15 January 2013
EMA/HMPC/604272/2012
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Marrubium vulgare* L., herba

Draft

The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Al-Bakri AG, Afifi FU. Evaluation of antimicrobial activity of selected plant extracts by rapid XTT colorimetry and bacterial enumeration. *J Microbiol. Meth* 2007, 68: 19-25

Avis aux fabricants Les médicaments à base de plantes. Avis aux Fabricants concernant les demandes d'autorisation de mise sur le marché, Agence du Médicament, Paris 1998, 50 + 58

Ballero M, Sotgiu AM, Piu G. Empirical administration of preparations of *Marrubium vulgare* in the asthmatic syndrome. *Biomed. Let* 1998, 57: 31-36

Benedum J., Loew D, Schilcher H. Medicinal plants in traditional medicine. *Kooperation Phytopharmaka* 2006, 136

Berger F. *Handbuch der Drogenkunde*, Vol 4; Wilhelm Maudrich Verlag, Wien 1954, 339–342

Berrougui H, Isabelle M, Cherki M, Khalil A. *Marrubium vulgare* extract inhibits human-LDL oxidation and enhances HDL-mediated cholesterol efflux in THP-1 macrophage. *Life Scie* 2006, 80: 105-112

BHP (British Herbal Pharmacopoeia). *Marrubium*, British Herbal Medicine Association, Cowling 1976, 139-139a

BHP (British Herbal Pharmacopoeia). *Marrubium*, British Herbal Medicine Association, Bournemouth 1983, 137-138

BHP (British Herbal Pharmacopoeia). *White Horehound-Marrubii herba*, British Herbal Medicine Association, Bournemouth 1990, 84-85

BHP (British Herbal Pharmacopoeia). *White Horehound-Marrubii herba*, British Herbal Medicine Association, Bournemouth 1996, 180-181



- Blaschek W, Ebel S, Hackenthal E, Holzgrabe U, Keller K *et al.*, editors. HagerROM 2006: Hagers Handbuch der Drogen und Arzneistoffe. Version 5.0. Springer Medizin Verlag, Heidelberg 2006
- Blaschek W, Hilgenfeld U, Holzgrabe U, Reichling J, Schulz V, editors. HagerROM 2011: Hagers Handbuch der Drogen und Arzneistoffe. Version 5.0. Springer Medizin Verlag, Heidelberg 2011
- Blumenthal M, Busse WR, Goldberg A, Gruenwald J, Hall T *et al.*, editors. The Complete German Commission E Monographs. Horehound herb. American Botanical Council, Austin Texas 1998, 148
- Boudjelal A, Henchiri C, Siracusa L, Sari M, Ruberto G. Compositional analysis and *in vivo* anti-diabetic activity of wild Algerian *Marrubium vulgare* L. infusion. *Fitoterapia* 2012, 83 (2): 286-292
- Bradley PR, editor. British Herbal Compendium, Vol 1; White Horehound-Marrubii herba; British Herbal Medicine Association, Bournemouth 1992, 218-220
- British Pharmaceutical Codex. *Marrubium*, Infusum Marrubii, Concentratum und Syrupus Marrubii, The Pharmaceutical Press, London 1934, 632, 1277, 1446
- Carey P, McCord CP. The occupational toxicity of cultivated flowers. *Indian Med Surg.* 1962, 31: 365-368
- Ciganda C, Laborde A. Herbal infusions used for induced abortion. *J Toxicol Clin Toxicol* 2003; 41: 235-239
- CFR 2012. US Code of Federal Regulations. Title 21: Food and Drugs, PART 182 — Substances Generally Recognised as Safe, Subpart A — General Provisions, § 182.10 Spices and other natural seasonings and flavorings
- DAC (Deutscher Arzneimittel-Codex). Andornkraut, Deutscher Apotheker-Verlag, Stuttgart 1995
- DAC (Deutscher Arzneimittel-Codex). Andornkraut, Deutscher Apotheker-Verlag, Stuttgart 1997
- DAC (Deutscher Arzneimittel-Codex). Andornkraut, Deutscher Apotheker-Verlag, Stuttgart 2003
- De Jesus RAP, Cechinel Filho V, Oliveira AE, Schlemper V. Analysis of the antinociceptive properties of marrubiin isolated from *Marrubium vulgare*. *Phytomedicine* 2000, 7: 111-115
- De Oliveira AP, Santin JR, Lemos M, Klein LC Jr, Couto AG *et al.* Gastroprotective activity of methanol extract and marrubiin obtained from leaves of *Marrubium vulgare* L. (Lamiaceae). *J Pharm Pharmacol.* 2011, 63: 1230-1237
- De Souza MM, de Jesus RAP, Cachinel Filho V, Schlemper V. Analgesic profile of hydroalcoholic extract obtained from *Marrubium vulgare*. *Phytomedicine* 1998, 5: 103-107
- Diaz R, Quevedo Sarmiento J, Ramos Cormenzana A. Phytochemical and Antibacterial Screening of Some Species of Spanish Lamiaceae. *Fitoterapia* 1988, 59: 329-333
- Dragendorff G. Die Heilpflanzen der verschiedenen Völker und Zeiten. Ihre Anwendung, wesentlichen Bestandteile und Geschichte. Verlag von Ferdinand Enke, Stuttgart 1898, 571-572
- EB 6 (Ergänzungsbuch zum Deutschen Arzneibuch) 6th ed. Herba Marrubii – Andornkraut. Deutscher Apotheker-Verlag, Stuttgart 1953, 261
- El Bardai S, Lyoussi B, Wibo M, Morel N. Pharmacological evidence of hypotensive activity of *Marrubium vulgare* and *Foeniculum vulgare* in spontaneously hypertensive rat. *Clin Experim Hypert* 2001, 23: 329-343
- El Bardai S, Morel N, Wibo M, Fabre N, Llabres G *et al.* The vasorelaxant activity of marrubenol and marrubiin from *Marrubium vulgare*. *Planta Med* 2003a, 69: 75-77

El Bardai S, Wibio M, Hamaide MC, Lyoussi B; Quetin-Leclercq J *et al.* Characterisation of marrubenol, a diterpene extracted from *Marrubium vulgare*, as an L-type calcium channel blocker. *Brit. J Pharm* 2003b, 7: 1211-1216

El Bardai S, Hamaide M-C, Lyoussi B, Quetin-Leclercq J, Morel N *et al.* Marrubenol interacts with the phenylalkylamine binding site of the L-type calcium channel. *Eur. J. Pharm.* 2004a, 492: 269-272

El Bardai S, Lyoussi B, Wibio M, Morel N. Comparative study of the antihypertensive activity of *Marrubium vulgare* and of the dihydropyridine calcium antagonist amlodipine in spontaneously hypertensive rat. *Clin Experim Hypert* 2004b, 26: 465-474

European Pharmacopoeia 5th ed (5.1). White Horehound - *Marrubii herba*. Deutscher Apotheker Verlag, Stuttgart 2005, 3834-3836

European Pharmacopoeia 7th ed (7.0/1835). White Horehound - *Marrubii herba*. Deutscher Apotheker Verlag, Stuttgart 2011, 1619-1620

Gilg E, Brandt W, Schürhoff. *Lehrbuch der Pharmakognosie* 4th ed, Springer Verlag, Berlin 1927, 371

Hänsel R. *Phytopharmaka – Grundlagen und Praxis* 2nd ed, Springer Verlag Berlin Heidelberg New York, 1991, 121-122

Hänsel R, Haas H. *Therapie mit Phytopharmaka*, Springer Verlag Berlin, Heidelberg, New York, Tokyo 1984, 128

Haq F, Ahmad H, Alam M. Traditional uses of medicinal plants of Nandiar Khuwarr catchment. *J. Med. Plant Res.* 2011, 5 (1):39-48

Health Canada. Natural Health Products Ingredients Database. Monograph: Black Horehound (2008)

Herrera-Arellano A, Aguilar-Santamaría L, García-Hernández B, Nicasio-Torres P, Tortoriello J. Clinical trial of *Cecropia obtusifolia* and *Marrubium vulgare* leaf extracts on blood glucose and serum lipids in type 2 diabetics. *Phytomedicine* 2004, 11: 561-566

Indikationsliste § 109a AMG; 23.12.2005, Nr. 129, 793 und 1070

Janssen S, Loaermans J, Verhulst PJ, Thijs T, Tack J *et al.* Bitter taste receptors and α -gustucin regulate the secretion of ghrelin with functional effects on food intake and gastric emptying. *Proceed. Nat. Acad. Scie. U.S.A.* 2011, 108(5): 2094-2099

Jaouhari JT, Lazrek HB, Jana M. Acute toxicity study of 10 Moroccan plants reputed to have hypoglycaemic activity. *Therapie* 1999, 54: 701-706

Jayasekera N, Moghal A, Kashif F, Karalliedde L. Herbal medicines and postoperative haemorrhage. *Anaesthesia* 2005, 60: 725-726

Kadri A, Zarai Z, Békir A, Gharsallah N, Damak M *et al.* Chemical composition and antioxidant activity of *Marrubium vulgare* L. essential oil from Tunisia. *Afr. J. Biotechn.* 2011, 10: 3908-3914

Kanyonga PM, Faouzi MA, Meddah B, Mpona M, Essassi EM *et al.* Assessment of methanolic extract of *Marrubium vulgare* for anti-inflammatory, analgesic and anti-microbiologic activities. *J. Chem. Pharm. Res.* 2011, 3: 199-204

Kchouk M, Chadli A. Sur les propriétés abortives du Marrube blanc (*Marrubium vulgare* L.). On the abortive properties of White Horehound (*Marrubium vulgare* L.). *Archives de l'Institut Pasteur de Tunis* 1963, 40: 129-132

- Keles O, Bakrel T, Ak S, Alpmar A. The antibacterial activity of some plants used for medicinal purposes against pathogens of veterinary importance. *Folia Veter.* 2001, 45: 22-25
- Knöss W, Zapp J. Accumulation of furanic labdane diterpenes in *Marrubium vulgare* and *Leonurus cardiaca*. *Planta Med.* 1998, 64: 357-361
- Knöss W. *Marrubium vulgare*-Andorn. *Zeitschrift für Phytotherapie* 2006, 27: 255-258
- Krejci I, Zadina R. Die gallentreibende Wirkung von Marrubiin und Marrubiinsäure. *Planta Med* 1959, 7: 1-7
- Kunduhoglu B, Pilatin S, Caliskan F. Antimicrobial screening of some medicinal plants collected from Eskisehir, Turkey. *Fresenius Environm. Bull.* 2011, 20: 945-952
- Kommission E (German Commission E). Monograph *Marrubii herba* (Andornkraut), BAnz. Nr. 22a, 01.02.1990
- List PH, Hörhammer L, Roth HJ, Schmidt W, editors. *Hagers Handbuch der Pharmazeutischen Praxis*, Vol 5. 4th ed. Springer-Verlag, Berlin 1976
- Madaus G. *Lehrbuch der biologischen Heilmittel*. Vol 1. *Marrubium vulgare*. Reprint of the edition Leipzig 1938, Georg Olms Verlag, Hildesheim 1979, 1841-1846
- Martindale Extra *Pharmacopoeia* 25th ed, Horehound. The Pharmaceutical Press, London 1967, 691
- Martin-Nizard F, Sahpaz S, Furman C, Fruchart JC, Duriez P *et al.* Natural phenylpropanoids protect endothelial cells against oxidized LDL-induced cytotoxicity. *Planta Med* 2003, 69: 207-211
- Martin-Nizard F, Sahpaz S, Kandoussi A, Carpentier M, Fruchart JC *et al.* Natural phenylpropanoids inhibit lipoprotein-induced endothelin-1 secretion by endothelial cells. *J. Pharm. Pharmacol.* 2004, 56: 1607-1611
- Merck´s Index 3th ed, *Herba Marrubii albi*. Eduard Roether, Darmstadt 1910, 332
- Meyre-Silva C, Yunes RA, Schlemper V, Campos-Buzzi F, Cechinel-Filho V. Analgesic potential of marrubiin derivatives, a bioactive diterpene present in *Marrubium vulgare*. *Il Farmaco* 2005, 60: 321-326
- Nagy M, Svajdlenka E. Comparison of essential oils from *Marrubium vulgare* L. and *M. peregrinum* L. *J. Ess. Oil Res.* 1998, 10: 585-587
- Neubeck M. in: Hartke K., Kartke H, Wichtl M., editors. *Kommentar zum Europäischen Arzneibuch*, Wissenschaftliche. Verlagsgesellschaftgesellschaft Stuttgart, 2012: 5.1/1835
- Novaes AP, Rossi C, Poffo C, Pretti Júnior E, Oliveira AE *et al.* Preliminary evaluation of the hypoglycaemic effect of some Brazilian medicinal plants. *Therapie* 2001, 56: 427-430
- Österreichisches Arzneibuch (ÖAB) - *Pharmacopoeia Austriaca*. 9th ed. *Herba Marrubii* - Andornkraut. Österreichische Staatsdruckerei, Wien 1960, Vol 1: 815-816
- Österreichisches Arzneibuch (ÖAB) - *Pharmacopoeia Austriaca*. *Herba Marrubii* - Andornkraut. Österreichische Staatsdruckerei, Wien 1981, 606-607
- Österreichisches Arzneibuch (ÖAB) - *Pharmacopoeia Austriaca*. *Herba Marrubii* - Andornkraut. Österreichische Staatsdruckerei, Wien 1990, Vol 2: A-J
- Pages et Comte. Un nouveau médicament cardiaque: le marrube blanc; son action sur l'arythmie extrasystolique. A new cardiac drug: white horehound; its action on extrasystoles. *Bull Soc Sci Med Biol, Montpellier* 1927, 8: 389-394

- Pahlow M. Das große Buch der Heilpflanzen. Gräfe und Unzer, München 1979, 54-55
- PDR for Herbal Medicines 1st ed. *Marrubium vulgare*. Medical Economics Company, Montvale 1998, 959-960
- Pharmacopée Française 10^{ème} éd. Marrube. Agence Française de Sécurité Sanitaire des Produits de Santé, Saint-Denis Cedex, 1989, 1-3
- Potter's Cyclopaedia of Botanical Drugs and Preparations 5th ed. Horehound. Potter & Clarke Ltd, London 1941, 174-175
- Ramos-Guerra MC, Mata-Cárdenas BD, Vargas-Villarreal J, Sampayo-Reyes A, González-Salazar F *et al*. In vitro activity of organic leaf/stem extracts from *Marrubium vulgare* and *Mentha spicata* against *Entamoeba histolytica* and *Giardia lamblia*. Pharmacology on line 2007, 1: 108-112
- Robles-Zepeda RE, Velázquez-Contreras CA, Garibay-Escobar A, Gálvez-Ruiz JC, Ruiz-Bustos E. Antimicrobial activity of Northwestern Mexican plants against *Helicobacter pylori*. J. Med. Food 2011, 14: 1280-1283
- Roman Ramos R, Alarcon-Aguilar F, Lara-Lemus A, Flores-Saenz JL. Hypoglycemic Effect of Plants Used in Mexico as Antidiabetics. Arch Med Res 1992, 23: 59-64
- Sahpaz S, Garbacki N, Tits M, Bailleul F. Isolation and pharmacological activity of phenylpropanoid esters from *Marrubium vulgare*. J. Ethnopharmacol. 2002, 79: 389-392
- Schilcher H, Kammerer S. Leitfaden Phytotherapie. Andornkraut. Urban & Fischer Verlag, München 2000, 27-28 + 418
- Schilcher H, Kammerer S, Wegener T. Leitfaden Phytotherapie. Urban & Fischer Verlag München 2007
- Schlemper V, Ribas A, Nicolau M, Cechinel Filho V. Antispasmodic effects of hydroalcoholic extract of *Marrubium vulgare* on isolated tissues. Phytomedicine 1996, 3: 211-216
- Steinegger E, Hänsel R. Lehrbuch der Pharmakognosie, Springer Verlag Berlin, Heidelberg, New York 1968, 483
- Steinmetz EF. Materia Medica Vegetabilis, Part 2, Herba Marrubii albi, Amsterdam 1954, 291-292
- Stulzer HK, Tagliari MP, Zampirolo JA, Cechinel-Filho V, Schlemper V. Antioedematogenic effect of marrubiin obtained from *Marrubium vulgare*. J. Ethnopharmacol. 2006, 108: 379-384
- Tyler VE. Herbs of choice – the therapeutic use of phytomedicinals. Pharmaceutical Products Press New York, London, Norwood (Australia) 1994, 42-43
- VanderJagt TJ, Ghattas R, VanderJagt DJ, Crossey M, Glew RH. Comparison of the total antioxidant content of 30 widely used medicinal plants of New Mexico. Life Sciences 2002, 70: 1035-1040
- Vincenzi M de, Maialetti F, Dessi MR. Monographs on botanical flavouring substances used in foods. Part IV. Fitoterapia 1995, 66: 203-210
- Wichtl M. Teedrogen – Ein Handbuch für Apotheker und Ärzte. Andornkraut. Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 1984, 48-49
- Wichtl M. Teedrogen und Phytopharmaka - Ein Handbuch für die Praxis auf wissenschaftlicher Grundlage. Marrubii herba - Andornkraut. Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 1997, 370-371

Wichtl M. Teedrogen und Phytopharmaka - Ein Handbuch für die Praxis auf wissenschaftlicher Grundlage. Marrubii herba - Andornkraut. Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 2002, 364-365

Williamson EM. Interactions between herbal and conventional medicines. Exp. Op. Drug Safety 2005, 4: 355-378

Yamaguchi K, Liggett JL, Kim NC, Baek SJ. Anti-proliferative effect of horehound leaf and wild cherry bark extracts on human colorectal cancer cells. Oncol. Rep. 2006, 15: 275-281

References read but not included in the Assessment Report

Appleton, JW, Fulke, JWB, Henderson MS, McCrindle R. The stereochemistry of Marrubiin. J. Chem. Soc 1967, 1943-1947

Ayoub SMH. Antibacterial and Antifungal Activities of Some Libyan Aromatic Plants. Planta Med 1990, 56: 644-645

Delitheos AK, Papadimitriou CA, Yannitsaros AG. Investigation for Antiphage Activity in Plant Extracts. Fitoterapia 1992, 63: 441-450

Font Quer P. Plantas Medicinales, 12th ed, Editorial Labor, Barcelona 1990, 659

Gigon F. La phytothérapie dans l'arrêt du tabac. Phytotherapy in smoking cessation. A management proposal. Phytotherapie 2005, 3: 200-206

Hoppe HA. Drogenkunde, Vol 1, 8th ed, Walter de Gruyter, Berlin 1975, 689-690

Ivanovska N, Philipov S, Istatkova R. Evaluation of anti-inflammatory activity of plants used in Bulgarian folk medicine. Fitoterapia 1997, 68: 417-422

Kirmizibekmez H, Atay I, Kaiser M, Yesilada E, Tasdemir D. *In vitro* antiprotozoal activity of extracts of five Turkish Lamiaceae species. Nat. Prod. Commun. 2011, 6 (11): 1697-1700

Kirmizibekmez H, Atay I, Kaiser M, Yesilada E, Tasdemir D. *In vitro* antiprotozoal activity of organic and aqueous extracts of several Turkish Lamiaceae species. Planta Med 2011, 77 (12): 1426-1426

Knöss W. Furanic labdane diterpenes in differentiated and undifferentiated cultures of *Marrubium vulgare* and *Leonurus cardiaca*. Plant Physiol. Biochem. Paris 1994, 32: 785-789

Knöss W, Reuter B, Zapp J. Biosynthesis of the labdane diterpene marrubiin in *Marrubium vulgare* via a non-mevalonate pathway. Biochem. J. 1997, 326: 449-454

Knöss W. Terpenbiosynthese in Bakterien und Pflanzen-neue Perspektiven. Pharm Uns. Zeit 1999, 28: 247-254

Laonigro G, Lanzetta R, Parrilli M, Adinolfi M, Mangoni L. The configuration of the diterpene spiroethers from *Marrubium vulgare* and from *Leonotis leonurus*. Gazz Chim Ital 1979, 3: 145-150

Letchamo W, Mukhopadhyay S. Variability in chromosomes, herb yield, essential oil content and potentials of horehound for North American commercial production. J. Horticult. Scie. 1997, 72: 741-748

Letchamo W, Mukhopadhyay S, Gosselin A. Variability in herb yield and potentials of horehound in North America. CF: International symposium on medicinal and aromatic plants, Amherst, Massachusetts, USA 27-30.08.1995. Acta Horticult. 1996, 426: 601-613

Lopez KM, LaFever RE. Marrubiin production in the White Horehound: Localization of diterpenoid production in *Marrubium vulgare*. Am Chem Soc 1999, 217: 479

Mahmoud AM, Nawwar MAM, El-Mousallamy AMD, Barakat HH, Buddrus J, Linscheid M. Flavonoid lactates from leaves of *Marrubium vulgare*. Phytochemistry 1989, 28: 3201-3206

Khanavi M, Ghasemian L, Motlagh EH, Hadjiakhoondi A, Shafiee A. Chemical composition of the essential oils of *Marrubium parviflorum* Fisch. & C A Mey and *Marrubium vulgare* L. from Iran. Flavour Fragr. J. 2005, 20: 324-326

Mangoni L, Adinolfi M. The Stereochemistry of Marrubiin. Tetrahedr. Lett. 1968, 3: 269-273

- Mangoni L, Adinolfi M, Laonigro G, Caputo R. Synthesis of Marrubiin. *Tetrahedr. Lett.* 1972, 28: 611-621
- McKenzie AG. Herbal medicines in the United Kingdom. *Anaesthesia* 2003, 58: 597-598
- Medina JE, Rondina RVD, Coussio JD. Phytochemical screening of Argentine plants with potential pharmacological activity. Part 7, *Planta Med* 1977, 31: 136-140
- Nicholas HJ. Isolation of marrubin, a sterol and a sesquiterpene from *Marrubium vulgare*. *J. Pharm. Sci.* 1964, 53: 895-899
- Pitra J. Die Erkenntnisse über die Isolierung von reinem Marrubiin. Experiences on the isolation of pure marrubin. *Pharm. Zentralh. Deutsch.* 1957, 96: 103-105
- Sahpaz S, Hennebelle T, Bailleul F. Marruboside, a new phenylethanoid glycoside from *Marrubium vulgare* L. *Nat. Prod. Lett* 2002, 16: 195-199
- Sanchez-Arreola E, Maiti RK, Tecanhuey Fernández LR, Martínez Espino G. Traditional uses and a preliminary study on the phytochemistry of nine medicinal plant species of common use in high land of Puebla and Tlaxcala, Mexico. *Crop Research, Hisar* 2005, 30: 113-118
- Schilcher H. Pharmazeutische Aspekte pflanzlicher Gallentherapeutika. Pharmaceutical aspects of herbal bile remedies. *Zeitschr. Phytother.* 1995, 16: 211-216, 221-222
- Tomás-Barberán FA, Gil MI, Ferreres F, Tomás-Lorente F. Flavonoid p-coumaroylglucosides and 8-hydroxyflavone allosylglucosides in some Labiatae. *Phytochemistry* 1992, 31: 3097-3102
- Wagner H. Phytopreparations used for Immune Stimulation. *Internist* 1988, 29: 472-478