



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

29 September 2015
EMA/HMPC/444243/2015
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Pelargonium sidoides* DC and/or *Pelargonium reniforme* Curt., radix

Draft - revision

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Agbabiaka TB, Guo R, Ernst E. *Pelargonium sidoides* for acute bronchitis: A systemic review and meta-analysis. *Phytomedicine* 2008, 15:378-385

Arold G, Wollny A. A placebo-controlled, double-blind, parallel-group interaction study of an Umckaloabo preparation and penicillin V in 28 healthy subjects [UM 029]. Berlin 2003

Bachert C, Schapowal A, Funk P, Kieser M. Treatment of acute rhinosinusitis with the preparation from *Pelargonium sidoides* EPs® 7630: a randomized, double-blind, placebo-controlled trial. *Rhinology* 2009, 47:51-58

Beil W, Kilian P. EPs® 7630, an extract from *Pelargonium sidoides* roots inhibits adherence of *Helicobacter pylori* to gastric epithelial cells. *Phytomedicine* 2007, 14:5-8

Bereznoy VV, Riley DS, Wassmer G, Heger M. Efficacy of extract of *Pelargonium sidoides* in children with acute non-group A beta-haemolytic streptococcus tonsillopharyngitis: a randomized, double-blind, placebo-controlled trial. *Altern Ther Health Med* 2003, 9:68-78

BfArM (Bundesinstitut für Arzneimittel und Medizinprodukte). Abwehr von Gefahren durch Arzneimittel, Stufe II - Pelargonium-Wurzel-haltige Arzneimittel. 75-3822-V-14588 266223/12 20.06.2012

Bladt S, Wagner H. "Umckaloabo"-Droge der afrikanischen Volksmedizin. *Dtsch Apoth Ztg* 1977, 117:1655-1660

Bladt S, Wagner H. Cumarindrogen: Qualitätsprüfung der Umcka-Droge und ihrer Zubereitungen. *Dtsch Apoth Ztg* 1988, 128:292-296

Bladt S, Wagner H. From the Zulu medicine to the European phytomedicine Umckaloabo®. *Phytomedicine* 2007, 14:2-4



Blochin B, Haidvogel M, Heger M. Umckaloabo im Vergleich zu Acetylcystein bei Kindern mit acuter Bronchitis: prospective, randomisierte, kontrollierte, offene Studie zur Wirksamkeit und Verträglichkeit. *Der Kassenarzt* 1999, 49:46-50

Brendler T, van Wyk BE. A historical, scientific and commercial perspective on the medicinal use of *Pelargonium sidoides* (Geraniaceae). *J Ethnopharmacol* 2008, 119:420-433

Chuchalin AG, Berman B, Lehmacher W. Treatment of acute bronchitis in adults with *Pelargonium sidoides* preparation (EPs® 7630): a randomized, double-blind, placebo-controlled trial. *Explore* 2005, 1:437-445

Conrad A, Frank U. Extract of *Pelargonium sidoides* (EPs® 7630) displays anti-infective properties by enhanced phagocytosis and differential modulation of host-bacteria interactions. *Planta Med* 2008, 74:682-685

Conrad A, Hansmann C, Engels I, Daschner FD, Frank U. Extract of *Pelargonium sidoides* (EPs® 7630) improves phagocytes, oxidative burst, and intracellular killing of human peripheral blood phagocytes in vitro. *Phytomedicine* 2007a, 14:46-51

Conrad A, Jung I, Tioua D, Lallemand C, Carrapatoso F, Engels I, Daschner FD, Frank U. Extract of *Pelargonium sidoides* (EPs® 7630) inhibits the interaction of group A-streptococci and host epithelia in vitro. *Phytomedicine* 2007b, 14:52-59

Conrad A, Kolodziej H, Schulz V. *Pelargonium sidoides*-Extrakt (EPs® 7630): Zulassung bestätigt Wirksamkeit und Verträglichkeit. *Wien Med Wochenschr* 2007c, 157:331-336

Conrad A, Schulz V. Umckaloabo bei acuter Bronchitis. *Dtsch Apoth Ztg* 2007, 147:87-91

de Boer HJ, Hagemann U, Bate J, Meyboom HB. Allergic reactions to medicines derived from *Pelargonium* species. *Drug Safety* 2007, 30:677-680

Dome L, Schuster R. Umckaloabo – a phytopharmaceutical alternative for treatment of acute bronchitis in childhood? [Umckaloabo – eine phytotherapeutische Alternative bei akuter Bronchitis im Kindesalter?]. *Ärztezeitschrift für Naturheilverfahren* 1996, 37(3):216-222

Dorfmueller A, Jung I, Tioua D, Lallemand C, Engels I, Daschner FD, Frank U. Indirekte antibakterielle Wirkmechanismen des *Pelargonium sidoides*-Wurzelextraktes EPs® 7630: Hemmung der Interaktion von A-Streptokokken und HEp-2-Zellen. *Z Phytother* 2005, 26:S6-S7

Egan D, O'Kennedy R, Moran E, Cox D, Prosser E, Thornes RD. The pharmacology, metabolism, analysis, and applications of coumarin and coumarin-related compounds. *Drug Metab Rev* 1990, 22:503-529

European Pharmacopoeia 6th ed. *Pelargonium* root. Council of Europe. 01/2008: 2264; 2625

Franco L, de Oliveira BH. Determination of umckalin in commercial tincture and phytopreparations containing *Pelargonium sidoides* by HPLC: Comparison of sample preparation procedure. *Talanta* 2010, 81:1368-1372

Golovatiouk A, Chuchalin AG. Efficacy of an extract from *Pelargonium sidoides* (EPs® 7630) compared to placebo in patients with acute bronchitis. [Wirksamkeit eines Extraktes aus *Pelargonium sidoides* (EPs® 7630) im Vergleich zu Placebo bei Patienten mit akuter Bronchitis]. In V, Rietbrock N, Roots I, Loew D, editors. *Phytopharmaka VII*. Darmstadt 2002, 3–12

- Gödecke T, Kaloga M, Kolodziej H. A phenol glucoside, uncommon coumarins and flavonoids from *Pelargonium sidoides* DC. *Z Naturforsch B* 2005, 60:677-682
- Haidvogel M, Schuster R, Heger M. Acute bronchitis in childhood. Multi-centre study of the efficacy and tolerance of the phytotherapeutic preparation Umckaloabo. [Akute Bronchitis im Kindesalter - Multizenter-Studie zur Wirksamkeit und Verträglichkeit des Phytotherapeutikums Umckaloabo.]. *Zeitschrift für Phytotherapie* 1996; 17 (5): 300-313
- Haidvogel M, Heger M. Treatment effect and safety of EPs® 7630-solution in acute bronchitis in childhood: Report of a multicentre observational study. *Phytomedicine* 2007, 14:60-64
- Heger M. Wirksamkeit und Verträglichkeit eines Extraktes aus *Pelargonium sidoides* (EPs® 7630) bei akuter Bronchitis. Ergebnisse einer multizentrischen doppelblinden, placebokontrollierten Studie. [Efficacy and tolerability of an extract from *Pelargonium sidoides* (EPs® 7630) in acute bronchitis. Results from a multicenter double-blind placebo-controlled study]. Abstract from Phytopharmaka und Phytotherapie – Forschung und Praxis, Berlin, October 10-12, 2002
- Heger M, Bereznoy VV. Nicht-streptokokkenbedingte Tonsillopharyngitis bei Kindern: Wirksamkeit eines Extraktes aus *Pelargonium sidoides* (EPs® 7630) im Vergleich zu Placebo. In: Schulz V, Rietbrock N, Roots I, Loew D, editors. *Phytopharmaka VII-Forschung und klinische Anwendung*. Steinkopff-Verlag, Darmstadt 2002, 13-25
- Helmstädter A. Umckaloabo – Late vindication of a secret remedy. *Pharm Historian* 1996, 26:2-4
- Jäggi R, Kreuter MH. Cytotoxicity studies with *Pelargonium sidoides* in vitro. Study 220305PP-AG performed by VitaPlant Report 220305PP-AG-1; 16.09.2005: 1-14
- Kamin W, Maydannik VG, Malek FA, Kieser M. Efficacy and tolerability of EPs 7630 in patients (aged 6-18 years old) with acute bronchitis. A randomized, double-blind, placebo-controlled clinical dose-finding study. *Acta Paediatr* 2010a, 99:537-543
- Kamin W, Maydannik VG, Malek FA, Kieser M. Efficacy and tolerability of EPs 7630 in children and adolescents with acute bronchitis: a randomized, double-blind, placebo-controlled multi-center trial with a herbal drug preparation from *Pelargonium sidoides* roots. *J Clin Pharm Ther* 2010b, 48:184-191
- Kamin W, Ilyenko L, Malek F, Kieser M. Treatment of acute bronchitis with EPs 7630: Randomised, controlled trial in children and adolescents. *Pediatrics International*. 2012;54:219-26
- Kayser O, Kolodziej H. Highly oxygenated coumarins from *Pelargonium sidoides*. *Phytochemistry* 1995, 39:1181-1185
- Kayser O, Kolodziej H. Antibacterial activity of extract and constituents of *Pelargonium sidoides* and *Pelargonium reniforme*. *Planta Med* 1997, 63:508-510
- Kayser O, Kolodziej H, Kiderlen AF. Immunomodulatory principles of *Pelargonium sidoides*. *Phytother Res* 2001, 15:122-126
- Kim CE, Griffiths WJ, Taylor PW. Components derived from *Pelargonium* stimulate macrophage killing of *Mycobacterium* species. *J Appl Microbiol* 2009, 106:1184-1193
- Koch E. Untersuchungen zu möglichen hepatotoxischen Effekten von Umckaloabo®. *Z Phytother* 2006, 27:25
- Koch E, Biber A. Treatment of rats with the *Pelargonium sidoides* extract EPs® 7630 has no effect on blood coagulation parameters or on the pharmacokinetics of warfarin. *Phytomedicine* 2007, 14:40-45

- Koch E, Lanzendörfer-Gossen H, Wohn C. Stimulation of interferon (IFN)-beta synthesis and natural killer (NK) cell activity by an aqueous-ethanolic extract from roots of *Pelargonium sidoides* (Umckaloabo). *Naunyn Schmiedeberg's Arch Pharmacol* 2002, 365(1):R75
- Koch E, Wohn C. *Pelargonium sidoides* root extract EPs® 7630 stimulates release of antimicrobial peptides from neutrophil granulocytes in human whole blood. *Planta Med* 2007, 73:846
- Kolodziej H. Traditionally used *Pelargonium* species: chemistry and biological activity of umckaloabo extracts and their constituents. *Curr Topic Phytochem* 2000, 3:77-93
- Kolodziej H. *Pelargonium reniforme* and *Pelargonium sidoides* – their botany, chemistry and medicinal use. In: Lis-Balchin M, editor. *Geranium and Pelargonium*. Taylor & Francis, London 2002, 262-290
- Kolodziej H. Fascinating metabolic pools of *Pelargonium sidoides* and *Pelargonium reniforme*, traditional and phytomedicinal sources of the herbal medicine Umckaloabo®. *Phytomedicine* 2007, 14:9-17
- Kolodziej H. Aqueous ethanolic extract of the roots of *Pelargonium sidoides* – New scientific evidence for an old anti-infective phytopharmaceutical. *Planta Med* 2008, 74:661-666
- Kolodziej H, Burmeister A, Trun V, Radtke OA, Kiderlen AF, Ito H, Hatano T, Yoshida T, Foo LY. Tannins and related compounds induce nitric oxide synthase and cytokines gene expressions in Leishmania mayor-infected macrophage-like RAW 264.7 cells. *Bioorg Med Chem* 2005, 13:6470-6476
- Koldziej H, Kayser O, Radtke OA, Kiderlen AF, Koch E. Pharmacological profile of extracts of *Pelargonium sidoides* and their constituents. *Phytomedicine* 2003, 10:18-24
- Kolodziej H, Kayser O, Tan N. Novel coumarin sulphates from *Pelargonium sidoides*: isolation, structure and synthetic approach. In: Rauter A, Araujo E, Sales F, Justino J, Santos SP, editors. *Natural Products in the New Millennium: Prospects and Industrial Application*. Proceedings of the Phytochemical Society of Europe 2002, 59-64
- Kolodziej H, Kiderlen AF. In vitro evaluation of antibacterial and immunomodulatory activities of *Pelargonium reniforme*, *Pelargonium sidoides* and the related herbal drug preparation EPs® 7630. *Phytomedicine* 2007, 14:18-26
- Lake BG. Coumarin metabolism, toxicity and carcinogenicity: relevance for human risk assessment. *Food Chem Toxicol* 1999, 37:423-453
- Latte KP, Kaloga M, Kolodziej H. Reniformin, a unique diterpene ester from the roots of *Pelargonium reniforme*. *Nat Prod Commun* 2007, 2:883-886
- Latte KP, Kayser O, Tan N, Kaloga M, Kolodziej H. Unusual coumarin patterns of *Pelargonium* species forming the origin of the traditional herbal medicine Umckaloabo. *Z Naturforsch B* 2000, 55:528-533
- Lehrl S. Report on the Validity of the Bronchitis Severity Scale (BSS) –a scale for acute bronchitis. 14 November 2012 (unpublished)
- Lewu FB, Grierson DS, Afolayan AJ. Extracts from *Pelargonium sidoides* inhibit the growth of bacteria and fungi. *Pharm Biol* 2006a, 44:279-282
- Lewu FB, Grierson DS, Afolayan AJ. The leaves of *Pelargonium sidoides* may substitute for its roots in the treatment of bacterial infections. *Biol Conserv* 2006b, 128:582-584
- Lizogub VG, Riley DS, Heger M. Efficacy of *Pelargonium sidoides* preparation in patients with the common cold: a randomized, double-blind, placebo-controlled clinical trial. *Explore* 2007, 3:573-584

Loew D, Koch E. Coumarine- Differenzierte Risikobetrachtung mit bódem Beispiel eines pflanzlichen Arzneimittels. *Z Phytother* 2008, 29:28-36

Malek FA. Efficacy and tolerability of Pelargonium sidoides extract EPs 7630 in patients (1 to 18 years old) with acute bronchitis: A randomized, double-blind, placebo-controlled clinical trial [Study No. 70100.01.001]. Karlsruhe 2007a [unpublished clinical trial, provided by Dr. Willmar Schwabe GmbH & Co.KG]

Malek FA, Köhler S, Kieser M, Buschulte I. Efficacy and tolerability of EPs 7630-filmcoated tablets in patients (6 to 18 years old) with acute bronchitis: A randomized, double-blind, placebo-controlled clinical dose-finding study [Study No. 701003.01.002]. Karlsruhe 2007b [unpublished clinical trial, provided by Dr. Willmar Schwabe GmbH & Co.KG]

Malek FA, Köhler S, Kieser M, Buschulte I. Efficacy and tolerability of EPs 7630-filmcoated tablets in patients (>18 years old) with acute bronchitis: A randomized, double-blind, placebo-controlled clinical dose-finding study [Study-No. 701003.01.003]. Karlsruhe 2007c [unpublished clinical trial, provided by Dr. Willmar Schwabe GmbH & Co.KG]

Malek FA, Köhler S, Kieser M, Buschulte I. Efficacy and tolerability of EPs 7630, a liquid herbal drug preparation from Pelargonium sidoides in patients (1-18 years old) suffering from acute bronchitis: A randomized, double-blind, placebo-controlled clinical trial [Study-No. 701003.01.004]. Karlsruhe 2007d [unpublished clinical trial, provided by Dr. Willmar Schwabe GmbH & Co.KG]

Mativandela S, Lall N, Meyer J. Antibacterial, antifungal and antitubercular activity of *Pelargonium reniforme* and *Pelargonium sidoides* root extracts. *S Afr J Bot* 2006, 72:232-237

Matthys H, Eisebitt R, Seith B, Heger M. Efficacy and safety of an extract of *Pelargonium sidoides* (EPs® 7630) in adults with acute bronchitis. *Phytomedicine* 2003, 10:7-17

Matthys H, Funk P. EPs® 7630 improves acute bronchitic symptoms and shortens time to remission. Results of a randomized, double-blind, placebo-controlled, multicentre trial. *Planta Med* 2008, 74:686-692

Matthys H, Heger M. Treatment of acute bronchitis in adults with a liquid herbal drug preparation from *Pelargonium sidoides* (EPs® 7630): a randomized, double-blind, placebo-controlled, multicentre study. *Curr Med Res Opin* 2007a, 23:323-331

Matthys H, Heger M. EPs® 7630 solution – an effective therapeutic option in acute and exacerbating bronchitis. *Phytomedicine* 2007b, 14:65-68

Matthys H, Kamin W, Funk P, Heger M. *Pelargonium sidoides* preparation (EPs® 7630) in the treatment of acute bronchitis in adults and children. *Phytomedicine* 2007, 14:69-73

Matthys H, Kamin W. EPs 7630, a Herbal Drug Preparation for Treating Acute Bronchitis in Children and Adults InTechOpen, Published on: 2011-10-17. <http://www.intechopen.com/books/approaches-to-bronchitis/eps-7630-a-herbal-drug-preparation-for-treating-acute-bronchitis-in-children-and-adults>

Matthys H, Köhler S. Safety and tolerability of EPs® 7630 (Umckaloabo®). *Planta Medica* 2010, 76: 1185

Matthys H, Lizogub VG, Funk P, Malek FA. *Pelargonium sidoides* bei akuter Bronchitis – Gesundheitsbezogene Lebensqualität und Therapiebeurteilung aus Patientensicht unter Behandlung mit EPs 7630. *Wiener Medizinische Wochenschrift* 2010a; 160(21-22):564-570

Matthys H, Lizogub VG, Malek FA, Kieser M. Efficacy and tolerability of EPs® 7630 tablets in patients with acute bronchitis: a randomised, double-blind, placebo-controlled dose-finding study with a herbal drug preparation from *Pelargonium sidoides*. *Current Medical Research and Opinion* 2010b, 26(6):1413-1422

Mwachari C, Nduba V, Nguti R, Park DR, Sanguli L, Cohen CR. Validation of a new clinical scoring system for acute bronchitis. *The International Journal of Tuberculosis and Lung Disease* 2007; 11: 1253-1259

Neidig C. Efficacy of EPs® 7630 solution in the treatment of acute bronchitis in adults [UM 026]. Cologne 2002a [unpublished clinical trial, provided by Dr. Willmar Schwabe GmbH & Co.KG]

Neidig C. Efficacy of EPs® 7630 in the treatment of acute angina catarrhalis [UM 012] [Wirksamkeit von EPs® 7630 bei akuter Angina catarrhalis]. Cologne 2002b

Neidig C. Efficacy of EPs® 7630 in the treatment of acute angina catarrhalis [UM 017]. [Wirksamkeit von EPs® 7630 bei akuter Angina catarrhalis]. Cologne 2002c

Neugebauer P, Mickenhagen A, Siefer O, Walger M. A new approach to pharmacological effects on ciliary beat frequency in cell cultures – exemplary measurements under *Pelargonium sidoides* extract (EPs® 7630). *Phytomedicine* 2005, 12:46-51

Niho N, Shibutani M, Tamura T, Toyoda K, Uneyama C, Takahashi N, Hirose M. Subchronic toxicity study of gallic acid by oral administration in F344 rats. *Food Chem Toxicol* 2001, 39:1063-1070

Nöldner M, Schötz K. Inhibition of lipopolysaccharide-induced sickness behaviour by a dry extract from the roots of *Pelargonium sidoides* (EPs® 7630) in mice. *Phytomedicine* 2007, 14:27-31

Patience S, Mativandela N, Meyer JJM, Hussein AA, Lall N. Antitubercular activity of compounds isolated from *Pelargonium sidoides*. *Pharm Biol* 2007, 45:645-650

Patrick G, Hickner J. This obscure herb works for the common cold. *J Fam Practice* 2008, 57:157-161

Rajalakshmi K, Devaraj H, Devaraj SN. Assessment of the no-observed-adverse-effect level (NOAEL) of gallic acid in mice. *Food Chem Toxicol* 2001, 39:919-922

Romberg U. Efficacy of EPs® 7630 solution in the treatment of acute bronchitis in adults [UM 028]. Clinical trial report. Cologne 2004a [unpublished clinical trial, provided by Dr. Willmar Schwabe GmbH & Co.KG]

Romberg U. Efficacy of EPs® 7630 liquid in comparison with acetylcysteine in the treatment of acute bronchitis [UM 009]. Clinical trial report. Cologne 2004b [unpublished clinical trial, provided by Dr. Willmar Schwabe GmbH & Co.KG]

Romberg U. Efficacy of EPs® 7630 solution in the treatment of acute bronchitis in adults [UM 027]. Clinical trial report. Cologne 2004c [unpublished clinical trial, provided by Dr. Willmar Schwabe GmbH & Co.KG]

Romberg U. Efficacy of EPs® 7630 solution in the treatment of acute bronchitis in adults [UM 037]. Clinical trial report. Cologne 2004d [unpublished clinical trial, provided by Dr. Willmar Schwabe GmbH & Co.KG]

Romberg U. Efficacy of EPs® 7630 solution in the treatment of acute maxillary sinusitis in adults [UM 035]. Clinical trial report. Cologne 2004e [unpublished clinical trial, provided by Dr. Willmar Schwabe GmbH & Co.KG]

- Roots I, Arold D, Dienel A, Meng G, Wollny A, Bauer S. A placebo-controlled, double-blind interaction study of *Pelargonium sidoides* extract and penicillin V in healthy subjects. [Placebokontrollierte doppelblinde Interaktionsstudie mit *Pelargonium-sidoides*-Extrakt und Penicillin V bei gesunden Probanden]. Abstract from the Congress for Phytopharmaceuticals and Phytotherapy Berlin 2004 [unpublished clinical trial, provided by Dr. Willmar Schwabe GmbH & Co.KG]
- Schapowal A, Heger M. EPs® 7630 Lösung (Umckaloabo®) bei Sinusitis. *Z Phytother* 2007, 28:58-65
- Schnitzler P, Schneider S, Stintzing FC, Carle R, Reichling J. Efficacy of an aqueous *Pelargonium sidoides* extract against herpes virus. *Phytomedicine* 2008, 15:1108-1116
- Schötz K, Erdelmeier C, Germer S, Hauer H. A detailed view on the constituents of EPs® 7630. *Planta Med* 2008, 74:667-674
- Schötz K, Nödler M. Mass spectroscopic characterization of oligomeric proanthocyanidins derived from an extract of *Pelargonium sidoides* roots (EPs® 7630) and pharmacological screening in CNS models. *Phytomedicine* 2007, 14:32-39
- Schulz V. Dosisfindungstudie zur Wirksamkeit von *Pelargonium sidoides* extrakt (EPs® 7630 in neuer Tablettenform) bei 405 Erwachsenen mit akuter Bronchitis. *Z Phytother* 2008a, 29:37-38
- Schulz V. Akute Bronchitis – Kongressbericht über zwei neue Doppelblindstudien zur Wirksamkeit und Vertraglichkeit von *Pelargonium sidoides* Extrakt (EPs® 7630) bei 420 Kindern und Jugendlichen. *Z Phytother* 2008b, 29:38-39
- Seidel V, Taylor P. In vitro activity of extract and constituents of *Pelargonium* against rapidly growing mycobacteria. *Int J Antimicrob Agents* 2004, 23:613-619
- Taylor P, Maalim S, Coleman S. The strange story of umckaloabo. *Pharm J* 2005, 275:790-792
- Teschke R, Frenzel C, Schulze J, Eickhoff A. Spontaneous reports of primarily suspected hepatotoxicity by *Pelargonium sidoides*: Was causality adequately ascertained? *Regul Toxicol Pharmacol* 2012a, 63:1-9
- Teschke R, Frenzel C, Wolff A, Herzog J, Glass X, Schulze J, Eickhoff A. Initially purported hepatotoxicity by *Pelargonium sidoides*: the dilemma of pharmacovigilance and proposals for improvement. *Ann Hepatol*. 2012b, 11:500-512
- Thäle C, Kiderlen A, Kolodziej H. Anti-infective mode of action of EPs® 7630 at the molecular level. *Planta Med* 2008, 74:675-681
- Timmer A, Günther J, Rücker G, Motschall E, Antes G, Kern WV. *Pelargonium sidoides* extract for acute respiratory tract infections. *Cochrane Database Syst Rev* 2009, 3:CD006323
- Tribanek M, Buschulte I. Efficacy and tolerability of *Pelargonium sidoides* extract EPs7630 in patients (1 to 18 years old) with acute bronchitis: A randomized, double-blind, placebo-controlled clinical trial [Study No. 701003.01.001] - Supplement to the clinical study report (Subgroup analyses of patients less than 7 years old, 7 to 12 years old and above 12 years old) Karlsruhe 2008a [unpublished clinical trial, provided by Dr. Willmar Schwabe GmbH & Co.KG]
- Tribanek M, Buschulte I. Efficacy and tolerability of *Pelargonium sidoides* extract EPs7630 in patients (1 to 18 years old) with acute bronchitis: A randomized, double-blind, placebo-controlled clinical trial [Study No. 701003.01.004] - Supplement to the clinical study report (Subgroup analyses of patients less than 7 years old, 7 to 12 years old and above 12 years old) Karlsruhe 2008b [unpublished clinical trial, provided by Dr. Willmar Schwabe GmbH & Co.KG]

Tribanek M, Buschulte I. Efficacy and tolerability of Pelargonium sidoides extract EPs7630 in patients (6 to 18 years old) with acute bronchitis: A randomized, double-blind, placebo-controlled clinical trial [Study No. 701003.01.002] - Supplement to the clinical study report (Subgroup analyses of children above 12 years old) Karlsruhe 2008c [unpublished clinical trial, provided by Dr. Willmar Schwabe GmbH & Co.KG]

Trun W, Kiderlen AF, Kolodziej H. Nitric oxide synthase and cytokines gene expression analyses in Leishmania-infected RAW 264.7 cells treated with an extract of Pelargonium sidoides (EPs® 7630). *Phytomedicine* 2006, 13:570-575

van Wyk BE. A broad review of commercially important southern African medicinal plants. *J Ethnopharmacol* 2008, 119:342-355

Vornbäumen J. and Eisebitt R. Efficiency of Umckaloabo compared to acetylcysteine in acute bronchitis UM 006-Biometrial report 1998, 1-20

Wittschier N, Faller G, Hensel A. An extract of *Pelargonium sidoides* (EPs® 7630) inhibits *in situ* adhesion of *Helicobacter pylori* to human stomach. *Phytomedicine* 2007, 14:285-288

White AG, Davies-Coleman MT, Ripley BS. Measuring and optimising concentration in wild-harvest and cultivated Pelargonium sidoides (Geraniaceae). *S Afr J Bot* 2008, 74:260-267

Zind U, Reineke T, Buschulte I. Investigation on the safety of EPs® 7630 after continuous treatment over 6 weeks in 2 different dosages: A placebo-controlled trial in healthy volunteers. [UM 036]. Ettlingen 2011 [unpublished clinical trial, provided by Dr. Willmar Schwabe GmbH & Co.KG]