

2 February 2016
EMA/HMPC/277151/2015
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Salvia officinalis* L., folium and *Salvia officinalis* L., aetheroleum

Draft - Revision

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Akhondzadeh S, Noroozian M, Mohammadi M, Ohadinia S, Jamshidi AH, Khani M. *Salvia officinalis* extract in the treatment of patients with mild to moderate Alzheimer's disease: a double blind, randomized and placebo-controlled trial. *J Clin Pharm Ther* 2003, 28:53-59

Barnes J, Anderson LA, Phillipson DJ. Sage. Herbal Medicines. 2nd ed. The Pharmaceutical Press, London 2002, 408-411

Barnes J, Anderson LA, Phillipson DJ. Sage. Herbal Medicines. 3rd ed. The Pharmaceutical Press, London 2007, 512-514

Bisset NG, Wichtl M. *Salviae officinalis folium*. Herbal Drugs and Phytopharmaceuticals. A Handbook for Practice on a Scientific Basis With Reference to German Commission E Monographs. 2nd ed. Medpharm, Stuttgart 2001, 440-443

Blumenthal M, Goldberg A, Brinckmann J. Herbal Medicine Expanded Commission E Monographs. American Botanical Council, Austin 2000, 330-334

Bommer S, Klein P, Suter A. First time proof of sage's tolerability and efficacy in menopausal women with hot flushes. *Adv Ther* 2011, 28:490-500

Bradley P. Sage Leaf. British Herbal Compendium, a handbook of scientific information on widely used plant drugs. Companion to the British Herbal Pharmacopoeia. Vol 2. Bournemouth 2006, 339-344

British Herbal Medicine Association. Sage Leaf. British Herbal Pharmacopoeia. 4th ed. British Herbal Medicine Association, Bournemouth 1996, 164-165

Bruneton J. Toxic plants Dangerous to Humans and Animals. Lavoisier, Paris 1999, 324

Chang SS, Ostric-Imatijasevic B, Hsieh OAL, Huangz CL. Natural Antioxidants from Rosemary and Sage. *J of Food Science* 1977, 42(4):1102-1106

- Croteau R, Felton M, Karp F, Kjonaas R. Relationship of Camphor Biosynthesis to Leaf Development in Sage (*Salvia officinalis*). *Plant Physiol* 1981, 67: 820-824
- Dapkevicius A, Venskutonis R, van Beek TA, Linssen JPH. Antioxidant Activity of Extracts Obtained by Different Isolation Procedures from some Aromatic Herbs Grown in Lithuania. *J Sci Food Agric* 1998, 77:140-146
- Detting A, Grass H, Schuff A, Skopp G, Strohbeck-Kuehner P, Haffner HT. Absinthe: Attention Performance and Mood under the Influence of Thujone. *J Stud Alcohol* 2004, 65:573-581
- EFSA. Camphor in flavourings and other food ingredients with flavouring properties. *The EFSA Journal* 2008, 729:1-15
- EFSA. Use of rosemary extracts as a food additive. *The EFSA Journal* 2008, 721:1-29
- EFSA. Public Hearing. Safety Assessment of Botanicals and Botanicals Preparations Intended for Use as Food supplements. Available at: http://www.efsa.europa.eu/EFSA/efsa_locale-1178620753812_1178669754855.htm Accessed: 04/06/2008
- Ergänzungsbuch zum Deutschen Arzneibuch (Erg. B. 6). Stuttgart 1953
- El-Desouki Hala M, Al-Omair, Mouhamed A. b-Sitosterol. Trade Science Inc. Biochemistry Department, Faculty of Science, Ain Shams University, Egypt 2007
- Ehrnhöfer-Ressler MM, Fricke K, Pignitter M, Walker JM, Walker J, Rychlik M, et al. Identification of 1,8-Cineole, Borneol, Camphor, and Thujone as Anti-inflammatory Compounds in a *Salvia officinalis* L. Infusion Using Human Gingival Fibroblasts. *J Agric Food Chem* 2013 61(14):3451-3459
- European Pharmacopoeia 2008. Available at: http://online6.edqm.eu/ep601/#doc_1_of_32 Accessed: 04/06/2008
- European Scientific Cooperative on Phytotherapy. ESCOP Monographs 2nd ed. The Scientific Foundation for Herbal Medicinal Products. Thieme, Stuttgart 2004, 452-455
- Fleming T. PDR for Herbal Medicines. 2nd ed. Medical Economics, Montvale 2000, 656
- Funk C, Croteau R. Induction and Characterization of a Cytochrome P-450-Dependent Camphor Hydroxylase in Tissue Cultures of Common Sage (*Salvia officinalis*). *Plant Physiol* 1993, 101: 1231-1237
- Futrell JM, Rietschel RL. Spice allergy evaluated by results of patch tests. Department of Dermatology. Ochsner Clinic, New Orleans, Louisiana 1993, 70121
- Gomes-Carneiro MR, Felzenszwalb I, Paumgarten FJ. Mutagenicity testing (+/-)-camphor, 1,8-cineole, citral, citronellal, (-)-menthol and terpineol with the Salmonella/microsome assay. *Mutat Res* 1998, 416:129-136
- Grundmann O, Phipps SM, Zadezensky I, Butterweck V. *Salvia divinorum* and salvinorin A: an update on pharmacology and analytical methodology. *Planta Med* 2007, 73(10):1039-1046
- Gruzunov K, Mastelic J, Ruzic N. Identification of aglycones of β -D-glucosides from the leaves of Dalmatian sage (*Salvia off.*). *Acta Pharm Jugosl* 1984, 35:175-179
- Halicioglu O, Astarcioglu G, Yaprak I, Aydinlioglu H. Toxicity of *Salvia officinalis* in a newborn and a child: an alarming report. *Pediatr Neurol* 2011 Oct, 45(4):259-260
- Harborne JB, Baxter H, Moss GP. Dictionary of Plant Toxins. John Wiley & Sons, Chichester 1996, 87

- Hellum BH, Nilsen OG. The in vitro Inhibitory Potential of Trade herbal Products on Human CYP2D6-Mediated Metabolism and the Influence of Ethanol. *Basic Clin Pharmacol Toxicol* 2007, 101:350-358
- Hirono I. Naturally Occurring Carcinogens of Plant Origin, Toxicology, Pathology and Biochemistry. Kodansha LTD, Tokyo 1987, 2:76
- Hold KM, Sirisoma NS, Sparks SE, Quistad GB, Casida JE. α -Thujone and absinthe: Structural and metabolic aspects of neurotoxic action. Book of Abstracts 2000, Vol 23
- Horiuchi K, Shiota S, Hatano T, Yoshida T, Kuroda T, Tsuchiya T. Antimicrobial Activity of Oleanolic Acid from *Salvia officinalis* and Related Compounds on Vancomycin-Resistant Enterococci (VRE). *Biol Pharm Bull* 2007, 30(6):1147-1149
- Hubbert M, Sievers H, Lehnfeld R, Kehrl W. Efficacy and Tolerability of a Spray with *Salvia officinalis* in the Treatment of Acute Pharyngitis-A Randomised, Double-Blind, Placebo-Controlled Study with Adaptive Design and Interim Analysis. *Eur J Med Res* 2006, 11:20-26
- Hänsel R, Keller K, Rimpler H. Hagers Handbuch der Pharmazeutischen Praxis. Drogen P-Z. 5th ed. Springer Verlag, Berlin 1994, 6:548-559
- Kennedy DO, Pace S, Haskell C, Okello EJ, Milne A, Scholey AB. Effects of Cholinesterase Inhibiting Sage (*Salvia officinalis*) on Mood, Anxiety and Performance on a Psychological Stressor Battery. *Neuropsychopharmacology* 2006, 31:845-852
- Kianbakht S, Abasi B, Perham M, Hashem Dabaghian F. Antihyperlipidemic effects of *Salvia officinalis* L. leaf extract in patients with hyperlipidemia: a randomized double-blind placebo-controlled clinical trial. *Phytother Res* 2011 Dec, 25(12):1849-1853
- Kianbakht S, Dabaghian FH. Improved glycemic control and lipid profile in hyperlipidemic type 2 diabetic patients consuming *Salvia officinalis* L. leaf extract: a randomized placebo. Controlled clinical trial. *Complement Ther Med* 2013 Oct, 21(5):441-446
- Länger R, Mechtler CH and Jurenitsch J. Composition of the Essential Oils of Commercial Samples of *Salvia officinalis* L. and *S. fruticosa* Miller: A Comparison of Oils Obtained by Extraction and Steam Distillation. *Phytochem Anal* 1996, 7:289-293
- Madaus G. Lehrbuch der Biologischen Heilmittel, Band III. Georg Thieme Verlag, Leipzig 1938
Available at: <http://www.henriettesherbal.com/eclectic/madaus/salvia.html> Accessed: 04/06/2008
- Marder M, Paladini AC. GABA A-Receptor Ligands of Flavonoid Structure. *Curr Top Med Chem* 2002, 2:853-867
- Martindale W. Reynolds, JEF, Parfitt K. Martindale The Extra Pharmacopoeia. 31st ed. London Royal Pharmaceutical Society, London 1996, 1749
- Martindale The Complete Drug Reference. Available
t:http://www.thomsonhc.com/hcs/librarian/ND_T/HCS/ND_PR/Main/CS/147420/DUPLICATIONSHIELD_SYNC/89FE13/ND_PG/PRIH/ND_B/HCS/SBK/1/ND_P/Main/PFPUI/uiY1rv2tSssik/PFActionId/hcs.common.RetrieveDocumentCommon/DocId/4704s/ContentSetId/30/SearchTerm/Salvia/SearchOption/BeginWith Accessed: 04/06/2008
- Newall CA, Anderson LA, Phillipson JD. Herbal Medicines A Guide for Health-care Professionals. The Pharmaceutical Press, London 1996, 231-232
- Patenkovic A, Stamenkovic-Radak M, Banjanac T, Andjelkovic M. Antimutagenic effect of sage tea in the wing spot test of *Drosophila melanogaster*. *Food Chem Toxicol* 2009, 47(1):180-183

Scientific Committee on Food. Opinion of the Scientific Committee on Food on Thujone. European Commission health & consumer protection directorate – general. Available at: http://ec.europa.eu/food/fs/sc/scf/out162_en.pdf Accessed: 04/06/2008

Scifinder. Available at: <http://www.ub.uio.no/umn/SciFinder/> (this is not available without an account) Accessed: 16/06/2008

Scholey AB, Tildesley NTJ, Ballard CG, Wesnes KA, Tasker A, Perry ELK, et al. An extract of Salvia (sage) with anticholinesterase properties improves memory and attention in healthy older volunteers. *Psychopharmacology* 2008, 198:127-139

Sutovska M, Nosalova G, Franova S, Capek P, Hribalova V. The antitussive and immunomodulatory activities of pectin and hemicellulose polysaccharides originated from *Salvia officinalis* L. *Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub* 2007, 151:107-108

Taddei I, Giachetti D, Taddei E, Mantovani P. Spasmolytic activity of Peppermint, Sage and Rosemary essences and their major constituents. *Fitoterapia* 1988, 59(6):463-468

The Cochrane Library. Available at: http://mrw.interscience.wiley.com/cochrane/cochrane_search_fs.html Accessed: 16/06/2008

The Merck Index. Available at: https://themerckindex.cambridgesoft.com/TheMerckIndex/default.asp?formgroup=basenp_form_group&dataaction=db&dbname=TheMerckIndex Accessed: 04/06/2008

Todorov S, Philianos S, Pelkov V, Harvala C, Zamfirova R, Olimpiou H. Experimental Pharmacological Study of Three Species from Genus Salvia. *Acta Physiol Pharmacol Bulg* 1984, 10(2): 13-19

Tong T, Schneir AB, Williams SR, Ly BT, Richardson WR. Sage Tea Related Convulsions in a Pediatric Patient. *J Toxicol Clinical Toxicology* 2003, 41(5):727-728

ToxLine. Available at: <http://toxnet.nlm.nih.gov/cgi-bin/sis/search> Accessed: 16/06/2008 Accessed: 10/02/2015

Van Dyke TE, Braswell, Offenbacher S. Inhibition of gingivitis by topical application of ebselen and rosmarinic acid. *Agents Actions* 1986, 19(5-6):376-377

Verweij-van Vught AM, Appelmeij B, Groeneveld ABJ, Sparrius M, Thijs LG, MacLaren DM. Influence of rosmarinic acid on opsonization and intracellular killing of Escherichia coli and Staphylococcus aureus by porcine and human polymorphonuclear leucocytes. *Agents Actions* 1987, 22 (3-4):289-294

Viuda-Martos M, Ruiz-Navajas Y, Fernandez-Lopez J, Angel Perez-Alvarez J. Antibacterial activity of different essential oils obtained from spices widely used in Mediterranean diet. *Int J Food Sci and Tech* 2008, 43:526-531

Vujosevic M, Blagojevic J. Antimutagenic effects of extracts from sage (*Salvia officinalis*) in mammalian system in vivo. *Acta Vet Hung* 2004, 52(4):439-443

Wang M, Shao Y, Li J, Zhu N, Rangarajan M, La Voie EJ, et al. Antioxidative Phenolic Glycosides from Sage (*Salvia officinalis*). *J Nat Prod* 1999, 62:454-456

Wang M, Kikuzaki H, Zhu N, Sang S, Nakatani N, Ho CT. Isolation and Structural Elucidation of Two New Glycosides from Sage (*Salvia officinalis* L.). *J Agric Food Chem* 2000, 48:235-238

Weiss RF, Fintelmann V. Herbal Medicine. 2nd ed. Thieme, Stuttgart 2000, 422

Wichtl M. Salvia officinalis folium. In Wichtl M, editor. Herbal Drugs and Phytopharmaceuticals. A Handbook for Practice on a Scientific Basis. 3rd ed. Medpharm, Stuttgart 2004, 538-542

Zimna D, Grzybowski J, Piekos R. Extraction of Some Essential Elements from the Leaves of Sage (*Salvia officinalis* L.). *Sci Pharm* 1984, 52:131-141

Other common examples

Blaschek W, Ebel S, Hackenthal E, Holzgrabe U, Keller K, Reichling J, Schulz V, editors. HagerROM 2006: Hagers Handbuch der Drogen und Arzneistoffe. Version 5.0. Springer Medizin Verlag, Heidelberg 2006

Blumenthal M, Busse WR, Goldberg A, Gruenwald J, et al., editors. The Complete German Commission E Monographs. American Botanical Council, Austin Texas 1998, 197

Blumenthal M, Goldberg A, Brinckmann J, editors. Herbal medicine. Expanded Commission E Monographs. The American Botanical Council, Austin Texas 2000, 389-93

Bradley PR editor. British Herbal Compendium. Vol 2. British Herbal Medicine Association, Bournemouth 2006, 270-275

British Herbal Pharmacopoeia. 4th ed. British Herbal Medicine Association, Exeter 1996, 75

Dorsch W, Loew D, Meyer-Buchtela E, Schilcher H. Kinderdosierungen von Phytopharmaka. 3rd ed. Vol 1. Kooperation Phytopharmaka, Bonn 2002, 70-71

Gruenwald J, Brendler T, Jaenicke C, editors. PDR for herbal medicines. 3rd ed. Thomson PDR, Montvale 2004, 679-81

Hänsel R, Keller K, Rimpler H, Schneider G, editors. Hagers Handbuch der Pharmazeutischen Praxis. 5th ed. Vol 5. Springer-Verlag, Berlin 1993, 367-384

Madaus G. Lehrbuch der biologischen Heilmittel. Vol 2. Georg Olms Verlag. Hildesheim-New York 1976 (reprint), 1354-61

Wichtl M. Herbal drugs and Phytopharmaceuticals. 3rd ed. Medpharm Scientific Publishers GmbH, Stuttgart 2004, 45-47

Wichtl M. Teedrogen und Phytopharmaka. 4th ed. Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 2002, 45-47