



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

7 July 2015
EMA/HMPC/278220/2015
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Silybum marianum* (L.) Gaertn., fructus

Draft

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Abenavoli L, Capasso R, Milic N, Capasso F. Milk thistle in liver diseases: past, present and future. *Phytother Res* 2010, 24: 1423-1432

Ahlemeyer B, Selke D, Schaper C, Kllumpp S, Krieglstein J. Ginkgolic acids induce neuronal death and activate protein phosphatase type-2C. *Eur J of Pharmacol* 2001, 430(1): 1-7

Ahmad N, Gali H, Javed S, Agarwal R. Skin cancer chemopreventive effects of a flavonoid antioxidant silymarin are mediated via impairment of receptor tyrosine kinase signaling and perturbation in cell cycle progression. *Biochem Biophys res Comm* 1998, 247: 294-301

Ahmed-Belkacem A, Ahnou N, Barbotte L, Wychowski C, Pallier C, Brillet R, Pohl RT, Pawlotsky JM. Silibinin and related compounds are direct inhibitors of Hepatitis C Virus RNAdependent RNA Polymerase. *Gastroenterol* 2010, 138:1112-1122

Allain H, Schück S, Lebreton S, Strenge-Hesse A, Braun W, Gandon JM, Brissot P. Aminotransferase levels and silymarin in de novo tacrine-treated patients with Alzheimer's disease. *Dement Geriatr Cogn Disord* 1999, 10: 181-185

Anderson D, Dobrzynska MM, Yu TW. Modulating effects of silymarin and myricetin on food mutagens and doxorubicin in assays with different genetic endpoints. *J Environm Pathol Toxicol Oncol* 1997a, 16: 313-327

Anderson D, Basaran N, Dobrzynska MM, Basaran AA, Yu TW. Modulating effects of flavonoids on food mutagens in human blood and sperm samples in the comet assay. *Teratogenesis Carcinog Mutagen* 1997b, 17: 45-58

Angulo P, Jorgensen RA. Silymarin in the treatment of patients with primary sclerosing cholangitis: an open-label pilot study. *Dig Dis Sci* 2008, 53: 1716-1720



Bannwart CF, Peracollo JC, Nakaira-Takahagi E, Peracoli MTS. Inhibitory effect of silibinin on tumour necrosis factor alpha and hydrogen peroxide production by human monocytes. *Nat Prod Res* 2010, 24: 1747-1757

Barnes J, Anderson LA, Phillipson JD. *Herbal Medicines*, Third Edition. 2007 (First ed. 1996) Milk Thistle, Pharmaceutical Press, London, 429-435

Bares JM, Berger J, Nelson JE, Messner DJ, Schitdt S, Standish LJ, Kowwdley KV. Silybinin treatment is associated with reduction in serum ferritin in patients with chronic hepatitis C. *J Clin Gastroenterol* 2008, 42: 937-944

Barret M, Ed. *The handbook of clinically tested herbal remedies*. Vol 2. The Haworth Press, Inc. USA 2004

Benda *et al.* The influence of therapy with silymarin on the survival rate of patients with liver cirrhosis. *Wien Klin Wochenschr* 1980, 92(19): 678-683

Blumenthal M, Busse WR, Goldberg A, Gruenwald J, Hall T, Riggins CW, Rister RS (eds.). Klein S, Rister RS (trans.). *The Complete German Commission E Monographs—Therapeutic Guide to Herbal Medicines*. Austin, TX: American Botanical Council; Boston: Integrative Medicine Communication; 1998, 11, 169-170

Blumenthal M, Goldberg A, Brinckmann J (eds.). Milk Thistle Fruit. In: *Herbal Medicine: Expanded Commission E Monographs*. Newton, MA: Integrative Medicine Communications 2000, 257-63

Boari C *et al.* Toxic occupational liver diseases. Therapeutic effects of silymarin. *Minerva Med* 1981, 72(40): 2679-2688

Boigk G, Stroedter L, Herbst H, Waldschmidt J, Riecken EO, Schuppan D. Silymarin retards collagen accumulation in early and advanced biliary fibrosis secondary to complete bile duct obliteration in rats. *Hepatology* 1997, 26(3): 643-649

Boisio E, Benelli C, Pirola O. Effect of the flavonolignans of *Silybum marianum* L. on lipid peroxidation in rat liver microsomes and freshly isolated hepatocytes. *Pharmacology Research* 1992, 25: 147-154
Bradley P, in the *British Herbal Compendium*. Vol 2. British Herbal Medicine Association, 2006

Bruneton J. *Pharmacognosy, Phytochemistry Medicinal Plants* 2nd ed. Lavoisier Publishing, 1999

Bunout D, Hirsch S, Petermann M, *et al.* Controlled study on the effect of silimarin in alcoholic liver disease. [in Spanish]. *Rev Med Chile* 1992, 120: 1370-1375

Butorova VL, Tsibizova, Kalinin AI. Possibilities of legalon application in nonalcoholic fatty liver disease. *Expe Clin Gastroenterol* 2010, 3: 85-91

Campos R, Garrido A, Guerra A. Silybin dihemisuccinate protects against hepatic lipid peroxidation induced by acetaminophen on rat liver. *Planta Med* 1989, 55: 417-419

Cardo mariano, extracto seco refinado y normalizado de - Silybi mariani extractum siccum raffinatum et normatum (Spanish Pharmacopoeia, 5th Edition 2015; Ref 01/2008, 2071)

Cardo mariano, fruto de (Spanish Pharmacopoeia, 5th Edition 2015; Ref 01/2008, 1860)

Cardui mariae (o mariani) fructus (BP 1996): Dried ripe fruits of *Silybum marianum* (L.) Gaertn.
Chlopcíková S, Psotová J, Míketová P, Simánek V. Chemoprotective effect of plant phenolics against anthracycline-induced toxicity on rat cardiomyocytes. Part I. Silymarin and its flavonolignans. *Phytother Res* 2004, 18(2): 107-110

- Connell MC, Mengs U, Schneider C *et al.* Definition of the mechanism of action of silymarin: activities related to cellular protection from toxic damage induced by chemotherapy. *Integr Cancer Ther* 2007, 6: 120-129
- Crocenzi FA, Pellegrino JM, Sánchez Pozzi EJ, Mottino AD, Rodríguez Garay EA, Roma MG. Effect of Silymarin on Biliary Bile Salt Secretion in the Rat. *Biochemical Pharmacology*, 2000, 59: 1015–1022
- Crocenzi FA, Sánchez Pozzi EJ, Pellegrino JM, Rodríguez Garay EA, Mottino AD, Roma MG. Preventive effect of silymarin against tauroolithocholate-induced cholestasis in the rat. *Biochemical Pharmacology* 2003, 66: 355-364
- Crocenzi FA, Basiglio CL, Perez LM, Portesio MS, Sanchez Pozzi EJ, Roma MG. Silibinin prevents cholestasis-associated retrieval of the bile salt export pump, Bsep, in isolated rat hepatocyte couplets: Possible involvement of cAMP. *Biochem Pharmacol* 2005, 69: 1113-1120
- Davila JC, Lenherr A, Acosta D. Protective effect of flavonoids on drug-induced hepatotoxicity in vitro. *Toxicol* 1989, 57(3): 267-286
- Deak G, Muzes G, Lang I, Niederland V, Nekam K, Gonzalez-Cabello R, Gergely P, Feher J. Immunomodulator effect of silymarin therapy in chronic alcoholic liver diseases. *Orvosi hetilap* 1990, 131(24): 1291-1292, 1295-1296
- Dehmlow C, Erhard J, de Groot H. Inhibition of Kupffer cell functions as an explanation for the hepatoprotective properties of silibinin. *Hepatology* 1996, 23(4): 749–754
- Dermarderosian AA. *The Review of Natural Products. 1st ed. Facts and Comparisons: St. Louis, Missouri, 2001*
- Di Pierro F, Callegari A, Carotenuto D, Tapia MM. Clinical efficacy, safety and tolerability of BIO-C (micronized silymarin) as a galactogogue. *Acta Biomed* 2008, 205-210
- DiMario F, Farini R, Okolicsanyi L, Naccarato R. The Effects of Silymarin on the Liver Function Parameters of Patients with Alcohol-Induced Liver Disease: A Double Blind Study. In: de Ritis F, Csomos G, Braatz R (eds.). *Der Toxischmetabolische Leberschaden*. Lübeck, Germany: Hans. Verl.-Kontor. 1981, 54–58
- Dunnick JK, Nyska A. The Toxicity and Pathology of Selected Dietary Herbal Medicines. *Toxicologic Pathology* 2013, 41: 374-386
- Dunnick JK, Singh B, Nyska A, Peckham J, Kissling, Michael Sanders J. Investigating the Potential for Toxicity from Long-Term Use of the Herbal Products, Goldenseal and Milk Thistle. *Toxicologic Pathology* 2011, 39: 398-409
- Dunnick JK, Nyska A, Bishop JB, Bucher JR, Chhabra RS, Foster PM *et al.*, Toxicology and carcinogenesis studies of milk thistle extract (CAS No. 84604-20-6) in F344/N rats and B6C3F1 mice (Feed Studies). *National Toxicology Program Technical Report* 2011, 565: 1-177
- Duthie SJ, Collins AR, Duthie GG, Dobson VL. Quercetin and myricetin protect against hydrogen peroxide-induced DNA damage (strand breaks and oxidised pyrimidines) in human lymphocytes. *Mutat Res* 1997, 393(3): 223-231
- Dvorak Z, Kosina P, Walterova D, Simanek V, Bachleda P, Ulrichova J. Primary cultures of human hepatocytes as a tool in cytotoxicity studies: cell protection against model toxins by flavonolignans obtained from *Silybum marianum*. *Toxicol Letters* 2003, 137: 201-212

El-Kamary SS, Shardell MD, Adel-Hamid M, Ismail S, El-Ateek M, Metwally M, Mikkhail N, Hashem M, Mousa A, Aboul-Fotouh A, El-Kassas M, Esmat G, Strickland GT. A randomized controlled trial to assess the safety and efficacy of silymarin on symptoms, signs and biomarkers of acute hepatitis. *Phytomedicine* 2009, 16: 391-400

El-Shitany MA, Hegazi S, El-Desoku K. Evidences for antiosteoporotic and selective estrogen receptor modulator activity of silymarin compared with ethinylestradiol in ovariectomized rats. *Phytomedicine* 2010, 17: 116-125

ESCOP Monographs 2nd ed. Milk thistle. European Scientific Cooperative on Phytotherapy, editor. Thieme, Stuttgart 2009, 229-248

European Pharmacopoeia 7th Edition 2012 (7.5). Milk Thistle Ref. 1860

European Pharmacopoeia 7th Edition 2012 (7.5). Milk Thistle extract; Ref. 2071)

Favari L, Pérez-Alvarez V. Comparative effects of colchicine and silymarin on CCl₄-chronic liver damage in rats. *Arch Med Res* 1997, 28(1): 11-17

Feher I *et al.* Liver protection of silymarin therapy in chronic alcoholic liver diseases. *Orv Hetil* 1989, 130: 2723-2727

Ferenci P, Dragosics B, Dittrich H *et al.* Randomized controlled trial of silymarin treatment in patients with cirrhosis of the liver. *J Hepatology* 1989, 9: 105-113

Filipe PM, Fernandes AC, Silva JN, Freitas JP, Manso CF. Effect of silibinin on oxidative damage of blood constituents. *C R Seances Soc Biol Fil* 1997, 191(5-6): 821-835

Fintelmann V., Albert A. The therapeutic activity of Legalon® in toxic hepatic disorders demonstrated in a double-blind trial. [Nachweis der therapeutischen Wirksamkeit von Legalon bei toxischen Lebererkrankungen im Doppelblindversuch] *Therapiewoche* 1980, 30: 5589-5594

Fintelmann V. Serumcholinesterase and other liver enzymes in postsurgical conditions [Postoperatives Verhalten der Serumcholinesterase und anderer Leberenzyme]. *Med Klinik* 1973, 68: 809-815

Freedman ND, Curto TM, Morishima C, *et al.* HALT-C Trial Group. Silymarin use and liver disease progression in the Hepatitis C Antiviral Long-Term Treatment Against Cirrhosis trial. *Aliment Pharmacol Ther* 2011, 33(1): 127-137

French Pharmacopoeia for homeopathic preparations. 1989

Fried MW, Navarro VJ, Afdhal N, Belle SH, Wahed AS, Hawke RL, Doo E, Meyers CM, Rajender Reddy K. Effect of Silymarin (Milk Thistle) on Liver Disease in Patients With Chronic Hepatitis C Unsuccessfully Treated With Interferon Therapy: A Randomized Controlled Trial. *JAMA* 2012, 308(3): 274-282

Fuchs EC, Gressner AM, Weyhenmeyer R, Weiner OH. Effects of Silibinin and Silibininderivates on Hepatic Stellate Cells and Myofibroblasts. *Hepatology* 1995, 22: 866A

Fuchs EC, Weyhenmeyer R, Weiner OH. Effects of silibinin and of a synthetic analogue on isolated rat hepatic stellate cells and myofibroblasts. *Arzneimforsch Drug Res* 1997, 47: 1383-1387

Galhardi F, Mesquita K, Monserrat JM, Barros DM. Effect of silymarin on biochemical parameters of oxidative stress in aged and young rat brain. *Food Chem Toxicol* 2009, 47: 2655-2660

Garrido A, Fairlie J, Guerra R, Campos R, Valenzuela A. The flavonoid silybin ameliorates the protective effect of ethanol on acetaminophen hepatotoxicity. *Res Commun Substances Abuse* 1989, 10: 193-196

- Gažák R, Sedmera P, Vrbacký M, Vostálová J, Drahotka Z, Marhol P, Walterová D, Křen V. Molecular mechanisms of silybin and 2,3-dehydrosilybin antiradical activity—role of individual hydroxyl groups. *Free Rad Biol & Med* 2009; 46, 745–758
- Gažák R, Svobodova A, Psotova J, Sedmera P, Prikrylova V, Walterova V, Kren V. Oxidised derivatives of silybin and their antiradical and antioxidant activity. *Bioorg Med Chem* 2004, 12(21): 5677–5687,
- Gebhardt R. Oxidative stress, plant-derived antioxidants and liver fibrosis. *Planta Med* 2002, 68(4): 289-296
- Gharagozloo M, Velardi E, Bruscoli S, Agostini M, Di Sante M, Donato V, Amirghofran Z, Riccardi C. Silymarin suppress CD4+ T cell activation and proliferation: Effects on NF- κ B activity and IL-2 production. *Pharmacological Research* 2010, 61: 405–409
- Malekinejad H, Taheri-Broujerdi M, Moradi M, Tabatabaie SH. Silymarin potentiates the antinociceptive effect of morphine in mice. *Phytotherapy Research* 2011, 25(2): 250–255
- Gharagozloo M, Moayedi B, Zakerinia M, Hamidi M, Karimi M, Maracy M, Amirghofran Z. Combined therapy of silymarin and desferrioxamine in patients with β -thalassemia major: a randomized double-blind clinical trial. *Fundamental and Clinical Pharmacology* 2009, 23: 359-365.
- Gharagozloo M, Karimi M, Amirghofran Z. Immunomodulatory effects of silymarin in patients with β -thalassemia major. *International Immunopharmacology* 2013, 16: 243–247
- Gharagozloo M, Javid EN, Rezaei A, Mousavizadeh K. Silymarin Inhibits Cell Cycle Progression and mTOR Activity in Activated Human T Cells: Therapeutic Implications for Autoimmune Diseases. *Basic & Clinical Pharmacology & Toxicology* 2013, 112: 251–256
- Gharagozloo M, Jafari S, Esmaeil N, Javid EN, Bagherpour B and Rezaei A. Immunosuppressive Effect of Silymarin on Mitogen-Activated Protein Kinase Signalling Pathway: the Impact on T Cell Proliferation and Cytokine Production. *Basic & Clinical Pharmacology & Toxicology* 2013, 113: 209–214
- Gordon A, Hobbs DA, Bowden DS, Bailey MJ, Mitchell J, Francis AJP, Roberts SK. Effects of Silybum marianum on serum hepatitis C virus RNA, alanine aminotransferase levels and well-being in patients with chronic hepatitis C. *J Gastroenterol Hepatol* 2006, 21 (1): 275-280
- Hahn G, Lehmann H, Kürten M, Uebel H, Vogel G. Zur Pharmakologie und Toxikologie von Silymarin, des antihepatotoxischen Wirkprinzipes aus Silybum marianum (L.) Gaertn. *Arzneim Forsch Drug Res* 1968, 18: 698-704
- Hajiaghahmohammadi AA, Ziaee A, Oveisi S, Masroor H. Effects of Metformin, Pioglitazone, and Silymarin Treatment on Non- Alcoholic Fatty Liver Disease: A Randomized Controlled Pilot Study. *Hepatitis Monthly* 2012, 12(8): e6099
- Haková H, Misúrová E. Therapeutical effect of silymarin on nucleic acids in the various organs of rats after radiation injury. *Radiats Biol Radioecol* 1996, 36(3): 365-370
- Hammerl H, Pichler O, Studlar M. Über die Objektivierung der Silymarinwirkung bei Lebererkrankungen. *Med Klinik* 1971, 66(36): 1204-1208
- Hashemi SJ, Hajiani E, Sardabi EH. A Placebo-Controlled Trial of Silymarin in Patients with Nonalcoholic Fatty Liver Disease. *Hepatitis Monthly* 2009, 9(4): 265-270
- Hawke RL, Schrieber SJ, Soule TA, Wen Z, Smith PC, Reddy KR, Wahed AS, Belle SH, Afdhal NH, Navarro VJ, *et al.* SyNCH Trial Group. Silymarin ascending multiple oral dosing phase I study in noncirrhotic patients with chronic hepatitis C. *J Clin Pharmacol* 2010, 50: 434–449

- Homeopathic Pharmacopoeia of India (Vol. I, pp. 94, 1971) (Varma *et al.*, 1980).
- Hruby C. Silibinin in the treatment of death cap fungus poisoning. *Forum* 1984, 6: 23–26
- Hruby K, *et al.* Chemotherapy of *Amanita phalloides* poisoning with intravenous silibinin. *Hum Toxicol* 1983, 2: 183-195
- Huseini HF, Larijani B, Heshmat R, Fakhrzadeh H, Radjabipour B, Toliat T, Raza M. The efficacy of *Silybum marianum* (L.) Gaertn. (Silymarin) in the treatment of type II diabetes: A randomized, double-blind, placebo-controlled, clinical trial. *Phytother Res* 2006, 20(12): 1036-1039
- Hussain SA. Silymarin as an adjunct to glibenclamide therapy improves long-term and postprandial glycemic control and body mass index in type 2 diabetes. *J Med Food* 2007, 10(3): 543-547
- Hutchinson C, Bomford A, Geissler CA. The iron-chelating potential of silybin in patients with hereditary haemochromatosis. *Eur J Clin Nutr* 2010, 64(10): 1239-1241
- Jeong DH, Lee GP, Jeong WI, Do SH, Yang HJ, Yuan DW, Park HY, Kim KJ, Jeong KS. Alterations of mast cells and TGF-beta1 on the silymarin treatment for CCl(4)-induced hepatic fibrosis. *World J Gastroenterol* 2005, 11(8):1141-1148
- Jia JD, Bauer M, Cho JJ, Ruehl M, Milani S, Boigk G, Riecken EO, Schuppan D. Antifibrotic effect of silymarin in rat secondary biliary fibrosis is mediated by downregulation of procollagen a1(I) and TIMP-1. *Journal of Hepatology* 2001, 35: 392–398
- Kalantari H, Shahshahan Z, Hejazi M, Ghafghazi T, Sebghatolahi V. Effects of *Silybum marianum* on patients with chronic hepatitis C. *J of research in Medical Sciences* 2011, 6(3): 287-290
- Kang JS, Park S, Yang K, Kima HM. Silymarin inhibits TNF-K-induced expression of adhesion molecules in human umbilical vein endothelial cells. *FEBS Letters* 2003, 550: 89-93
- Katiyar SK, Mantena SK, Meeran SM. Silymarin protects epidermal keratinocytes from ultraviolet radiation-induced apoptosis and DNA damage by nucleotide excision repair mechanism. *PLOS* 2011, 6: e21410
- Kim Y, Kim E, Lee E, *et al.* Comparative bioavailability of silibinin in healthy male volunteers. *Int J Clin Pharmacol Ther* 2003, 41: 593-596
- Kim S, Choi JH, Lim HI, Lee SK, Kim WW, Kim JS, Kim JH, Choe JH, Yang JH, Nam SJ, Lee JE. Silibinin prevents TPA-induced MMP-9 expression and VEGF secretion by inactivation of the Raf/MEK/ERK pathway in MCF-7 human breast cancer cells. *Phytomedicine* 2009, 16(6-7): 573-580
- Köksal E, Gülcin I, Beyza S, Sarikaya O, Bursal E. In vitro antioxidant activity of silymarin. *J Enzyme Inhib Med Chem* 2009, 24: 395-405
- Kroncke KD, Fricert G, Meier PJ, Gerok W, Wieland T, Kurz G. Alphaamanitin into hepatocytes. *J Biol Chem* 1986, 261: 12562-12567
- Kurz-Dimitrowa D. Preservation of liver function in psychiatric patients receiving long-term treatment with psychopharmaceuticals. [Leberschutzbehandlung psychiatrisch-neurologischer Patienten bei Langzeittherapie mit Psychopharmaka]. *Z Präklin Geriatr* 1971, 9: 275-277 Ladas EJ, Kroll DJ, Oberlies NH, Cheng B, Ndao DH, Rheingold SR, Kelly KM. A randomized, controlled, double-blind, pilot-study of milk thistle for the treatment of hepatotoxicity in childhood acute lymphoblastic leukemia (ALL). *Cancer* 2010, 116(2): 506-513

- Láng I, Nékám K, Deák G, Müzes G, Gonzales-Cabello R, Gergely P, Csomós G, Fehér J. Immunomodulatory and hepatoprotective effects of in vivo treatment with free radical scavengers. *Ital J Gastroenterol* 1990, 22(5): 283-287
- Lee D, Liu Y. Molecular structure and stereochemistry of Silybin A, silybin B, isosilybin A, and isosilybin B, isolated from *Silybum marianum* (Milk Thistle). *J Nat Prod* 2003, 66: 1171-1174
- Lettéron P, *et al.* Mechanism for the protective effects of silymarin against carbon tetrachloride-induced lipid peroxidation and hepatotoxicity in mice. *Biochem Pharmacol* 1990, 39: 2027-2034
- Lieber CS, Leo MA, Cao Q, *et al.* Silymarin retards the progression of alcohol-induced hepatic fibrosis in baboons. *Journal of Clinical Gastroenterology* 2003, 37(4): 336-339
- Lirussi F, Beccarello A, Zanette G, De Monte A, Donadon V, Velussi M, Crepaldi G. Silybin- β -cyclodextrin in the treatment of patients with diabetes mellitus and alcoholic liver disease. Efficacy study of a new preparation of an antioxidant agent. *Diab Nutr Metab* 2002, 15: 222-231
- Locher R Suter PM, Weyhenmeyer R, Vetter W. Inhibitory action of silibinin on low density lipoprotein oxidation. *Arzneimittelforschung* 1998, 48(3): 236-239
- Loguercio C, Festi D. Silybin and the liver: from basic research to clinical practice. *World J Gastroenterol* 2011, 17:2288-2301
- Lucena MI, Andrade RJ, de la Cruz JP, Rodríguez-Mendizábal M, Blanco E, Sánchez de la Cuesta F. Effects of silymarin MZ-80 on oxidative stress in patients with alcoholic cirrhosis. Results of a randomized, double-blind, placebo-controlled clinical study. *International Journal of Clinical Pharmacology and Therapy* 2002, 40(1): 2-8
- Magliulo E, *et al.* Studies on the regenerative capacity of the liver in rats subjected to partial hepatectomy and treated with silymarin. *Arzneimittelforschung* 1978, 23: 161-167
- Malekinejad H, Taheri-Broujerdi M, Moradi M, Tabatabaie SH. Silymarin Potentiates the Antinociceptive Effect of Morphine in Mice. *Phytother Res* 2011, 25: 250-255
- Malewicz B, Wang Z, Jiang C, Guo J, Cleary MP, Grande JP, Lü J. Enhancement of mammary carcinogenesis in two rodent models by silymarin dietary supplements. *Carcinogenesis* 2006, 27(9): 1739-1747
- Marena C, Lampertico M. Preliminary clinical development of silipide: A new complex of silybin in toxic liver disorders. *Planta medica* 1991, 57: 124-125
- Mariendistelfrüchtetrockenextrakt – *Cardui mariae fructus extractum siccum* (DAB 2003)
- Martindale: The Extra Pharmacopoeia (29th edition). The Pharmaceutical Press, London (2009)
- Materia Medica Vegetabilis (Steinmetz, 1997) for *Herba Cardui Mariae* (number 295)
- Mayer KE, Myers RP, Lee SS. Silymarin treatment of viral hepatitis: a systematic review. *Journal of viral hepatitis* 2005, 12(6): 559-567
- Mehta RG, Moon RC. Characterization of effective chemopreventive agents in mammary gland *in vitro* using an initiation-promotion protocol. *Anticancer Res* 1991, 11(2): 593-596
- Mereish KA, Solow R. Effect of antihepatotoxic agents against microcystin-LR toxicity in cultured rat hepatocytes. *Pharm Res* 1990, 7(3): 256-259

- Mereish KA, Bunner DL, Ragland DR, Creasia DA. Protection against microcystin-LR-induced hepatotoxicity by silymarin: biochemistry, histopathology, and lethality. *Pharm Res* 1991, 8(2): 273-277
- Meroni PL, Barcellini W, Borghi MO, Vismara A, Ferraro G, Ciani D, Zanussi C. Silybin inhibition of human T-lymphocyte activation. *Int J Tissue React* 1988, 10(3):177-181
- Miadonna A, Tedeschi A, Leggieri E, Lorini M, Froidi M, Zanussi C. Effects of silybin on histamine release from human basophil leucocytes. *Br J Clin Pharmacol* 1987, 24: 747-752
- British Herbal Compendium 2006. Milk thistle fruit, 282-289
- Miller CH, Hamilton SM; Teel RW. Effects of compounds of plant origin on the mutagenicity and metabolism of the tobacco-specific nitrosamine NNK. *Phytotherapy res* 1994, 8: 342-347
- Mills S & Bone K, Eds. St Mary's thistle. *In Principles and Practice of Phytotherapy, Modern Herbal Medicine*. Churchill Livingstone, London. 2000, 553-562
- Mills E, Wilson K, Clarke M, *et al.* Milk thistle and indinavir: a randomized controlled pharmacokinetics study and meta-analysis. *Eur J Clin Pharmacol* 2005, 61: 1-7
- Moayedi B, Gharagozloo M, Esmail N, Maracy MR, Hoorfar H, Jalaeikar M. A randomized double-blind, placebo-controlled study of therapeutic effects of silymarin in β -thalassemia major patients receiving desferrioxamine. *Eur J Haematol* 2013, 90(3): 202-209
- Morelli I. Costituenti del *Silybum marianum* e loro impiego in terapia. *Boll Chim Farm* 1978, 117: 258-267
- Mourelle M, Franco MT. Erythrocyte defects precede the onset of CCl₄-induced liver cirrhosis. Protection by silymarin. *Life Sci* 1991, 48(11): 1083-1090
- Mourelle M, Favari L, Amezcua JL. Protection against thallium hepatotoxicity by silymarin. *J Appl Toxicol* 1988, 8(5): 351-354
- Münter K, Mayer D, Faulstich H. Characterization of a transporting system in rat hepatocytes. Studies with competitive and non-competitive inhibitors of phalloidin transport. *Biochim Biophys Acta* 1986, 860: 91-98
- Muriel P, Moreno MG. Effects of silymarin and vitamins E and C on liver damage induced by prolonged biliary obstruction in the rat. *Basic Clin Pharmacol Toxicol* 2004, 94: 99-104
- Muriel P, Mourelle M. Prevention by silymarin of membrane alterations in acute CCl₄ liver damage. *Journal of Applied Toxicology* 1990, 10: 275-279
- Muriel P, Garciapina T, Perez-Alvarez V, Mourelle M. Silymarin protects against paracetamol-induced lipid peroxidation and liver damage. *J Appl Toxicol* 1992, 12(6): 439-442
- Müzes G, Deak G, Lang I, Nekam K, Niederland V, Feher J *et al.* Effect of silimarin (Legalon) therapy on the antioxidant defense mechanism and lipid peroxidation in alcoholic liver disease (double blind protocol). *Orvosi hetilap* 1990, 131(16): 863-866
- Nassuato G, Iemmolo R, Strazzabosco M, *et al.* Effect of Silibinin on biliary lipid composition experimental and clinical study. *J Hepatology* 1991, 12: 290-295
- Navarro C, Montilla P. Interés terapéutico del fruto cardo mariano. *Revista de Fitoterapia* 2012, 12(2): 101-116

- Palasciano G, *et al.* The effect of silymarin on plasma levels of malondialdehyde in patients receiving long-term treatment with psychotropic drugs. *Curr Ther Res Clin Exp* 1994, 55: 537-545
- Pandey GP, Srivastava DN. Phytochemical and acute toxicity studies of *Silybum marianum* and *Wedelia calendulacea*. *Indian Vet J* 1990, 67(8): 773-776
- Pares A, Planas R, Torres M, *et al.* Effects of silymarin in alcoholic patients with cirrhosis of the liver: results of a controlled, double-blind, randomized and multicenter trial. *J Hepatology* 1998, 28: 615-621
- PDR for Herbal Medicines, 1st Ed. Gruenwald J, Jaenicke C and Brendler T, Eds. Physicians Desk Reference Inc. 1998
- Petronelli A, Roda E, Briganti M, Morselli Labate AM, Barbara L. Effetto della somministrazione di silimarina sui livelli dei lipidi sierici. *CI Terap.* 1981, 99: 471-482
- Piscitelli SC, Formentini E, Burstein AH, *et al.* Effect of milk thistle on the pharmacokinetics of indinavir in healthy volunteers. *Pharmacother* 2002, 22: 551-556
- Polyak SJ, Morishima C, Shuhart MC, Wang CC, Liu Y, Lee DY. Inhibition of T-cell inflammatory cytokines, hepatocyte NF-kappa β signaling and HVC infection by standardized Silymarin. *Gastroenterology* 2007, 132: 1925-1936
- Polyak SJ, Morishima CH, Lohmann V, Pal S, Lee DYW, Liu Y, Graf TN, Oberlies NH. Identification of hepatoprotective flavonolignans from silymarin. *PNAS* 2010, 107: 5995-5999
- Poser G. Erfahrungen mit Silymarin bei der Behandlung chronischer Lebererkrankungen. *Arzneim Forsch Drug Res.* 1971, 21(8): 1209-1212
- Potter's New Cyclopaedia of Botanical Drugs and Preparations (1988, 2003)
- Pradhan SC, Girish C. Hepatoprotective herbal drug, silymarin from experimental pharmacology to clinical medicine. *Indian Journal of Medicine Research* 2006, 124: 491-504
- Quercia V, Pierini N, Incarnato G, Terracciano M, Papetti P. Identification and assay by HPLC of the flavonoid components of *Silybum marianum* in medicinal specialities. *Fitoterapia* 1980, 51(2): 83-88
- Rambaldi A, Jacobs BP, Iaquinto G, Gluud C. Milk thistle for alcoholic and/or hepatitis B or C liver diseases – a systematic Cochrane hepato-biliary group. Review with meta-analyses of randomized clinical trials. *Am J Gastroenterol* 2005, 100: 2583-2591
- Rambaldi A, Jacobs BP, Gluud C. Milk thistle for alcoholic and/or hepatitis B or C virus liver diseases. *Cochrane Database of Systematic Reviews* 2008, Issue 2. Chichester, UK: John Wiley & Sons, Ltd. Art. No.: CD003620. DOI: 10.1002/14651858.CD003620.pub3.
- Rao BN, Srinivas M, Kumar YS, Rao YM. Effect of silymarin on the oral bioavailability of ranitidine in healthy human volunteers. *Drug Metabol and Drug Interac* 2007, 22(2-3): 175-185
- Rastogi R, Srivastava A, Srivastava M, Rastogi A. Hepatocurative effect of picroliv and silymarin against aflatoxin B1 induced hepatotoxicity in rats. *Planta medica* 2000, 66: 709-713
- Realini S, Gonvers JJ, Hofstetter JR. Essai clinique de la silymarine dans les affections chroniques du foie. *Schweiz Rundsch Med Prax* 1975, 64: 595-598
- Reddy KR, Belle SH, Fried MW, Afdhal N, Navarro VJ, Hawke RL, Wahed AS, Doo E, Meyers CM. Rationale, challenges, and participants in a Phase II trial of a botanical product for chronic hepatitis C. *Clin Trials* 2012, 9: 102-112

- Saba P, Galeone F, Salvadorini F, Guarguaglini M, Troyer C. Effetti terapeutici della silimarina nelle epatopatie croniche indotte da psicofarmaci. *Gaz Med It* 1976, 135: 236-251
- Saller R, Meier R, Brignoli R. The use of silymarin in the treatment of liver diseases. *Drugs* 2001, 61(14): 2035-2063
- Saller R, Melzer J, Reichling J, Brignoli R, Meier R. An updated systematic review with meta-analysis for the clinical evidence of silymarin. *Forschende Komplementärmedizin* 2006, 15(1): 9-20
- Saller R, Melzer J, Reichling J, Brignoli R, Meier R. An updated systematic review of the pharmacology of silymarin. *Forsch Komplementärmed* 2007, 14: 70-80
- Saller R, Brignoli R, Melzer J, Meier R. An Updated Systematic Review with Meta-Analysis for the Clinical Evidence of Silymarin. *Forsch Komplementärmed* 2008, 15: 9-20
- Salmi HA, Sarna S. Effect of silymarin on chemical, functional, and morphological alterations of the liver. *Scand J Gastroenterol* 1982, 17: 517-521
- Sarre H. The clinical experience regarding Silymarin in the treatment of chronic liver diseases. [in German]. *Arneimittelforschung* 1971, 21(8): 1209-12
- Scambia G, De Vincenzo R, Ranelletti FO, Benedetti Pancini P, Ferrandina G, D'Agostino G *et al.*, Antiproliferative effect of silybin on gynaecological malignancies: synergism with cisplatin and doxorubicin. *Eur J Cancer* 1996, 32A: 877-882
- Schandalik R, *et al.* Pharmacokinetics of silibyn in bile following administration of silipide and silymarin in cholecystectomy patients. *Arzneimittelforschung* 1992, 42: 964-968
- Schrieber SJ, Wen Z, Vourvahis M, Smith PC, Fried MW, Kashuba ADM, Hawke RL. The pharmacokinetics of silymarin is altered in patients with hepatitis c virus and nonalcoholic fatty liver disease and correlates with plasma caspase-3/7 activity. *Drug Metabolism and Disposition* 2008, 36(9): 1909-1916
- Schrieber SJ, Hawke RL, Wen Z, Smith PC, Reddy KR, Wahed AS, Belle SH, Afdhal NH, Navarro VJ, Meyers CM, Doo E, Fried MW. differences in the disposition of silymarin between patients with nonalcoholic fatty liver disease and chronic hepatitis C. *Drug Metabolism and Disposition* 2011, 39(12): 2182-2190
- Schuppan D, Hahn E. Clinical studies with silymarin: Fibrosis progression is the end point. *Hepatology* 2001, 33: 483-484
- Schuppan D, Strösser W, Burkard G, Walosek G. Legalon® lessens fibrosing activity in patients with chronic liver diseases [Verminderung der Fibrosierungsaktivität durch Legalon bei chronischen Lebererkrankungen]. *Z Allgemeinmed Med.* 1998, 74: 577-584
- Shaker E, Mahmoud H, Mna S. Silymarin, the antioxidant component and *Silybum marianum* extracts prevent liver damage. *Food and Chemical Toxicology* 2010, 48: 803-806
- Shear NH, Malkiewicz IM, Klein D, Koren G, Randor S, Neuman MG. Acetaminophen-induced toxicity to human epidermoid cell line A431 and hepatoblastoma cell line Hep G2, in vitro, is diminished by silymarin. *Skin Pharmacol.* 1995, 8(6): 279-291
- Singh R P, Dhanalakshmi S, Tyagi AK, Chan DCF, Agarwal C, Agarwal R. Dietary feeding of silibinin inhibits advanced human prostate carcinoma growth in athymic nude mice, and increases plasma insulin-like growth factor-binding protein-3 levels. *Cancer Res* 2002, 62: 3063-3069

- Smith WA, Lauren DR, Burgers EJ, Perry NB, Martin RJ. A silychristin isomer and variation of flavanolignan levels in milk thistle (*Silybum marianum*) fruits. *Planta Med* 2005, 71: 877-880
- Sonnenbichler J, Zetl I. Biochemical effects of the flavanolignane silibinin on RNA protein and DNA synthesis in rat livers. *Progress in Clinical and Biological Research* 1986, 213: 319-331
- Sonnenbichler J, Zetl I. Biochemistry of a liver drug from the thistle *Silybum marianum*. *Planta medica* 1992, 58: 580
- Srivastava S, Srivastava AK, Srivastava S *et al.* Effect of picroliv and silymarin on liver regeneration in rats. *Indian J Pharmacol* 1994, 26: 19-22
- Steele VE, Kelloff GJ, Wilkinson BP, Arnold JT. Inhibition of transformation in cultured rat tracheal epithelial cells by potential chemopreventive agents. *Cancer Res* 1990, 50(7): 2068-2074
- Strickland GT, Tanamly MD, Tadros F, *et al.* Two-year results of a randomized double-blinded trial evaluating silymarin for chronic hepatitis C. *Digest Liver Dis* 2005, 37: 542-543
- Strubelt O, Siegers CP, Younes M. The influence of silybin on the hepatotoxic and hypoglycemic effects of praseodymium and other lanthanides. *Arzneim Forsch Drug Res* 1980, 30(10): 1690-1694
- Sweetman S. 2002. *Martindale: The Complete Drug Reference*, 33rd ed. Pharmaceutical Press, London
- Szilagi I, Tetenyi P, Antus S, Seligmann O, Chari VM, Seitz M, Wagner H. Struktur von Silandrin und Silymonin, zwei neuen Flavanolignanen aus einer weißblühenden *Silybum marianum* Varietät. *Planta medica* 1981, 43(2): 121-127
- Szilard S, Szentgyorgyi O, Demeter I. Protective effect of Legalon in workers exposed to organic solvents. *Acta Med Hungarica* 1988, 45(2): 249-256
- Tamayo C, Diamond S. Review of clinical trials evaluating safety and efficacy of milk thistle (*Silybum marianum* (L.) Gaertn.). *Integr Cancer Ther* 2007, (6): 146-157
- Tanamly MD, *et al.* Randomised double-blinded trial evaluating silymarin for chronic hepatitis C in an Egyptian village: study description and 12-month results. *Digestive and Liver Diseases* 2004, 36(11): 752-759
- Tănăsescu C, Petrea S, Băldescu R, Macarie E, Chiriloiu C, Purice S. Use of the Romanian product Silimarina in the treatment of chronic liver diseases. *Med Interne* 1988, 26(4): 311-322
- Teel RW. Effect of phytochemicals on the mutagenicity of the tobacco-specific nitrosamine 4-(methylnitrosamino)-1-(3-pyridil)-1-butanone (NNK) in *Salmonella typhimurium* strain TA 1535. *Phytotherapy Res* 1993, 7: 248-251
- The Merk Index. Merk & Co. Inc., Whitehouse Station, N.J., U.S.A. 1976
- Thelen P, Wuttke W, Jarry H, Grzmil M, Ringert RH. Inhibition of telomerase activity and secretion of prostate specific antigen by silibinin in prostate cancer cells. *J Urology* 2004, 171: 1934-1938
- Trappoliere M, Caligiuri A, Schmid M, Bertolani C, Failli P, Vizzutti F, Novo E, di Manzano C, Marra F, Loguercio C, Pinzani M. Silybin, a component of silymarin, exerts anti-inflammatory and anti-fibrogenic effects on human hepatic stellate cells. *J Hepatol* 2009, 50(6): 1102-1111
- Trinchet JC, Coste T, Levy VG, *et al.* Traitement de l'hepatite alcoolique par la silymarine. *Gastroenterol Clin Biol* 1989, 13: 120-124

- Tsai JH, Liu JY, Wu TT, Ho PC, Huang CY, Shyu JC, Hsieh YS, Tsai CC, Liu YC. Effects of silymarin on the resolution of liver fibrosis induced by carbon tetrachloride in rats. *J Viral Hepat* 2008, 5(7): 508-514
- Tyagi A, Bhatia N, Condon MS, Bosland MC, Agarwal C, Agarwal R. Antiproliferative and apoptotic effects of silibinin in rat prostate cancer cells. *Prostate* 2002, 53: 211-217
- Usman M, Ahmad M, Madni AU, Akhtar N, Asghar W, Akhtar M, Atif M, Qamar-uz-zaman M. *In-vivo* Kinetics of Silymarin (Milk Thistle) on Healthy Male Volunteers. *Tropical Journal of Pharmaceutical Research* 2009, 8(4): 311-316
- Valenzuela A, *et al.* Selectivity of silymarin on the increase of the glutathione content in different tissues of the rat. *Planta Medica* 1989, 55: 420-422
- van Pelt JF, Verslype C, Crabbé T, Zaman Z, Fevery J. Primary human hepatocytes are protected against prolonged and repeated exposure to ethanol by silibinin-dihemisuccinate. *Alcohol Alcohol* 2003, 38(5): 411-414
- Velussi M, Cernigoi AM, Viezzoli L, Dapas F, Caffau C, Zilli M. Silymarin reduces hyperinsulinemia, malondialdehyde levels, and daily insulin need in cirrhotic diabetic patients. *Current Ther Res* 1993, 53(5): 533-545
- Velussi M, Cernigoi AM, DeMonte A, *et al.* Long-term (12 months) treatment with an anti-oxidant drug (silymarin) is effective on hyperinsulinemia, exogenous insulin need, and malondialdehyde levels in cirrhotic diabetic patients. *J Hepatol* 1997, 26(4): 871-879
- Vereckei A, Besch HR, Zipes DP. Combined amiodarone and silymarin treatment, but not amiodarone alone, prevents sustained atrial flutter in dogs. *Journal of Cardiovascular Electrophysiology* 2003, 14(8): 861-967
- Wagner H, Mohan Chari V, Seitz M, Riess-Maurer I. The structure of silychristin - a ¹³C-NMR study. *Tetrahedron Letters* 1978, 4: 381-384
- Wagner H. The antihepatotoxic principle of *Silybum marianum* Gaertn. *Recent Develop. Chem Natur Carbon Comp* 1973, 5: 51-68
- Wagoner J, Negash A, Kane OJ, Martinez LE, Nahmias Y, Bourne N, *et al.* Multiple effects of silymarin on the hepatitis C virus life cycle. *Hepatology* 2010, 51(6): 1912-1921
- Wen Z, Dumas TE, Schrieber SJ, Hawke RL, Fried MW, and Smith PC (2008) Pharmacokinetics and metabolic profile of free, conjugated, and total silymarin flavonolignans in human plasma after oral administration of milk thistle extract. *Drug Metabolism and Disposition* 2008, 36(1): 65-72
- Wenzel S, Stolte H, Soose M. Effects of silibinin and antioxidants on high glucose-induced alterations of fibronectin turnover in human mesangial cell cultures. *J Pharmacol Exp Ther* 1996, 279(3): 1520-1526
- World Health Organization (WHO) monographs on selected medicinal plants. Volume 2 - Geneva, Switzerland, World Health Organization, 2002. *Fructus Silybi Mariae*
- Woo JS, Kim TS, Park JH, Sang-Cheol ChP. Formulation and Biopharmaceutical Evaluation of Silymarin Using SMEDDS. *Archives of Pharmacal Research* 2007, 30(1): 82-89
- Wren RC. 1988. *Potter's new cyclopaedia of Botanical Drugs and Preparations*. Safron Walden, The C.W. Daniel Company Limited, Essex 1998

Wu CG, Chamuleau RAFM, Bosch KS, Frederiks WM. Protective effect of silymarin on rat liver injury induced by ischemia. *Virchows Archiv B Cell Pathol* 1993, 64; 259-263

Zhu HJ, Brinda BJ, Chavin KD, Bernstein HJ, Patrick KS, Markowitz JS. An assessment of pharmacokinetics and antioxidant activity of free silymarin flavonolignans in healthy volunteers: a dose escalation study. *Drug Metabolism and Disposition* 2013, 41: 1679–1685

Zi X, Agarwal R. Modulation of mitogen-activated protein kinase activation and cell cycle regulators by the potent skin cancer preventive agent silymarin. *Biochem Biophys Res Comm* 1999a, 263: 528-536

Zi X, Agarwal R. Silibinin decreases prostate-specific antigen with cell growth inhibition via G1 arrest, leading to differentiation of prostate carcinoma cells: Implications for prostate cancer intervention. *Proc Natl Acad Sci USA* 1999b, 96: 7490-7495