



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

27 March 2012
EMA/HMPC/734362/2011
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Solanum dulcamara* L., stipites

Draft

The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Al Chami L, Méndez R, Chataing B, O'Callaghan J, Usabillaga A, LaCruz L. Toxicological effects of alpha-solamargine in experimental animals. *Phytother Res* 2003, 17(3): 254–258

Asano N, Yokoyama K, Sakurai M, Ikeda K, Kizu H, Kato A, Arisawa M, Höke D, Dräger B, Watson AA, Nash RJ. Dihydroxynortropane alkaloids from calystegine-producing plants. *Phytochemistry* 2001, 57: 721–726

Baker D, Keeler R, Gaffield W. Pathology in hamsters administered *Solanum* plant species that contain steroidal alkaloids. *Toxicol* 1989, 27(12): 1331-1337

Blumenthal M, Busse WR, Goldberg A, Gruenwald J, et al. editors. The Complete German Commission E Monographs. American Botanical Council, Austin Texas 1998, 232

British Pharmaceutical Codex 1934. An Imperial Dispensatory For the use of medical practitioners and pharmacists. The Council of the Pharmaceutical Society of Great Britain, London 1934, 402

Bruneton J. Toxic plants. Dangerous to humans and animals. Intercept Ltd, 1999, 479-483

Ceha LJ, Presperin C, Young E, Allswede M, Erickson T. Anticholinergic toxicity from nightshade berry poisoning responsive to physostigmine. *J Emerg Med* 1997, 15(1): 65-69

Claus E. Pharmacognosy. 3rd ed. Lea & Febiger, Philadelphia, 1956: 453

CosIng [The European Commission database with information on cosmetic substances and ingredients (contained in the Cosmetics Regulation EC No 1223/2009, Cosmetics Directive 76/768/EEC and Inventory of Cosmetic Ingredients)]. Available at: <http://ec.europa.eu/consumers/cosmetics/cosing/> Accessed 01/09/2011



Council of Europe. Natural sources of flavourings. Rep No 3. Council of Europe Publishing, Belgium 2008, 289-291

Delaveau P, Lallouette P, Tessier AM. Drogues végétales stimulant l'activité phagocytaire du système réticulo-endothélial. *Planta Medica* 1980, 40:49–54

Eberhardt R, Frank-Szentgyörgi M, Brand A. Phytotherapie: Wirksamkeit und Verträglichkeit einer Dulcamara-Salbe bei Patienten mit chronischen Ekzem. *Z Dermatol* 1995, 181:202-207

Frerichs G, Arends G, Zörnig H editors. Hagers Handbuch der Pharmazeutischen Praxis, 4th ed. Vol. 5 Springer-Verlag, Berlin 1975, 437-440

Friedman M, Henika PR. Absence of genotoxicity of potato alkaloids alpha-chaconine, alpha-solanine and solanidine in the Ames Salmonella and adult and foetal erythrocyte micronucleus assays. *Food Chem Toxicol* 1992, 30(8):689–694

Friedman M, Henika PR, Mackey BE. Effect of feeding solanidine, solasodine and tomatidine to non-pregnant and pregnant mice. *Food Chem Toxicol* 2003, 41(1):61–71

Friedman M, Rayburn JR, Bantle JA. Developmental toxicology of potato alkaloids in the frog embryo teratogenesis assay - *Xenopus* (FETAX). *Food Chem Toxicol* 1991, 29(8):537–547

Frohne D, Pfänder HJ. Giftpflanzen. Ein Handbuch für Apotheker, Ärzte, Toxikologen und Biologen. 3rd ed. Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 1987, 251-252

Gruenwald J, Brendler T, Jaenicke C, editors. PDR for Herbal Medicines. 3rd ed. Bittersweet nightshade. Thomson PDR, Montvale 2004, 89-91.

Hänsel R, Keller K, Rimpler H, Schneider G. editors. Hagers Handbuch der Pharmazeutischen Praxis. 5th ed. Vol 5. Drogen P-Z. Springer-Verlag, Berlin 1994, 737-741

Hellenäs KE, Cekan E, Slanina P, Bergman K. Studies on embryotoxicity and the incidence of external malformations after continuous intravenous infusion of alpha-chaconine in pregnant rats. *Pharmacol Toxicol* 1992, 70(5 Pt 1):281–383

Hölzer I. Dulcamara-Extrakt bei Neurodermitis und chronischem Ekzem. *Jatros Dermatologie* 1992, 6:32-36

Hoppe HA. Drogenkunde. Band 1 Angiospermen. 8th ed. Walter de Gruyter, Berlin 1975, 1008-1009

Hornfeldt CS, Collins JE. Toxicity of nightshade berries (*Solanum dulcamara*) in mice. *J Toxicol Clin Toxicol* 1990, 28(2):185-192

Jäggi R, Würigler U, Grandjean F, Weiser M. Dual inhibition of 5-lipoxygenase/cyclooxygenase by a reconstituted homeopathic remedy; possible explanation for clinical efficacy and favourable gastrointestinal tolerability. *Inflamm Res* 2004, 53(4):150-157

Kumar P, Sharma B, Bakshi N. Biological activity of alkaloids from *Solanum dulcamara* L. *Nat Prod Res* 2009, 23(8):719-723

Langkilde S, Schröder M, Stewart D, Meyer O, Conner S, Davies H, Poulsen M. Acute toxicity of high doses of the glycoalkaloids alpha-solanine and alpha-chaconine in the Syrian Golden hamster. *J Agricult Food Chem* 2008, 56(18):8753–8760

Madaus G. Lehrbuch der biologischen Heilmittel. Vol 2. Georg Olms Verlag. Hildesheim-New York 1976 (reprint of Madaus G. Lehrbuch der biologischen Heilmittel. Georg Thieme Verlag, Leipzig 1938), 1242-1247

- Martindale. The Extra Pharmacopoeia. 25th ed, The Pharmaceutical Press, London 1967, 1522
- Martindale. The Extra Pharmacopoeia. 26th ed, The Pharmaceutical Press, London 1972, 2012-2013
- Martindale. The Extra Pharmacopoeia. 28th ed, The Pharmaceutical Press, London 1982, 1706
- Nishie K, Gumbmann R, Keyl AC. Pharmacology of solanine. *Toxicol Appl Pharmacol* 1971, 19:81–92
- Oestreich W, Stoeter M. Topische Ekzemtherapie mit einem Phytopharmakon. Eine multizentrische Studie. *Z Hautkrankheiten H+G* 1995, 70:417-473
- Oestreich W. Therapie juckender Dermatosen. *Der Deutsche Dermatologe* 1993, 41:1190-1192
- Punjabi S, Cook LJ, Kersey P, Marks R, Cerio R. Solasodine glycoalkaloids: a novel topical therapy for basal cell carcinoma. A double-blind, randomized, placebo-controlled, parallel group, multicenter study. *Int J Dermatol* 2008, 47(1): 78-82
- Roddick JG, Rijnenberg AL, Weissenberg M. Membrane disrupting properties of the steroidal glycoalkaloids solasonine and solamargine. *Phytochemistry* 1989, 29(5): 1513–1518
- Roddick JG. The acetylcholinesterase-inhibitory activity of steroidal glycoalkaloids and their aglycones. *Phytochemistry* 1989, 28(10):2631–2634
- Roth L, Daunderer M, Kormann K. Giftpflanzen Pflanzengifte. 4th ed. Ecomed Verlagsgesellschaft AG & Co KG, Landsberg 1994, 663-664
- Schilcher H, Kammerer S, Wegener T. Leitfaden Phytotherapie. 4th ed. Elsevier, Urban und Fischer Verlag, München 2010, 981
- Stegelmeier BL, Molyneux RJ, Asano N, Watson AA, Nash RJ. The comparative pathology of the glycosidase inhibitors swainsonine, castanospermine, and calystegines A3, B2 and C1 in mice. *Toxicol Pathol* 2008, 36(5):651–659
- Thorne HV, Clarke GF, Skuce R. The inactivation of herpes simplex virus by some Solanaceae glycoalkaloids. *Antiviral Res* 1985, 5:335–343
- Tunón H, Olavsdotter C, Bohlin L. Evaluation of anti-inflammatory activity of some Swedish medicinal plants. Inhibition of prostaglandin biosynthesis and PAF-induced exocytosis. *J Ethnopharmacol* 1995, 48(2):61-76
- Turker AU, Usta C. Biological screening of some Turkish medicinal plant extracts for antimicrobial and toxicity activities. *Nat Prod Res* 2008, 22(2):136-146
- Wolf HU. Hagers Handbuch der Pharmazeutischen Praxis. 5th ed. Vol 3. Gifte. Springer-Verlag, Berlin 1992, 1093-1094