



European Medicines Agency
Evaluation of Medicines for Human Use

London, 8 May 2007
Doc. Ref: EMEA/HMPC/207858/2007

COMMITTEE ON HERBAL MEDICINAL PRODUCTS (HMPC)

DRAFT

LIST OF REFERENCES FOR ASSESSMENT OF:

Thymi herba
***Thymus vulgaris* L.; *Thymus zygis* L.**
(thyme herb)

The EMEA acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Allegrini J, Simeon de Bouchberg M, Une technique d'étude du pouvoir antibactérien des huiles essentielles. Prod Probl Pharm 1972; 27:891 - 7

Aydin S, Basaran AA, Basaran N, Modulating effects of thyme and its major ingredients on oxidative DNA damage in human lymphocytes. J Agric Food Chem. 2005; 53:1299 - 305

Aydin S, Basaran AA, Basaran N, The effects of thyme volatiles on the induction of DNA damage by the heterocyclic amine IQ and mitomycin C. Mutat Res. 2005 ; 581(1-2):43 - 53.

Azizan A, Blevins RD, Mutagenicity and antimutagenicity testing of six chemicals associated with the pungent properties of specific spices as revealed by the Ames Salmonella/microsomal assay. Arch Environ Contam Toxicol. 1995; 28(2):248 - 58

Baba S, Osakabe N, Natsume M, Terao J, Orally administered rosmarinic acid is present as the conjugated and/or methylated forms in plasma, and is degraded and metabolized to conjugated forms of caffeic acid, ferulic acid and m-coumaric acid. Life Sci. 2004; 75:165 - 78

Basch E, Ulbricht C, Hammerness P, Bevins A, Sollars D, Thyme (*Thymus vulgaris* L.), thymol. J Herb Pharmacother. 2004; 4(1):49 - 67

Beer AM, Sagorchev P, Lukanov J, Wirkungen von Thymol auf die kontraktile Aktivität der glatten Muskulatur. Z Phytother 2006 27 Kongressband S4

Benito, M, Jorro, G, Morales, C, Pelaez, A, Fernandez, A, Labiate allergy: systemic reactions due to ingestion of oregano and thyme. Ann. Allergy Asthma Immunol 1996; 76, 416 - 8

Boskabady MH, Aslani MR, Kiani S, Relaxant effect of *Thymus vulgaris* on guinea-pig tracheal chains and its possible mechanism(s). Phytother Res. 2006 ; 20(1):28 - 33

Braga PC, Dal Sasso M, Culici M, Bianchi T, Bordoni L, Marabini L, Anti-inflammatory activity of thymol: inhibitory effect on the release of human neutrophil elastase. Pharmacology. 2006; 77(3):130 - 6.

- Buechi S, Vogelin R, von Eiff MM, Ramos M, Melzer J, Open trial to assess aspects of safety and efficacy of a combined herbal cough syrup with ivy and thyme. *Forsch Komplementarmed Klass Naturheilkd.* 2005; 12(6):328 - 32.
- Chalchat JC, Garry RPh, Corrélation composition chimique / activité antimicrobienne: V – contribution à la comparaison de 2 méthodes de détermination des CMI. *Plantes Med Phytother* 1991; 25:184 - 93
- Charles CH, Vincent JW, Borycheski L, Amatnieks Y, Sarina M, Qaqish J, Proskin HM, Effect of an essential oil-containing dentifrice on dental plaque microbial composition. *Am J Dent.* 2000; 13(Spec No):26C - 30C
- Choi WS, Park BS, Ku SK, Lee SE, Repellent activities of essential oils and monoterpenes against *Culex pipiens pallens*. *J Am Mosq Control Assoc.* 2002; 18(4):348 - 51
- Commission E monographs, The complete German commission E monographs. Translation by Blumenthal M et al, American Botanical Council, Austin 1998
- Czygan FC, Hiller K in Wichtl M., *Thymi herba*. In: Wichtl M, editor: *Herbal drugs and Phytopharmaceuticals*. Stuttgart: medpharm Scientific Publishers, 2004: 607 - 10
- Dapkevicius A, van Beek TA, Lelyveld GP, van Veldhuizen A, de Groot A, Linssen JP, Venskutonis R, Isolation and structure elucidation of radical scavengers from *Thymus vulgaris* leaves. *J Nat Prod.* 2002; 65(6):892 - 6
- Deans SG, Ritchie G., Antibacterial properties of plant essential oils. *Int J Food Micro* 1987; 5:165 - 80
- Domaracky M, Rehak P, Juhas S, Koppel J, Effects of selected plant essential oils on the growth and development of mouse preimplantation embryos in vivo. *Physiol Res.* 2007; 56: 97 - 104
- Dorsch W, Loew D, Meyer-Buchtela E, Schilcher H., *Thymi herba*. *Kinderdosierungen von Phytopharmaka*. Bonn: Kooperation Phytopharmaka, 2002
- Englberger W, Hadding U, Etschenberg E, Graf E, Leyck S, Winkelmann J, Parnham MJ., Rosmarinic acid: A new inhibitor of complement C3-convertase with anti-inflammatory activity. *Int J Immunopharm* 1988; 10:729 - 37
- Ernst E, März R, Sieder Ch., A controlled multi-centre study of herbal versus synthetic secretolytic drugs for acute bronchitis. *Phytomedicine* 1997; 4: 287 - 93
- ESCOP Monograph, *Thymi herba* (thyme). ESCOP Monographs Second edition (ESCOP 2003)
- Farag RS, Salem H, Badei AZMA, Hassanein DE., Biochemical studies on the essential oils of some medicinal plants. *Fette, Seifen, Anstrichmittel* 1986; 88:69 - 72
- Foster BC, Vandenhoek S, Hana J, Krantis A, Akhtar MH, Bryan M, Budzinsky JW, Ramputh A, Amason JT., In vitro inhibition of human cytochrome P450-mediated metabolism of marker substrated by natural products. *Phytomedicine* 2003; 10: 334 - 42
- Gao LP, Wei HL, Zhao HS, Xiao SY, Zheng RL., Antiapoptotic and antioxidant effects of rosmarinic acid in astrocytes. *Pharmazie.* 2005; 60(1):62 - 5
- Garcia DA, Bujons J, Vale C, Sunol C., Allosteric positive interaction of thymol with the GABAA receptor in primary cultures of mouse cortical neurons. *Neuropharmacology.* 2006; 50(1):25 - 35.
- Giordani R, Regli P, Kaloustian J, Mikail C, Abou L, Portugal H., Antifungal effect of various essential oils against *Candida albicans*. Potentiation of antifungal action of amphotericin B by essential oil from *Thymus vulgaris*. *Phytother Res.* 2004; 18(12):990 - 5
- Gracza L, Koch H, Löffler E., Isolierung von Rosmarinsäure aus *Symphytum officinale* und ihre anti-inflammatorische Wirksamkeit in einem In-vitro-Modell. *Arch Pharm* 1985; 318: 1090 - 5
- Gruenwald J, Graubaum HJ, Busch R., Efficacy and tolerability of a fixed combination of thyme and primrose root in patients with acute bronchitis. A double-blind, randomized, placebo-controlled clinical trial. *Arzneimittelforschung* 2005; 55(11):669 - 76

Gruenwald J, Graubaum HJ, Busch R., Evaluation of the non-inferiority of a fixed combination of thyme fluid- and primrose root extract in comparison to a fixed combination of thyme fluid extract and primrose root tincture in patients with acute bronchitis. A single-blind, randomized, bi-centric clinical trial. *Arzneimittelforschung* 2006; 56(8):574 - 81

Hänsel R, Keller K, Rimpler H, Schneider G, editors, *Thymus*. In: *Hagers Handbuch der Pharmazeutischen Praxis*, 5th ed. Band 6, Drogen P-Z. Berlin. Springer-Verlag, 1994: 966 - 90

Hänsel R, Sticher O., *Pharmakognosie – Phytopharmazie*. Springer, Heidelberg, 2007

Haraguchi H, Saito T, Ishikawa H, Date H, Kataoka S, Tamura Y, Mizutani K., Antiperoxidative components in *Thymus vulgaris*. *Planta Med.* 1996; 62(3):217 - 21

Haroun EM, Mahmoud OM, Adam SE., Effect of feeding *Cuminum cyminum* fruits, *Thymus vulgaris* leaves or their mixture to rats. *Vet Hum Toxicol.* 2002 Apr; 44(2):67 - 9

Hikiba H, Watanabe E, Barrett JC, Tsutsui T., Ability of fourteen chemical agents used in dental practice to induce chromosome aberrations in Syrian hamster embryo cells. *J Pharmacol Sci.* 2005; 97(1):146 - 52

Horvathova E, Sramkova M, Labaj J, Slamenova D., Study of cytotoxic, genotoxic and DNA-protective effects of selected plant essential oils on human cells cultured in vitro. *Neuro Endocrinol Lett.* 2006; 27(Suppl2):44 - 7

Huang SS, Zheng RL., Rosmarinic acid inhibits angiogenesis and its mechanism of action in vitro. *Cancer Lett.* 2006; 239(2):271 - 80.

Inouye S, Takizawa T, Yamaguchi H., Antibacterial activity of essential oils and their major constituents against respiratory tract pathogens by gaseous contact. *J Antimicrob Chemother* 2001; 47: 565 - 73

Janssen AM, Chin NLJ, Scheffer JJC, Baerheim Svendsen A., Screening for antimicrobial activity of some essential oils by the agar overlay technique. *Pharm Weekbl* 1986; 8 (Sci): 289 - 92

Janssen AM., *Antimicrobial activities of essential oils*. Leiden: University of Leiden 1989: 91 - 108

Jimenez J, Navarro MC, Montilla MP, Martin A., *Thymus zygis* oil: its effect on CCl₄-induced hepatotoxicity and free radical scavenger activity. *J Ess Oil Res* 1993; 5: 153 - 8

Kaas PJ., Atemwegsinfekte im Kindesalter: Anwendungsbeobachtung bestätigt Effizienz einer Thymianzubereitung. *NaturaMed* 2003; 18(1): 2 - 4

Kemmerich B, Eberhardt R, Stammer H., Efficacy and tolerability of a fluid extract combination of thyme herb and ivy leaves and matched placebo in adults suffering from acute bronchitis with productive cough. A prospective, double-blind, placebo-controlled clinical trial. *Arzneimittelforschung* 2006; 56(9):652 - 60

Kitajima J, Ishikawa T, Urabe A, Satoh M., Monoterpenoids and their glycosides from the leaf of thyme. *Phytochemistry.* 2004; 65(24):3279 - 87

Knols G, Stal PC, van Ree JW., Produktieve hoest: tijd of broomhexine? Een dubbelblind gerandomiseerd onderzoek. *Huistarts en Wetenschap* 1994; 37:392 - 94

Kohlert C, Abel G, Schmid E, Veit M., Determination of thymol in human plasma by automated headspace solid-phase microextraction-gas chromatographic analysis. *J Chromatogr B Analyt Technol Biomed Life Sci.* 2002; 767(1):11 - 8

Lemiere, C, Cartier, A, Lehrer, SB, Malo, JL., Occupational asthma caused by aromatic herbs. *Allergy* 1996; 51: 647 - 9

Lens-Lisbonne C, Cremieux A, Maillard C, Balansard G., Méthodes d'évaluation de l'activité antibactérienne des huiles essentielles: application aux essences de thym et de cannelle. *J Pharm Belg* 1987; 42:297 - 302

Madaus R., *Lehrbuch der biologischen Heilmittel*, Thieme, Leipzig, 1938

Maruniak J, Clark WB, Walker CB, Magnusson I, Marks RG, Taylor M, Clouser B., The effect of 3 mouthrinses on plaque and gingivitis development. *J Clin Periodontol.* 1992; 19:19 - 23

- Meister A, Bernhardt G, Christoffel V, Buschauer A., Antispasmodic activity of *Thymus vulgaris* extract on the isolated guinea-pig trachea: discrimination between drug and ethanol effects. *Planta Med.* 1999; 65(6):512 - 6
- Menghini A, Savino A, Lollini MN, Caprio A., Activité antimicrobienne en contact direct et en micro-atmosphère de certaines huiles essentielles. *Plant Med Phytother* 1987; 21:36 - 42
- Nauert C, Grünwald J, Graubaum HJ., Behandlung von 839 Kindern und Kleinkindern mit akuter Bronchitis: Therapieerfolge einer fixen Kombination aus Thymian und Primula. *Z Phytother* 2006; 27 Kongressband S13
- Park BS, Choi WS, Kim JH, Kim KH, Lee SE., Monoterpenes from thyme (*Thymus vulgaris*) as potential mosquito repellents. *J Am Mosq Control Assoc.* 2005; 21(1):80 - 3
- Patakova D, Chladek M., Über die antibakterielle Aktivität von Thymian- und Quendelölen. *Pharmazie* 1974; 29:140 - 3
- Penalver P, Huerta B, Borge C, Astorga R, Romero R, Perea A., Antimicrobial activity of five essential oils against origin strains of the Enterobacteriaceae family. *APMIS.* 2005; 113(1):1 - 6
- Pereira P, Tysca D, Oliveira P, da Silva Brum LF, Picada JN, Ardenghi P., Neurobehavioral and genotoxic aspects of rosmarinic acid. *Pharmacol Res.* 2005; 52(3):199 - 203
- Qureshi S, Shah AH, Al-Yahya MA, Ageel AM., Toxicity of *Achillea fragrantissima* and *Thymus vulgaris* in mice. *Fitoterapia* 1991; 62:319 - 23
- Sasaki K, Wada K, Tanaka Y, Yoshimura T, Matuoka K, Anno T., Thyme (*Thymus vulgaris* L.) leaves and its constituents increase the activities of xenobiotic-metabolizing enzymes in mouse liver. *J Med Food.* 2005; 8(2):184 - 9
- Shapiro S, Guggenheim B., The action of thymol on oral bacteria. *Oral Microbiol Immunol.* 1995; 10(4):241 - 6.
- Simeon de Bouchberg M, Allegrini J, Bessiere C, Attisso M, Passet J, Granger R., Propriétés microbiologiques des huiles essentielles de chimiotypes de *Thymus vulgaris* Linnaeus. *Riv Ital EPPOS* 1976; 58:527 - 36
- Spiewak, R, Skorska, C, Dutkiewicz, J., Occupational airborne contact dermatitis caused by thyme dust. *Contact dermatitis* 2001; 44, 235 - 9
- Takeuchi H, Lu ZG, Fujita T., New monoterpene glucoside from the aerial parts of thyme (*Thymus vulgaris* L.). *Biosci Biotechnol Biochem.* 2004; 68(5):1131 - 4
- Twetman S, Petersson LG., Interdental caries incidence and progression in relation to mutans streptococci suppression after chlorhexidine-thymol varnish treatments in schoolchildren. *Acta Odontol Scand.* 1999; 57(3):144 - 8
- Vampa G, Albasini A, Provvigionato A, Bianchi A, Melegari M., Etude chimique et microbiologique sur les huiles essentielles de *Thymus*. *Plant Med Phytother* 1988; 22:195 - 202
- Van Den Broucke CO., Pharmacological and chemical investigations on *Thymi herba* and its liquid extracts. *Planta Med.* 1980; 39: 253 - 4
- Van den Broucke CO, Lemli J., Pharmacological and chemical investigations on thyme liquid extracts. *Planta Med.* 1981; 41: 129 - 135
- Van den Broucke CO, Lemli J, Lamy J., Action spasmolytique des flavones des différentes espèces de *Thymus*. *Plantes Med Phytother* 1983; 16:310 - 7
- Van den Broucke CO, Lemli J., Spasmolytic activity of the flavonoids from *Thymus vulgaris*. *Pharm Weekbl* 1983; 5(Sci): 9 - 14
- Van Hellemont J., *Fytotherapeutisch compendium*. 2nd ed. Utrecht: Bohn, Scheltema Holkema, 1988: 599 - 605
- Von Skramlik E., Über die Giftigkeit und Verträglichkeit von ätherischen Ölen. *Pharmazie* 1959; 14:435 - 45

Wagner H, Wierer M, Bauer R., In vitro Hemmung der Prostaglandin-Biosynthese durch etherische Öle und phenolische Verbindungen. *Planta Med* 1986;184-187

Zani F, Massimo G, Benvenuti S, Bianchi A, Albasini A, Melegari M et al., Studies on the genotoxic properties of essential oils with *Bacillus subtilis* rec-Assay and *Salmonella* Microsome Reversion Assay. *Planta Med* 1991; 57:237-241