



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

13 September 2011
EMA/HMPC/337076/2011
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Tilia cordata* Miller, *Tilia platyphyllos* Scop., *Tilia x vulgaris* Heyne or their mixtures, flos

Draft

The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Ahmadi L, Mirza M. Volatile constituents of *Tilia platyphyllos* Scop. Flowers. *J. Ess. Oil Res.*, 1999, 11(6): 765-766. Only the abstract.

Al-Essa MK, Mohammed FI, Shafagoj YA, Afifi FU. Studies on the direct effects of the alcohol extract of *Tilia cordata* on dispersed intestinal smooth muscle cells of guinea pig. *Pharm. Biol.*, 2007, 45(3): 246-250.

Anesini C, Werner S, Borda E. Effect of *Tilia cordata* flower on lymphocyte proliferation: Participation of peripheral type benzodiazepine binding sites. *Fitoterapia*, 1999, 70(4): 361-367.

Augustin B, Javorka S, Giovannini R, Rom P. Magyar Gyogynovenyek. Budapest 1948, "Tilia", 166-168.

Buchbauer G, Remberg B, Jirovetz L, Nikiforov A. Comparative headspace analysis of living and fresh cut lime tree flowers (*Tiliae flores*) *Flav. Fragr. J.*, 1999, 10(3): 221-224.

Barnes J, Anderson LA, Phillipson JD. Herbal Medicines. 2th ed. Pharmaceutical Press, London, 409-410, 2007.

Barreiro Arcos ML, Cremaschi G, Werner S, Coussio J, Ferraro G, Anesini C. *Tilia cordata* Mill. Extracts and scopoletin (isolated compound): Differential cell growth effects on lymphocytes. *Phytother. Res.*, 2006, 20(1): 34-40

Blaschek W, Ebel S, Hackenthal E, Holzgrabe U, Keller K, Reichling J, Schulz V, editors. HagerROM 2006: Hagers Handbuch der Drogen und Arzneistoffe. Version 5.0. Springer Medizin Verlag, Heidelberg 2006.

Blumenthal M, Goldberg A, Brinkmann J. editors. Herbal Medicine Expanded Commission E Monographs. American Botanical Council, Austin Texas 2000, 240-243



Blumenthal M, Busse WR, Goldberg A, Gruenwald J, et al., editors. The Complete German Commission E Monographs. American Botanical Council, Austin Texas 1998, 343

Brandley, PR editor British Herbal Compendium 1992, Part 1, Peter U.K. BHMA Monographie „Lime flower. *Tiliae flos* British Herbal Medicine Association p. 142-144

British Herbal Pharmacopoeia (BHP). 1976, Vol. 1, BHMA Monographie „TILIA“ Exeter, U.K.: British Herbal Medicine Association

Československý lékopis (Pharmacopoea Bohemoslovenica) Editio Prima Praha 1947, 178.

Český lékopis 2009 (Pharmacopoea Bohemica), suppl. 2010, Grada Publishing, Praha 2010, 1765.

Duke JA, Bogenschutz-Godwin M J, du Cellie J, Duke P A K. Medicinal Herbs, HANDBOOK OF MEDICINAL HERBS 2nd EDITION, CRC PRESS 1985.

European Pharmacopoeia 7th ed (Ph.Eur.). Lime flower – *Tiliae flos*. Council of Europe. 1/2008: 0957.

Fitsiou I, Tzakou O, Hancianu M, Poiata A. Volatile constituents and antimicrobial activity of *Tilia tomentosa* Moench and *Tilia cordata* Miller oils. *J. Ess. Oil Res.*, 2007, 19(2): 183-185.

Gruenwald J, Brendler T, Jaenicke C, editors. In: PDR for Herbal Medicines, Thomson Medical Economics Company, 4th edition Inc, Montvale NJ 2007, 532-534.

Guerin J-C, Reveillere H-P. Antifungal activity of plant extracts used in therapy. I Study of 41 plant extracts against 9 fungi species. *Ann Pharm Fr* 1984; B: 553-559.

[Activite antifongique d'extraits vegetaux a usage therapeutique. I. Etude de 41 extraits sur 9 souches fongiques] only the abstract.

Vith Hungarian Pharmacopoeia 1970, Budapest, Hungary 124-126.

Krakowiak A, Krêcisz B, Pas-Wyroślak A, Dudek W, Kieć-Świerzyńska M, Pałczyński C. Occupational contact dermatitis with rhinoconjunctivitis due to *Tilia cordata* and colophonium exposure in a cosmetician *Contact Dermatitis*, 2004, 51(1): 34.

Kram G, Franz G. Structural investigations on the water soluble polysaccharides of lime tree flowers (*Tilia cordata* L.). *Pharmazie* 1985; 40: 501.

Lanza JP, Steinmetz M. Actions comparees des extrais aqueux de graines de *Tilia platyphylla* et de *Tilia vulgaris* sur l'intestin isolé de rat [Comparison of actions of aqueous extracts of *Tilia platyphylla* and *T. vulgaris* seeds on isolated rat intestine]. *Fitoterapia* 1986; 57: 185. Only the abstract.

Loureiro G, Rabaça MA, Blanco B, Andrade S, Chieira C, Pereira C. Aeroallergens sensitization in an allergic paediatric population of Cova da Beira, Portugal. *Allergologia et Immunopathologia* , 2005, 33(4): 192-198.

Madaus G. Lehrbuch der biologischen Heilmittel. Vol 2. *Tilia europaea* Georg Olms Verlag. Hildesheim-New York 1979 (reprint).

Matsuda H, Ninomiya K, Shimoda H, Yoshikawa M. Hepatoprotective principles from the flowers of *Tilia argentea* (linden): Structure requirements of tiliroside and mechanisms of action. *Bioorg. Med. Chem.*, 2002; 10(3): 707-712.

Mur P, Feo Brito F, Lombardero M, Barber D, Galindo PA, Gómez E, Borja J. Allergy to linden pollen (*Tilia cordata*) Allergy: *Eur. J. Allergy Clin. Immunol.* 2001; 56(5): 457-458.

Nowak R. Separation and quantification of tiliroside from plant extracts by SPE/RP-HPLC. *Pharm. Biology* 2003; 41(8): 627-630.

Otoom SA, Al-Safi SA, Kerem ZK, Alkofahi A. The use of medicinal herbs by diabetic Jordanian patients. The use of medicinal herbs by diabetic Jordanian patients. *J. Herbal Pharmacother.* 2006, 6(2): 31-41. Only the abstract.

Ranilla LG, Kwon Y-I, Apostolidis E, Shetty K. Phenolic compounds, antioxidant activity and *in vitro* inhibitory potential against key enzymes relevant for hyperglycemia and hypertension of commonly used medicinal plants, herbs and spices in Latin America. *Biores. Technol.* 2010; 101(12): 4676-4689.

Rădulescu V, Oprea E. Analysis of volatile compounds of officinal *Tiliae flos* by gas - Chromatography coupled with mass spectrometry. *Farmacia* 2008; 56(2): 129-138.

Romero-Jiménez M, Campos-Sánchez J, Analla M, Muñoz-Serrano A, Alonso-Moraga Á. Genotoxicity and anti-genotoxicity of some traditional medicinal herbs. *Mut. Res. – Gen. Toxicol. Envir. Mutagen.* 2005; 585(1-2): 147-155.

Slanc P, Doljak B, Kreft S, Lunder M, Janeš D, Štrukelj B. Screening of selected food and medicinal plant extracts for pancreatic lipase inhibition. *Phytother. Res.* 2009, 23(6): 874-877.

Taddei I, Giachetti D, Taddei E, Mantovani P, Bianchi E. Spasmolytic activity of peppermint, sage and rosemary essences and their major constituents. *Fitoterapia* 1988; 59: 463-468.

Review of Natural Products 4th edition Wolters Kluwer Health Inc. Missouri USA 2005, 716-7180.

Toker G, Baser KHC, Kürkçüoğlu M, Özek T. The composition of essential oils from *Tilia* L. species growing in Turkey. *J. Ess. Oil Res.* 1999, 11(3): 369-374. Only the abstract.

Viola H, Wolfman C, Levi de Stein M, Wasowski C, Pena C, Medina JH, Paladini AC. Isolation of pharmacologically active benzodiazepine receptor ligands from *Tilia tomentosa* (Tiliaceae). *J. Ethnopharm.* 1994; 44: 47-53.

Yakovlev, A.I. Polysaccharides of the inflorescences of *Tilia cordata*. *Chem. Nat. Comp.* 1985; 21(1): 114-115.

Zhang, Z.-J. Therapeutic effects of herbal extracts and constituents in animal models of psychiatric disorders. *Life Sciences* 2004; 75(14): 1659-1699.