

6 May 2010
EMA/HMPC/131736/2009
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Viola tricolor* L. and/or subspecies *Viola arvensis* Murray (Gaud) and *Viola vulgaris* Koch (Oborny), herba cum flore

Violae herba cum flore;
(wild pansy, heartsease)

Draft

The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Amenta R, Camarda L, Di Stefano V, Lentini F, Venza F.

Traditional medicine as a source of new therapeutic agents against psoriasis.

Fitoterapia 2000, 71:13-120.

Bandyukova VA, Sergeeva N.

Rutin in some cultivated plants.

Khimia Prirododnich Soedinieni 1974, 4:524.

Baszyński T.

Zawartość tokopheroli (witaminy E) w kwiatach roślin łąkowych.

Roczniki Nauk Rolniczych 1961, 74:757-762.

Bobowska M, Gobiec K, Grzeda W, Kempisty J, Sadowski Z.

Poradnik Terapeutyczny.

PZWL, Warszawa 1975, 408-409.

Boruch T, Góra J, Bielawska M, Świątek L, Łuczak S.

Extract of plants and their cosmetic application. Part XI. Extract from herb of *Viola tricolor*.

Pollena: TSPK 1985, 82:38-40.

Braun H.

Heilpflanzen-Lexikon für Ärzte und Apotheker. *Viola tricolor*. Feldstiefmütterchen.

Gustav Fischer Verlag. Stuttgart: 1974, 197



Brinker F.

Herb contraindications and drug interactions.

Appendix A. Herbs to be used with caution.

Eclectic Medical Publications 2001, 209-211

British Herbal Pharmacopoeia

Heartsease. *Violae tricoloris herb.*

British Herbal Medicine Association 1996, 101-102

Bundesanzeiger (BAZ) No 50. 13.03.1986

Violae tricoloris herba

In: [Rośliny Lecznicze w Fitoterapii.

Instytut Roślin i Przetworów Zielarskich. Poznań 1994, 531]

Carnat A-P, Carnat A, Fraisse D, Lamaison J-L.

Violarvensin, a New Flavone Di-C-Glycoside from *Viola arvensis*.

J Nat Prod. 1998, 61: 272-274.

Chevallier A.

Viola tricolor. Heartsease.

In: *Encyclopedia of Medicinal Plants.*

Dorling Kindersley, London 1996,: 280

Claeson P, Göransson U, Johansson S, Luijendijk TL.

Fractionation protocol for the isolation of polypeptides from plant biomass.

J Nat Prod. 1998, 61:77.

Craik DJ.

Plant cyclotides: circular, knotted peptide toxins.

Toxicon 2001, 39:1809-1813.

Craik DJ, Daly NL, Bond T, Waine C.

Plant cyclotides: A unique family of cyclic and knotted proteins that defines the cyclic cystine knot structural motif.

J Mol Biol. 1999, 294:1327-1336.

Deters AM, Lengsfeld C, Hensel A.

Oligo- and polysaccharides exhibit a structure-dependent bioactivity on human keratinocytes in vitro.

J Ethnopharmacol 2005, 102:391-399.

Dragendorff G.

Die Heilpflanzen der verschiedenen Völker und Zeiten.

Verlag von Ferdinand Enke, Stuttgart 1898, 449-450.

Duke JA.

Pansy (*Viola tricolor* L.)

CRC Handbook of Medicinal Herbs.

CRC Press, Inc. Boca Raton. London, New York, Washington 2002, 550-551

European Pharmacopoeia

Wild pansy (flowering aerial parts). 01/2008:1855, corrected 6.0

Council of Europe Strasbourg 2008, 3217-3218.

Farmakopea Polska. Pharmacopoeia Polonica II.

Herba Violae tricoloris. Ziele fiołka trójbarwnego.

Towarzystwo Przyjaciół Wydziałów i Oddziałów Farmaceutycznych przy Uniwersytetach w Polsce.
Warszawa 1937, 472-474.

Farmakopea Polska. Pharmacopoeia Polonica III.

Herba Violae tricoloris. Ziele fiołka trójbarwnego.

Państwowy Zakład Wydawnictw Lekarskich. Warszawa 1954, 315-316.

Farmakopea Polska. Pharmacopoeia Polonica VI.

Violae tricoloris herba. Ziele fiołka trójbarwnego.

Państwowy Zakład Wydawnictw Lekarskich. Warszawa 2002, 906-907.

Farmakopea Polska. Pharmacopoeia Polonica VIII.

Violae herba cum flore. Ziele fiołka trójbarwnego.

Państwowy Zakład Wydawnictw Lekarskich. Warszawa 2008, 3212-3213.

Fraisse D, Carnat A, Carnat AP, Texier O, Elias R, Balansard G, Lamaison JL.

Principaux constituants des parties aériennes fleuries de Pensée sauvage.

[Principal constituents from flowering aerial parts of wild pansy]

Ann Pharm Fr. 2001, 59:119-124.

Franz G.

Untersuchungen über die Schleimpolysaccharide von *Tussilago farfara* L., *Symphytum officinalis* L.,
Borago officinalis L. und *Viola tricolor* L.

Planta Medica 1969, 17:217-220.

German Commision E Monograph *Violae tricoloris herba* (BAnz no. 50, Published March 13, 1986)

Gertig, H., Z. Kowalewski, E. Jeger and M. Prywer.

Bratki ogrodowe (*Viola tricolor* L. Var. Maxima) jako surowiec do wyodrębnienia rutozydu.

[*Viola tricolor* L. var. maxima, as resource of rutoside].

Herba Polonica 1966, 12:272-283.

Goun EA, Petrichenko VM, Solodnikov SU, Suhinina TV, Kline MA, Cunningham G, Nguyen C, Miles H.

Anticancer and antihrombin activity of Russian plants.

J Ethnopharmacol 2002, 81:337-342.

Göransson U, Luijendijk T, Johansson S, Bohlin L, Cleason P.

Seven novel macrocyclic polypeptides from *Viola arvensis*.

J Nat Prod. 1999, 62:283-286.

Göransson U, Broussalis AM, Cleason P.

Expression of *Viola* cyclotides by liquid chromatography-mass spectrometry and tandem mass spectrometry sequencing of intercysteine loops after introduction of charges and cleavage sites by aminoethylation.

Anal Bioch. 2003, 318:107-117.

Göransson U, Svångård E, Cleason P, Bohlin L.

Novel strategies for isolation and characterization of cyclotides: the discovery of bioactive macrocyclic plant polypeptides in the Violaceae.

Curr Protein Pept Sci. 2004, 5:317-329.

Hänsel R, Keller K, Rimpel H, Schneider G.

Viola tricolor L.

Hagers Handbuch der Pharmaceutischen Praxis 5. vollständig neubearbeitete Auflage.

Springer-Verlag Berlin, Heidelberg, New York, 1994, 1148-1153.

Hansmann P, Kleinig H.

Violaxanthin esters from *Viola tricolor* flowers.

Phytochemistry 1982, 21:238-239.

Hansmann P, Sitte P.

Composition and molecular structure of chromoplast globules of *Viola tricolor*.

Plant Cell Rep. 1982, 1:111-114.

Hayashi K, Takeda K.

Notes on Violet Flower Color in Pansy, *Viola tricolor*, L. Studies of Anthocyanins. XXXVII. 36.

Proc Japan Academy 1962, 38:161-165.

Hoppe HA.

Europäische Drogen.

Viola tricolor

Cram, de Gruyter & CO, Hamburg 1951, 330-332.

Hoppe HA.

Drogenkunde. Handbuch der Pflanzlichen und Tierischen Rohstoffe.

Viola tricolor

Cram, Walter de Gruyter & CO, Hamburg 1958, 949-950.

Hörhammer L, Wagner H, Rosprim L.

Über die Struktur neuer und bekannter Flavon-c-glykoside I.

Tetrahedron Letters 1965, 22:1707-1711.

Ivancheva S, Stantcheva B.

Ethnobotanical inventory of medicinal plants in Bulgaria.

J Ethnopharmacol 2000, 69:165-172.

Jaretzky R.

Herba Violae tricoloris.

Lehrbuch der Pharmakognosie.

Dtsch Apoth Verl, Berlin 1937, 114-115.

Izzo AA, Capasso R, Senatore F, Seccia S, Morrica P.

Spasmolytic activity of medicinal plants used for the treatment of disorders involving smooth muscles.

Phytother Res 1996, 10(Suppl):107-108.

Klövekorn W, Tepe A, Danesch U.

A randomized, double-blind, vehicle-controlled, half-side comparison with a herbal ointment containing *Mahonia aquifolium*, *Viola tricolor* and *Centella asiatica* for the treatment of mild-to-moderate atopic dermatitis.

Int J Clin Pharmacol Ther. 2007, 45:583-591.

Kolos-Pethes, E.

A *Viola arvensis* herba rutin-es összflavonoid-tartalmanak meghatarozása es ezek valtozása a vegetacios idoszakban.

Acta Pharm Hung 1965, 35:225-230.

Köhler FE.

Viola tricolor L.

Köhler's Medizinal - Pflanzen in naturgetreuen Abbildungen mit kurz erläuterndem Texte. Band I-27.

Friedrich von Zezschwitz, Gera 1883, 27-28.

Komorowski, Mosiniak T, Kryszczuk Z, Rosiński G.

Kwasy fenolowe w krajowych gatunkach *Viola tricolor* L., *Viola arvensis* Murr.

Herba Polonica 1983, 29:5-11.

Kraft K, Hobbs Ch.

Pocket Guide to Herbal Medicine.

Georg Thieme Verlag, Stuttgart, New York 2004, 75:389-390

Leporatti ML, Ivancheva S.

Preliminary comparative analysis of medicinal plants used in the traditional medicine of Bulgaria and Italy.

J Ethnopharmacol 2003, 87:123-142.

Kuźnicka B, Dziak M.

Zioła lecznicze. Zbiór i stosowanie.

PZWL, Warszawa 1970

Lindholm P, Göranson U, Johansson S, Cleason P, Gulbo J, Larsson L, Bohlin L, Backlund A.

Cyclotides: A Novel Type of Cytoxic Agents.

Mol Canc Ther 2002, 1:365-369.

Madaus G.

Lehrbuch der Biologischen Heilmittel.

Viola tricolor

Georg Thieme Verlag, Leipzig 1938, <http://www.henriettesherbal.com/eclectic/madaus/viola.html>

Manez S, Villar A.

Flavonoids of the Violaceae.

Pharmazie 1989, 44: 250-258.

Mantle D, Edde F, Pickering AT.

Comparison of relative antioxidant activities of British medicinal plant species in vitro.

J Ethnopharmacol 2002, 72:47-51.

Martindale: The Complete Drug Reference.

Wild Pansy. (2009)

The Pharmaceutical Press 2009.

<http://www.medicinescomplete.com/mc/> martindale/current/20810-e.htm.

Michaud J, Laparra J, Lesca M-F, Harmand M-F, Masquelier J, Blanquet P.

Phytosynthèse de rutoside marque au ¹⁴C.

Bull Soc Pharm Bordeaux 1969, 108:133-142.

Molnar P, Szabolcs J.

Occurrence of 15-cis-violaxanthin in *Viola tricolor*.

Phytochemistry 1980, 19:623-627.

Molnar P, Szabolcs J, Radics L.

Naturally occurring di-cis violaxanthins from *Viola tricolor*: isolation and identification by H NMR spectroscopy of four di-cis-isomers.

Phytochemistry 1986, 25:195-199.

Mulvenna JP, Sando L, Craik DJ.

Processing of a 22 kDa precursor protein to produce the circular protein tricyclon A.

Structure 2005, 13:691-701.

Muszyński J.

Ziołolecznictwo i leki roślinne (Fitoterapia).

PZWL, Warszawa 1954, 128-129

Ożarowski A.

Ziołolecznictwo. Poradnik dla lekarzy.

PZWL, Warszawa 1976, 229-230

Ożarowski A, Łąćucki J, Gąsiorowska K.

Leki roślinne. Informator

Zjednoczenie Przemysłu Zielarskiego Herbapol, Warszawa 1978, 220-221.

Pápay V, Molnar B, Lepran I, Toth L.

A *Viola tricolor* kemiai anyagainak vizsgalata.

Acta Pharm Hung 1987, 57:153-158.

Papp I, Apati P, Andrasek V, Blazovics A, Balazs A, Kursinszki L, Kite GC, Houghton PJ, Kery A.

LC-MS analysis of antioxidant plant phenoloids.

Chromatographia Suppl. 2004, 60:93-100.

PDR for Herbal Medicines

Heartsease. *Viola tricolor*.

Thomson Medical Economics, Montvale 2000, 424-425.

PDR for Herbal Medicines

Heartsease. *Viola tricolor*

Thomson Medical Economics, Montvale 2004, 382-383.

Pelegrini PB, Quirino BF, Franco OL.

Plant cyclotides: an unusual class of defense compounds.

Peptides. 2007, 28:1475-1481.

Rimkiene S, Ragazinskiene O, Savickiene N.

The cumulation of wild pansy (*Viola tricolor* L.) accessions: the possibility of species preservation and usage in medicine.

Medicina Kaunas 2003, 39:411-416.

Roeske W.

Zarys Fitoterapii. Farmakologia i receptura ziół leczniczych.

PZWL, Warszawa 1955, 264-265.

Schimpfky R.

Stiefmütterchen. *Viola tricolor* L.

Unsere Heilpflanzen in Bild und Wort für Jedermann. Ihr Nutzen und ihre Anwendung in Haus und Familie

Hugo Bermühler Verlag, Berlin-Lichterfelde 1900, 1:33

Schöpke Th., Hasan Agha M I, Kraft R, Otto A. and Hiller K.
Hämolytisch aktive Komponenten aus *Viola tricolor* L. und *Viola arvensis* Murray.
Scientia Pharmaceutica 1993, 61:145.

Simonsen SM, Sando L, Ireland DC, Colgrave ML, Bharathi R, Göranson U, Craik DJ.
A continent of plant defense peptide diversity: cyclotides in Australian Hybanthus (Violaceae)
Plant Cell 2005, 17:3176-3189.

Svangård E, Göranson U, Hocaoglu Z, Gulbo J, Larsson L, Cleason P, Bohlin L.
Cytotoxic Cyclotides from *Viola tricolor*.
J Nat Prod 2004, 67:144-147.

Szabolcs J, Tóth Gy.
Violeoxanthin and tareoxanthin.
Acta Chim Acad Sci Hung 1970, 63:229-232.

Takeda K, Hayashi K.
100. Crystallization and Some Properties of the Genuine Anthoyanin inherent to the deep Violet color of
Pansy. Notes on Violet Flower Color in pansy, *Viola tricolor*, L. Studies of Anthocyanins. XLVIII
Proc Japan Acad 1965, 41:449-454.

Tamăs M, Grecu L, Roșca M.
Cercetari asupra saponinelor triterpenice din *Viola tricolor* L.
Farmacia 1981, 29:99-103.

Trabi M, Craik DJ.
Circular proteins--no end in sight.
Trends Biochem Sci 2002, 27:132-138.

Toker G, Türköz S, Erdemoglu N.
High performance liquid chromatographic analysis of rutin in plants.
Pharmazie 1998, 53:494-495.

Vincze-Vermes M, Marczal G, Pethes F.
Occurrence of rutin in some *Viola* species.
Acta Agronomica Acad Sci Hung 1974, 23:448-453.

Vincze M, Marczal G.
[Isolation of rutin from herb of *Viola tricolor*] Hungarian
Gyogyszereszet 1972, 16:58-60
through *Chem. Abstr.* 1972, 77:45573.

Vollmer H, Weidlich R.
Untersuchungen über die diuretische wirkung der *Fructus Juniperi*, *Radix Levistici*, *Radix Liquiritiae* und
Herba Violae tricoloris an kaninchen und mausen
Naunyn Schmiederberg's Arch Pharmakol Exp Pathol. 1937, 186:574-583

Vukics V, Kery A, Bonn GK, Guttman A.
Major flavonoid components of heartsease (*Viola tricolor* L.) and their antioxidant activities.
Anal Bioanal Chem 2008, 390:1917-1925.

Vukics V, Ringer T, Kery A, Bonn GK, Guttman A.
Analysis of heartsease (*Viola tricolor* L.) flavonoid glycosides by micro-liquid chromatography coupled
to multistage mass spectrometry.
J Chromatogr A 2008, 1206:11-20.

Vukics V, Toth BH, Ringer T, Ludanyi K, Kery A, Bonn GK, Guttman A.
Quantitative and qualitative investigation of the main flavonoids in heartsease (*Viola tricolor* L.)
J Chromatogr Sci 2008, 46:97-101

Wagner H, Rosprim L, Düll P.
Die Flavon-C-glykoside von *Viola tricolor* L.
Ztschr Naturforsch 1972, 27:954-958.

Wichtl M.
Violae tricoloris herba. Wild pansy *Viola tricolor* (BHP 1983)
In: Herbal Drugs and Phytopharmaceuticals. Bisset NG (ed).
Medpharm GmbH Scientific Publishers, Stuttgart/CRC Press, Boca Raton, 1994, 527-529.

Wichtl M.
Viola herba cum flore. Wild pansy (flowering aerial parts)
In: Herbal Drugs and Phytopharmaceuticals.
Medpharm GmbH Scientific Publisher, Stuttgart: 2004, 646-648.

Witkowska-Banaszczak E, Bylka W, Matławska I, Goślińska O, Muszyński Z.
Antimicrobial activity of *Viola tricolor* herb.
Fitoterapia 2005, 76: 458-461.

Xu WZ, Tang J, Ji CJ, He WJ, Tan NH.
Application of TLC chemical method to detection of cyclotides in plants.
Chin Sci Bull 2008, 53:1671-1674.

Zabaznaya E.
Polysaccharides of *Viola tricolor*.
Khim Prirod Soed 1985, 1:113

Zielinska-Sowicka R, Wolbiś M, Miazek D.
Oznaczanie rutozydu w materiale roślinnym metodą kompleksometryczną z jonami Fe³⁺.
Ann Acad Med Lodz 1972, 13:109-116.