



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

27 August 2014
EMA/HMPC/320452/2012 *Corr*¹
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Andrographis paniculata* Nees, folium

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Akbarsha MA, Manivannan B, Hamid KS, Vijayan B (1990). Antifertility effect of *Andrographis paniculata* (Nees) in male albino rats. *Indian J Exp Biol.* 28(5):421-426. (abstract only)

Akbarsha M, Murugaian P (2000). Aspects of the male reproductive toxicity/male antifertility property of andrographolide in albino rats: Effect on the testis and the cauda epididymidal spermatozoa. *Phytotherapy Research* 14: 432-435.

Akowuah GA, Zhari I, Mariam A, Yam MF (2009). Absorption of andrographolides from *Andrographis paniculata* and its effect on CCl(4)-induced oxidative stress in rats. *Food and Chemical Toxicology* 47: 2321-2326.

Al-Bayaty FH, Abdulla MA, Abu Hassan MI, Ali HM (2012). Effect of *Andrographis paniculata* leaf extract on wound healing in rats. *Natural Product Research* 26: 423-429.

Allan JJ, Pore MP, Deepak M, Murali B, Mayachari AS, Agarwal A (2009). Reproductive and fertility effects of an extract of *Andrographis paniculata* in male Wistar rats. *Int J Toxicol* 28: 308-317.

Amaryan G, Astvatsatryan V, Gabrielyan E, Panossian A, Panosyan V, Wikman G (2003). Double-blind, placebo-controlled, randomized, pilot clinical trial of ImmunoGuard® - a standardized fixed combination of *Andrographis paniculata* Nees, with *Eleutherococcus senticosus* Maxim, *Schizandra chinensis* Bail. and *Glycyrrhiza glabra* L. extracts in patients with Familial Mediterranean Fever. *Phytomedicine* 10: 271-285.

Amroyan E, Gabrielian E, Panossian A, Wikman G, Wagner H (1999). Inhibitory effect of andrographolide from *Andrographis paniculata* on PAF-induced platelet aggregation. *Phytomedicine* 6: 27-31.

¹ Minor editorial changes



- Avani G, Rao MV (2008). *In vitro* cytogenetic effects of *Andrographis paniculata* (kalmegh) on arsenic. *Phytomedicine* 15: 221-225.
- Batkhuu J, Hattori K, Takano F, Fushiya S, Oshiman K, Fujimiya Y (2002). Suppression of NO production in activated macrophages in vitro and ex vivo by neoandrographolide isolated from *Andrographis paniculata*. *Biol Pharm Bull* 25(9): 1169-1174.
- Burgos RA, Caballero E, Sanchez N, Schroeder R, Wikman G, Hancke J (1997). Testicular toxicity assessment of *Andrographis paniculata* dried extract in rats. *J Ethnopharmacol* 58: 219-224.
- Burgos RA, Imilan M, Sanchez NS, Hancke JL (2000). *Andrographis paniculata* (Nees) selectively blocks voltage-operated calcium channels in rat vas deferens. *J Ethnopharmacol* 71: 115-121.
- Burgos RA, Aguila M, Santiesteban ET, Sanchez NS, Hancke JL (2001). *Andrographis paniculata* (Nees) induces relaxation of uterus by blocking voltage operated calcium channels and inhibits Ca²⁺ influx. *Phytotherapy Research* 15: 235-239.
- Burgos RA, Hancke JL, Bertoglio JC, Aguirre V, Arriagada S, Calvo M, Caceres DD (2009). Efficacy of an *Andrographis paniculata* composition for the relief of rheumatoid arthritis symptoms: a prospective randomized placebo-controlled trial [RID C-2339-2009]. *Clin Rheumatol* 28: 931-946.
- Caceres DD, Hancke JL, Burgos RA, Wikman GK (1997). Prevention of common colds with *Andrographis paniculata* dried extract. A pilot double blind trial [RID C-2339-2009]. *Phytomedicine* 4: 101-104.
- Caceres DD, Hancke JL, Burgos RA, Sandberg F, Wikman GK (1999). Use of visual analogue scale measurements (VAS) to assess the effectiveness of standardized *Andrographis paniculata* extract SHA-10 in reducing the symptoms of common cold. A randomized double blind-placebo study [RID C-2339-2009]. *Phytomedicine* 6: 217-223.
- Calabrese C, Berman S, Babish J, Ma X, Shinto L, Dorr M, Wells K, Wenner C, Standish L (2000). A phase I trial of andrographolide in HIV positive patients and normal volunteers. *Phytotherapy Research* 14: 333-338.
- Chander R, Srivastava V, Tandon J, Kapoor N (1995). Antihepatotoxic activity of diterpenes of *Andrographis paniculata* (Kal-Megh) against *Plasmodium berghei*-induced hepatic damage in *Mastomys natalensis*. *International Journal of Pharmacognosy* 33: 135-138. (abstract only)
- Chandrasekaran CV, Thiyagarajan P, Sundarajan K, Goudar KS, Deepak M, Murali B, Allan JJ, Agarwal A (2009). Evaluation of the genotoxic potential and acute oral toxicity of standardized extract of *Andrographis paniculata* (KalmCold™). *Food and Chemical Toxicology* 47: 1892-1902.
- Chandrasekaran CV, Gupta A, Agarwal A (2010). Effect of an extract of *Andrographis paniculata* leaves on inflammatory and allergic mediators in vitro. *J Ethnopharmacol* 129: 203-207.
- Chao W-W, Kuo Y-H, Hsieh S-L, Lin B-F (2011). Inhibitory effects of ethyl acetate extract of *Andrographis paniculata* on NF-kappa B trans-activation activity and LPS-induced acute inflammation in mice. *Evidence-Based Complementary and Alternative Medicine* 1-9.
- Chenniappan K, Kadarkarai M (2008). Synergistic activity of *Andrographis paniculata* Nees extracts against the larvae of the malarial vector *Anopheles stephensi* Liston (Diptera : Culicidae). *J Entomol Res Soc* 10: 13-22. (abstract only)
- Chenniappan K, Chellamuthu V, Dhandapani A, Kadarkarai M (2011). Synergistic activity of *Andrographis paniculata* Nees with *Bacillus thuringiensis* var *israelensis* against malarial vector, *Anopheles stephensi* Liston (Diptera: Culicidae). *J Entomol Res Soc* 13: 71-86.

Chien C-F, Wu Y-T, Lee W-C, Lin LC, Tsai T-H (2010). Herb-drug interaction of *Andrographis paniculata* extract and andrographolide on the pharmacokinetics of theophylline in rats. *Chem Biol Interact* 184: 458-465.

Dey KL, Mair W. The Indigenous Drugs of India: Short Descriptive Notices of the Principal Medicinal Products Met with in British India. Thacker, Spink and Co, Calcutta, 1896: 27-28. (Accessed at <http://archive.org/stream/indigenousdrugs00mairgoog#page/n8/mode/2up>).

Gabrielian ES, Shukarian A, Goukasova G, Chandanian G, Panossian A, Wikman G, Wagner H (2002). A double blind, placebo-controlled study of *Andrographis paniculata* fixed combination Kan Jang® in the treatment of acute upper respiratory tract infections including sinusitis. *Phytomedicine* 9: 589-597.

Ganguly M, Manna A, Chandra G, Ghosh D, Ghosh LK, Gupta BK (2000). *Andrographis paniculata*: a promising herbal plant. *Indian J Pharm Education* 35: 63-64. (only front page available)

Hanapi NA, Azizi J, Ismail S, Mansor SM (2010). Evaluation of selected Malaysian medicinal plants on phase I drug metabolizing enzymes, CYP2C9, CYP2D6 and CYP3A4 activities *in vitro* [RID B-7741-2011]. *International Journal of Pharmacology* 6: 494-499.

Hancke J, Burgos R, Caceres D, Wikman G (1995). A double-blind study with a new monodrug Kan Jang®: Decrease of symptoms and improvement in the recovery from common colds [RID C-2339-2009]. *Phytotherapy Research* 9: 559-562. (abstract only)

Hovhannisyan A, Abrahamyan H, Gabrielyan E, Panossian A (2006). The effect of Kan Jang® extract on the pharmacokinetics and pharmacodynamics of warfarin in rats. *Phytomedicine* 13: 318-323.

Indian Materia Medica (1976). Revised and Enlarged by Nadkarni AK Bombay Popular Prakashan Private Ltd

Jaruchotikamol A, Jarukamjorn K, Sirisangtrakul W, Sakuma T, Kawasaki Y, Nemoto N (2007). Strong synergistic induction of CYP1A1 expression by andrographolide plus typical CYP1A inducers in mouse hepatocytes. *Toxicol Appl Pharmacol* 224: 156-162.

Jarukamjorn K, Don-in K, Makejaruskul C, Laha T, Daodee S, Pearaksa P, Sripanidkulchai B (2006). Impact of *Andrographis paniculata* crude extract on mouse hepatic cytochrome P450 enzymes. *J Ethnopharmacol* 105: 464-467.

Jarukamjorn K (2008). *Andrographis paniculata*: A review of aspects of regulatory mechanisms of hepatic CYP1A enzymes. *Boletin Latinoamericano Y Del Caribe De Plantas Medicinales Y Aromaticas* 7: 100-107.

Kern W (1972) Hagers Handbuch der Pharmazeutischen Praxis 4th ed. Berlin-Heidelberg-New York. Springer-Verlag 81-82.

Koh PH, Mokhtar RAM, Iqbal M (2011). *Andrographis paniculata* ameliorates carbon tetrachloride (CCI(4))-dependent hepatic damage and toxicity: Diminution of oxidative stress. *Redox Report* 16: 134-143. Kumar R, Sridevi K, Kumar N, Nanduri S, Rajagopal S (2004). Anticancer and immunostimulatory compounds from *Andrographis paniculata*. *J Ethnopharmacol* 92: 291-295.

Kuppusamy C, Murugan K (2010). Effects of *Andrographis paniculata* Nees on growth, development and reproduction of malarial vector *Anopheles stephensi* Liston (Diptera: Culicidae). *Tropical Biomedicine* 27: 509-516.

Lin FL, Wu SJ, Lee SC, Ng LT (2009). Antioxidant, antioedema and analgesic activities of *Andrographis paniculata* extracts and their active constituent andrographolide. *Phytotherapy Research* 23: 958-964.

Lin T-P, Chen S-Y, Duh P-D, Chang L-K, Liu Y-N (2008). Inhibition of the Epstein-Barr Virus lytic cycle by andrographolide. *Biol Pharm Bull* 31: 2018-2023.

Mandal S, Dhara A, Maiti B (2001). Studies on psychopharmacological activity of *Andrographis paniculata* extract. *Phytotherapy Research* 15: 253-256.

Matsuda T, Kuroyanagi M, Sugiyama S, Umehara K, Ueno A, Nishi K (1994). Cell differentiation-inducing diterpenes from *Andrographis paniculata* Nees. *Chem Pharm Bull* 42: 1216-1225. (abstract only)

Melchior J, Palm S, Wikman G (1997). Controlled clinical study of standardized *Andrographis paniculata* extract in common cold - a pilot trial. *Phytomedicine* 3: 315-318.

Melchior J, Spasov A, Ostrovskij O, Bulanov A, Wikman G (2000). Double-blind, placebo-controlled pilot and phase III study of activity of standardized *Andrographis paniculata* Nees herba extract fixed combination (Kan Jang[®]) in the treatment of uncomplicated upper-respiratory tract infection. *Phytomedicine* 7: 341-350.

Mishra K, Dash AP, Swain B K and Dey N (2009). Anti-malarial activities of *Andrographis paniculata* and *Hedyotis corymbosa* extracts and their combination with curcumin. *Malaria Journal* 8: 26

Mishra US, Mishra A, Kumari R, Murthy PN, Naik BS (2009). Antibacterial activity of ethanol extract of *Andrographis paniculata*. *Indian Journal of Pharmaceutical Sciences* 71: 436-155.

Muniramappa RP, Farooqi AA, Gowda HGR, Maricapu S (1997). Influence of macro nutrients on yield and active principle content in kalmegh. *Indian Journal of Medicinal and Aromatic Plant Sciences* 19: 1039-1042. (abstract only)

Murugan K, Selvanayaki K, Al-Sohaibani S (2011). Antibiofilm activity of *Andrographis paniculata* against cystic fibrosis clinical isolate *Pseudomonas aeruginosa*. *World J Microbiol Biotechnol* 27: 1661-1668.

Nagalekshmi R, Menon A, Chandrasekharan DK, Nair CKK (2011). Hepatoprotective activity of *Andrographis paniculata* and *Swertia chirayita*. *Food and Chemical Toxicology* 49: 3367-3373.

Naik SR, Hule A (2009). Evaluation of immunomodulatory activity of an extract of andrographolides from *Andrographis paniculata*. *Planta Medica* 75: 785-791.

Najila M, Rain A, Kamel A Zahir S, Khozirah S, Hakim S, Zakiah I, Azizol A (2002). The screening of extracts from *Goniothalamus scortechinii*, *Aralidium pinnatifidum* and *Andrographis paniculata* for anti-malarial activity using the lactate dehydrogenase assay. *J Ethnopharmacol* 82: 239-242.

Neogy S, Das S, Mahapatra SK, Mandal N, Roy S (2008). Amelioratory effect of *Andrographis paniculata* Nees on liver, kidney, heart, lung and spleen during nicotine induced oxidative stress. *Environ Toxicol Pharmacol* 25: 321-328.

Ooi JP, Kuroyanagi M, Sulaiman SF, Muhammad TST, Tan ML (2011). Andrographolide and 14-Deoxy-11, 12-Didehydroandrographolide inhibit cytochrome P450s in HepG2 hepatoma cells [RID C-9455-2011]. *Life Sci* 88: 447-454.

Pan Y, Abd-Rashid BA, Ismail Z, Ismail R, Mak JW, Pook PCK, Er HM, Ong CE (2011). *In vitro* determination of the effect of *Andrographis paniculata* extracts and andrographolide on human hepatic cytochrome P450 activities. *Journal of Natural Medicines* 65: 440-447.

Panneerselvam S, Arumugam G (2011). A biochemical study on the gastroprotective effect of hydroalcoholic extract of *Andrographis paniculata* in rats. *Indian Journal of Pharmacology* 43: 402-408

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3153702/?report=printable>.

Panossian A, Kochikian A, Gabrielian E, Muradian R, Stepanian H, Arsenian E, Wagner H (1999). Effect of *Andrographis paniculata* extract on progesterone in blood plasma of pregnant rats. *Phytomedicine* 6: 157-161.

Panossian A, Hovhannisyan A, Mamikonyan G, Abrahamian H, Hambardzumyan E, Gabrielian E, Goukasova G, Wikman G, Wagner H (2000). Pharmacokinetic and oral bioavailability of andrographolide from *Andrographis paniculata* fixed combination Kan Jang® in rats and human. *Phytomedicine* 7: 351-364.

Panossian A, Davtyan T, Gukassyan N, Gukasova G, Mamikonyan G, Gabrielian E, Wikman G (2002). Effect of andrographolide and Kan Jang® - fixed combination of extract SHA-10 and extract SHE-3 - on proliferation of human lymphocytes, production of cytokines and immune activation markers in the whole blood cells culture. *Phytomedicine* 9: 598-605.

Pekthong D, Martin H, Abadie C, Bonet A, Heyd B, Mantion G, Richert L (2008). Differential inhibition of rat and human hepatic cytochrome P450 by *Andrographis paniculata* extract and andrographolide. *J Ethnopharmacol* 115: 432-440.

Pekthong D, Blanchard N, Abadie C, Bonet A, Heyd B, Mantion G, Berthelot A, Richert L, Martin (2009). Effects of *Andrographis paniculata* extract and andrographolide on hepatic cytochrome P450 mRNA expression and monooxygenase activities after *in vivo* administration to rats and *in vitro* in rat and human hepatocyte cultures. *Chem Biol Interact* 179: 247-255.

Pharmacopoeia of the People's Republic of China 2005, Volume I Herba *Andrographis*; 121, 659

Poolsup N, Suthisisang C, Prathanturarug S, Asawamekin A, Chanchareon U (2004). *Andrographis paniculata* in the symptomatic treatment of uncomplicated upper respiratory tract infection: systematic review of randomized controlled trials. *J Clin Pharm Ther*. 29: 37-45.

Pramyoithin P, Udomuksorn W, Pongshompoo S, Chaichantipyuth C (1994). Hepatoprotective effect of *Andrographis paniculata* and its constituent, andrographolide, on ethanol hepatotoxicity in rats. *Asia Pacific Journal of Pharmacology* 9: 73-78. (abstract only)

Puri A, Saxena R, Saxena R, Saxena K, Srivastava V, Tandon J (1993). Immunostimulant agents from *Andrographis paniculata*. *J Nat Prod* 56: 995-999.

Radhika P, Rajendra PY, Sastry BS, Lakshmi RK (2009). Anti-inflammatory activity of chloroform extract of *Andrographis paniculata* Nees stem. *Research Journal of Biotechnology* 4: 35-38.

Reyes B, Bautistac N, Tanquilut N Anunciado R, Leung A, Sanchez G, Magtoto R, Castronuevo P, Tsukamura H, Maeda K (2006). Anti-diabetic potentials of *Momordica charantia* and *Andrographis paniculata* and their effects on estrous cyclicity of alloxan-induced diabetic rats. *J Ethnopharmacol* 105: 196-200.

Reynolds JEF (1982). Martindale the extra Pharmacopoeia London, The Pharmaceutical Press

Saranya P, Geetha A (2011). Antiulcer activity of *Andrographis paniculata* (Burm.f.) Nees against cystemine-induced duodenal ulcer in rats. *Indian J Exp Biol* 49: 525-533.

Sattayasai J, Srisuwan S, Arkaravichien T, Aromdee C (2010). Effects of andrographolide on sexual functions, vascular reactivity and serum testosterone level in rodents. *Food and Chemical Toxicology* 48: 1934-1938.

Saxena RC, Singh R, Kumar P Yadav SC, Negi MPS, Saxena VS, Joshua AJ, Vijayabalaji V, Goudar KS, Venkateshwarlu K, Amit A (2010). A randomized double blind placebo controlled clinical evaluation of

extract of *Andrographis paniculata* (KalmCold™) in patients with uncomplicated upper respiratory tract infection. *Phytomedicine* 17: 178-185.

Sheeja K, Kuttan G (2006). Protective effect of *Andrographis paniculata* and andrographolide on cyclophosphamide-induced urothelial toxicity. *Integrative Cancer Therapies* 5: 244-251.

Sheeja K, Shihab P, Kuttan G (2006). Antioxidant and anti-inflammatory activities of the plant *Andrographis paniculata* Nees. *Immunopharmacol Immunotoxicol* 28: 129-140.

Sheeja K, Guruvayoorappan C, Kuttan G (2007). Antiangiogenic activity of *Andrographis paniculata* extract and andrographolide. *Int Immunopharmacol* 7: 211-221.

Sheeja K, Kuttan G (2007). Modulation of natural killer cell activity, antibody-dependent cellular cytotoxicity, and antibody-dependent complement-mediated cytotoxicity by andrographolide in normal and Ehrlich ascites carcinoma-bearing mice. *Integrative Cancer Therapies* 6: 66-73.

Sheeja K, Kuttan G (2010). *Andrographis paniculata* downregulates proinflammatory cytokine production and augments cell mediated immune response in metastatic tumor-bearing mice. *Asian Pacific Journal of Cancer Prevention* 11: 723-729.

Singh P, Srivastava MM, Khemani LD (2009). Renoprotective effects of *Andrographis paniculata* (Burm. f.) Nees in rats. *Ups J Med Sci* 114: 136-139.

Singh R, Banerjee S, Rao A (2001). Modulatory influence of *Andrographis paniculata* on mouse hepatic and extrahepatic carcinogen metabolizing enzymes and antioxidant status. *Phytotherapy Research* 15: 382-390.

Singha P, Roy S, Dey S (2003). Antimicrobial activity of *Andrographis paniculata*. *Fitoterapia* 74: 692-694.

Spasov A, Ostrovskij O, Chernikov M, Wikman G (2004). Comparative controlled study of *Andrographis paniculata* fixed combination, Kan Jang® and an Echinacea preparation as adjuvant, in the treatment of uncomplicated respiratory disease in children. *Phytotherapy Research* 18: 47-53.

Subramanian R, Asmawi MZ (2006). Inhibition of alpha-glucosidase by *Andrographis paniculata* ethanol extract in rats. *Pharm Biol* 44: 600-606.

Subramanian R, Asmawi MZ, Sadikun A (2008). In vitro alpha-glucosidase and alpha-amylase enzyme inhibitory effects of *Andrographis paniculata* extract and andrographolide. *Acta Biochim Pol* 55: 391-398.

Sule A, Ahmed QU, Samah OA, Omar MN (2011). Bacteriostatic and bactericidal activities of *Andrographis paniculata* extracts on skin disease causing pathogenic bacteria. *Journal of Medicinal Plants Research* 5: 7-14.

Tang T, Targan SR, Li Z-, Xu C, Byers VS, Sandborn WJ (2011). Randomised clinical trial: herbal extract HMPL-004 in active ulcerative colitis - a double-blind comparison with sustained release mesalazine. *Aliment Pharmacol Ther* 33: 194-202.

Thamlikitkul V, Dechatiwongse T, Theerapong S, Chantrakul C, Boonroj P, Punkrut W, Ekpalakorn W, Boontaeng N, Taechaiya S, Petcharoen S, Orn-Chom-Jan T, Riewpaiboon W, Pradipasena S, Riewpaiboon A, Timsard S, Tenambergen ED (1991). Efficacy of *Andrographis paniculata*, Nees for pharyngotonsillitis in adults. *J Med Assoc Thai* 74: 437-442.

The British Pharmaceutical Codex (1934) London, The Pharmaceutical Press

- Tripathi R, Kamat JP (2007). Free radical induced damages to rat liver subcellular organelles: Inhibition by *Andrographis paniculata* extract. *Indian J Exp Biol* 45: 959-967.
- Varma A, Padh H, Shrivastava N (2011). Andrographolide: a new plant-derived antineoplastic entity on horizon. *Evid Based Complement Alternat Med*. [ID 2011:815390. doi: 10.1093/ecam/nep135].
- Verma N, Vinayak M (2008). Antioxidant action of *Andrographis paniculata* on lymphoma. *Mol Biol Rep* 35: 535-540.
- Wang D, Zhao H (1994). Prevention of atherosclerotic arterial-stenosis and restenosis after angioplasty with *Andrographis paniculata* Nees and Fish Oil - experimental studies of effects and mechanisms. *Chin Med J* 107: 464-470. ((abstract only)
- Wasman SQ, Mahmood AA, Chua LS, Alshawsh MA, Hamdan S (2011). Antioxidant and gastroprotective activities of *Andrographis paniculata* (Hempedu Bumi) in Sprague Dawley rats [RID B-2887-2010]. *Indian J Exp Biol* 49: 767-772.
- WHO Monographs on Selected Medicinal Plants Vol 2. World Health Organization, Geneva 2004: 12-24.
- Zhang C, Tan B (1996). Hypotensive activity of aqueous extract of *Andrographis paniculata* in rats. *Clinical and Experimental Pharmacology and Physiology* 23: 675-678. (abstract only)
- Zhang C, Tan B (1997). Mechanisms of cardiovascular activity of *Andrographis paniculata* in the anaesthetized rat. *J Ethnopharmacol* 56: 97-101.
- Zhang X, Tan B (2000a). Anti-diabetic property of ethanolic extract of *Andrographis paniculata* in streptozotocin-diabetic rats. *Acta Pharmacol Sin* 21: 1157-1164. (abstract only)
- Zhang X, Tan B (2000b). Antihyperglycaemic and anti-oxidant properties of *Andrographis paniculata* in normal and diabetic rats. *Clinical and Experimental Pharmacology and Physiology* 27: 358-363.