



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

30 May 2017
EMA/HMPC/186849/2017
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Artemisia absinthium* L., herba

Final

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Abass K, Reponen P, Mattila S, Pelkonen O. Metabolism of α -thujone in human liver preparations *in vitro*. *Xenobiotica* 2011, 41(2):101-11. doi: 10.3109/00498254.2010.528066. Epub 2010 Nov 18.

AB-DDR. Pharmacopoeia of the German Democratic Republic. Berlin, Akademie-Verlag, 1988

Algieri F, Rodriguez-Nogales A, Rodriguez-Cabezas ME, Risco S, Ocete MA, Galvez J. Botanical Drugs as an Emerging Strategy in Inflammatory Bowel Disease: A Review. *Mediators of Inflamm* 2015, Article ID 179616, 14 pages

Ariño A, Arberas I, Renobales G *et al.* Seasonal variations in wormwood (*Artemisia absinthium* L.) essential oil composition. *J Essent Oil Res* 1999a, 11: 619-622

Ariño A, Arberas I, Renobales G *et al.* Essential oil of *Artemisia absinthium* L. from the Spanish Pyrenees. *J Essent Oil Res* 1999b, 11: 182-184

Ariño A, Arberas I, Renobales G *et al.* Influence of extraction method and storage conditions on the volatile oil of wormwood (*Artemisia absinthium* L.). *Eur Food Res Technol* 1999c, 209(2): 126-129

Arnold WN. Absinthe. *Sci Am* 1989, 260(6): 112-117

Baumann IC. Über die Wirkung von *Chelidonium*, *Curcuma*, Absinth und *Carduus marianus* auf die Galle- und Pankreassekretion bei Hepatopathien. *Med Mschr* 1975, 29:173-180

Baumann IC, Glatzel H, Muth HW. Untersuchungen der Wirkung von Wermut (*Artemisia absinthium* L.) auf die Gallen- und Pankreassaft-Sekretion des Menschen. *Z Allgemeinmed* 1975, 51(17): 784-791

Bayerl C, Jung EG. Allergic contact stomatitis from aristochol, a phytotherapeutic cholagogue. *Contact Derm* 1996, 34(3): 222-223

Blaschek W, Ebel S, Hackenthal E, *et al.*, editors. Absinthii herba. HagerROM 2006: Hagers Handbuch der Drogen und Arzneistoffe. Version 5.0. Springer Medizin Verlag, Heidelberg 2006



- Blumberger W, Glatzel H. Über die Speichelwirksamkeit von Bitterstoffen. *Planta Med* 1966, 14: 52-60
- Bonkovsky HL, Cable EE, Cable JW *et al.* Porphyrigenic properties of the terpenes, camphor, pinene and thujone (With a note on historic implications for absinthe and the illness of Vincent van Gogh). *Biochem Pharmacol* 1992, 43: 2359-2368
- British Herbal Pharmacopoeia. British Herbal Medicine Association, Bournemouth 1983
- Canadanovic-Brunet JM, Djilas SM, Cetkovic GS *et al.* Free radical scavenging activity of wormwood (*Artemisia absinthium* L.) extracts. *J Sci Food Agric* 2005, 85: 265-272
- Carnat AP, Madesclaire M, Chavignon O *et al.* Cis-Chrysanthenol, a main component in essential oil of *Artemisia absinthium* L. growing in Auvergne (Massif Central), France. *J Essent Oil Res* 1992, 4: 487-490
- Centini F, Laurini GP. Una intossicazione da olio di salvia. *Zacchia* 1987, 60: 263-274
- Chialva F, Liddle PAP, Godlia G . Chemotaxonomy of wormwood (*Artemisia absinthium* L.). (I. Composition of the essential oil of several chemotypes). *Z Lebensm Unters Forsch* 1983, 176: 363-366
- Chiasson H, Belanger A, Bostanian N *et al.* Acaricidal properties of *Artemisia absinthium* and *Tanacetum vulgare* (Asteraceae) essential oils obtained by three methods of extraction. *J Econ Entomol* 2001, 94(1): 167-171
- Cobb S . A case of epilepsy with a general discussion of pathology. *Med Clin N Am* 1922, 5: 1403-1420
- Council Directive of 22 June 1988 on the approximation of the laws of the Member States relating to flavourings for use in foodstuffs and to source materials for their production (88/388/EEC) (OJ L 184, 15.7.198, p. 61-66)
- Deutscher Arzneimittel-Codex (DAC). Ergänzungsbuch zum Arzneibuch. Hrsg. ABDA – Bundesvereinigung Deutscher Apothekerverbände. Eschborn; Govi-Verlag Pharmazeutischer Verlag GmbH and Stuttgart; Deutscher Apotheker Verlag, 2007
- Del Castillo J, Anderson M, Rubottom GM. Marijuana, absinthe and the central nervous system. *Nature* 1975, 253(5490): 365-366
- Dettling A, Grass H, Schuff A *et al.* Absinthe: attention performance and mood under the influence of thujone. *J Stud Alcohol* 2004, 65: 573-581
- El Makrini NI, Hassam B. *Artemisia absinthium*: burning plant! *Pan Afr Med J* 2016, 23:10
- EMA/HMPC/732886/2010. Public statement on the use of herbal medicinal products containing thujone. Committee on Herbal Medicinal Products (HMPC)
- European Pharmacopoeia 6th ed. Wormwood – Absinthii herba. Council of Europe 01/2008:1380
- Firouzi R, Azadbakht M, Nabinedjad A. Anti-listerial activity of essential oils of some plants. *J Appl Anim Res* 1998, 14: 75-80
- De Freitas MV, Netto Rde C, da Costa Huss JC *et al.* Influence of aqueous crude extracts of medicinal plants on the osmotic stability of human erythrocytes. *Toxicol In Vitro* 2008, 22: 219-224
- Gambelunghe C, Melai P. Absinthe: enjoying a new popularity among young people? *Forens Sci Int* 2002, 130: 183-186
- Gebhardt R. Stimulation of acid secretion by extracts of *Gentiana lutea* L. in cultured cells from rat gastric mucosa. *Pharm & Pharmacol Lett* 1997, 7(2-3): 106-108

- Ghédira K, Goetz P. *Artemisia absinthium* L.: absinthe (Asteraceae) *Phytothérapie* 2016, 14:125-129
- German Pharmacopoeia (1872). Berlin, Verlag der königlichen Geheimen Ober-Hofdruckerei
- Gessner O. Gift- und Arzneipflanzen von Mitteleuropa. Hrsg. G. Orzechowski, 3. Aufl., Heidelberg, Carl-Winter-Universitätsverlag. 1974
- Gilani AH, Janbaz KH. Preventive and curative effects of *Artemisia absinthium* on acetaminophen and CCl₄-induced hepatotoxicity. *Gen Pharmac* 1995, 26(2): 309-315
- Guarrera PM. Traditional phytotherapy in Central Italy (Marche, Abruzzo, and Latium). *Fitoterapia* 2005, 76: 1-25
- Haffner & Schultz. Normdosen der gebräuchlichen Arzneimittel. Hrsg. Schmid W & Schultz O-E, 5. Aufl., Stuttgart, Wissenschaftliche Verlagsgesellschaft mbH, 1969
- Hänsel R, Sticher O. Pharmakognosie – Phytopharmazie. 8. Aufl.; Heidelberg; Springer Medizin Verlag, 2007
- Hausen BM, Vieluf IK. Allergiepflanzen – Pflanzenallergene. 2. Aufl., Landsberg/München, ecomed Verlagsgesellschaft mbH, 1997
- Hernandez H, Mendiola J, Torres D *et al.* Effect of aqueous extracts of *Artemisia* on the in vitro culture of *Plasmodium falciparum*. *Fitoterapia* 1990, 61(6): 540-541
- Höld KM, Sirisoma NS, Ikeda T *et al.* α -Thujone (the active component of absinthe): γ -Aminobutyric acid type A receptor modulation and metabolic detoxification. *PNAS* 2000a, 97(8): 3826-3831
- Höld KM, Sirisoma NS, Sparks SE *et al.* (2000b). α -Thujone and absinthe: structural and metabolic aspects of neurotoxic action. TOXI 023, 219th ACS National meeting, San Francisco, CA, 26-30th March 2000
- Höld KM, Sirisoma NS, Casida JE. Detoxification of α - and β -thujones (the active ingredients of absinthe): site specificity and species differences in cytochrome P450 oxidation in vitro and in vivo. *Chem Res Toxicol* 2001, 14: 589-595
- Hose S. Der Wermut – *Artemisia absinthium* L. Arzneipflanze für Kranke und "Kultige". *Z Phytother* 2002, 23: 187-194
- Ikram M, Shafi N, Mir I *et al.* 24zeta-Ethylcholesta-7,22-Dien-3beta-ol: a possibly antipyretic constituent of *Artemisia absinthium*. *Planta Med* 1987, 53(4): 389
- Ishida T, Toyota M, Asakawa Y. Terpenoid biotransformation in mammals. V. Metabolism of (+)-citronellal, ($\pm$)-7-hydroxycitronellal, citral, (-)-perillaldehyde, (-)-myrtenal, cuminaldehyde, thujone and ($\pm$)-carvone in rabbits. *Xenobiotica* 1989, 19(8): 843-855
- Jaenson TGT, Palsson K, Borg-Karlson AK. Evaluation of extracts and oils of tick-repellent plants from Sweden. *Med Veter Entomol* 2005, 19: 345-352
- Jagus M. Die Pankreasenzymstimulierende Wirkung von *Artemisia absinthium* im Vergleich zur Wirkung einer alkoholischen Placebolösung. Inaugural-Dissertation Bayerische Julius-Maximilians-Universität, Würzburg, 1988
- Jiang Y, He X, Ortiz de Montellano PR. Radical intermediates in the catalytic oxidation of hydrocarbons by bacterial and human cytochrome P450 enzymes. *Biochem* 2006, 45(2): 533-542
- Juteau F, Jerkovic I, Masotti V *et al.* Composition and Antimicrobial Activity of the Essential Oil of *Artemisia absinthium* from Croatia and France. *Planta Med* 2003, 69: 158-161

- Kalemba JG, Kurowska A, Majda T *et al.* Analysis of essential oils in aspects of their influence to insects. *Zeszyty Nauk Politechnik Lodz* 1993, 589: 5-14
- Karwowska K, Stegman J, Duszkievicz-Reinhard W *et al.* Studies on isolation and chemical composition of biologically active compounds of wormwood (*Artemisia absinthium*). Part II. *Ann Warsaw Agricult Univ – SGGW Horticult* 1997, 18:105-108
- Kaul VK, Nigam SS, Dhar KL . Antimicrobial activities of the essential oils of *Artemisia absinthium* Linn, *Artemisia vestita* Wall, and *Artemisia vulgaris* Linn. *Ind J Pharm* 1976, 38(1): 21-22
- Kaul VK, Nigam SS, Banerjee AK. Insecticidal activity of some essential oils. *Ind J Pharm* 1978, 40(1):22
- Khattak SG, Gilani SN, Ikram M. Antipyretic studies on some indigenous Pakistani medicinal plants. *J Ethnopharmacol* 1985, 14:45-51
- Kistler B. Die galletreibende Wirkung der Einzeldroge Wermut gegenüber Placebo bei intraduodenaler Applikation am Menschen im Doppelblindversuch. Inaugural-Dissertation Bayerische Julius-Maximilians-Universität, Würzburg, 1988
- Kocaoglu C, Ozel A. Persistent metabolic acidosis and severe diarrhoea due to *Artemisia absinthium* poisoning. *Pak Med Assoc* 2014, 64(9):1081-1083
- Kordali S, Kotan R, Mavi A *et al.* Determination of the chemical composition and antioxidant activity of the essential oil of *Artemisia dranunculus* and of the antifungal and antibacterial activities of Turkish *Artemisia absinthium*, *A. dranunculus*, *A. santonicum*, and *Artemisia spicigera* essential oils. *J Agric Food Chem* 2005, 53: 9452-9458
- Kordali S, Aslan I, Çalmaşur O *et al.* Toxicity of essential oils isolated from three *Artemisia* species and some of their major components to granary weevil, *Sitophilus granaries* (L.) (Coleoptera: Curculionidae). *Ind Crops Prod* 2006, 23: 162-170
- Krebs S, Omer TN, Omer B. Wormwood (*Artemisia absinthium*) suppresses tumour necrosis factor alpha and accelerates healing in patients with Crohn's disease – a controlled clinical trial. *Phytomed* 2010, 5: 305-309
- Kreitmair H. *Artemisia absinthium* L. – der echte Wermut. *Pharmazie* 1951, 6: 27-28
- Kröner LU, Padosch SA, Lachenmeier DW *et al.* Untersuchungen zur forensischen Relevanz thujonhaltiger Spirituosen unter besonderer Berücksichtigung toxikologisch-analytischer Aspekte. *Blutalkohol* 2005, 42: 263-271
- Lee HG, Kim H, Oh WK *et al.* Tetramethoxy Hydroxyflavone p7F downregulates inflammatory mediators via the inhibition of Nuclear Faktor κB. *Ann NY Acad Sci* 2004, 1030: 555-568
- Lewin L. Gifte und Vergiftungen. 4. Aufl., Berlin, Verlag von Georg Stilke, 1929
- Li Y, Ohizumi Y. Search for constituents with neurotrophic factor-potentiating activity from the medicinal plants of Paraguay and Thailand. *Yakugaku Zasshi* 2004, 124(7): 417-424
- Madaus G (1976). Lehrbuch der biologischen Heilmittel. Hildesheim, Georg Olms Verlag (reprint of Madaus G. (1938) Lehrbuch der biologischen Heilmittel. Leipzig, Georg Thieme Verlag)
- Margaria R . Acute and sub-acute toxicity study on thujone. Unpublished report of Istituto di Fisiologia, Università di Milano (cited from the SCF (2002) Opinion of the Scientific Committee on Food on Thujone, 1963 (available at http://ec.europa.eu/food/fs/sc/scf/out162_en.pdf)
- Martindale. The Extra Pharmacopoeia. 29th edition. The Pharmaceutical Press London, 1989

- Mendiola J, Bosa M, Perez N *et al.* Extracts of *Artemisia abrotanum* and *Artemisia absinthium* inhibit growth of *Naegleria fowleri* in vitro. *Transact Royal Soc Trop Med Hyg* 1991, 85:78-79
- Meschler JP, Howlett AC. Thujone exhibits low affinity for cannabinoid receptors but fails to evoke cannabimimetic responses. *Pharmacol Biochem Behav* 1999, 62(3):473-480
- Milett Y, Jouglard J, Steinmetz MD *et al.* Toxicity of some essential plant oils. Clinical and experimental study. *Clin Toxicol* 1981, 18(12): 1485-1498
- Muto T, Watanabe T, Okamura M, *et al.* Thirteen-week repeated dose toxicity study of wormwood (*Artemisia absinthium*) extract in rats. *J Toxicol Sci* 2003, 28(5): 471-478
- Ng SC, Lam YT, Tsoi KKF, *et al.* Systematic review: the efficacy of herbal therapy in inflammatory bowel disease. *Aliment Pharmacol Ther* 2013, 38:854–863
- Niesel S. Untersuchungen zum Freisetzungsverhalten und zur Stabilität ausgewählter wertbestimmender Pflanzeninhaltsstoffe unter besonderer Berücksichtigung moderner phytochemischer Analysenverfahren. Inaugural-Dissertation Freie Universität, Berlin, 1992
- National Toxicology Program (NTP). Testing status of alpha-thujone and alpha/beta-thujone. 2003 (available at http://ntp-apps.niehs.nih.gov/ntp_tox/index.cfm) National Toxicology Program (NTP). Technical Report No. 570: Toxicology and Carcinogenesis Studies of alpha,beta-Thujone (CAS No. 76231-76-0) in F344/N Rats and B6C3F1 Mice (Gavage studies), 2010 (available at <http://ntp.niehs.nih.gov/go/36136>)
- Omer B, Krebs S, Omer H *et al.* Steroid-sparing effect of wormwood (*Artemisia absinthium*) in Crohn's Disease: A double-blind placebo-controlled study. *Phytomed* 2007, 14: 87-95
- Opdyke DL. Monographs on fragrance raw materials. *Food Cosmet Toxicol* 1975, 13: 683-923
- Pinto-Sconamiglio W . Effetti del tujone sull'attività spontanea e sul comportamento condizionato del ratto. *Bull Chim Farm* 1967, 107: 780-791
- Qureshi RA, Ahmad M, Yousaf Z *et al.* Taxonomic study and medicinal importance of three species of the genus *Artemisia* LINN. *Pakistan J Forest* 2002, 52(1): 57-64
- Ramos A, Visozo A, Piloto J *et al.* Screening of antimutagenicity via antioxidant activity in Cuban medicinal plants. *J Ethnopharmacol* 2003, 87: 241-246
- Rao VSN, Menezes AMS, Gadelha MGT. Antifertility screening of some indigenous plants of Brasil. *Fitoterapia* 1987, 59(1): 17-20
- Rice KC, Wilson RS. (-)-3-Isosujone, a small non-nitrogenous molecule with antinociceptive activity in mice. *J Med Chem* 1976, 19(8): 1054-1057
- Roth L, Daunderer M, Kormann K. Giftpflanzen – Pflanzengifte. 4. Aufl., Hamburg, Nikol Verlagsgesellschaft mbH & Co KG, 1994
- Rozengurt E. Taste receptors in the gastrointestinal tract. I. Bitter taste receptors and α -gustducin in the mammalian gut. *Am J Physiol Gastroint Liver Physiol* 2006, 291: G171-177
- SCF (2002). Opinion of the Scientific Committee on Food on Thujone (available at: http://ec.europa.eu/food/fs/sc/scf/out162_en.pdf)
- Schulz V, Hänsel R. Rationale Phytotherapie. 5. Aufl., Berlin Heidelberg New York, Springer Verlag, 2004

- Shafi N, Khan GA, Ghauri EG. Antiulcer effect of *Artemisia absinthium* L. in rats. *Pak J Sci Ind Res* 2004, 47(2): 130-134
- Stanković N, Mihajilov-Krstev T, Zlatković B, et al. Antibacterial and Antioxidant Activity of Traditional Medicinal Plants from the Balkan Peninsula. *NJAS - Wageningen J Life Sci* 2016a, 78:21–28
- Stanković N, Mihajilov-Krstev T, Zlatković B, et al. Comparative Study of Composition, Antioxidant, and Antimicrobial Activities of Essential Oils of Selected Aromatic Plants from Balkan Peninsula. *Planta Med* 2016b, 82:650–661
- Sternini C. Taste receptors in the gastrointestinal tract. IV. Functional implications of bitter taste receptors in gastrointestinal chemosensing. *Am J Physiol Gastrointest Liver Physiol* 2007, 292(2): G457-61.
- Surber W. Etude de toxicité sous-chronique de la thujone sur rats. Rapport Final. Institut Battelle, Geneve, 1962
- Tahir M, Siddiqui MMH, Khan AB. Effect of Afsanteen (*Artemisia absinthium* Linn.) in acute intestinal amoebiasis. *Hamdrad Med* 1997, 40(3): 24-27
- Tegtmeier M, Harnischfeger G. Methods for the reduction of thujone content in pharmaceutical preparations of *Artemisia*, *Salvia* and *Thuja*. *Eur J Pharm Biopharm* 1994, 40(5): 337-340
- Teuscher E. Pharmakognosie. 3. Aufl., Berlin, Akademie-Verlag, 1989
- Tosi B, Bonora A, Dall'Olio G et al. (1991). Screening for toxic thiophene compounds from crude drugs of the family Compositae used in Northern Italy. *Phytother Res* 5(2): 59-62
- Wake G, Court J, Pickering A et al. CNS acetylcholine receptor activity in European medicinal plants traditionally used to improve failing memory. *J Ethnopharmacol* 2000, 69: 105-114
- Wegener T . Anwendung eines Trockenextraktes aus *Gentiana lutea* radix bei dyspeptischem Symptomenkomplex. *Z Phytother* 1998, 19: 163-164
- Weisbord SD, Soule JB, Kimmel PL . Poison on line – acute renal failure caused by oil of wormwood purchased through the internet. *New Eng Med* 1997, 337:825-527
- Wichtl M . Teedrogen und Phytotherapeutika. 4. Aufl., Stuttgart, Wissenschaftliche Verlagsgesellschaft mbH, 2002Zafar MM, Hamdard ME, Hameed A. Screening of *Artemisia absinthium* for antimalarial effects on *Plasmodium berghei* in mice: a preliminary report. *J Ethnopharmacol* 1990, 30: 223-226