



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

27 March 2018
EMA/HMPC/603407/2017
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Calendula officinalis* L., flos

Final

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Amirghofran Z, Azadbakht M, Karimi MH. Evaluation of the immunomodulatory effects of five herbal plants. *J Ethnopharmacol* 2000, 72:167-172

Andersen A, Bergfeld WF, Belsito D, Hill R, Klaassen C, et al. Final Report of the Cosmetic Ingredient Review Expert Panel Amended Safety Assessment of Calendula officinalis- Derived Cosmetic Ingredients. *Int J Toxicol* 2010, 29:221S-243S

Ansari MA, Jadon NS, Singh SP, Kumar A, Singh H. Effect of Calendula officinalis ointment, charmil and gelatin granules on wound healing in buffaloes – a histological study. *Indian Vet J* 1997, 74:594-597 cited in ESCOP (2003)

Auster F, Schafer J *Arzneipflanzen* VEB Georg Thieme, Leipzig, 1958 cited in Hänsel R et al. (1992)

Avramova S, Portarska F, Apostolova B, Petkova S, Konteva M et al. Marigold (*Calendula officinalis* L.): Source of new products for the cosmetic industry. *MBI Med Biol Inf* 1988, 4: 28–32 cited in Hänsel R et al., 1992

Bakkali F, Averbeck S, Averbeck D, Zhiri A, Idaomar M. Cytotoxicity and gene induction by some essential oils in the yeast *Saccharomyces cerevisiae*. *Mutation Res* 2005, 585:1-13

Barajas-Farias LM, Perez-Carreón JI, Arce-Popoca E, Fattel-Fazenda S, Aleman-Lazarini L, et al. A dual opposite effect of *Calendula officinalis* flower extract: chemoprotector and promotor in a rat hepatocarcinogenesis model. *Planta Med* 2006, 72:217-212

Baranov AP. Calendula: how is the efficacy in burns and scalds? *Deutsche Apoth Ztg* 1999, 139:2135-2138

Bashir S, Janbaz KH, Jabeen Q, Gilani AH. Studies on the spasmogenic and spasmolytic activities of *Calendula officinalis* flowers. *Phytotherapy Res* 2006, 20:906-910



- Bernatoniene J, Masteikova R, Davalgiene J, Peciura R, Gauryliene R, et al. Topical application of *Calendula officinalis* (L.): Formulation and evaluation of hydrophilic cream with antioxidant activity *J Med Plants Res* 2011, 5:868-877
- Bezakova L, Masterova I, Paulikova I, Psenak M. Inhibitory activity of isorhamnetin glycosides from *Calendula officinalis* on the activity of lipoxygenase. *Pharmazie* 1996, 51:126-127
- Bilia AR, Bergonzi MC, Gallori S, Mazzi G, Vincieri FF. Stability of the constituents of *Calendula*, milk-thistle and passionflower tinctures by LC-DAD and LC-MS. *J Pharm Biomed Anal* 2002, 30:613-624
- Blaschek W, Ebel S, Hackenthal E, Holzgrabe U, Keller K, et al. (2006) HagerROM 2006: Hagers Handbuch der Drogen und Arzneistoffe. Heidelberg. Springer-Verlag, 2006
- Bogdanova NS, Nikolaeva IS, Scherbakova LI, Tolstova TI, Moskalenka Nyu, Pershin GN. A study into antiviral properties of *Calendula officinalis*. *Farmakol Toksikol* 1970, 33:349-5 cited in Blaschek W, 2006
- Bolderston A, Lloyd NS, Wong RK, Holden L, Robb-Blenderman L. The prevention and management of acute skin reactions to radiation therapy: a systematic review and practice guideline. *Support care cancer* 2006, 14:802-817
- Boyadzhiev TSV. Sedative and hypotensive effect of preparations from the plant *Calendula officinalis*. *Nauchni Tr Vissh Med Inst Sofia* 1964, 43:15–20, through *Chem Abstr* 1965, 63:1114a cited in Hänsel R et al., 1992
- Bradley P. British Herbal Compendium. British Herbal Medicine Assoc., Bournemouth (2006)
- British Herbal Pharmacopoeia, 1976, 1:38-39
- Buzzi M, Freitas F, Winter MB. Pressure ulcer healing with Plenusermax® *Calendula officinalis* L. extract. *Rev Bras Enferm* 2016, 69:230-236
- Buzzi M, Freitas F, Winter MB. Therapeutic effectiveness of a *Calendula officinalis* extract in venous leg ulcer healing. *J Wound Care* 2016, 25: 732-739
- Chew BP, Wong MW, Wong TS. Effects of Lutein from Marigold extract on immunity and growth of mammary tumors in mice. *Anticancer Res* 1996, 16:3689-3694
- Commission E monographs. The complete German commission E monographs. Translation by Blumenthal M et al, American Botanical Council, Austin 1998
- Cordova CA, Siqueira IR, Netto CA, Yunes RA, Volpato AM, Cechinel Filho V, et al. Protective properties of butanolic extract of the *Calendula officinalis* (marigold) against lipid peroxidation of rat liver microsomes and action as free radical scavenger. *Redox Rep* 2002, 7:95-102
- Council of Europe: Plant preparations used as ingredients of cosmetic products. Strasbourg, 1989
- Czech Pharmaceutical Codex (Cesky Farmaceuticky Kodex). *Calendulae flos cum calyce*, Praha 1993
- Deutscher Arzneimittel-Codex Neues Rezeptur-Formularium (DAC/NRF), Band 3:R030-Ringelblumenfluidextrakt, 2000
- Deutscher Arzneimittel-Codex Neues Rezeptur-Formularium (DAC/NRF), Band 3: R032-Ringelblumentinktur, 2002
- Della Loggia R, Tubaro S, Sosa S, Becker H, Saar St, Isaac O. The role of triterpenoids in the topical anti-inflammatory activity of *Calendula officinalis* flowers. *Planta Med* 1994, 60:516-520

Della Loggia R, Becker H, Isaac O, Tubaro A. Topical anti-inflammatory activity of *Calendula officinalis* extracts. *Planta Med* 1990, 56:658 cited in ESCOP, 2003

Dinda M, Mazumdar S, Das S, Durba Ganguly D, Dasgupta UB et al., The Water Fraction of *Calendula officinalis* Hydroethanol Extract Stimulates In Vitro and In Vivo Proliferation of Dermal Fibroblasts in Wound Healing. *Phytother Res* 2016, 30:1696-1707

Dumenil G, Chemli R, Balansard G, Guiraud H, Lallemand M. Evaluation of antibacterial properties of marigold flowers (*Calendula officinalis*) and mother homoeopathic tinctures of *C. officinalis* and *C. arvensis*. *Ann Pharm Fr* 1980, 38:493–499

Duran V, Matic M, Jovanovic M, Mimica N, Gajinov Z, Poljacki M, et al. Results of the clinical examination of an ointment with marigold (*Calendula officinalis*) extract in the treatment of venous leg ulcers. *Int J Tissue React* 2005, 27:101-106

Efstratiou E, Hussain A, Nigama P.S, Moorea JE, Ayubb M, Rao JR. Antimicrobial activity of *Calendula officinalis* petal extracts against fungi, as well as Gram-negative and Gram-positive clinical pathogens *Complement Ther Clin Pract* 2012, 18:173-176

Elias R, De Meo M, Vidal-Ollivier E, Laget M, Balansard G, Dumenil G. Antimutagenic activity of some saponins isolated from *Calendula officinalis*, *C. arvensis* and *Hedera helix*. *Mutagenesis* 1990, 5:327-331

ESCOP Monograph. *Calendulae flos* (*Calendula* flower). ESCOP Monographs Second edition (ESCOP 2003)

Fintelmann V, Weiß RF. *Lehrbuch der Phytotherapie*, Hippokrates, Stuttgart, 2002

Fonseca YM, Dias Catini M, Vicentini F, Nomizo A, Gerlach R et al. Protective effect of *Calendula officinalis* extract against UVB-induced oxidative stress in skin: evaluation of reduced glutathione levels and matrix metalloproteinase secretion. *J Ethnopharmacol* 2010, 127:596–601

Fuchs SM, Schliemann-Willers S, Fischer TW, Elsner P. Protective effects of different marigold (*Calendula officinalis*) and rosemary cream preparations against sodium-lauryl-sulfate-induced irritant contact dermatitis. *Skin Pharmacol Physiol* 2005, 18:195-200

Gasiorowska I, Jachimowicz M, Patalas B, Mlynarczyk A. *Czas Stomat* 1983; 36:307–311 cited in: Hänsel R et al., 1992

Ghédira K, Goetz P. *Calendula officinalis* L. (Asteraceae): souci. *Phytothérapie* 2016, 14:62-67

Graf UA, Alonso Moraga A, Castro R, Diaz Carillo E. *Food Chem Toxicol* 1994, 32:423-430

Hänsel R, Keller K, Rimpler H, Schneider G, editors. *Calendula*. In: Hagers Handbuch der Pharmazeutischen Praxis, 5th ed. Band 6, Drogen P-Z. Berlin. Springer-Verlag, 1992

Hänsel R, Sticher O. *Pharmakognosie – Phytopharmazie*. Springer, Heidelberg, 2007

Herold A, Cremer L, Calugaru A, Tamas V, Ionescu F, et al. Antioxidant properties of some hydroalcoholic plant extracts with antiinflammatory activity. *Roum Arch Microbiol Immunol* 2003, 62:217-227

Iauk L, Lo Bue AM, Milazzo I, Rapisarda A, Blandino G. Antibacterial activity of medicinal plant extracts against periodontopathic bacteria. *Phytotherapy Res* 2003, 17:599-604

Janssen AM, Chin NL, Scheffer JJ, Baerheim-Svendsen A. Screening for antimicrobial activity of some essential oils by the agar overlay technique. *Pharm Weekblad* 1986, 8:289-292

- Jimenez-Medina E, Garcia-Lora A, Paco L, Algarra I, Collado A, Garrido F. A new extract of the plant *Calendula officinalis* produces a dual in vitro effect: cytotoxic antitumor activity and lymphocyte activation. *BMC Cancer* 2006, 5:119
- Kalvatchev Z, Walzer R, Garzaro D. Anti-HIV activity of extracts from *Calendula officinalis* flowers. *Biomed Pharmacother* 1997, 51:176-180
- Klouček-Popova E, Popov A, Pavlova N, Krusteva S. Influence of the physiological regeneration and epithelialization using fractions isolated from *Calendula officinalis*. *Acta Physiol Pharmacol Bulg* 1982, 8:63-67
- Kubelka W, Saukel J. VOLKSMED database at the Dept. of Pharmacognosy, University of Vienna (2007)
- Lagarto A, Bueno V, Guerra I, Valde´s O, Vega Y, Torres L. Acute and subchronic oral toxicities of *Calendula officinalis* extract in Wistar rats. *Exp Toxicol Pathol* 2011, 63:387–391
- Lievre M, Marichy J, Baux S, Foytier JL, Perrot J, Boissel JP. Controlled study of three ointments for the local management of 2nd and 3rd degree burns. *Clinical Trials Meta Anal* 1992, 28:9-12
- Lindemann G. *Naturheilpraxis* 1982, S 880-881 cited in Hänsel R et al. (1992)
- Manolov P, Boyadzhiev TSV, Nikolov P. Antitumorigenic effect of preparations of *Calendula officinalis* on Crocker sarcoma 180. *Eksperim Med Morfol* 1964, 3:41–45, zit. nach: CA (1965) 62:9652d cited in Hänsel R et al (1992)
- Marukami T, Kishi A, Yoshikawa M. Medicinal flowers. IV. Marigold (2): Structures of new ionone and sesquiterpene glycosides from Egyptian *Calendula officinalis*. *Chem Pharm Bull* (Tokio) 2001, 49:974-978
- May G, Willuhn G. Antiviral activity of aqueous extracts from medicinal plants in tissue cultures. *Arzneimittelforschung* 1978, 28:1-7
- Mayer JG, Czygan F-C. Die Ringelblume – *Calendula officinalis* L. *Z Phytother* 2000, 21:170-178
- Mehrabani D, Ziaei M, Hosseini SV, Ghahramani L, Bananzadeh AM et al. The Effect of *Calendula Officinalis* in Therapy of Acetic Acid Induced Ulcerative Colitis in Dog as an Animal Model *Iran Red Crescent Med J* 2011, 13:884-890
- Mills E, Duguo J-J, Perri D, Koren G Herbal Medicines in Pregnancy and Lactation An Evidence-Based Approach. Taylor & Francis Medical, 2006
- Modesto A, Lima KC, Uzeda M. Effects of three different infant dentrifices on biofilms and oral microorganisms. *J Clin Pediatr Dent* 2000, 24:237-243
- Muley BP, Khadabadi SS, Banarase NB- Phytochemical Constituents and Pharmacological Activities of *Calendula officinalis* Linn (Asteraceae): A Review. *Trop J Pharm Res* 2009, 8:455-465
- Nicolaus C, Junghanns S, Hartmann A, Murillo R, Ganzera M, Merfort I. In vitro studies to evaluate the wound healing properties of *Calendula officinalis* extracts, *J Ethnopharmacol* 2017, 196:94-103
- Panahi Y, Sharif MR, Sharif A, Beiraghdar F, Zahiri Z, et al. - A Randomized Comparative Trial on the Therapeutic Efficacy of Topical Aloe vera and *Calendula officinalis* on Diaper Dermatitis in Children. *The Scientific World J* 2012, 2012:810234. doi:10.1100/2012/810234
- Park JS, Chew BP, Wong TS. Dietary lutein from marigold extracts inhibits mammary tumour development in BALB/c mice. *J Nutr* 1998, 128:1650-1656

- Patrick KFM, Kumar S, Edwardson PAD, Hutchinson JJ. Induction of vascularisation by an aqueous extract of the flowers of *Calendula officinalis* the European marigold. *Phytomedicine* 1996, 3:11-18
- Paulsen E, Andersen KE, Hausen BM. Compositae dermatitis in a Danish dermatology department in one year. *Contact Dermatitis* 1993, 29:6-10
- Paulsen E. Contact sensitization from Compositae-containing herbal remedies and cosmetics. *Contact Dermatitis* 2002, 47:189-198
- Pérez-Carreón JI, Cruz-Jimenez G, Licea-Vega JA, Arce Popoca E, Fattel Fazenda S, Villa-Trevino S. Genotoxic and anti-genotoxic properties of *Calendula officinalis* extracts in rat liver cell cultures treated with diethylnitrosamine. *Toxicol in vitro* 2002, 16:253-258
- Perri de Carvalho PS, Tagliavini DG, Tagliavini RL. Cicatrização cutânea após aplicação tópica de creme de calêndula e da associação de confei, própolis e mel em feridas infectadas - Estudo clínico e histológico em ratos. *Rev Ciênc Bioméd* 1991, 12:39-50 cited in Blaschek W et al., 2006
- Pommier P, Gomez F, Sunyach MP, D'Hombres A, Carrie C, Montbarbon X. Phase III randomized trial of *Calendula officinalis* compared with trolamine for the prevention of acute dermatitis during irradiation for breast cancer. *J Clin Oncology* 2004, 22:1447-1453
- Quetin-Leclerque J, Elias R, Balansard G, Bassleer R, Angenot L. Cytotoxic activity of some triterpenoid saponins. *Planta Med* 1992, 58:279-281
- Ramos A, Edreira A, Vizoso A, Betancourt J, Lopez M, Decalo M. Genotoxicity of an extract of *Calendula officinalis*. *J Ethnopharmacol* 1998, 61:49-55
- Reider N, Komericki P, Hausen BM, Fritsch P, Aberer W. The seamy side of natural medicines: contact sensitization to arnica (*Arnica montana*) and marigold (*Calendula officinalis*). *Contact dermatitis* 2001, 45:269-272
- Russo M. Impiego dell'estratto di *Calendula* (*Calendula officinalis* L.) in cosmetologia. *Riv Ital EPPOS* 1972, 54:740-743 cited in Hänsel R et al., 1992
- Rusu MA, Tamas M, Puica C, Roman I, Sabadas M. The hepatoprotective action of ten herbal extracts in CCl₄ intoxicated liver. *Phytother Res* 2005, 19:744-749
- Shafeie N, Naini AT, Jahromi K. Comparison of different concentrations of *Calendula officinalis* gel on cutaneous wound healing. *Biomedical Pharmacology Journal* 2015, 8:979-992
- Sharp L, Finnilä K, Johansson H, Abrahamsson M, Hatschek T, Bergenmar M. No differences between *Calendula* cream and aqueous cream in the prevention of acute radiation skin reactions. Results from a randomised blinded trial. *Eur J Oncol Nurs* 2013, 17:429e435
- Shipochliev T. Extracts from a group of medicinal plants enhancing the uterine tonus. *Vet Med Nauki* 1981, 4:94-98 cited in Mills, 2006
- Silva EJ, Goncalves ES, Aguiar F, Evencio LB, Lyra MM, et al. Toxicological studies on hydroalcohol extract of *Calendula officinalis*. *Phytother Res* 2007, 21:332-336
- Silva EJ, Costa-Silva JH, Evêncio LB, Fraga MD, Coelho MC, Wanderley AG. Reproductive Assessment of Hydroalcohol Extract of *Calendula officinalis* L. in Wistar Rats. *Phytother Res* 2009, 23:1392-1398
- Spaich W. *Moderne Phytotherapie*, Haug, Ulm, 1977 cited in Hänsel R et al., 1992
- Tanideh N, Jamshidzadeh A, Sepehrimanesh M, Hosseinzadeh M, Koohi-Hosseinalabadi O. Healing Acceleration of Acetic Acid-induced Colitis by Marigold (*Calendula officinalis*) in Male Rats. *Saudi J Gastroenterol* 2016, 22:50-56

Tarle D, Dvorzak I. Antimicrobial substances in Flos Calendulae. *Farm Vestn* (Ljubljana) 1989, 40: 117–120, zit. nach: CA (1990) 112:42317v cited in Blaschek W et al., 2006

Ukiya M, Akihisa T, Yasukawa K, Tokuda H, Suzuki T, Kimura Y. Anti-inflammatory, anti-tumor promoting, and cytotoxic activities of constituents of Marigold (*Calendula officinalis*) flowers. *J Nat Prod* 2006, 69:1692-1696

Varljen J, Lipták A, Wagner H. Structural analysis of a rhamnoarabinogalactan and arabinogalactans with immunostimulating activity from *Calendula officinalis*. *Phytochem* 1989, 28:2379-2383

Wagner H, Proksch A, Riess-Maurer I, Vollmar A, Odenthal S, et al. Immunostimulating action of polysaccharides (heteroglycans) from higher plants. *Arzneimittelforschung* 1985, 35:1069-1075

Willuhn G in Wichtl M. (ed.). *Calendulae flos*. In Wichtl M, editor: Herbal drugs and Phytopharmaceuticals. Stuttgart: Medpharm Scientific Publishers, 2004; 607-610

Wissinger-Gräfenhahn U. Medicinal aspects of extract from *Calendula* flowers for topical application. *Z. Phytother* 2000, 21: 143-146

WHO monographs on selected medicinal plants. Vol. 2. *Flos Calendulae*. World Health Organization Geneva 2004, 35-44

Yasukawa K, Akihisa T, Oinuma H, Kasahara Y, Kimura Y, Yamanouchi S, Kumaki K, Tamura T, Takido M. Inhibitory effect of di- and trihydroxy triterpenes from the flowers of compositae on 12-O-tetradecanoylphorbol-13-acetate-induced inflammation in mice. *Biol Pharm Bull* 1996, 19:1329-1331

Yatsuno AI, Belova LF, Lipkina GS, Sokolov SYa, Trutneva EA. Pharmacology of Calenduloside B – A new terpene glycoside obtained from the roots of *Calendula officinalis*. *Farmakol Toksikol* 1978, 41:556-560 cited in Hänsel R et al., 1992

Zitterl-Eglseer K, Sosa S, Jurenitsch J, Schubert-Zsilavec M, Della Loggia R, et al. Anti-oedematous activities of the main triterpendiol esters of marigold (*Calendula officinalis*). *J Ethnopharmacol* 1997, 57:139-144

References consulted but not included in the assessment report:

Madaus R. Lehrbuch der biologischen Heilmittel, Thieme, Leipzig, 1938

Schilcher H, Kammerer S (2003) Leitfaden Phytotherapie. Urban & Fischer, München