



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

25 November 2010
EMA/HMPC/291180/2009
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Centella asiatica* (L.) Urban, herba

Final

The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Abdul Hamid A, Shah ZM, Muse R, Mohamed S. Characterisation of antioxidative activities of various extracts of *Centella asiatica* (L). Urban Food Chem 2002, 77:465-9

Allegra C, Pollari G, Criscuolo A, Bonifacio M, Tabassi D. [*Centella asiatica* extract in venous disorders of the lower limbs. Comparative clinico-instrumental studies with a placebo]. Clin Ter 1981, 99(5):507-13 [Italian]

Alternative Medicine Review. 2007. Centella asiatica internet monograph 12:1, 69-72.
http://www.anaturalhealingcenter.com/documents/Thorne/monos/Centella-asiatica-mono_12.1.pdf

Arpaia MR, Ferrone R, Amitrano M, Nappo C, Leonardo G, del Guercio R. Effects of Centella asiatica extract on mucopolysaccharide metabolism in subjects with varicose veins. Int J Clin Pharmacol Res 1990, 10:229-33

Asakawa Y, Matsuda R, Takemoto T. Mono- and Sesquiterpenoids from *Hydrocotyle* and *Centella* species. Phytochemistry 1982, 21:2590-2

Awad R, Levac D, Cybulska P, Merali Z, Trudeau VL, Arnason JT. Effects of traditionally used anxiolytic botanicals on enzymes of the gamma-aminobutyric acid (GABA) system. Can J Physiol Pharmacol 2007, 85:933-42

Babu TD, Kuttan G, Padikkala J. Cytotoxic and anti-tumour properties of certain taxa of Umbelliferae with special reference to *Centella asiatica* (L.) Urban. J Ethnopharmacol 1995, 48:53-7

Barnes J, Anderson LA and Phillipson JD. Herbal Medicines. 3rd ed. Pharmaceutical press, London 2007, 371-73

Basset A. A new Acquisition in Dermatology – the fatty gauze Madécassol. La Vie Medicale 1978, 2-4

Belcaro GV, Grimaldi R, Guidi G. Improvement of capillary permeability in patients with venous hypertension after treatment with TTFCA. Angiology 1990, 41(7):533-40



- Bhandari P, Kumar N, Gupta AP, Singh B, Kaul VK. A rapid RP-HPTLC densitometry method for simultaneous determination of major flavonoids in important medicinal plants. *J Sep Sci* 2007, 30:2092-6
- Bradwejn J, Zhou Y, Koszycki D, Shlik J. Double-blind, placebo-controlled study on the effects of Gotu Kola (*Centella asiatica*) on acoustic startle response in healthy subjects. *J Clin Psychopharmacol* 2000, 20:680-4
- Brinkhaus B, Linder M, Schuppan D, Hahn EG. Chemical, pharmacological and clinical profile of the East Asian medical plant *Centella asiatica*. *Phytomedicine* 2000, 7:427-48
- British Herbal Pharmacopoeia. British Herbal Medicine Association. Exeter 1983, 56-7
- Bunpo P, Kataoka K, Arimochi H, Nakayama H, Kuwahara T, Bando Y et al. Inhibitory effects of *Centella asiatica* on azoxymethane-induced aberrant crypt focus formation and carcinogenesis in the intestines of F344 rats. *Food Chem Toxicol* 2004, 42:1987-97
- Cataldi A, Gasbarro V, Viaggi R, Soverini R, Gresta E, Mascoli F. [Effectiveness of the combination of alpha tocopherol, rutin, melilotus, and *Centella asiatica* in the treatment of patients with chronic venous insufficiency]. *Minerva Cardioangiol* 2001, 49(2):159-63 [Italian]
- Cesarone MR, Belcaro G, De Sanctis MT, Incandela L, Cacchio M, Bavera P, Ippolito E, Bucci M, Griffin M, Geroulakos G, Dugall M, Buccella S, Kleyweght S, Cacchio M. Effects of the total triterpenic fraction of *Centella asiatica* in venous hypertensive microangiopathy: a prospective, placebo-controlled, randomized trial. *Angiology* 2001, 52(2):15-18
- Cesarone MR, Belcaro G, Rulo A, Griffin M, Ricci A, Ippolito E, De Sanctis MT, Incandela L, Bavera P, Cacchio M, Bucci M. Microcirculatory effects of total triterpenic fraction of *Centella asiatica* in chronic venous hypertension: measurement by laser Doppler, TcPO2-CO2, and leg volumetry. *Angiology* 2001, 52(2):45-8
- Cesarone MR, Laurora G, De Sanctis MT, Incandela L, Grimaldi R, Marelli C, Belcaro G. [The microcirculatory activity of *Centella asiatica* in venous insufficiency. A double-blind study]. *Minerva Cardioangiol* 1994, 42(6):299-304 [Italian]
- Chatterjee TK, Chakraborty A, Pathak M, Sengupta GC. Effects of plant extract *Centella asiatica* (Linn.) on cold restraint stress ulcer in rats. *Indian J Exp Biol* 1992, 30:889-91
- Chen SW, Wang WJ, Li WJ, Wang R, Li YL, Huang YN et al. Anxiolytic-like effect of asiaticoside in mice. *Pharm Biochem Behav* 2006, 85:339-44
- Chen YJ, Dai YS, Chen BF, Chang A, Chen HC, Lin YC et al. The effect of tetrandrine and extracts of *Centella asiatica* on acute radiation dermatitis in rats. *Biol Pharm Bull* 1999, 22:703-6
- Cheng CL, Guo JS, Luk J, Koo MW. The healing effects of *Centella* extract and asiaticoside on acetic acid induced gastric ulcers in rats. *Life Sci* 2004, 74:2237-49
- Cheng CL, Koo MW. Effects of *Centella asiatica* on ethanol induced gastric mucosal lesions in rats. *Life Sci* 2000, 67:2647-53
- Coldren CD, Hashim P, Ali JM, Oh SK, Sinskey AJ, Rha C. Gene expression changes in the human fibroblast induced by *Centella asiatica* triterpenoids. *Planta Med* 2003, 69:725-32
- Dhar ML, Dhar MM, Dhawan BN, Mehrotra BN, Ray C. Screening of Indian plants for biological activity: I. *Indian J Exp Biol* 1968, 6:232-47.
- De Sanctis MT, Belcaro G, Incandela L, Cesarone MR, Griffin M, Ippolito E, Cacchio M. Treatment of edema and increased capillary filtration in venous hypertension with total triterpenic fraction of

- Centella asiatica*: a clinical, prospective, placebo-controlled, randomized, dose-ranging trial. *Angiology* 2001, 52(2):55-9
- Distante F, Scalise F, Ronaz C, Bonfigli A, Fluhry JW, Berardesca E. Oral fish cartilage polysaccharides in the treatment of photoageing: biophysical findings. *International Journal of Cosmetic Science* 2002, 24:81-7
- Edwin D, Geetha VR, Vishwanathan H, Usha Rani MV. Studies on antimutagenic effects of *Centella asiatica*, *Alternanthera sessilis* and *Embllica officinalis* in somatic cells of mice. *J Environ Biol* 2000, 21:75-8
- EMA. The Committee for Veterinary Medicinal Products. *Centella asiatica* extractum - summary report. EMA/MRL/494 September 1998
- ESCOP Monographs 2nd ed. Supplement 2009. *Centellae asiaticae herba*. European Scientific Cooperative on Phytotherapy, editor. Thieme, Stuttgart 2009
- Gadahad MR, Rao M, Rao G. Enhancement of hippocampal CA3 neuronal dendritic arborization by *Centella asiatica* (Linn) fresh leaf extract treatment in adult rats. *J Chin Med Assoc* 2008,71:6-13
- Gnanapragasam A, Ebenezar KK, Sathish V, Govindaraju P, Devaki T. Protective effect of *Centella asiatica* on antioxidant tissue defense system against adriamycin induced cardiomyopathy in rats. *Life Sci* 2004, 76:585-97
- Goh SH, Chuah CH, Mok JSL, Soepadmo E. Malaysian medicinal plants for the treatment of cardiovascular diseases. Pelanduk, Malaysia 1995
- Grimaldi R, De Ponti F, D'Angelo L, Caravaggi M, Guidi G, Lecchini S, Frigo GM, Crema A. Pharmacokinetics of the total triterpenic fraction of *Centella asiatica* after single and multiple administrations to healthy volunteers. A new assay for asiatic acid. *J Ethnopharmacol* 1990, 28(2):235-41
- Gupta YK, Veerendra Kumar MH, Srivastava AK. Effect of *Centella asiatica* on pentylenetetrazole-induced kindling, cognition and oxidative stress in rats. *Pharmacol Biochem Behav* 2003, 74:579-85
- Haftek M, Mac Mary S, Bitoux MA, Creidi P, Seite S, Rougier A et al. Clinical, biometric and structural evaluation of the long-term effects of a topical treatment with ascorbic acid and madecassoside in photoaged human skin. *Exp Dermatol* 2008, 17:946-52
- Hausen BM. *Centella asiatica* (Indian pennywort), an effective therapeutic but a weak sensitizer. *Contact Dermatitis* 1993, 29:175-79
- Herbert D, Paramasivan CN, Prabhakar R, Swaminathan G. In vitro experiments with *Centella asiatica*: investigation to elucidate the effect of an indigenously prepared powder of this plant on the acid-fastness and viability of *M. tuberculosis*. *Indian J Lepr* 1994, 66:65-8
- Husain GM, Mishra D, Singh PN, Rao CV, Kumar V. Ethnopharmacological review of native traditional medicinal plants for brain disorders. *Pharm Rev* 2007, 1:19-28
- Hussin M, Abdul-Hamid A, Mohamad S, Saari N, Ismail M, Hair Bejo M. Protective effect of *Centella asiatica* extract and powder on oxidative stress in rats. *Food Chemistry* 2007, 100:535-41
- Inamdar PK, Yeole RD, Ghogare AB, de Souza NJ. Determination of biologically active constituents in *Centella asiatica*. *J Chrom A* 1996, 742:127-30
- Incandela L, Cesarone MR, Cacchio M, De Sanctis MT, Santavenere C, D'Auro MG, Bucci M, Belcaro G. Total triterpenic fraction of *Centella asiatica* in chronic venous insufficiency and in high-perfusion microangiopathy. *Angiology* 2001a, 52(2):9-13

Incandela L, Belcaro G, De Sanctis MT, Cesarone MR, Griffin M, Ippolito E, Bucci M, Cacchio M. Total triterpenic fraction of *Centella asiatica* in the treatment of venous hypertension: a clinical, prospective, randomized trial using a combined microcirculatory model. *Angiology* 2001b, 52(2): 61-7

Incandela L, Belcaro G, Nicolaidis AN, Cesarone MR, De Sanctis MT, Corsi M, Bavera P, Ippolito E, Griffin M, Geroulakos G, Sabetai M, Ramaswami G, Veller M. Modification of the echogenicity of femoral plaques after treatment with total triterpenic fraction of *Centella asiatica*: a prospective, randomized, placebo-controlled trial. *Angiology* 2001c, 52(2):69-73

Jayashree G, Kurup Muraleedhara G, Sudarslal S, Jacob VB. Anti-oxidant activity of *Centella asiatica* on lymphoma-bearing mice. *Fitoterapia* 2003, 74:431-4

Jayathirtha MG, Mishra SH. Preliminary immunomodulatory activities of methanol extracts of *Eclipta alba* and *Centella asiatica*. *Phytomedicine* 2004, 11:361-65

Jorge OA, Jorge AD. Hepatotoxicity associated with the ingestion of *Centella asiatica*. *Rev Esp Enferm Dig* 2005, 97:115-24

Kartnig T. Clinical applications of *Centella asiatica* (L.). *Herbs Spices Med Plants* 1988, 3:145-73

Kartnig T, Hoffmann-Bohm K. *Centella*. In: Hansel R, Keller K, Rimpler H, Schneider G, editors. *Hager's Handbuch der Pharmazeutischen Praxis*. Springer, Berlin Heidelberg New York 1992

Kimura Y, Sumiyoshi M, Samukawa K, Satake N, Sakanaka M. Facilitating action of asiaticoside at low doses on burn wound repair and its mechanism. *Eur J Pharmacol* 2008, 584:415-23

Klövekorn W, Tepe A, Danesch U. A randomized, double-blind, vehicle-controlled, half-side comparison with a herbal ointment containing *Mahonia aquifolium*, *Viola tricolor* and *Centella asiatica* for the treatment of mild-to-moderate atopic dermatitis. *Int J Clin Pharmacol Ther* 2007, 45(11):583-91.

Laerum OD, Iversen OH. Reticuloses and epidermal tumors in hairless mice after topical skin applications of cantharidin and asiaticoside. *Cancer Res* 1972, 32:1463-69

Lee J, Jung E, Kim Y, Park J, Park J, Hong S, Kim J, Hyun C, Kim YS, Park D. Asiaticoside induces human collagen I synthesis through TGF β Receptor I kinase (T β RI kinase)-independent Smad signaling. *Planta Med* 2006, 72:324-8

Liu M, Dai Y, Li Y, Luo Y, Huang F, Gong Z, Meng Q. Madecassoside isolated from *Centella asiatica* herbs facilitates burn wound healing in mice. *Planta Med* 2008, 74:809-15

Mallol J, Belda MA, Costa D, Noval A, Sola M. Prophylaxis of *Striae gravidarum* with a topical formulation. A double blind trial. *Int J Cosm Sci* 1991, 13:51-7

Mamtha B, Kavitha K, Srinivasan KK, Shivananda PG. An *in vitro* study of the effect of *Centella asiatica* [Indian pennywort] on enteric pathogens. *Indian J Pharmacol* 2004, 36:41-4

Marastoni F, Baldo A, Redaelli G, Ghiringhelli L. [*Centella asiatica* extract in venous pathology of the lower limbs and its evaluation as compared with tribenoside]. *Minerva Cardioangiol* 1982, 30(4):201-7 [Italian]

Martinez MJ, Bonfill X, Moreno RM, Vargas E, Capellà D. Phlebotonics for venous insufficiency. *Cochrane Database Syst Rev* 2005, 20(3):CD003229

Mohandas Rao KG, Muddanna Rao S, Gurumadhva Rao S. *Centella asiatica* (L.) Leaf Extract Treatment During the Growth Spurt Period Enhances Hippocampal CA3 Neuronal Dendritic Arborization in Rats. *Evid Based Compl Alter Med* 2006, 3:349-57

- Natarajan S, Paily PP. Effect of topical *Hydrocotyle Asiatica* in psoriasis. *Ind J Dermatol* 1973, 18(4):82-5
- Pointel JP, Boccalon H, Cloarec M, Ledevheat C, Joubert M. Titrated extract of *Centella asiatica* (TECA) in the treatment of venous insufficiency of the lower limbs. *Angiology* 1987, 38(1):46-50
- Pragada RR, Veeravalli KK, Chowdary KP, Routhu KV. Cardioprotective activity of *Hydrocotyle asiatica* L. in ischemia-reperfusion induced myocardial infarction in rats. *J Ethnopharmacol* 2004, 93:105-8
- Punturee K, Wild CP, Kasinrerck W, Vinitketkumnue U. Immunomodulatory activities of *Centella asiatica* and *Rhinacanthus nasutus* extracts. *Asian Pac J Cancer Prev* 2005, 6:396-400
- Randriamampionona D, Diallo B, Rakotoniriana F, Rabemanantsoa C, Cheuk K, Corbisier AM et al. Comparative analysis of active constituents in *Centella asiatica* samples from Madagascar: application for ex situ conservation and clonal propagation. *Fitoterapia* 2007, 78:482-9
- Rao SB, Chetana M, Uma Devi P. *Centella asiatica* treatment during postnatal period enhances learning and memory in mice. *Physiology & Behavior* 2005, 86:449-57
- Rotblatt M, Ziment I. Evidence-based herbal medicine. Hanley & Belfus inc. Medical Publishers, Philadelphia 2001, 227-30
- Ryu JS, Park SG, Kwak TJ, Chang MY, Park ME, Choi KH, Sung KH, Shin HJ, Lee CK, Kang YS, Yoon MS, Rang MJ, Kim SJ. Improving lip wrinkles: lipstick-related image analysis. *Skin Res Technol* 2005, 11:157-64
- Sahu NP, Subodh KR, Mahato SB. Spectroscopic determination of structures of triterpenoid trisaccharides from *Centella asiatica*. *Phytochemistry* 1989, 28: 2852-54.
- Sampson JH, Raman A, Karlsen G, Navsaria H, Leigh IM. In vitro keratinocyte antiproliferant effect of *Centella asiatica* extract and triterpenoid saponins. *Phytomedicine* 2001, 8:230-35
- Satake T, Kamiya K, An Y, Oishi T, Yamamoto J. The anti-thrombotic active constituents from *Centella asiatica*. *Biol Pharm Bull* 2007, 30:935-40
- Sastravaha G, Gassmann G, Sangtherapitikul P, Grimm WD. Adjunctive periodontal treatment with *Centella asiatica* and *Punica granatum* extracts in supportive periodontal therapy. *J Int Acad Periodontol.* 2005, 7: 70-9.
- Sastravaha G, Yotnuengnit P, Booncong P, Sangtherapitikul P. Adjunctive periodontal treatment with *Centella asiatica* and *Punica granatum* extracts. A preliminary study. *J Int Acad Periodontol.* 2003, 5: 106-15.
- Sathya B, Uthaya Ganga R. Therapeutic uses of *Centella Asiatica*. 2007. Available at: <http://openmed.nic.in>
- Shukla A, Rasik AM, Jain GK, Shankar R, Kulshrestha DK, Dhawan BN. In vitro and in vivo wound healing activity of asiaticoside isolated from *Centella asiatica*. *J Ethnopharmacol* 1999, 65:1-11
- Siddique YH, Ara G, Beg T, Faisal M, Ahmad M, Afzal M. Antigenotoxic role of *Centella asiatica* L. extract against cyproterone acetate induced genotoxic damage in cultured human lymphocytes. *Toxicol In Vitro* 2008, 22:10-17
- Somchit MN, Sulaiman MR, Zuraini A, Samsuddin L, Sonchit N, Israf DA, Moin S. Antinociceptive and anti-inflammatory effects of *Centella asiatica*. *Indian J Pharmacol* 2004, 6:377-80

Soumyanath A, Zhong YP, Gold SA, Yu X, Koop DR, Bourdette D, Gold BG. *Centella asiatica* accelerates nerve regeneration upon oral administration and contains multiple active fractions increasing neurite elongation in-vitro. *J Pharm Pharmacol* 2005, 57:1221-9

Subathra M, Shila S, Devi MA, Panneerselvam C. Emerging role of *Centella asiatica* in improving age-related neurological antioxidant status. *Exp Gerontol* 2005, 40:707-15

Subban R, Veerakumar A, Manimaran R, Hashim KM, Balachandran I. Two new flavonoids from *Centella asiatica* (Linn.). *J Nat Med* 2008, 62:369-73

Suguna L, Sivakumar P, Chandrakasan G. Effects of *Centella asiatica* extract on dermal wound healing in rats. *Indian J Exp Biol* 1996, 34:1208-11

http://www.anaturalhealingcenter.com/documents/Thorne/monos/Centella-asiatica-mono_12.1.pdf

Tiwari KN, Sharma NC, Tiwari V, Singh BD. Micropropagation of *Centella asiatica* (L.), a valuable medicinal herb. *Plant Cell, Tissue and Organ Culture* 2000, 63:179-85

Veerendra Kumar MH, Gupta YK. Effect of different extracts of *Centella asiatica* on cognition and markers of oxidative stress in rats. *J Ethnopharmacol* 2002, 79:253-60

Wang XS, Liu L, Fang JN. Immunological activities and structure of pectin from *Centella asiatica*. *Carbohydrate Polymers* 2005, 60:95-101

Wang XS, Duan JY, Fang JN. Structural Features of a Polysaccharide from *Centella asiatica*. *Chinese Chemical Letters* 2004, 15:187-90

Wattanathorn J, Mator L, Muchimapura S, Tongun T, Pasuriwong O, Piyawatkul N, Yimtae K, Sripanidkulchai B, Singkhoraard J. Positive modulation of cognition and mood in the healthy elderly volunteer following the administration of *Centella asiatica*. *J Ethnopharmacol* 2008, 116:325-32

WHO monographs on selected medicinal plants. *Herba centellae*. World Health Organization, Geneva 1999

Wijeweera P, Arnason JT, Koszycki D, Merali Z. Evaluation of anxiolytic properties of Gotukola - (*Centella asiatica*) extracts and asiaticoside in rat behavioral models. *Phytomedicine* 2006, 13:668-76

Williamson EM. *Potter's Cyclopaedia of Botanical Drugs and Preparations*. The C.W. Daniel Company Ltd, Essex, England 2003, 229-30

Wolfram S. Experiences with Madecassol in the treatment of ulcerative skin changes. *Wien Med Wochenschr* 1965, 115: 439-42

Wollina U, Abdel-Naser MB, Mani R. A Review of the Microcirculation in Skin in Patients With Chronic Venous Insufficiency: The Problem and the Evidence Available for Therapeutic Options. *Lower Extremity Wounds* 2006, 5:169-80

Xu Y, Cao Z, Khan I, Luo Y. Gotu Kola (*Centella asiatica*) extract enhances phosphorylation of cyclic AMP response element binding protein in neuroblastoma cells expressing amyloid beta peptide. *J Alzheimers Dis* 2008, 13:341-49

Yen GC, Chen HY, Peng HH. Evaluation of the cytotoxicity, mutagenicity and antimutagenicity of emerging edible plants. *Food Chem Toxicol* 2001, 39:1045-53

Yoshida M, Fuchigami M, Nagao T, Okabe H, Matsunaga K, Takata J, Karube Y, Tsuchihashi R, Kinjo J, Mihashi K, Fujioka T. Antiproliferative constituents from Umbelliferae plants VII. Active triterpenes and rosmarinic acid from *Centella asiatica*. *Biol Pharm Bull* 2005, 28(1):173-5

Zaidan MR, Noor Rain A, Badrul AR, Adlin A, Norazah A, Zakiah I. *In vitro* screening of five local medicinal plants for antibacterial activity using disc diffusion method. Trop Biomed 2005, 22:165-70

Zainol MK, Abd-Hamid A, Yusof S, Muse R. Antioxidative activity and total phenolic compounds of leaf, root and petiole of four accessions of *Centella asiatica* (L.) Urban. Food Chemistry 2003, 81:575-81

Zheng MS. An experimental study of the anti-HSV-II action of 500 herbal drugs. J Tradit Chin Med 1989, 9:113-6

Other consulted bibliographic documentation

A guide to traditional herbal medicines: a sourcebook of accepted traditional uses of medicinal plants within Europe. British Herbal Medicine Association. BHMA Publishing, Bournemouth 2003, 116

Ahmad S, Rahman A, Fatima K, Bader Y. Amino Acid analysis of intellan, a herbal product used in enhancing brain function. Pak J Pharm Sci 1994, 7:17-24

Ahshawat MS, Saraf S. Preparation and characterization of herbal creams for improvement of skin viscoelastic properties. Int J Cosmet Sci 2008, 30:183-93

Aziz ZA, Davey MR, Lowe KC, Power JB. Isolation and culture of protoplasts from the medicinal plant *Centella asiatica*. Rev Bras PI Med 2006, 8:105-9

Chen Y, Han T, Qin L, Rui Y, Zheng H. [Effect of total triterpenes from *Centella asiatica* on the depression behaviour and concentration of amino acid in forced swimming mice]. J Chin Med Mater 2003, 26:870-3 [Chinese]

Chen Y, Qin LP, Zheng HC, Zhang ZH. [Resources distribution and pharamacognostic identification of *Centella asiatica* (L.) Urban produced in China]. J Chin Mater Medica 2000, 25:199-202 [Chinese]

Cristoni A, Di Pierro F. Management of Local Adiposity with Botanicals. Chimica Oggi/Chemistry Today 1998, 16:11-4

Bouhouche N, Solet JM, Simon-Ramiasa A, Bonaly J, Cosson L. Conversion of 3-demethylthiocolchicine into thiocolchicoside by *Centella asiatica* suspension cultures. Phytochemistry 1998, 47:743-7

Caldas ED, Machado LL. Cadmium, mercury and lead in medicinal herbs in Brazil. Food Chem Toxicol 2004, 42:599-603

Ernst E. Herbal remedies for anxiety - a systematic review of controlled clinical trials. Phytomedicine 2006, 13:205-8

Foster S, Tyler VE. Tyler's Honest Herbal: a sensitive guide to the use of herbs and related remedies. 4th ed. The Haworth Herbal Press, Binghamton 1999, 199-200

Gautam R, Saklani A, Jachak SM. Indian medicinal plants as a source of antimycobacterial agents. J Ethnopharmacol 2007, 110:200-34

Govindan G, Sambandan TG, Govindan M, Sinskey A, Vanessendelft J, Adenan I, et al. A bioactive polyacetylene compound isolated from *Centella asiatica*. Planta Med 2007, 73:597-9

Grieve M. A Modern Herbal. Hydrocotyle. Dover Publications, New York 1931, Available at: <http://www.botanical.com/botanical/mgmh/h/hydcol46.html>

- Hänzel R, Sticher O. Pharmacognosie – Phytopharmazie. Springer Medizin Verlag, Heidelberg 2007, 961-4
- Hong SS, Kim JH, Li H, Shim CK. Advanced formulation and pharmacological activity of hydrogel of the titrated extract of *Centella asiatica*. Arch Pharm Res 2005, 28:502-8
- Huang YH, Zhang SH, Zhen RX, Xu XD, Zhen YS. Asiaticoside inducing apoptosis of tumor cells and enhancing anti-tumor activity of vincristine. Ai Zheng 2004, 23:1599-604
- Jagetia GC. Radioprotective potential of plants and herbs against the effects of ionizing radiation. J Clin Biochem Nutr 2007, 40:74-81
- Jia G, Lu X. Enrichment and purification of madecassoside and asiaticoside from *Centella asiatica* extracts with macroporous resins. J Chromatogr A 2008, 1193:136-41
- Kim C, Hwang YY, Chang JY, Choi HG, Lim SJ, Lee MK. Development of a novel dosage form for intramuscular injection of titrated extract of *Centella asiatica* in a mixed micellar system. Int J Pharm 2001, 220:141-7
- Kim OT, Ahn JC, Hwang SJ, Hwang B. Cloning and expression of a farnesyl diphosphate synthase in *Centella asiatica* (L.) Urban. Mol Cells 2005, 19:294-9
- Kim OT, Bang KH, Shin YS, Lee MJ, Jung SJ, Hyun DY et al. Enhanced production of asiaticoside from hairy root cultures of *Centella asiatica* (L.) Urban elicited by methyl jasmonate. Plant Cell Rep 2007, 26:1941-9
- Kim OT, Kim MY, Hong MH, Ahn JC, Hwang B. Stimulation of asiaticoside accumulation in the whole plant cultures of *Centella asiatica* (L.) urban by elicitors. Plant Cell Rep 2004, 23:339-44
- Kim OT, Kim MY, Huh SM, Bai DG, Ahn JC, Hwang B. Cloning of a cDNA probably encoding oxidosqualene cyclase associated with asiaticoside biosynthesis from *Centella asiatica* (L.) Urban. Plant Cell Rep 2005, 24:304-11
- Kuroda M, Mimaki Y, Harada H, Sakagami H, Sashida Y. Five new triterpene glycosides from *Centella asiatica*. Nat Med 2001, 55:134-8
- Laugel C, Baillet A, Ferrier D, Grossiord JL, Marty JP. Incorporation of triterpenic derivatives within an o/w/o multiple emulsion: structure and release studies. Int J Cosm Sci 1998, 20:183-91
- Maquart FX, Bellon G, Giller P, Randoux A, Borel JP. Stimulation of Collagen synthesis in fibroblast cultures using triterpene extracts of *Centella asiatica*. Sem Hop Paris 1989, 65:1571-4
- Martindale. Extra Pharmacopoeia, 25th Edition, Pharmaceutical Press, London 1967, 116
- Matsuda H, Morikawa T, Ueda H, Yoshikawa M, Masayuki. Medicinal foodstuffs. XXVI. Inhibitors of aldose reductase and new triterpene and its oligoglycoside, centellasapogenol A and centellasaponin A, from *Centella asiatica* (Gotu Kola). Heterocycles 2001, 55:1499-504
- Mauri P, Pietta P. Electrospray characterization of selected medicinal plant extracts. J Pharm Biomed Anal 2000, 23:61-8
- Miller LG and Murray WJ. Herbal Medicinals. A clinician's guide. Pharmaceutical Products Press, Binghamton 1998, 217
- Ming ZJ, Liu SZ, Cao L. [Effect of total glucosides of *Centella asiatica* on antagonizing liver fibrosis induced by dimethylnitrosamine in rats]. Chinese Journal of Integrated Traditional and Western Medicine 2004, 24:731-4

- Mohandas RAO KG, Muddanna RAO S, Gurumadhva RAO S. *Centella asiatica* (Linn) induced behavioural changes during growth spurt period in neonatal rats. *Neuroanatomy* 2005, 4:18-23
- Montecchio GP, Samaden A, Carbone S, Vigotti M, Siragusa S, Piovella F. *Centella Asiatica* Triterpenic Fraction (CATTF) reduces the number of circulating endothelial cells in subjects with post phlebotic syndrome. *Haematologica* 1991, 76(3):256
- Moyano E, Bonfill M, Mangas S, Cusidò RM, Piñol MT, Palazòn J. Centellosides production and expression level of genes encoding their synthesis in *Centella asiatica in vitro* cultures. *Journal of Biotechnology* 2007, 131(2):45-6
- Nath Tiwari K, Chandra Sharma N, Tiwari V, Deo Singh B. Micropropagation of *Centella asiatica* (L.), a valuable medicinal herb. *Plant Cell, Tissue and Organ Culture* 2000, 63:179-85
- Nebout M. Results of a controlled experiment of the titrated extract of *Centella asiatica* in a leper population with perforative foot lesions. *Bull Soc Pathol Exot Filiales* 1974, 67(5):471-8
- Ng B, Camacho A, Simmons A, Matthews SC. Ethnicity and use of alternative products in psychiatric patients. *Psychosomatics* 2006, 47:408-13
- O'Brien B. Night eating syndrome and Gotu Kola. *Ir Med J* 2005, 98(10):250-1
- PDR® (Physician's Desk Reference) for Herbal Medicines. 4th ed. Thomson Healthcare Inc, Montvale 2007, 400-4
- Prum N, Illel B, Raynaud J. Flavonoid glycosides from *Centella asiatica* L. (Umbelliferae). *Pharmazie* 1983, 38:423
- Rajkumar S, Jebanesan A. Larvicidal and adult emergence inhibition effect of *Centella asiatica* Brahmi (Umbelliferae) against mosquito *Culex quinquefasciatus* say (Diptera: Culicidae). *African Journal of Biomedical Research* 2005, 8:31-3
- Rossi ABR, Vergnanini AL. Cellulite: a review. *European Academy of Dermatology and Venereology JEADV* 2000, 14:251-62
- The Ayurvedic Pharmacopoeia of India. Part. I Vol. IV 1st ed. National Institute of Science Communication and Information Resources (NISCAIR), CSIR Dr. K.S. Krishnan Marg, New Delhi 2004, 61-3
- Tholon L, Neliat G, Chesne C, Saboureau D, Perrier E, Branka JE. An *in vitro*, *ex vivo*, and *in vivo* demonstration of the lipolytic effect of slimming liposomes: An unexpected α_2 -adrenergic antagonism. *J Cosmet Sci* 2002, 53:209-18
- Thongnopnua P. High-performance liquid chromatographic determination of asiatic acid in human plasma. *Thai J Pharm Sci* 2008, 32:10-6
- Van Wyk BE, Wink M. *Medicinal plants of the world*. Timber Press Inc, Portland 2005, 90
- Vattanajun A, Watanabe H, Tantisira MH, Tantisira B. Isobolographically additive anticonvulsant activity between *Centella asiatica*'s ethyl acetate fraction and some antiepileptic drugs. *J Med Assoc Thai* 2005, 88(3):131-40
- Wijeweera P, Arnason JT, Koszycki D, Merali Z. Evaluation of anxiolytic properties of Gotu Kola (*Centella asiatica*) extracts and asiaticoside in rat behavioural models. *Phytomedicine* 2006, 13:668-76
- Yu QL, Duan HQ, Takaishi Y, Gao WY. A novel triterpene from *Centella asiatica*. *Molecules* 2006, 11:661-5

Yu QL, Gao WY, Chen HX, Duan HQ. [Determination of asiaticoside in *Centella asiatica* extract by HPLC-ELSD]. *China J Chin Materia Med* 2007, 32:503-5

Yu QL, Gao WY, Zhang YW, Teng J, Duan HQ. [Studies on chemical constituents in herb of *Centella asiatica*]. *China J Chin Materia Med* 2007, 32:1182-4