

12 July 2011  
EMA/HMPC/16634/2009  
Committee on Herbal Medicinal Products (HMPC)

## List of references supporting the assessment of *Commiphora molmol* Engler, gummi-resina

Final

**The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.**

Abo-Madyan AA, Morsy TA, Motawea SM, Morsy AT. Clinical trial of Mirazid in the treatment of human fascioliasis, Ezbat El-Bakly (Tamyia Center) Al-Fayoum Governorate. *J. Egypt. Soc. Parasitol.* 2004, **34**(3):807 – 818

Ahmed F, Ali M, Singh O. New compounds from *Commiphora myrrha* (Nees) Engl. *Pharmazie* 2006, **61**(8):728 – 731

Al-Awadi FM, Gumaa KA. Studies on the activity of individual plants of an antidiabetic plant mixture. *Acta Diabetologica* 1987, **24**:37 – 41

Al Faraj S. Antagonism of the anticoagulant effect of warfarin caused by the use of *Commiphora molmol* as a herbal medicine: a case report. *Annals of Tropical Medicine and Parasitology* 2005, **99**(2):219 – 220

Al-Harbi MM, Qureshi S, Raza M, Ahmed MM, Giangreco AB, Shah AH. Anticarcinogenic effect of *Commiphora molmol* on solid tumours induced by Ehrlich carcinoma cells in mice. *Chemotherapy* 1994, **40**(5):337 – 347

Al-Harbi MM, Qureshi S, Raza M, Ahmed MM, Afzal M, Shah AH. Gastric antiulcer and cytoprotective effect of *Commiphora molmol* in rats. *Journal of Ethnopharmacology* 1997, **55**:141 – 150

Al-Suwaidan SN, El-Rab MOG, Al-Fakhiry S, Al-Hoqail IA, Al-Maziad A, Sherif AB. Allergic contact dermatitis from myrrh, a topical herbal medicine used to promote healing. *Contact dermatitis* 1998, **39**(3):137

Atta AH, Alkofahi A. Anti-nociceptive and anti-inflammatory effects of some Jordanian medicinal plant extracts. *Journal of Ethnopharmacology* 1998, **60**:117 – 134

Barakat R, Elmorshey H, Fenwick A. Efficacy of myrrh in the treatment of human *Schistosomiasis mansoni*. *American Journal of Tropical Medicine and Hygiene* 2005, **73**(2):365 – 367



Barnes J, Anderson LA, Phillipson JD. *Herbal medicines*. Pharmaceutical Press, London 2007

Blumenthal M. *Herbal medicine, Expanded Commission E Monographs*. American Botanical Council, Austin 2000

Botros S, William S, Ebeid F, Cioli D, Katz N, Day TA, Bennett JL. Lack of evidence for an antischistosomal activity of myrrh in experimental animals. *American Journal of Tropical Medicine and Hygiene* 2004, **71**(2):206 – 210

Botros S, Sayed H, El-Dusuki H, Sabry H, Rabie E, El-Ghannam M, Hassaneim M, El-Wahab YA, Engels D. Efficacy of mirazid in comparison with praziquantel in Egyptian Schistosoma mansoni-infected school children and households. *American Journal of Tropical Medicine and Hygiene* 2005, **72**(2):119 – 123

Bradley P. *British Herbal Compendium Volume 1*. British Herbal Medicine Association, Bournemouth 1992

Braun H. *Heilpflanzen-Lexikon für Ärzte und Apotheker. Anwendung, Wirkung und Toxikologie*. Gustav Fischer Verlag, Stuttgart 1968

Council of Europe. *Plants used in cosmetics. Volume II*. Council of Europe Publishing, Strasbourg 2001

Delaveau P, Lallouette P, Tessier AM. Drogues végétales stimulant l'activité phagocytaire du système réticulo-endothélial. *Planta Medica* 1980, **40**:49 – 54

Dolara P, Luceri C, Ghelardini C, Monserrat C, Aiolii S, Luceri F, Lodovici M, Menichetti S, Romanelli, MN. Analgesic effects of myrrh. *Nature* 1996a, **379**:29

Dolara P, Moneti G, Pieraccini G, Romanelli N. Characterization of the action on central opioid receptors of furaneudesma-1,3-diene, a sesquiterpene extracted from myrrh. *Phytotherapy Research* 1996b, **10** Suppl. 1:S81 – S83

Dolara P, Corte B, Ghelardini C, Pugliese AM, Cerbai E, Menichetti S, Lo Nostro A. Local anaesthetic, antibacterial and antifungal properties of sesquiterpenes from myrrh. *Planta Medica* 2000, **66**:356 – 358

El-Ashmawy IM, Ashry KM, El-Nahas AF, Salama OM. Protection by turmeric and myrrh against liver damage and genotoxicity induced by lead acetate in mice. *Basic Clinical Pharmacology and Toxicology* 2006, **98**(1):32 – 37

El Ashry ESH, Rashed N, Salama OM, Saleh A. Components, therapeutic value and uses of myrrh. *Pharmazie* 2003, **58**(3):163 – 168

ESCOP Monographs. The scientific foundation for herbal medicinal products. 2<sup>nd</sup> ed. European Scientific Cooperative on Phytotherapy, Thieme 2003

European Pharmacopoeia. 7<sup>th</sup> ed. Myrrh – Myrrha. Council of Europe 1/2008:1349.

European Pharmacopoeia. 7<sup>th</sup> ed. Myrrh tincture – Myrrhae tinctura. Council of Europe 1/2008:1877

Gallo R, Rivara G, Cattarini G, Cozzani E, Guerrera M. Allergic contact dermatitis from myrrh. *Contact dermatitis* 1999, **41** (4):230 – 231

Hänsel R, Keller K, Rimpler H, Schneider G., editors. *Hagers Handbuch der Pharmazeutischen Praxis. Drogen P-Z*. Vol 6, 5<sup>th</sup> ed. Springer Verlag. Berlin 1992

Hamed MA, Hetta MH. Efficacy of *Citrus reticulata* and Mirazid in treatment of *Schistosoma mansoni*. *Memórias do Instituto Oswaldo Cruz*. 2005, **100**(7):771 – 778

Hassan M, El-Motaiem M, Afify H, Abaza B, El-Shafei M, Massoud AM. In vitro effect of Mirazid on *Schistosoma mansoni* worms. *J. Egypt. Soc. Parasitol.* 2003, **33**(3):999-1008

Lee TY, Lam Th. Allergic contact dermatitis due to a Chinese orthopaedic solution tieh ta yao gin. *Contact Dermatitis* 1993a, **28**(2):89 – 90

Lee TY, Lam Th. Myrrh is the putative allergen in bonesetter's herbs dermatitis. *Contact Dermatitis* 1993b, **29**(5):279

Lv L, Yan GY, Zhao YL, Jiang X, Zhuo YQ, Wang YL, Wang L, Cen XB. Investigation of the dermal sensitizing potential of traditional medical extracts in local lymph node assays. *Exp Biol Med* 2009, **234**(3): 306 – 313

Madaus G. Lehrbuch der Biologischen Heilmittel. Georg Thieme, Leipzig 1938

Maradufu A. Furanosesquiterpenoids of *Commiphora erythraea* and *C. myrrha*. *Phytochemistry* 1982, **21**(3):677 – 680

Maradufu A, Warthen Jr JD. Furanosesquiterpenoids from *Commiphora myrrha* oil. *Plant Science* 1988, **57**:181 – 184

Massoud Ah, El Sisi S, Salama O, Massoud AF. Preliminary study of therapeutic efficacy of a new fasciolicidal drug derived from *Commiphora molmol* (myrrh). *American Journal of Tropical Medicine and Hygiene* 2001, **65**(2):96 – 99

Massoud AM, El Ebiary FH, Abd El Salam NF. Effect of myrrh extract on the liver of normal and bilharzially infected mice. An ultrastructural study. *J. Egypt. Soc. Parasitol.* 2004a, **34**(1):1 – 21

Massoud AM, El Ebiary FH, Abou Gamra MMM, Mohamed GF, Shaker SM. Evaluation of schistosomicidal activity of myrrh extract: parasitological and histological study. *J. Egypt. Soc. Parasitol.* 2004b, **34**(3) Supplement, 1051 -1076

Massoud AM, El Ebiary FH, Ibrahim SH. Light microscopic study of the effect of new antischistosomal drug (myrrh extract) on the liver of mice. *J. Egypt. Soc. Parasitol.* 2005, **35**(3):971 – 988

Mohsin A, Shah AH, Al-Yahya MA, Tariq M, Tanira MOM, Ageel AM. Analgesic, antipyretic activity and phytochemical screening of some plants used in traditional Arab system of medicine. *Fitoterapia* 1989, **60**(2):174 – 177

Moritz O, Frohne D. Einführung in die Pharmazeutische Biologie. 4. Auflage, Gustav Fischer Verlag, Stuttgart 1967

Olajide O. Investigation of the effects of selected medicinal plants on experimental thrombosis. *Phytotherapy Research* 1999, **13**:231 – 232

Omar A, Elmesallamy G-S, Eassa S. Comparative study of the hepatotoxic, genotoxic and carcinogenic effects of praziquantel distocide & the natural myrrh extract Mirazid on adult male albino rats. *J. Egypt. Soc. Parasitol.* 2005, **35**(1):313 – 329

Omer SA, Adam SE. Toxicity of *Commiphora myrrha* to goats. *Vet. Hum. Toxicol.* 1999, **41**(5):299-301

Opdyke DLJ. Fragrance raw materials monographs. Myrrh oil. *Food and Cosmetics Toxicology* 1976, **14**(6):621

Qureshi S, Al-Harbi MM, Ahmed MM, Raza M, Giangreco AB, Shah AH. Evaluation of the genotoxic, cytotoxic, and antitumor properties of *Commiphora molmol* using normal and Ehrlich ascites carcinoma cell-bearing Swiss albino mice. *Cancer Chemotherapy and Pharmacology* 1993, **33**:130 – 138

Rahman MM, Garvey M, Piddock LJV, Gibbons S. Antibacterial terpenes from the oleo-resin of *Commiphora molmol* (Engl.). *Phytotherapy Research* 2008, **22**:1356 – 1360

Rao RM, Khan ZA, Shah AH. Toxicity studies in mice of *Commiphora molmol* oleo-gum-resin. *Journal of Ethnopharmacology* 2001, **76**:151 – 154

Sheir Z, Nasr AA, Massoud A, Salama O, Badra GA, El-Shennawy H, Hassan N, Hammad SM. A safe, effective, herbal antischistosomal therapy derived from myrrh. *American Journal of Tropical Medicine and Hygiene* 2001, **65**(6):700 – 704

Shen T, Lou H-X. Bioactive constituents of myrrh and frankincense, two simultaneously prescribed gum resins in Chinese Traditional Medicine. *Chemistry & Biodiversity* 2008, **5**:540 – 553

Soliman OE, El-Arman M, Abdul-Samie ER, El-Nemr HI, Massoud A. Evaluation of myrrh (Mitrazid) therapy in fascioliasis and intestinal schistosomiasis in children: immunological and parasitological study. *J. Egypt. Soc. Parasitol.* 2004, **34**(3):941 – 966

Tariq M, Ageel AM, Al-Yahya MA, Mossa JS, Al-Said MS, Parmar NS. Anti-inflammatory activity of *Commiphora molmol*. *Agents and Action* 1985, **17**:381 – 382

Tipton DA, Lyle B, Babich H, Dabbous Kh. *In vitro* cytotoxic and anti-inflammatory effects of myrrh oil on human gingival fibroblasts and epithelial cells. *Toxicology in Vitro* 2003, **17**:301 – 310

Tipton DA, Hamman NR, Dabbous MKh. Effect of myrrh oil on IL-1 $\beta$  stimulation of NF- $\kappa$ B activation and PGE(2) production in human gingival fibroblasts and epithelial cells. *Toxicology in Vitro* 2006, **20**(2):248 – 255

Todd RG. Extra pharmacopoeia: Martindale. The Pharmaceutical Press, London 1967

Ubillas RP, Mendez CD, Jolad SD, Luo J, King SR, Carlson TJ, Fort DM. Antihyperglycemic furanosesquiterpenes from *Commiphora myrrha*. *Planta Medica* 1999, **65**:778 – 779

Wichtl M. Teedrogen. Ein Handbuch für die Praxis auf wissenschaftlicher Grundlage. 2<sup>nd</sup> Ed. Wissenschaftliche Verlagsgesellschaft m.b.H., Stuttgart 1989

Wiendl RM, Müller BM, Franz G. Proteoglycans from the gum exudate of myrrh. *Carbohydrate polymers* 1995, **28**:217 – 226

Zhu N, Kikuzaki H, Sheng S, Sang S, Rafi MM, Wang M, Nakatani N, DiPaola RS, Rosen RT, Ho C-T. Furanosesquiterpenoids of *Commiphora myrrha*. *Journal of Natural Products* 2001, **64**:1460 – 1462

Zhu N, Sheng S, Sang S, Rosen RT, Ho C-T. Isolation and characterization of several aromatic sesquiterpenes from *Commiphora myrrha*. *Flavour and Fragrance Journal* 2003, **18**:282 – 285