



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

25 September 2018
EMA/434955/2017
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Curcuma longa* L., rhizoma

Final

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

- Ammon HPT, Safahi H, Mack J, Sabiera J. Mechanisms of anti-inflammatory actions of curcumin and boswellic acids. *J Ethnopharmacol* 1993, 38:113-119
- Appiah-Opong R, Commandeur JN, Vugt-Lussenburg van B, Vermeulen NP. Inhibition of human recombinant cytochrome P450s by curcumin and curcumin decomposition products. *Toxicology* 2007, 235(1-2): 83-91
- Arbiser JL, Klauber N, Rohan R, van Leeuwen R, Huang MT, Fisher C, *et al.* Curcumin is an in vivo inhibitor of angiogenesis. *Mol Med* 1998, 4(6):376-383
- Asai A, Miyazawa T. Occurrence of orally administered curcuminoid as glucuronide and glucuronide-sulphate conjugates in rat plasma. *Life Science* 2000, 67:2785-2793
- ASEAN. Standard of ASEAN herbal medicine. Association of Southeast Asian Nations. Jakarta 1993
- Aurade RM, Jayalakshmi SK, Sreeramulu K. Modulatory effects of natural curcuminoids on P-glycoprotein ATPase of insecticide-resistant pest *Helicoverpa armigera* (Lepidoptera: Noctuidae). *J Membr Biol* 2010, 236(3):271-8
- Azuine MA, Bhide SV. Adjuvant chemoprevention of experimental cancer: catechin and dietary turmeric in forestomach and oral cancer models. *J Ethnopharmacol* 1994, 44(3):211-217
- Azuine MA, Kayal JJ, Bhide SV. Protective role of aqueous turmeric extract against mutagenicity of direct-acting carcinogens as well as benzo [alpha] pyrene-induced genotoxicity and carcinogenicity. *J Cancer Res Clin Oncol* 1992, 118(6):447-452
- Bisset NG, Wichtl M, editors. Herbal Drugs and Phytochemicals. 3rd ed. CRC Press, Boca Raton 1994
- Blumenthal M, Busse WR, Goldberg A, Gruenwald J, *et al.*, editors. The complete German Commission E monographs. American Botanical Council, Austin Texas 1998
- Bowman J. OTC Arthritis Treatment: Where Do We Stand? *Pharmacy Times* 2005, 71(5):22-24



- Bruneton J. Pharmacology, phytochemistry, medicinal plants. Lavoisier, Paris 1995
- Bundy R, Walker AF, Middleton RW, Booth J. Turmeric Extract May Improve Irritable Bowel Syndrome Symptomology in Otherwise Healthy Adults: A Pilot Study. *J Altern Complement Med* 2004, 10(6): 1015-1018
- Chainani-Wu N. Safety and anti-inflammatory activity of curcumin: a component of tumeric (*Curcuma longa*). *J Altern Complement Med* 2003, 9(1): 161-168
- Charles V, Charles SX. The use and efficacy of *Azadirachta indica* ADR ('Neem') and *Curcuma longa* ('Turmeric') in scabies. A pilot study. *Trop Geogr Med* 1992, 44(1-2):178-181
- Cheng AL, Hsu CH, Lin JK, Hsu MM, Ho YF, Shen TS, *et al.* Phase I clinical trial of curcumin, a chemopreventive agent, in patients with high-risk or pre-malignant lesions. *Anticancer Res* 2001, 21(4B): 2895-2900
- Chohly HHP, Taylor A, Angel MF, Salahudeen AK. Effect of turmeric, turmerin and curcumin on H₂O₂-induced renal epithelial (LLC-PK1) cell injury. *Free Rad Biol Med* 1998, 24:49-54
- Commandeur JN, Vermeulen NP. Cytotoxicity and cytoprotective activities of natural compounds. The case of curcumin. *Xenobiotica* 1996, 26(7):667-680
- Cronin JR. The Biochemistry of Alternative Medicine, Curcumin Old Spice Is a New Medicine. *Alternative & Complementary Therapies* 2003, 34-38
- Deodhar SD, Sethi R, Srimal RC. Preliminary study on antirheumatic activity of curcumin (diferuloyl methane). *Indian J Med Res* 1980, 71:632-634
- Deshpande SS, Lalitha VS, Ingle AD, Raste AS, Gadre SG, Maru GB. Subchronic oral toxicity of turmeric and ethanolic turmeric extract in female mice and rats. *Toxicol Lett* 1998 95(3):183-193
- Donatus IA, Sardjoko, Vermeulen NP. Cytotoxic and cytoprotective activities of curcumin. Effects on paracetamol-induced cytotoxicity, lipid peroxidation and glutathione depletion in rat hepatocytes. *Biochem Pharmacol* 1990, 39(12):1869-1875
- Dorai T, Gehani N, Katz A. Therapeutic potential of curcumin in human prostate cancer-I. curcumin induces apoptosis in both androgen-dependent and androgen-independent prostate cancer cells. *Prostate Cancer Prostatic Dis* 2000, 3(2) 84-93
- EFSA Panel on Food Additives and Nutrient Sources added to Food (ANS). Scientific Opinion on the re-evaluation of curcumin (E 100) as a food additive. *EFSA Journal* 2010, 8(9):1679
- ESCOP Monographs 2nd ed. European Scientific Cooperative on Phytotherapy, editor. Thieme, Stuttgart 2003
- European Pharmacopoeia 8th ed. Council of Europe. 2016
- Farombi EO, Abarikwu SO, Adedara IA, Oyeyemi MO. Curcumin and kolaviron ameliorate di-n-butylphthalate-induced testicular damage in rats. *Basic Clin Pharmacol Toxicol* 2007, 100(1):43-48
- Fetrow CW, Avila JR. Professional's handbook of complementary and alternative medicine. Springhouse 1999
- Frerichs G, Arends G, Zornig H. Hagers Handbuch der Pharmazeutischen Praxis. Springer-Verlag, Berlin 1949

- Ganiger S, Malleshappa HN, Krishnappa H, Rajashekhar G, Ramakrishna Rao V, Sullivan F. Two generation reproductive toxicity study with curcumin, turmeric yellow, in Wistar rats. *Food and Chemical Toxicology* 2007, 45:64-69
- German Commission E Monograph. *Curcumae longae rhizoma*. Bundesanzeiger 1985
- Giri AK, Das SK, Talukder G, Sharma A. Sister chromatid exchange and chromosome aberrations induced by curcumin and tartrazine on mammalian cells in vivo. *Cytobios* 1990, 62: 111-117
- Goh CL, Ng SK. Allergic contact dermatitis to *Curcuma longa* (turmeric). *Contact Dermatitis* 1987, 17(3): 186
- Govindarajan VS. Turmeric-chemistry, technology and quality. *Crit Rev Fd Sci Nutr* 1980, 12(3):199-301
- GRAS notification from FDA for a curcumin containing dietary supplement. Available at: <http://www.fda.gov/Food/IngredientsPackagingLabeling/GRAS/default.htm> (Accessed 20/11/2018)
- Gupta B, Kulshrestha VK, Srivastava RK, Prasad DN. Mechanism of curcumin induced gastric ulcer in rats. *Indian J Med Res* 1980, 71:806-814
- Hänsel R, Keller K, Rimpler H, Schneider G, editors. *Hagers Handbuch der Pharmazeutischen Praxis*. Springer-Verlag, Berlin 1992
- Häringer E. Wirkungen bei funktioneller Dyspepsie und Effekte auf Lipidwerte: *Curcuma longa*-Extrakt. *Naturheilpraxis Sonderdruck* 2004,1:106-111
- Hata M, Sasaki E, Ota M, Fujimoto K, Yajima J, Shichida T, *et al.* Allergic contact dermatitis from curcumin (turmeric). *Contact Dermatitis* 1997, 36(2):107-108
- Hatcher H, Planalp R, Cho J, Torti FM, Torti SV. Curcumin: from ancient medicine to current clinical trials. *Cell Mol Life Sci* 2008, 65:1631-1653
- Heck AM, DeWitt BA, Lukes AL. Potential interactions between alternative therapies and warfarin. *Am J Health Syst Pharm* 2000, 57(13): 1221-1227; quiz 1228-1230
- Herbal Medicine: Turmeric root. Available at: [http://content.herbalgram.org/eoproducts/Herbal Medicine](http://content.herbalgram.org/eoproducts/HerbalMedicine). Accessed 18/09/2008
- Hiller K, Melzig MF. *Lexikon der Arzneipflanzen und Drogen*. Spektrum Akademischer Verlag Heidelberg, Berlin
- Holder GM, Plummer JL, Ryan AJ. The metabolism and excretion of curcumin (1,7-bis-(4-hydroxy-3-methoxyphenyl)-1,6-heptadiene-3,5-dione) in rat. *Xenobiotica* 1978, 8:761-768
- Honda S, Aoki F, Tanaka H, Kishida H, Nishiyama T, Okada S, *et al.* Effects of ingested turmeric oleoresin on glucose and lipid metabolisms in obese diabetic mice: a DNA microarray study. *J Agric Food Chem* 2006, (54):9055-9062
- Hoppe HA. *Drogenkunde*. De Gruyter & Co, Hamburg 1943
- Ireson CR, Jones DJ, Orr S, Coughtrie MWH, Boocock DJ, Williams ML, *et al.* Metabolism of the cancer chemopreventive agent curcumin in human and rat intestine. *Cancer Epidemiol Biomarkers Prev* 2002, 11:105-111
- Ishihara M, Itoh M, Miyamoto K, Suna S, Takeuchi Y, Takenaka I, *et al.* Spermatogenic disturbance induced by di-(2-ethylhexyl) phthalate is significantly prevented by treatment with antioxidant vitamins in the rat. *Int J Androl* 2000, 23(2):85-94

- Itokawa H, Shi Q, Akiyama T, Morris-Natschke SL, Lee KH. Recent advances in the investigations of curcuminoids. *Chinese medicine* 2008, 3: 1-13
- Jain, AK, Tezuka H, Kada T, Tomita J. Evaluation of genotoxic effects of turmeric in mice. *Current Sci* 1987, 56(19): 1005-1006
- James JS. Curcumin: clinical trial finds no antiviral effect. *AIDS Treatment News* 242 1996. JECFA: Joint FAO/WHO Expert Committee on Food Additives, 44th meeting: WHO Food Additives Series 35: Curcumin. Available at: <http://www.inchem.org/documents/jecfa/jecmono/v35je09.htm>
- JECFA: Joint FAO/WHO Expert Committee on Food Additives: WHO Food Additives Series 52: Curcumin (addendum). 2004 Available at: <http://www.inchem.org/documents/jecfa/jecmono/v52je04.htm>
- Jensen NJ. Lack of mutagenic effect of turmeric oleoresin and curcumin in the Salmonella/mammalian microsome test. *Mutat Res* 1982, 105: 393-396
- Jiang MC, Yang-Yen HF, Yen JJ, Lin JK. Curcumin induces apoptosis in immortalized NIH 3T3 and malignant cancer cell lines. *Nutr Cancer* 1996, 26(1): 111-120
- Kammerer E, Fintelmann V. Curcuma-Wurzelstock bei dyspeptischen Beschwerden-Ergebnisse einer Anwendungsbeobachtung an 440 Patienten. *Natura Med Sonderdruck* 16 (2001) nr.8. Kirchheim-Verlag Mainz
- Kandarkar SV, Sawant SS, Ingle AD, Deshpande SS, Maru GB. Subchronic oral hepatotoxicity of turmeric in mice-histopathological and ultrastructural studies. *Indian J Exp Biol* 1998, 36(7): 675-659
- Kapoor LD. Handbook of Ayurvedic medicinal plants. 1st ed. CRC Press, Boca Raton 1990
- Khar A, Ali AM, Pardhasaradhi BV, Varalakshmi CH, Anjum R, Kumari AL. Induction of stress response renders human tumor cell lines resistant to curcumin-mediated apoptosis: role of reactive oxygen intermediates. *Cell Stress Chaperones* 2001, 6(4): 368-376
- Khattak S, Saeed ur R, Ullah Shah H, Ahmad W, Ahmad M. Biological effects of indigenous medicinal plants *Curcuma longa* and *Alpinia galanga*. *Fitoterapia* 2005, 76(2): 254-257
- Kidd PM. Bioavailability and Activity of Phytosome Complexes from Botanical Polyphenols: The Silymarin, Curcumin, Green Tea, and Grape Seed Extracts. *Alternative Medicine Review* 2009, 14(3): 226-246
- Kim DC, Kim SH, Choi BH, Baek NI, Kim D, Kim MJ *et al.* *Curcuma longa* extract protects against gastric ulcers by blocking H2 histamine receptors. *Biol Pharm Bull* 2005, 28(12): 2220-2224
- Kulkarni RR, Patki PS, Jog VP, Gandage SG, Patwardhan B. Treatment of osteoarthritis with a herbomineral formulation: a double-blind, placebo-controlled, cross-over study. *J Ethnopharmacol* 1991, 33(1-2): 91-95
- Kundu S, Biswas TK, Das P, Kumar S, De DK. Turmeric (*Curcuma longa*) rhizome paste and honey show similar wound healing potential: a preclinical study in rabbits. *Int J Low Extrem Wounds* 2005, 4(4): 205-213
- Kuroda M, Mimaki Y, Nishiyama T, Mae T, Kishida H, Tsukagawa M *et al.* Hypoglycemic effects of turmeric (*Curcuma longa* L. rhizomes) on genetically diabetic KK-Ay mice. *Biol Pharm Bull* 2005, 28(5): 937-939
- Kuttan R, Sudheeran PC, Josph CD. Turmeric and curcumin as topical agents in cancer therapy. *Tumori* 1987, 73(1): 29-31

- Lee HS. Antiplatelet property of *Curcuma longa* L. rhizome-derived ar-turmerone. *Bioresour Technol* 2006, 97(12):1372-1376
- Leisherer A, Mündlein A, Drexel H. Phytochemicals and their impact on adipose tissue and diabetes. *Vascular Pharmacology* 2013, 58:3-20
- Li N, Chen X, Liao J, Yang G, Wang S, Josephson Y, *et al.* Inhibition of 7,12-dimethylbenz[a]anthracene (DMBA)-induced oral carcinogenesis in hamsters by tea and curcumin. *Carcinogenesis* 2002, 23(8):1307-1313
- Limtrakul P, Anuchapreeda S, Lipigorngoson S, Dunn FW. Inhibition of carcinogen induced c-Ha-ras and c-fos proto-oncogenes expression by dietary curcumin. *BMC Cancer* 2001, 1:1
- List PH, Horhammer L. Hagers Handbuch der Pharmazeutischen Praxis. Springer-Verlag, Berlin 1973
- Lukita-Admadja W, Ito Y, Baker GL, McCuskey RS. Effect of curcuminoids as anti-inflammatory agents on the hepatic microvascular response to endotoxin. *Shock* 2002, 17:399-403
- Madaus G. Lehrbuch der biologischen Heilmittel. Georg Olms Verlag, Hilderheim 1979
- Majeed M, Badmaev V, Shivakumar U, Rajendran R. Curcuminoids. Nutriscience Publishers Inc, Piscataway 1995
- Mohanty I, Arya DS, Gupta SK. Effect of *Curcuma longa* and *Ocimum sanctum* on myocardial apoptosis in experimentally induced myocardial ischemic-reperfusion injury. *BMC Complement Altern Med* 2006, 6:3
- Motterlini R, Foresti R, Bassi R, Green CJ. Curcumin, an antioxidant and anti-inflammatory agent, induces heme oxygenase-1 and protects endothelial cells against oxidative stress. *Free Radic Biol Med* 2000, 28(8):1303-1312
- Nagabhushan M, Amonkar AJ, Bhide SV. In vitro antimutagenicity of curcumin against environmental mutagens. *Food Chem Toxicol* 1987, 25(7):545-547
- Nagabhushan M, Bhide SV. Nonmutagenicity of curcumin and its antimutagenic action versus chili and capsaicin. *Nutr Cancer* 1986, 8(3):201-210
- Najafzadeh H, Moezzi N, Motamed N. Choloretic effect of *Curcuma longa* and Verapamil in mice. *Asian Journal of Medical Sciences* 2011, 3(2):67-70
- National Toxicology Program (NTP). Toxicology and Carcinogenesis Studies of Turmeric Oleoresin (Cas No. 8024-37-1) (Major Component 79%-85% Curcumin, Cas No. 458-37-7) in F344/N Rats and B6C3F1 Mice (Feed Studies). Technical Report Series No. 427, NIH Publication No. 93-3158. U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, Research Triangle Park, NC 1993
- Nishiyama T, Mae T, Kishida H, Tsukagawa M, Mimaki Y, Kuroda M, *et al.* Curcuminoids and sesquiterpenoids in turmeric (*Curcuma longa* L.) suppress an increase in blood glucose level in type 2 diabetic KK-Ay mice. *J Agric Food Chem* 2005, 53(4):959-963
- Okamoto T, Yamagishi S, Inagaki Y, Amano S, Koga K, Abe R, *et al.* Angiogenesis induced by advanced glycation end products and its prevention by cerivastatin. *Faseb J* 2002, 16(14):1928-1930
- Osawa T, Sugiyama Y, Inayoshi M, Kawakishi S. Antioxidative activity of tetrahydrocurcuminoids. *Biosci Biotechnol Biochem* 1995, 59(9):1609-1612
- Polasa K, Raghuram TC, Krishna TP, Krishnaswamy K. Effect of turmeric on urinary mutagens in smokers. *Mutagenesis* 1992, 7(2):107-109

- Priyadarsini KI. Free radical reactions of curcumin in membrane models. *Free Radic Biol Med* 1997, 23(6):838-843
- Pricksunand C, Indrasukhsri B, Leethochawalit M, Hungspreugs K. Phase II clinical trial on effect of the long turmeric (*Curcuma longa* Linn) on healing of peptic ulcer. *Southeast Asian J Trop Med Public Health* 2001, 32(1):208-215
- Rafatullah S, Tariq M, Al-Yahya MA, Mossa JS, Ageel AM. Evaluation of turmeric (*Curcuma longa*) for gastric and duodenal antiulcer activity in rats. *J Ethnopharmacol* 1990, 29(1):25-34
- Rajakrishnan V, Menon VP, Rajashekaran KN. Protective role of curcumin in ethanol toxicity. *Phytotherapy research* 1998, 12:55-56
- Ramirez-Tortosa MC, Mesa MD, Aquilera MC, Quiles JL, Baro L, Ramirez-Tortosa CL, et al. Oral administration of a turmeric extract inhibits LDL oxidation and has hypocholesterolemic effects in rabbits with experimental atherosclerosis. *Atherosclerosis* 1999, 147(2):371-378
- Ranjan D, Johnston TD, Wu G, Elliott L, Bondada S, Nagabhushan M. Curcumin blocks cyclosporine A-resistant CD28 costimulatory pathway of human T-cell proliferation. *J Surg Res* 1998, 77(2):174-178
- Rao CV, Desai D, Rivenson A, Simi B, Amin S, Reddy BS. Chemoprevention of colon carcinogenesis by phenylethyl-3-methylcaffeate. *Cancer Res* 1995, 55(11):2310-2315
- Rasyid A, Lelo A. The effect of curcumin and placebo on human gall-bladder function: an ultrasound study. *Aliment Pharmacol Ther* 1999, 13(2):245-249
- Rasyid A, Rahman A, Jaalam K, Lelo A. Effect of different curcumin dosages on human gall bladder. *Asia Pacific J Clin Nutr* 2002, 11(4):314-318
- Ravindranath V, Chandrasekhara N. Absorption and tissue distribution of curcumin in rats. *Toxicology* 1980, 16:259-265
- Ravindranath V, Chandrasekhara N. Metabolism of curcumin—studies with [3H]curcumin. *Toxicology* 1982, 22:337-244
- Reddy AC, Lokesh BR. Studies on the inhibitory effects of curcumin and eugenol on the formation of reactive oxygen species and the oxidation of ferrous iron. *Mol Cell Biochem* 1994, 137(1):1-8
- Romiti N, Tongiani R, Cervelli F, Chieli E. Effects of curcumin on P-glycoprotein in primary cultures of rat hepatocytes. *Life Sci* 1998, 62:2349-2358
- Ruby J, Kuttan G, Babu KD, Rajashekharan KN, Kuttan R. Antitumor and oxidant activity of natural curcuminoids. *Cancer Lett* 1995, 94:79-83
- Saraf AS. Applications of novel drug delivery system for herbal formulations. *Fitoterapia* 2010, 81:680-689
- Sarkar FH, Li Y, Wan GZ, Padhye S. Lesson Learned from Nature for the Development of Novel Anti-Cancer Agents: Implication of Isoflavone, Curcumin, and their Synthetic Analogs. *Curr Pharm Des* 2010, 16(16):1801–1812
- Schneider W. Lexikon zur Arzneimittelgeschichte-Pflanzliche Drogen. Govi-Verlag GmbH-Pharmazeutischer Verlag, Frankfurt 1974
- Seetharam KA, Pasricha JS. Condiments and contact dermatitis of the finger-tips. *Indian Journal of Dermatology, Venereology and Leprology* 1987, 53:325-328

- Shao ZM, Shen ZZ, Liu CH, Sartippour MR, Go VL, Heber D, *et al.* Curcumin exerts multiple suppressive effects on human breast carcinoma cells. *Int J Cancer* 2002 98(2):234-240
- Sharma RA, McLelland HR, Hill KA, Ireson CR, Euden SA, Manson MM, *et al.* Pharmacodynamic and pharmacokinetic study of oral Curcuma extract in patients with colorectal cancer. *Clin Cancer Res* 2001, 7(7): 1894-1900
- Sharma RA, Steward WP, Gescher AJ. Pharmacokinetics and pharmacodynamics of curcumin. *Adv Exp med Biol* 2007, 595:453-470
- Shoba G, Joy D, Joseph T, Majeed M, Rajendran R, Srinivas PS. Influence of piperine on the pharmacokinetics of curcumin in animals and human volunteers. *Planta Med* 1998, 64(4):353-356
- Siegers CP, Deters M, Strubelt O, Hänsel W. Choleric properties of different curcuminoids in the rat bile-fistula model. *Pharm Pharmacol Letters* 1997, 7:87-89
- Singh A, Singh SP, Bamezai R. Postnatal modulation of hepatic biotransformation system enzymes via translactational exposure of F1 mouse pups to turmeric and curcumin. *Cancer Lett* 1995, 96(1):87-93
- Song EK, Cho H, Kim JS, Kim NY, An NH, Kim JA, *et al.* Diarylheptanoids with free radical scavenging and hepatoprotective activity in vitro from *Curcuma longa*. *Planta Med* 2001, 67(9):876-877
- Soni KB, Kuttan R. Effect of oral curcumin administration on serum peroxides and cholesterol levels in human volunteers. *Indian J Physiol Pharmacol* 1992, 36(4):273-275
- Soni KB, Rajan A, Kuttan R. Reversal of aflatoxin induced liver damage by turmeric and curcumin. *Cancer Lett* 1992, 66(2):115-121
- Soudamini KK, Kuttan R. Inhibition of chemical carcinogenesis by curcumin. *J Ethnopharmacol* 1989, 27(1-2):227-233
- Sreejayan N, Rao MN. Free radical scavenging activity of curcuminoids. *Arzneimittelforschung* 1996; 46(2):169-171
- Sreejayan N, Rao MNA, Priyadarsini KI, Devasagayam TP. Inhibition of radiation induced lipid peroxidation by curcumin. *Int J Pharm* 1997a, 151:127-130
- Sreejayan N, Rao MN. Nitric oxide scavenging by curcuminoids. *J Pharm Pharmacol* 1997b, 49(1):105-107
- Srimal RC. Turmeric: a brief review of medicinal properties. *Fitoterapia* 1997, 68(6):483-493
- Tayyem RF, Heath DD, Al-Delaimy WK, Rock CL. Curcumin content of turmeric and curry powders. *Nutr Cancer* 2006, 55(2):126-131
- Thaloor D, Singh AK, Sidhu GS, Prasad PV, Kleinman HK, Maheshwari RK. Inhibition of angiogenic differentiation of human umbilical vein endothelial cells by curcumin. *Cell Growth Differ* 1998, 9(4):305-312
- Thamlikitkul V, Dechatiwongse T, Chantrakul C, Nimitnon S, Punkrut W, Wongkonkatape S, *et al.* Randomized double blind study of *Curcuma domestica* Val. for dyspepsia. *J Med Assoc Thai* 1989, 72(11):613-620
- The Indian pharmaceutical codex, Vol. I. Indigenous drugs. New Delhi: Council of Scientific & Industrial Research, 1953
- Unnikrishnan MK, Rao MN. Curcumin inhibits nitrogen dioxide induced oxidation of hemoglobin. *Mol Cell Biochem* 1995, 146(1):35-37

- Vijayalaxmi . Genetic effects of turmeric and curcumin in mice and rats. *Mutat Res* 1980, 79(2):125-132
- Volak LP, Hanley MJ, Masse G, Hazarika S, Harmatz JS, Badmaev V, *et al.* Effect of a herbal extract containing curcumin and piperine on midazolam, flurbiprofen and paracetamol (acetaminophen) pharmacokinetics in healthy volunteers. *Br J Clin Pharmacol* 2013, 75(2):450-462
- Wahlstrom B, Blennow G. A study on the fate of curcumin in the rat. *Acta Pharmacol Toxicol* 1978, 43(2):86-92
- Weiss RF. Lehrbuch der Phytotherapie. Hippokrates Verlag, Stuttgart 1974
- WHO monographs on selected medicinal plants. Vol. 1. Rhizoma Curcumae Longae. World Health Organisation. Geneva 1999
- Xia X, Cheng G, Pan Y, Xia ZH, Kong LD. Behavioral, neurochemical and neuroendocrine effects of the ethanolic extract from *Curcuma longa* L. in the mouse forced swimming test. *J Ethnopharmacol* 2007, 110(2):356-363
- Xu Y, Ku B, Tie L, Yao H, Jiang W, Ma X, *et al.* Curcumin reverses the effects of chronic stress on behavior, the HPA axis, BDNF expression and phosphorylation of CREB. *Brain Res* 2006, 1122(1):56-64
- Yu ZF, Kong LD, Chen Y. Antidepressant activity of aqueous extracts of *Curcuma longa* in mice. *J Ethnopharmacol* 2002, 83(1-2):161-165
- Zhao ZS, O'Brien PJ. The prevention of CCl4-induced liver necrosis in mice by naturally occurring methylenedioxybenzenes. *Toxicol Appl Pharmacol* 1996, 140(2):411-421

References assessed but not cited in the Assessment Report:

- Reichert B, Frerichs G, Arends G, Zornig H. Hagers Handbuch der Pharmazeutischen Praxis. Berlin: Springer Verlag 1944.