



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

28 January 2014
EMA/HMPC/604598/2012
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Curcuma xanthorrhiza* Roxb. (*C. xanthorrhiza* D. Dietrich), rhizoma

Final

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

- Akram M, Uddin S, Ahmed A, Usmanghani K, Hannan A, Mohiuddin E and Asif M. Curcuma longa and curcumin: a review article. *Rom J Biol – Plant Biol* 2010, 55(2):65-70
- Ammon HPT, Safayhi H, Mack T and Sabiera J. Mechanism of anti-inflammatory actions of curcumin and boswellic acids. *J Ethnopharmacol* 1993, 38:113-119
- Anand P, Kunnumakkara AB, Newman RA, and Aggarwal BB. Bioavailability of Curcumin: Problems and Promises A Review. *Mol Pharmaceutics* 2007, 4(6):807-818
- Anggakusuma, Yanti, Lee M, Hwang JK. Estrogenic activity of xanthorrhizol isolated from *Curcuma xanthorrhiza* Roxb. *Biol Pharm Bull* 2009, 32(11):1892-1897
- Appiah-Opong R, Commandeur JN, van Vugt-Lussenburg B, Vermeulen NP. Inhibition of human recombinant cytochrome P450s by curcumin and curcumin decomposition products. *Toxicology* 2007, 235(1-2):83-91
- Asai A, Miyazawa T. Occurrence of orally administered curcuminoid as glucuronide and glucuronide-sulphate conjugates in rat plasma. *Life Science* 2000, 67:2785-2793
- Aurade RM, Jayalakshmi SK, Sreeramulu K. Modulatory Effects of Natural Curcuminoids on P-Glycoprotein ATPase of Insecticide-Resistant Pest *Helicoverpa armigera* (Lepidoptera: Noctuidae) *The J Membr Biol* 2010, 236(3):271-278
- Bachmeier BE, Mirisola V, Romeo F, Generoso L, Esposito A, Dell'eva R, et al. Reference profile correlation reveals estrogen-like transcriptional activity of Curcumin. *Cell Physiol Biochem* 2010, 26(3):471-482
- Benedum J, Loew D, Schilcher H. Medicinal Plants in Traditional Medicine. Kooperation Phytopharmaka GbR, Bonn 2006, 82



- Blumenthal M. The complete German Commission E monographs. American Botanical Council, Austin, Texas, 1998
- Bruneton J. Pharmacognosy Phytochemistry Medicinal Plants. 2nd ed. Intercept Ltd., London, 1999, 298
- Chanwitheesuk A, Teerawutgulrag A, Rakariyatham N. Screening of antioxidant activity and antioxidant compounds of some edible plants of Thailand. *Food Chemistry* 2005, 92: 491-497
- Cheah YH, Nordin HJ, Sarip R, Tee TT, Azimahtol HLP, Sirat HM, et al. Combined xanthorrhizol-curcumin exhibits synergistic growth inhibitory activity *via* apoptosis induction in human breast cancer cells MDA-MB-231. *Cancer Cell International* 2009, 9: 1-12
- Cheng AL, Hsu CH, Lin JK, Hsu MM, Ho YF, Shen TS. Phase I clinical trial of curcumin, a chemopreventive agent, in patients with high-risk or pre-malignant lesions. *Anticancer Res* 2001, 21(4B): 2895-2900
- Choi MA, Kim SH, Chung WY, Hwang JK, Park KK. Xanthorrhizol, a natural sesquiterpenoid from *Curcuma xanthorrhiza* has an anti-metastatic potential in experimental mouse lung metastasis model. *Biochem Biophys Res Com* 2005, 326: 210-217
- Chung WY, Park JH, Kim MJ, Kim HO, Hwang JK, Lee SK, Park KK. Xanthorrhizol inhibits 12-O-tetradecanoylphorbol-13-acetate-induced acute inflammation and two-stage mouse skin carcinogenesis by blocking the expression of ornithine decarboxylase, cyclooxygenase-2 and inducible nitric oxide synthase through mitogen-activated protein kinases and/or the nuclear factor- κ B. *Carcinogenesis* 2007, 28(6): 1224-1231
- Cleason P, Pongprayoon U, Sematong T, Tuchinda P, Reutrakul V, Soontornsaratune P, Taylor WC. Non-phenolic linear diarylheptanoids from *Curcuma xanthorrhiza*: a novel type of tropical anti-inflammatory agents: structure-activity relationship. *Planta Medica* 1996, 62: 236-240
- Cohly HHP, Taylor A, Angel MF, Salahudeen AK. Effect of turmeric, turmerin and curcumin on H₂O₂-induced renal epithelial (LLC-PK₁) cell injury. *Free Rad Biol Med* 1998, 24: 49-54
- Cronin JR. The Biochemistry of Alternative Medicine, Curcumin Old Spice Is a New Medicine. *Alternative & Complementary Therapies* 2003, 34-38
- Curcumae longae rhizoma (Curcumawurzelstock), Monographie BGA/BfArM (Kommission E) (correction), Bundesanzeiger 164, 01.09.1990
- Donatus AA, Sardjoko, Vermeulen NPE. Cytotoxic and cytoprotective activities of curcumin. *Biochem Pharmacol* 1990, 39(12): 1869-1875
- Dorai T, Cao YC, Dorai B, Buttyan R, Katz AE. Therapeutic potential of curcumin in human prostate cancer, III. Curcumin inhibits proliferation, induces apoptosis, and inhibits angiogenesis of LNCaP prostate cancer cells in vivo. *Prostate* 2001, 47: 293-303
- EFSA Panel on Food Additives and Nutrient Sources added to Food (ANS). Scientific Opinion on the re-evaluation of curcumin (E 100) as a food additive. *EFSA Journal* 2010, 8(9): 1679
doi: 10.2903/j.efsa.2010.1679
- ESCOP Monographs 2nd ed. supplement. *Curcuma xanthorrhizae*. Thieme, 2009, 57-68
- European Pharmacopoeia 5th ed. *Curcuma xanthorrhiza* rhizoma. Council of Europe. 01/2005: 1441
- Fleming T. Physicians Desk Reference (PDR) for herbal medicines. 1st ED. Medical Economics Company 1998, 788-789

- Gafner S, Lee SK, Cuendet M, Barthélémy S, Vergnes S, Labidalle S, et al. Biologic evaluation of curcumin and structural derivatives in cancer chemoprevention model systems. *Phytochemistry* 2004, 65:2849–2859
- Ganiger S, Malleshappa HN, Krishnappa H, Rajashekhar G, Ramakrishna Rao V, Sullivan F. Two generation reproductive toxicity study with curcumin, turmeric yellow, in Wistar rats. *Food and Chemical Toxicology* 2007, 45:64–69
- Giri AK, Das SK, Talukder G, Sharma A. Sister chromatid exchange and chromosome aberrations induced by curcumin and tartrazine on mammalian cells in vivo. *Cytobios* 1990, 62:111-117
- Goh CL, Ng SK. Allergic contact dermatitis to *Curcuma longa* (turmeric). *Contact Dermatitis* 1987, 17(3):186
- Gowda NKS, Ledoux DR, Rottinghaus GE, Bermudaz AJ and Chen YC. Efficacy of Turmeric (*Curcuma longa*), Containing a Known Level of Curcumin, and a Hydrated Sodium Calcium Aluminosilicate to Ameliorate the Adverse Effects of Aflatoxin in Broiler Chicks. *Poultry Science* 2008, 87:1125-1130
- Greenberg M, Dodds M, Tian M. Naturally Occurring Phenolic Antibacterial Compounds Show Effectiveness against Oral Bacteria by a Quantitative Structure-Activity Relationship Study. *J Agric Food Chem* 2008, 56:11151-11156
- Gupta B, Kulshrestha VK, Srivastava RK, Prasad DN. Mechanism of curcumin induced gastric ulcer in rats. *Indian J Med Res* 1980, 71:806-814
- Hänsel R, Sticher O. Pharmakognosie – Phytopharmazie. Auflage 8 Springer 2006, 107
- Hata M, Sasaki E, Ota M, Fujimoto K, Yajima J, Shichida T et al. Allergic contact dermatitis from curcumin (turmeric). *Contact Dermatitis* 1997, 36(2):107-108
- Hatcher H, Planalp R, Cho J, Torti FM, Torti SV. Curcumin: from ancient medicine to current clinical trials. *Cell Mol Life Sci* 2008, 65:1631-1653
- Holder GM, Plummer JL, Ryan AJ. The methabolism and excretion of curcumin (1,7-bis-(4-hydroxy-3-methoxyphenyl)-1,6-heptadiene-3,5-dione) in rat. *Xenobiotica* 1978, 8:761-768
- Hong KO, Hwang JK, Park KK, Kim SH. Phosphorylation of c-Jun N-terminal kinases (JNKs) is involved in the preventive effect of xanthorrhizol on cisplatin-induced hepatotoxicity. *Arch Toxicol* 2005, 79:231-236
- Hoppe HA. Drogenkunde Band 1 Angiospermen. Editor W. de Gruyter, 8 Auflage, Berlin, New York, 1975, 372
- Huang MT, Lysz T, Ferraro T, Abidi T F, Laskin D, Conney AH. Inhibitory effect of curcumin on *in vitro* lipoxygenase and cyclooxygenase activities in mouse epidermis. *Cancer Res* 1991, 51:813–819
- Huang MT, Lysz T, Ferraro T, Conney AH. Inhibitory effects of curcumin on tumor promotion and arachidonic acid metabolism in mouse epidermis. In: Wattenberg LW editor. *Cancer Chemoprevention*. CRC Press, Inc. Boca Raton, 1992, 375–391
- Huang TS, Lee SC, Lin JK. Suppression of c-Jun/AP-1 activation by an inhibitor of tumor promotion in mouse fibroblast cells. *PNAS* 1991, 88:5292–5296
- Hwang JK, Shim JS, Pyun YR. Antibacterial activity of xanthorrhizol from *Curcuma xanthorrhiza* against oral pathogens. *Fitoterapia* 2000, 71:321-323

Ireson CR, Jones DJ, Orr S, Coughtrie MWH, Boocock DJ, Williams ML, et al. Metabolism of the cancer chemopreventive agent curcumin in human and rat intestine. *Cancer Epidemiol Biomarkers Prev* 2002, 11:105-111

Ismail N, Pihie AHL, Nallapan M. Xanthorrhizol induces apoptosis via the up-regulation of Bax and p53 in Hela cells. *Anticancer Res* 2005, 25:2221-2228

Itokawa H, Shi Q, Akiyama T, Morris-Natschke SL, Lee KH. Recent advances in the investigations of curcuminoids. *Chinese medicine* 2008, 3:1-13

Jain, AK, Tezuka H, Kada T, Tomita J. Evaluation of genotoxic effects of turmeric in mice. *Current Sci* 1987, 56(19):1005-1006

James JS. Curcumin trial results: Antiviral effect reported. *AIDS Treatment News* 1994, 198

Jantan I, Ahmad AS, Ali NAM, Ahmad AR, Ibrahim H. Chemical composition of the rhizome oils of four *Curcuma* species from Malaysia. *J Essent Oil Res* 1999, 11:719-723

Jantan I, Harun NH, Septama AW, Murad S, Mesaik MA. Inhibition of chemiluminescence and chemotactic activity of phagocytes in vitro by extracts of selected medicinal plants. *J Nat Med* 2011, 65:400-405

Jantan I, Pizar M, Sirat HM, Basar N, Jamil S, Ali RM, Jalil J. Inhibitory effects of compounds from Zingiberaceae species on platelet activating receptor binding. *Phytother Res* 2004, 18:1005-1007

Jantan I, Raweh SM, Sirat HM, Jamil S, Mohd-Yasin YH, Jalil J, Jamal JA. Inhibitory effect of compounds from Zingiberaceae species on human platelet aggregation. *Phytomedicine* 2008, 15:306-309

Jantan I, Yassin MSM, Chin CB, Chen LL, Sim NL. Antifungal activity of the essential oils of nine Zingiberaceae species. *Pharmaceutical Biology* 2003, 41(5):392-397

Jarikasem S, Thubthimthed S, Chawanoraseth K, Suntornanatsat T, Brophy J.J. Essential oils from three *Curcuma* species collected in Thailand. In: Bernáth J, Németh É, Craker LE and Gardner ZE, editors. III WOCMAP Congress on Medicinal and Aromatic Plants. Vol. 1. Bioprospecting and Ethnopharmacology. *Acta Horticulturae* 2005, 675:37-40

JECFA: Joint FAO/WHO Expert Committee on Food Additives, 44th meeting: WHO Food Additives Series 35: Curcumin. Available at: <http://www.inchem.org/documents/jecfa/jecmono/v35je09.htm>

JECFA: Joint FAO/WHO Expert Committee on Food Additives: WHO Food Additives Series 52: Curcumin (addendum). Available at: <http://www.inchem.org/documents/jecfa/jecmono/v52je04.htm>

Jensen NJ. Lack of mutagenic effect of turmeric oleoresin and curcumin in the Salmonella/mammalian microsome test. *Mutation Res* 1982, 105:393-396

Kang YJ, Park KK, Chung WY, Hwang J-K, Lee SK. Xanthorrhizol, a natural sesquiterpenoid, induces apoptosis and growth arrest in HCT116 Human colon cancer cells. *J Pharmacol Sci* 2009, 111:276-284

Kidd PM. Bioavailability and Activity of Phytosome Complexes from Botanical Polyphenols: The Silymarin, Curcumin, Green Tea, and Grape Seed Extracts. *Alternative Medicine Review* 2009, 14(3):226-246

Kim HS, Choi CH, Kwon HK, Kim BI. Combined inhibitory effect of *Curcuma xanthorrhiza* extract and xylitol on *Streptococcus mutans* and *Actinomyces viscosus*. *Key Engineering Materials* 2007, 342-343:861-864

- Kim SH, Hong KO, Chung W-Y, Hwang JK and Park KK. Abrogation of cisplatin-induced hepatotoxicity in mice by xanthorrhizol is related to its effect on the regulation of gene expression. *Toxicol and Applied Pharmacol* 2004, 196: 346-355
- Kim SH, Hong KO, Hwang JK and Park K-K. Xanthorrhizol has a potential to attenuate the high dose cisplatin-induced nephrotoxicity in mice. *Food and Chemical Toxicology* 2005, 43:117-222
- KNMP, 1990: Koninklijke Nederlandse Maatschappij ter Bevordering der Pharmacie. Curcuma xanthorrhiza radix. Fytherapeutisch Formularium, 1990
- Kuttan R, Sudheeran PC, Josph CD. Turmeric and curcumin as topical agents in cancer therapy. *Tumori* 1987, 73(1):29-31
- Lechtenberg M, Quandt B and Nahrstedt A. Quantitative determination of curcuminoids in Curcuma rhizomes and rapid differentiation of Curcuma domestica Val. and Curcuma xanthorrhiza Roxb. by capillary electrophoresis. *Phytochemical Analysis* 2004, 15:152-158
- Lee LY, Shim JS, Rukayadi Y, Hwang JK. Antibacterial activity of xanthorrhizol isolated from *Curcuma xanthorrhiza* Roxb. Against foodborne pathogens. *J of Food Protection* 2008, 71(9):1926-1930
- Lee SK, Hong CH, Huh SK, Kim SS, Oh OJ, Min HY, Park KK, Chung WY, Hwang JK. Suppressive effect of natural sesquiterpenoids on inducible cyclooxygenase (COX-2) and nitric oxide synthase (iNOS) activity in mouse macrophage cells. *J of Env Path Tox and Onc* 2002, 21(2):141-148
- Leisherer A, Mündlein A, Drexel H. Phytochemicals and their impact on adipose tissue inflammation and diabetes. *Vascular Pharmacology* 2013, 58: 3-20
- Li N, Chen X, Liao J, Yang G, Wang S, Josephson Y et al. Inhibition of 7,12-dimethylbenz-[a]anthracene (DMBA)-induced oral carcinogenesis in hamsters by tea and curcumin. *Carcinogenesis* 2002, 23(8): 1307-1313
- Lim CS, Jin, DQ, Mok H, Oh SJ, Lee JU, Hwang JK, Ha I, Han JS. Antioxidant and Antiinflammatory Activities of Xanthorrhizol in Hippocampal Neurons and Primary Cultured Microglia. *J of Neuroscience Res* 2005, 82:831-838
- Lin SC, Lin CC, Lin YH, Supriyatna S, Teng CW. Protective and therapeutic effects of *Curcuma xanthorrhiza* on hepathotoxin-induced liver damage. *Am J Chin Med* 1995, 23:243-254
- Lin SC, Teng CW, Lin CC, Lin YH, Supriyatna S. Protective and Therapeutic Effect of the Indonesian Medicinal Herb Curcuma xanthorrhiza on β -D-Galactosamine-induced Liver Damage. *Phytotherapy Research* 1996, 10(2):131-135
- Liu JY, Lin SJ, Lin JK. Inhibitory effects of curcumin on protein kinase C activity induced by 12-O-tetradecanoylphorbol-13-acetate in NIH 3T3 cells. *Carcinogenesis* 1993, 14: 857-861
- Lukita-Admadja W, Ito Y, Baker GL, McCuskey RS. Effect of curcuminoids as anti-inflammatory agents on the hepatic microvascular response to endotoxin. *Shock* 2002, 17:399-403
- Mustafa RA, Hamid AA, Mohamed S and Bakar FA. Total phenolic compounds, flavonoids and radical scavenging activity of 21 selected tropical plants. *Journal of Food Science C: food chemistry* 2010, 75(1):28-34
- National Toxicology Program (NTP). Toxicology and Carcinogenesis Studies of Turmeric Oleoresin (Cas No. 8024-37-1) (Major Component 79%-85% Curcumin, Cas No. 458-37-7) in F344/N Rats and B6C3F₁ Mice (Feed Studies). Technical Report Series No. 427, NIH Publication No. 93-3158. U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, Research Triangle Park, NC 1993

- Nurfina AN, Reksahadiprodjo MS, Timmerman H, Jenie UA, Sugiyanto D, Van Der Goot H. Synthesis of some symmetrical curcumin derivatives and their antiinflammatory activity. *Europ J Med Chem* 1997, 32: 321–328
- Oh HI, Shim JS, Gwon SH, Kwon HJ, Hwang JK. The effect of xanthorrhizol on the expression of matrix metalloproteinase-1 and Type-I procollagen in ultraviolet-irradiated human skin fibroblasts. *Phytother Res* 2009, 23: 1299-1302
- Ozaki Y, Liang OB. Cholagogic action of the essential oil obtained from *Curcuma xanthorrhiza* ROXB. *Japanese Soc of Pharmacognosy* 1988, 42(4): 257-263
- Ozaki Y. Antiinflammatory effect of *Curcuma xanthorrhiza* ROXB and its active principles. *Chem Pharm Bull* 1990, 38(4): 1045-1048
- Pandji C, Grimm C, Wray V, Witte L, Proksch P. Insecticidal constituents from four species of the Zingiberaceae. *Phytochemistry* 1993, 34(2): 415-419
- Park JH, Park KK, Kim MJ, Hwang JK, Park SK, Chung WY. Cancer chemoprotective effects of *Curcuma xanthorrhiza*. *Phytother Res* 2008, 22: 695-698
- Pinkhof, van der Wielen. *Pharmacotherapeutisch Vademecum*, 13rd ed. Romen, Bussum, Amsterdam 1979, 162-164
- Prucksunand C, Indrasukhsri B, Leethochawalit M, Hungspreugs K. Phase II clinical trial on effect of the long turmeric (*Curcuma longa* Linn) on healing of peptic ulcer. *Southeast Asian J Trop Med Public Health* 2001, 32(1): 208-215
- Rao DS, Sekhara NC, Satyanarayana MN, Srinivasan M. Effect of curcumin on serum and liver cholesterol levels in the rat. *J Nutr* 1970, 100(11): 1307-1315
- Raghavendra RH, Naidu KA. Spice active principles as the inhibitors of human platelet aggregation and thromboxane biosynthesis. *Prostaglandins, Leukotrienes and Essential Fatty Acids* 2009, 81: 73–78
- Rasyid A, Rahman A, Jaalam K, Lelo A. Effect of different curcumin dosages on human gall bladder. *Asia Pacific J Clin Nutr* 2002, 11(4): 314-318
- Ravindranath V, Chandrasekhara N. Absorption and tissue distribution of curcumin in rats. *Toxicology* 1980, 16: 259-265
- Ravindranath V, Chandrasekhara N. Metabolism of curcumin – studies with [³H]curcumin. *Toxicology* 1982, 22: 337-244
- Romiti N, Tongiani R, Cervelli F, Chieli E. Effects of curcumin on P-glycoprotein in primary cultures of rat hepatocytes. *Life Sci* 1998, 62: 2349-2358
- Rukayadi Y, Hwang JK. In vitro activity of xanthorrhizol against *Streptococcus mutans* biofilms. *Letters in Applied Microbiology* 2006, 42: 400-404
- Rukayadi Y, Hwang JK. In vitro anti-Malassezia activity of xanthorrhizol isolated from *Curcuma xanthorrhiza* Roxb. *Letters in Applied Microbiology* 2006, 44: 126-130
- Rukayadi Y, Hwang JK. In vitro antimycotic activity of xanthorrhizol isolated from *Curcuma xanthorrhiza* Roxb. against opportunistic filamentous fungi. *Phytother Res* 2007, 21: 434-438
- Rukayadi Y, Han S, Yong D, Hwang JK. In vitro activity of xanthorrhizol against *Candida glabrata*, *C. guilliermondii* and *C. parapsilosis* biofilms. *Medical Mycology* 2011, 49: 1-9

- Rukayadi Y, Lee K, Lee MS, Yong D, Hwang JK. Synergistic anticandidal activity of xanthorrhizol in combination with ketoconazole or amphotericin B. *FEMS Yeast Res* 2009, 9:1302-1311
- Rukayadi Y, Yong D, Hwang JK. In vitro anticandidal activity of xanthorrhizol isolated from *Curcuma xanthorrhiza* Roxb. *J of Antimicrobial Chemotherapy* 2006, 57:1231-1234
- Rukuyadi Y, Hwang JK. Effect of coating the wells of a polystyrene microtiter plate with xanthorrhizol on the biofilm formation of *Streptococcus mutans*. *J Basic Microbiol* 2006, 46(5):410-415
- Ruslay S, Abas F, Shaari K, Zainal Z, Maulidiani, Sirat H, Israf DA, Lajis NH. Characterization of the components present in the active fractions of health gingers (*Curcuma xanthorrhiza* and *Zingiber zerumbet*) by HPLC-DAD-ESIMS. *Food Chemistry* 2007, 104:1183-1191
- Saokaew S, Suwanakesawong W, Permsuwan U, Chaiyakunapruk N. Safety of herbal Products in Thailand. An analysis of reports in the Thai Health Product Vigilance Center Database from 2000-2008. *Drug Safety* 2011, 34(4):339-350
- Saraf AS. Applications of novel drug delivery system for herbal formulations. *Fitoterapia* 2010, 81:680-689
- Sarkar FH, Li Y, Wan GZ, Padhye S. Lesson Learned from Nature for the Development of Novel Anti-Cancer Agents: Implication of Isoflavone, Curcumin, and their Synthetic Analogs. *Curr Pharm Des* 2010, 16(16):1801-1812
- Seetharam KA, Pasricha JS. Condiments and contact dermatitis of the finger-tips. *Indian Journal of Dermatology, Venereology and Leprology* 1987, 53:325-328
- Shalini VK, Srinivas L. Lipid peroxide induced DNA damage: protection by turmeric (*Curcuma longa*). *Mol Cell Biochem* 1987, 77(1):3-10
- Sharma RA, Steward WP and Gescher AJ. Pharmacokinetics and pharmacodynamics of curcumin. *Adv Exp med Biol* 2007, 595:453-470
- Shoba G, Joy D, Joseph T, Majeed M, Rajendran R, Srinivas PS. Influence of piperine on the pharmacokinetics of curcumin in animals and human volunteers. *Planta Med* 1998, 64(4):353-356
- Siegers CP, Deters M, Strubelt O, Hänsel W. Choleric properties of different curcuminoids in the rat bile-fistula model. *Pharm Pharmacol Lett* 1997, 7:87-89
- Singh A, Singh SP, Bamezai R. Postnatal modulation of hepatic biotransformation system enzymes via translactational exposure of F1 mouse pups to turmeric and curcumin. *Cancer Lett* 1995, 96:87-93
- Sony KB, Rajan A, Kuttan R. Reversal of aflatoxin induced liver damage by turmeric and curcumin. *Cancer letters* 1992, 66:115-121
- Spelman K, Aldag R, Hamman A, Kwasnik EM, Mahendra MA, Obasi TM, Morse J, Williams EJ. Traditional herbal remedies that influence cell adhesion molecule activity (review). *Phytother Res* 2011, 25:473-483
- Subba RD, Chandra SN, Satyanarayana MN, Srivasan M. Effect of curcumin on serum and liver cholesterol in the rat. *J Nutrition* 1970, 100:1307-1315
- Suksamrarn A, Eiamong S, Piyachaturawat P, Charoenpiboonsin J. Phenolic diarylheptanoids from *Curcuma xanthorrhiza*. *Phytochemistry* 1994, 36(6):1505-1508
- Tanaka S, Yoichi S, Matumoto M, Morimoto k, Akimoto N, Honda G, et al. Potential immunosuppressive and antiinflammatory activities of Malaysian medicinal plants characterized by reduced cell surface expression of cell adhesion molecules. *Phytother Res* 2001, 15(8):681-686

- Uehara S, Yasuda I, Akiyama K, Morita H, Takeya K, Itokawa H. Diarylheptanoids from rhizomes of *Curcuma xanthorrhiza* and *Alpina officinarum*. *Chem Pharm Bull* 1987, 35(8):3298-3304
- Uehara S, Yasuda I, Takeya K, Itokawa H, Iitaka Y. New bisabolane sesquiterpenoids from the rhizomes of *Curcuma xanthorrhiza* (Zingiberaceae). *Chem Pharm Bull* 1990, 38(1):261-263
- van Wyk BE, Wink M. Medicinal plants of the World. Timber Press, 2004, 118, 359-360
- Vijayalaxmi. Genetic effects of turmeric and curcumin in mice and rats. *Mutation Res* 1980, 79:125-132
- Volak LP, Hanley MJ, Masse G, Hazarika S, Harmatz JS, Badmaev V, et al. Effect of a herbal extract containing curcumin and piperine on midazolam, flurbiprofen and paracetamol (acetaminophen) pharmacokinetics in healthy volunteers. *Br J Clin Pharmacol* 2013, 75(2):450-462
- Wagner H, Wiesenauer M. Phytotherapie. Gustav Fisher, Verlag, Stuttgart 1995
- Wahlström B, Blennow G. A study on the fate of curcumin in the rat. *Acta Pharmacol Toxicol* 1978, 43:86-92
- Wichtl M, Bisset G, editors. Herbal drugs and Phytopharmaceuticals. CRC Press, 1994
- Wichtl M. Teedrogen und Phytopharmaka. 4th ed. Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 2002, 45-47
- Yamazaki M, Maebayashi Y, Iwase N, Kaneko T. Studies on pharmacologically active principles from Indonesian crude drugs. I. Principle prolonging pentobarbital-induced sleeping time from *Curcuma xanthorrhiza* Roxb. *Chem Pharm Bull* 1988, 36:2070-2074
- Yamazaki M, Maebayashi Y, Iwase N, Kaneko T. Studies on pharmacologically active principles from Indonesian crude drugs. II. Hypothermic principle from *Curcuma xanthorrhiza* Roxb. *Chem Pharm Bull* 1988, 36:2075-2078
- Yanti, Rukuyadi Y, Lee K, Han S, Hwang JK. Anti-biofilm activity of xanthorrhizol isolated from *Curcuma xanthorrhiza* Roxb. Against bacterial biofilms formed by saliva and artificial multi-species oral strains. *Food Sci Biotechnol* 2009, 18(2):556-560
- Yasni S, Imaizumi K, Sugano M. Effects of an Indonesian medicinal plant, *Curcuma xanthorrhiza* Roxb., on the level of serum glucose and triglyceride, fatty acid desaturation and bile excretion in Streptozotocin-induced diabetic rats. *Agric Biol Chem* 1991, 55(12):3005-3010
- Yasni S, Imaizumi K, Sin K, Sugano M, Nonaka G, Sidik. Identification of an active principle in essential oils and hexane-soluble fractions of *Curcuma xanthorrhiza* ROXB. Showing triglyceride-lowering action in rats. *Food Chem Toxic* 1994, 32(3):273-278
- Yasni S, Yoshie K, Oda H, Sugano M, Imaizumi K. Dietary *Curcuma xanthorrhiza* Roxb. Increases mitogenic responses of splenic lymphocytes in rats and alters populations of the lymphocytes in mice. *J Nutr Sci Vitaminol* 1993, 39:345-354
- Yegnanarayan R, Saraf AP, Balwani JH. Comparison of anti-inflammatory activity of various extracts of *Curcuma longa* (Linn). *Indian J Med Res* 1976, 64:601-608
- Zwaving JH, Bos R. Analysis of the essential oils of five *Curcuma* species. *Flavour and Fragrance Journal* 1992, 7:19-22

<http://www.fda.gov/Food/IngredientsPackagingLabeling/GRAS/default.htm>

References consulted but not included in the AR:

Bundy R, Walker AF, Middleton RW, Booth J. Turmeric Extract May Improve Irritable Bowel Syndrome Symptomology in Otherwise Healthy Adults: A Pilot Study. *J Altern Complement Med* 2004, 10(6): 1015-1018

Wichtl M Wirkung von Curcuma xanthorrhiza. *Deutsche Apotheker Zeitung* 1991, 13: 609