



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

25 March 2014
EMA/HMPC/680617/2013
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Eleutherococcus senticosus* (Rupr. et Maxim.) Maxim., radix

Final

The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Afanasiev BG, Zhestovsky VA, Mazurov KV et al., 1973. Comparative assessment of the effect produced by *Eleutherococcus* and the acid-saline beverage on the development of adaptation to intermittent exposure to heat. *Vopr Pitan*, 32, 1:3-9. [Article in Russian]

Ahn J, Um MY, Lee H, Jung CH, Heo SH, Ha TY, 2013. Eleutheroside E, An active component of *Eleutherococcus senticosus*, ameliorates insulin resistance in Type 2 diabetic db/db Mice. *Evid Based Complement Alternat Med*, 934183.

Aicher B, Wozniewski T, 2006. *Eleutherococcus*. In: Blaschek W, Ebel S, Hackenthal E, Holzgrabe U, Keller K, Reichling J, Schulz V, editors. Hager ROM 2006: Hagers Handbuch der Drogen und Arzneistoffe. Version 5.0. Springer Medizin Verlag, Heidelberg.

Aicher B, Wozniewski T, 2012. *Eleutherococcus*. In: Blaschek W, Ebel S, Hackenthal E, Holzgrabe U, Keller K, Reichling J, Schulz V, editors. HagerROM 2012: Hagers Handbuch der Drogen und Arzneistoffe. Springer Medizin Verlag, Heidelberg.

Alternative Medicine Review, 2006, Monograph. *Eleutherococcus senticosus*, 11(2):151-155.

Andreev IF, 1976. Effect of *Eleutherococcus* extract on some functions of the digestive organs. *Vrach Delo*, 8:40-41. [Article in Russian]

Anetai M, Jamagishi T, Kaneshima H, 1987. Quantitative determination of pharmacologically active constituents in the stems of *Acanthopanax senticosus* collected in Hokkaido. *Hokkaidoritsu Eisei Kenkyushoho*, 37:85-87.

Anisimov MM, Suprunov NI, Prokofeva NG, 1972. Effect of compounds isolated from Araliaceae family plants on the biosynthesis of protein in vitro. *Rast Resur*, 8:378-380. [Article in Russian].



- Arushanyan EB, Baida OA, Mastiyagin SS et al., 2003. The effect of Eleutherococcus on short-term memory and visual perception in healthy humans. *Eksp Klin Pharmacol*, 66(5):10-13. [Article in Russian]
- Arushanyan EB, Mastiyagina OA, 2009. Different effect of eleutherococcus on various psychophysiological parameters of healthy humans depending on their chronotype and the day time. *Eksp. Klin Farmakol*, 72(3):10-12. [Article in Russian]
- Asano K, Takakhashi T, Kugo Kh et al., 1986a. Effects of Eleutherococcus senticosus on physical performance and resources in maximal and submaximal work. In: *New Data on Eleutherococcus*. 166-170.
- Asano K, Takakhashi T, Miyashita M et al., 1986b. Effect of Eleutherococcus senticosus extract on human physical working capacity. *Planta Med*, 3:175-177.
- Aslanyan G, Amroyan E, Gabrielyan E, Nylander M, Wikman G and Panossian A, 2010. Double-blind, placebo-controlled, randomised study of single dose effects of ADAPT-232 on cognitive functions. *Phytomedicine*, 17(7):494-499.
- Azizov AP, 1997. The effect of Eleutherococcus, elton, Leuzea, and levton on the blood coagulation system in physical exertion of athletes. *Eksp Klin Farmakol*, 60, 5: 58-60. [Article in Russian]
- Awang DVC, 1996. Eleuthero. *Can Pharm J*, 129:52-54.
- Baburin EF, 1966a. The influence of Eleutherococcus on work results and hearing sensitivity in radio telegraphers. In: Brekhman II, ed. *Eleutherococcus and other adaptogens among the Far Eastern Plants*. Vladivostok, 7:179-184. [Article in Russian]
- Baburin EF, 1966b. The influence of Eleutherococcus on the Hearing organ. In: Brekhman II, ed. *Eleutherococcus and other adaptogens among the Far Eastern plants*. Vladivostok, 7:173-178. [Article in Russian]
- Baburin EF, Porkalov PV, Polonsky VV, 1970a. Influence of Eleutherococcus on some parameters of functional condition in organism of divers at chamber tests. *Medicines of the Soviet Far East*. Khabarovsk, 10:67-71. [Article in Russian]
- Baburin EF, Polonsky VV, 1970b. The first results of the use of Eleutherococcus for preservation of working capacity in divers on actual diving. *Medicines of the Soviet Far East*. Khabarovsk, 10:72-73. [Article in Russian]
- Baburin EF, Tarasov IK, Alexejev VN, 1972. On the prophylaxis of motion sickness. *Medicines of the Soviet Far East*. Vladivostok, 11:120-125. [Article in Russian]
- Bai Y, Tohda C, Zhu S, Hattori M and Komatsu K, 2011. Active components from Siberian ginseng (*Eleutherococcus senticosus*) for protection of amyloid beta (25-35) induced neuritic atrophy in cultured rat cortical neurons. *J Nat Med*, 65(3-4):417-423.
- Baldwin CA, Anderson LA, Phillipson JD, 1986. What pharmacists should know about Ginseng. *Pharm J*, 237:583-586.
- Baranov AI, 1979. On a Technical English Name for Eleutherococcus. *Taxon*, 28(5-6):586-587.
- Baranov AI, 1982. Medicinal uses of Ginseng and related plants in the Soviet Union: recent trends in the Soviet literature. *J Ethnopharmacol Nov*, 6(3):339-353. [Abstract]

- Barenboim GM, Sterlina AG, Bebyakova NV et al., 1986. Investigation of the pharmacokinetics and mechanism of action of Eleutherococcus glycosides. . Investigation of natural killer activation by the Eleutherococcus extract. *Chem Pharm J*, 20(8):914-917. [Article in Russian]
- Barkan AI, Gaiduchenya LI, Makarenko IA, 1980. Effect of Eleutherococcus on respiratory viral infectious morbidity in children in organized collectives. *Pediatrics*, 4:65-66. [Article in Russian]
- Barna P, 1985. The case of Ginseng. *Lancet*, 2548.
- Barnes J, Anderson LA and Philipson JD, 2007. Ginseng, Eleutherococcus. Herbal Medicines (electronic Version). Royal Pharmaceutical Society, Pharmaceutical Press, London.
- Batin VV, Popov YuB, Lifar VK, 1981. Experience in using sugar and an Eleutherococcus extract with the workers of the hot shops and the night shifts of the Raichikhinsk Glass Plant. *Hyg Tr Prof Zabol*, 5:36-38. [Article in Russian]
- Belay VE et al., 1966. Pharmacology in space medicine. XVII International Astronautical Congress, Madrid, 9-15 Oct.
- Belonosov IS, Krasilnikova AP, Postupajev VV et al., 1966. First results of the use of Eleutherococcus on some aspects of metabolism. In: Brekhman II, ed.: The final results of Eleuterococcus studies in the USSR, 53-55. [Article in Russian]
- Berdyshev VV, 1970. Effect of Eleutherococcus and physical training on an organism's state in sailors in the tropics I-II. *Medicines of the Soviet Far East*. Khabarovsk, 10:60-66. [Article in Russian]
- Berdyshev VV, 1977. The use of Eleutherococcus for normalization of the organism's state in sailors in the tropics. In: Adaptation and Adaptogens. Proceedings of the 2nd Symposium, May 1975, 119-125. [Article in Russian]
- Bespalov VG, Aleksandrov VA, Semenov AL, Kovan'ko EG, Ivanov SD, 2012. Comparative effects of difluoromethylornithine and tincture of Siberian ginseng root on radiation carcinogenesis and life span in rats. *Adv Gerontol*,25(2):293-300. [Article in Russian]
- Betti G, 2002. Taigawurzel (Eleutherococcus senticosus) das pflanzliche Adaptogen zur Steigerung der psychomotorischen, mentalen und physischen Leistungsfähigkeit. *J Pharmakol Ther*, 11 (6): 167-178.
- Bladt S, Wagner H, Woo WS, 1990. Taiga-Wurzel. DC und HPLC Analyse von Eleutherococcus bzw. Acanthopanax-Extrakten und diese enthaltenden Phytopräparaten. *Dtsch Apoth Ztg*, 130(27):1499-1508.
- Bleakney TL, 2008. Deconstructing an adaptogen: Eleutherococcus senticosus. *Holist Nurs Pract*, 22(4):220-224.
- Blokhin BN, 1966. The influence of eleutherococcus root and leaf extract on human work capacity under static and dynamic workloads. In: Brekhman II, ed. Eleutherococcus and other adaptogens among the Far Eastern plants. Vladivostok. 7:191-194. [Article in Russian]
- Blumenthal M, Busse WR, Goldberg A, Gruenwald J, et al., ed. The Complete German Commission E Monographs. American Botanical Council, Austin Texas 1998, 124-125.
- Bocharov EV, Kucherianu VG, Bocharova OA, Karpova RV, 2008 Neuroprotective features of phytoadaptogens. *Vestn Ross Akad Med Nauk*,(4):47-50. [Review in Russian]
- Bohn B, Nebe CT, Birr C, 1987. Flow-cytometric studies with Eleutherococcus senticosus extract as an immunomodulatory agent. *Arzneimittel-Forsch/Drug Res*, 37 (2-10):1193-1196.

- Bohn B, Nebe CT, Birr C, 1988. Immunopharmacological effects of *Eleutherococcus senticosus* extract as determined by quantitative flow cytometry. *Int J Immunopharmacol*, 10(1):67.
- Bolkhovitinova SS, Zvereva LA, 1981. Application of *Eleutherococcus* for antonatal prophylaxis of fetus hypotrophy. In: *New Data on Eleutherococcus and other adaptogens*. Vladivostok, 84-87. [Article in Russian]
- Bolkhovitinova SS, 1986. Influence of *Eleutherococcus* on pregnancy termination for mother and fetus: an experimental clinical investigation. In: *New Data on Eleutherococcus: Proceedings of the II International Symposium on Eleutherococcus, Moscow 1984*. Vladivostok, 208-212. [Article in Russian]
- Bradley PR, ed., 1992. *Eleutherococcus*. *British Herbal Compendium*, Vol. 1. Bournemouth: British Herbal Medicine Association.
- Brandis SA, Pilovitskava VN, 1966a. On the Question of the effectiveness of using *Eleutherococcus* root extract for Work in a high temperature environment. In: Brekhman II, ed. *Eleutherococcus and other adaptogens among the Far Eastern plants*. Vladivostok. 7:155-166. [Article in Russian]
- Brandis SA, Pilovitskava VN, 1966b. The effectiveness of using extract of *Eleutherococcus* roots during prolonged physical work and inhalation of gas mixtures enriched with Oxygen. In: Brekhman II, ed. *Eleutherococcus and other adaptogens among the Far Eastern plants*. Vladivostok. 7:141-153. [Article in Russian]
- Brekhman II, 1960. A new medicinal plant of the family Araliaceae the spiny *Eleutherococcus*. *Izv Sibir Otdel Akad Nauk USSR*, 9:113-120. [Article in Russian]
- Brekhman II, 1961. *Eleutherococcus*, the new medicinal herb from Araliaceae family. Komarov`s Reading AN USSR. Vladivostok. 9:3-41. [Article in Russian]
- Brekhman II, Mayansky GM, 1965a. *Eleutherococcus* a means of increasing the nonspecific resistance of the organism. *Proceedings USSR Akad Sciences, Biological series*, 5:762-765. [Article in Russian]
- Brekhman II, 1965b. *Eleutherococcus senticosus*, a new medicinal herb of the Araliaceae family. In: Chen KK, Mukerji B. *Pharmacology of Oriental plants*. Pergamon Press, Oxford,. 97-102.
- Brekhman II, 1966. The final results of *Eleutherococcus* studies in the USSR. In: Brekhman, ed. *The final results of Eleuterococcus studies in the USSR*. 3-8. [Article in Russian]
- Brekhman II, 1968a. *Eleutherococcus*, 1st ed. Nauka Pub. House, Leningrad, 186. [Book in Russian]
- Brekhman II, Kirillov OI, 1968b. Ginseng and *Eleutherococcus* as sources of a new type of drugs. *Rast Resur*, 4:3-13. [Article in Russian]
- Brekhman II, Dardymov IV, 1969b. New substances of plant origin which increase nonspecific resistance. *Ann Rev Pharmacol*, 9:419-430.
- Brekhman II, Dardymov IV, Kirillov OI, 1970b. Study of mechanism of the resistogenic action of *Eleutherococcus senticosus* Maxim. In: *Fourth Intern Congr on Pharmacology*. Basel, Stuttgart, 437.
- Brekhman II, 1977. What can oppose stress? In: *Adaptation and Adaptogens*. *Proceedings of the 2nd Symposium, May 1975*, 81-90. [Article in Russian]
- Brekhman II, 1980. *Man and biologically active substances*. Pergamon Press Ltd, Oxford: , 120.
- Brekhman II, Gordeichuk TN, Bulanov AYe, 1982a. Influence of *Eleutherococcus* on the embryotoxic effects of ethanol. *Biull Sib Div AMS USSR*, 4:52-57. [Article in Russian]

- Brekhman II, 1982b. On antitoxic action of *Eleutherococcus*. Moscow, 37.
- British Herbal Pharmacopoeia. 4th ed. British Herbal Medicine Association, Exeter 1996, 74-75.
- Bu Y, Jin ZH, Park SY, Baek S, Rho S, Ha N, Park SK, Kim H, 2005. Siberian ginseng reduces infarct volume in transient focal cerebral ischaemia in Sprague-Dawley rats. *Phytother Res*, 19(2):167-169.
- Bucci LR, 2000. Selected herbals and human exercise performance. *Am J Clin Nutr*, 72(2):624-636.
- Bulanov AE, Sheparev AA, Agapova TM et al., 1981. Aspects of pharmacosanation of workers in chemical industry. In: New Data on *Eleutherococcus* and other adaptogens. Vladivostok, 88-92. [Article in Russian]
- Chebotar NA, Gordeichuk TN, 1981. Effect of *Eleutherococcus* on embryotoxic activity of different teratogenes. In: New Data on *Eleutherococcus* and other adaptogens. Vladivostok, 26-30. [Article in Russian]
- Chen KJ, Chen TT, 2004. Chinese Medical Herbology and Pharmacology, Art of Medicine Press. Inc, 864-866.
- Chen TS, Liou SY, Chang YL, 2008. Antioxidant evaluation of three adaptogen extracts. *Am J Chin Med*, 36(6):1209-1217.
- Chen R, Liu Z, Zhao J, Chen R, Meng F, Zhang M, Ge W, 2011a. Antioxidant and immunobiological activity of water-soluble polysaccharide fractions purified from *Acanthopanax senticosus*. *Food Chem*, 127(2):434-440.
- Chen JF, Fan J, Tian XW, Tang TS, 2011b. Protective effects of two constituents of Chinese herbs on spinal motor neurons from embryonic rats with hypoxia injury. *Afr J Tradit Complement Altern Med*, 9(2):234-241.
- Cherkashin GV, 1966. The effect of an extract of *Eleutherococcus senticosus* and a preparation of roseroot sedium (rhodosine) on the severity of experimental listeriosis. Central Nervous System Stimulants. Tomsk, 1:91-96. [Article in Russian]
- Cherkashin GV, 1968. The effects of *Eleutherococcus* and rhodosine preparations on the resistance of animals to experimental listeriosis. *Izv Akad Nauk Biol*, 1:116-121. [Article in Russian]
- Choi JS, Yoon TJ, Kang KR, Lee KH, Kim WH, Suh YH, Song J, Jung MH, 2006. Glycoprotein isolated from *Acanthopanax senticosus* protects against hepatotoxicity induced by acute and chronic alcohol treatment. *Biol Pharm Bull*, 29(2):306-314.
- Cicero AF, Derosa G, Brillante R et al., 2004. Effects of Siberian ginseng (*Eleutherococcus senticosus* Maxim.) on elderly quality of life: a randomized clinical trial. *Arch Gerontol Geriatr Suppl*, (9):69-73.
- Collisson RJ, 1991. Siberian ginseng (*Eleutherococcus senticosus* Maxim). *Brit J Phytother*, 2(2):61-71.
- Curtze A, 1980. Die Arzneipflanze *Eleutherococcus senticosus* Maxim, in der Bundesrepublik Deutschland. *Der Kassenarzt*, 20:497-503. [Article in German]
- Dalinger OI, 1966a. Effect of *Eleutherococcus* extract on the functional action of cardiovascular system and working capacity in skiers. Central Nervous System Stimulants. Tomsk, 1:106-111. [Article in Russian]
- Dalinger OI, 1966b. Effect of *Eleutherococcus* extract on the cardiovascular system and some measures of working capacity in older persons. Central Nervous System Stimulants. Tomsk, 1:112-114. [Article in Russian]

- Dardymov IV, 1966. Main pharmacological properties of Eleutherococcus roots. In: Brekhman II, ed. The final results of Eleuterococcus studies in the USSR, 31-34. [Article in Russian]
- Dardymov IV, 1972a. On the action mechanism of Eleutherococcus preparations. Medicines of the Soviet Far East. Vladivostok, 11:42-47. [Article in Russian]
- Dardymov IV, Khasina EI, 1972c. Influence of Ginseng and Eleutherococcus glycosides on glucose capture by rat diaphragm. Medicines of the Soviet Far East, Vladivostok, 11:52-55. [Article in Russian]
- Dardymov IV, Suprunov NI, Sokolenko LA, 1972d. On the absence of toxicity in Eleutherococcus glycosides introduced during two months. Medicines of the Soviet Far East. Vladivostok, 11:66-69. [Article in Russian]
- Dardymov IV, 1976a. Ginseng, Eleutherococcus, to mechanism of biological influence. Moskow, Nauka, 189. [Book in Russian]
- Dardymov IV, 1982. Possible mechanisms of the preventive and therapeutic action of the preparations of ginseng and eleuterococcus. Biull Sib Div AMS USSR, 4:46-52. [Article in Russian]
- Dardymov IV, Khasina EI, 1993. Eleuterokokk : taĭny panatsei. Nauka. [Book in Russian]
- Dasgupta A, Wu S, Actor J, Olsen M, Wells A, Datta P, 2003. Effect of Asian and Siberian Ginseng on serum digoxin measurement by five digoxin immunoassays. *Am J Clin Pathol*, 119:298-303.
- Dasgupta A, Tso G, Wells A, 2008a. Effect of Asian ginseng, Siberian ginseng, and Indianayurvedic medicine ashwagandha on serum digoxin measurement by digoxin III, a new digoxin immunoassay. *J Clin Lab Anal*, 22:295-301.
- Dasgupta A, 2008b. Herbal supplements and therapeutic drug monitoring: Focus on digoxin immunoassays and interactions with St. John´s Wort. *Drug Monit*, 30(2):212-217.
- Dasgupta A, Syklawer E, Johnson M, Hwang SA, Boyd SA, Actor JK, 2011. Effect of Chinese medicines Chan Su, Asian ginseng, Siberian ginseng, and American ginseng on a new digoxin immunoassay based on luminescent osygen channeling technology. *Drug Monit*, 33(5):644-648.
- Davydov M, Krikorian AD, 2000. Eleutherococcus senticosus as an adaptogen: a closer look. *J Ethnopharmacol*, 72(3):345-93.
- Demin IV, 1977. Adaptogenic influence of Eleuterococcus and Leuzea extracts and on the peripheral division of the neuromuscular apparatus of athletes with physical loads. In: Search of pharmacological and chemotheraputic means from the products of synthesis and natural substances. *Permj*, 36-40. [Article in Russian]
- Deyama T, Nishibe S, Nakazawa Y, 2001. Constituents and pharmacological effects of Eucommia and Siberian ginseng. *Acta Pharmacol Sin*, 22(12):1057-1070.
- Donovan JL, DeVane CL, Chavin KD, Taylor RM, Markowitz JS, 2003. Siberian ginseng, Eleutherococcus senticosus effects on CYP2D6 and CYP3A4 activity in normal volunteers. *Drug Monit Dispos*, 31(5):519-522
- Dowling EA, Redondo DR, Branch JD et al., 1996. Effect of Eleutherococcus senticosus on submaximal and maximal exercise performance. *Med Sci Sports Exerc*, 28(4):482-489. [Abstract]
- Duke JA, 1985. Eleutherococcus senticosus (Rupr. & Maxim.) Maxim. (Araliaceae) Wuhia Ginseng, Siberian Ginseng, Spiny Ginseng. Handbook of Medicinal Herbs. CRC Press, Boca Raton (Florida, US), 174-175.

- Duke JA, Ayensu ES, 1985. Medicinal plants of China, Vol. 2. Algonac, Michigan.
- Duke JA, Bogenschutz-Godwin MJ and duCellier P-A, 2002. Siberian Ginseng *Eleutherococcus senticosus* (Rupr. & Maxim.). Handbook of Medicinal Herbs, 2nd Edition. CRC Press. Boca Raton (Florida, US), 669-671.
- Egorov YuN, Baburin EF, 1966. On the influence of the *Eleutherococcus* on the human nervous system. In: Brekhman II, ed. *Eleutherococcus and other adaptogens among the Far Eastern plants*. Vladivostok, 7:167-172. [Article in Russian]
- Elkin AI, 1970. Influence of *Eleutherococcus* and rhodosine extract on the activity of several narcotics. Medicines of the Soviet Far East. Khabarovsk. 10: 39-41. [Article in Russian]
- ESCOP Monographs 2nd ed. Supplement 2009. *Eleutherococci radix- Eleutherococcus*. European Scientific Cooperative on Phytotherapy, editor. Thieme, Stuttgart 2009, 110-120.
- European Pharmacopoeia 8th ed. *Eleutherococcus, Eleutherococci radix*. Council of Europe. 1/2014
- Evans WCh, 2002, *Eleutherococcus senticosus*. In: Trease and Evans Pharmacognosy, 15th ed. Edinburgh, London, etc, 130, 192, 251, 296, 454.
- Facchinetti F, Neri I, Tarbusi M, 2002. *Eleutherococcus senticosus* reduces cardiovascular stress response in healthy subjects: randomized, placebo-controlled trial. *Stress Health*, 18: 11-17.
- Fang JN, Proksch A, Wagner H, 1985. Immunologically active polysaccharides of *Acanthopanax senticosus*. *Phytochem*, 11:2619-2622.
- Farnsworth NR, Kinghorn AD, Soejarto DD et al., 1985. Siberian Ginseng (*Eleutherococcus senticosus*): Current Status as an Adaptogen. In: Wagner H, Hikino H, Farnsworth NR, editor. *Economic and Medicinal Plant Research*, Vol. 1. London, 155-215.
- Farnsworth NR, Waller D., Strelkoff LM, 1986. Use of *Eleutherococcus senticosus* in the United States: problems, prospects and literature update. In: *New Data on Eleutherococcus: Proceedings of the 2nd International Symposium on Eleutherococcus, Moscow 1984*. Vladivostok, 47-51. [Article in Russian]
- Feoktistova GI, 1966. Influence of *Eleutherococcus* and *Leuzea* extracts on the nitrogen metabolism upon the dosage muscle load. *Central Nervous System Stimulants*, Tomsk, 1:55-58. [Article in Russian]
- Foster S, 1996. Siberian ginseng, *Eleutherococcus senticosus*. Botanical Booklet, Series 302. Austin: American Botanical Council.
- Friedman JA, Taylor SA, McDermott W, Alikhani P, 2007. Multifocal and recurrent subarachnoid hemorrhage due to an herbal supplement containing natural coumarins. *Neurocrit Care*, 7: 76-80.
- Frodin DG, 2006. Comentary on proposal 1669 to conserve the name *Acanthopanax* against *Eleutherococcus* (Araliaceae). *Taxon*, 55 (1):217-218.
- Fu J, Fu J, Yuan J, Zhang N, Gao B, Fu G, Tu Y and Zhang Y, 2012. Anti-diabetic activities of *Acanthopanax senticosus* polysaccharide (ASP) in combination with metformin. *Int J Biol Macromol* 50(3):619-623.
- Fujikawa T, Yamaguchi A, Morita I et al., 1996. Protective effects of *Acanthopanax senticosus* Harms from Hokkaido and its components on gastric ulcer in restrained cold water stressed rats. *Biol Pharm Bull*, 19(9):1227-1230. [Abstract]

- Fujikawa T, Soya H, Hibasami H, 2002. Effects of *Acanthopanax senticosus* Harms on biologic monoamine levels in the rat brain. *Phytother Res*, 16:474-478.
- Fulder S, 1980. The Drug that Builds Russians. *New Scientist*, 576-579.
- Gagarin IA, 1977. Eleutherococcus in the Prophylaxis of the disease incidence in the Arctic. In: *Adaptation and Adaptogens. Proceedings of the 2nd Symposium (May, 1975)*, 128. [Article in Russian]
- Galanova LK, 1977. Eleutherococcus in preventive maintenance of a flu and relapses of hypertonic illness. In: *Adaptation and Adaptogens. Proceedings of the 2nd Symposium, May 1975*, 126-127. [Article in Russian]
- Gardner Z. and McGuffin M., 2013. *Eleutherococcus senticosus* (Rupr. & Maxim.) Maxim., Araliaceae. American Herbal Association's Botanical Safety Handbook. CRC Press. Boca Raton (Florida, US), 329-331.
- Glatthaar-Saalmüller B, Sacher F, Esperester A, 2001. Antiviral activity of an extract derived from roots of *Eleutherococcus senticosus*. *Antiviral Res*, 50:223-228.
- Golikov AP, 1966b. The fluid extract of Eleuterococcus roots to the treatment of patients with atherosclerosis. In: Brekhman II, ed. *Eleutherococcus and other adaptogens among the Far Eastern plants*. Vladivostok, 7:213-220. [Article in Russian]
- Golikov PP, 1966a. Eleutherococcus in the experimental therapeutic research. In: Brekhman II, ed. *The final results of Eleuterococcus studies in the USSR*. 40-41. [Article in Russian]
- Golikov PP, 1966b. Dependence of the antioedema effect of Ginseng and Eleuterococcus on the season. In: Brekhman II, ed. *Eleutherococcus and other adaptogens among the Far Eastern plants*. Vladivostok, 7:17-26. [Article in Russian]
- Gong X, Zhang L, Jiang R, Wang CD, Yin XR, Wan JY, 2013. Hepatoprotective effects of syringin on fulminant hepatic failure induced by D-galactosamine and lipopolysaccharide in mice. *J Appl Toxicol*, 2013: 10.1002/jat.2876.
- Gordeichuk TN, Bulanov AE, 1986. Effect of Eleutherococcus on embryotoxic and teratogenic activity of xenobiotics. In: *New Data on Eleutherococcus: Proceedings of the II International Symposium on Eleutherococcus, Moscow 1984*. Vladivostok. 105-109. [Article in Russian]
- Gordeichuk TN, Chebotar' NA, Konopistseva LA et al., 1993. The prevention of congenital developmental anomalies in rats. *Ontogenez*, 24(1):48-55. [Article in Russian]
- Goulet ED, Dionne IJ, 2005. Assessment of the effects of *Eleutherococcus senticosus* on endurance performance. *Int J Sport Nutr Exerc Metab*, 15(1):75-83.
- Grinewicz MA, 1966. Survey of clinical studies of Eleutherococcus In: Brekhman II, ed. *The final results of Eleuterococcus studies in the USSR*. 69-72. [Article in Russian]
- Gubchenko PP, Fruentov NK, 1986a. A comparative study of effectiveness of Eleutherococcus and other plant adaptogens as agents for enhancing the working capacity of the flying personnel. In: *New Data on Eleutherococcus: Proceedings of the 2nd International Symposium on Eleutherococcus, Moscow 1984*. Vladivostok, 171-178. [Article in Russian]
- Gvamichava AR, Khatiashvili TM, Khudzhadze RG et al., 1966. The first results of the use of Eleutherococcus in the combined treatment of breast carcinoma. In: Brekhman II, ed. *Eleutherococcus and other adaptogens among the Far Eastern Plants*. Vladivostok, 7:231-235. [Article in Russian]

- Halstead BW, Hood LL, 1984. *Eleutherococcus senticosus*, Siberian ginseng: an Introduction to the Concept of Adaptogenic Medicine. Long Beach, CA, Oriental Healing Arts Institute.
- Hänsel R, 1980. Ginseng und Eleutherococcus: Ihre adaptogenen Eigenschaften als Modell präventiv-wirkender Phytotherapeutikum-Effekte. *Z angew Phytother*, 2:28-33. [Article in German]
- Hartz AJ, Bentler S, Noyes R et al., 2004. Randomized controlled trial of Siberian ginseng for chronic fatigue. *Psychol Med*, 34(1):51-61.
- Heinrich M, Modarai M and Kortenkamp A, 2008. Herbal extracts used for upper respiratory tract infections: are there clinically relevant interactions with the cytochromeP450 enzyme system?. *Planta Med*, 74(6):657-660.
- Hirosue T, Matsuzawa M, Kawai H et al., 1986. Mutagenicity and subacute toxicity of *Acanthopanax senticosus* extracts in rats. *J Food Hyg Soc Jpn*, 27: 380-386.
- Hong JH, Cha YS and Rhee SJ, 2009. Effects of the cellcultured *acanthopanax senticosus* extract on antioxidative defense system and membrane fluidity in the liver of type 2 Diabetes mouse. *J Clin Biochem Nutr*, 45(1):101-109.
- Hovhannisyan AS, Abrahamyan H, Gabrielyan ES, Panossian AG, 2006. The effect of Kan Jang extract on the pharmacokinetics and pharmacodynamics of warfarin in rats. *Phytomedicine*, 13:318-323.
- Huang L, Zhao H, Huang B, Zheng C, Peng W and Qin L , 2011a. *Acanthopanax senticosus*: review of botany, chemistry and pharmacology. *Pharmazie*, 66(2):83-97.
- Huang LZ, Huang BK, Liang J, Zheng CJ, Han T, Zhang QY and Qin LP, 2011b. Antifatigue activity of the liposoluble fraction from *Acanthopanax senticosus*. *Phytother Res*, 25(6):940-943.
- Huang LZ, Huang BK, Ye Q, Qin LP, 2011c. Bioactivity-guided fractionation for antifatique property of *Acanthopanax senticosus*. *J Ethnopharmacol*, 133(1):213-219.
- Huang LZ, Wei L, Zhao HF, Huang BK, Rahman K and Qin LP, 2011d. The effect of Eleutheroside E on behavioral alterations in murine sleep deprivation stress model. *Eur J Pharmacol*, 658(2-3): 150-155.
- Israelsen LD, 1993. Phytomedicines as a new crop opportunity. *New crops*. Wiley, New York, 669-671.
- Izzo AA, Di Carlo G, Borrelli F, Ernst E, 2005. Cardiovascular pharmacotherapy and herbal medicines: the risk of drug interaction. *Int J Cardiol*, 98(1):1-14.
- Jacobsson I, Jonsson AK, Gerden B and Hagg S, 2009. Spontaneously reported adverse reactions in association with complementary and alternative medicine substances in Sweden. *Pharmacoepidemiol Drug Saf*, 18(11):1039-1047.
- Jeljakov GB, Ovodov YuS, 1972. Glycosides of Araliaceae. *Khim Prirodn Soedin*, 6:697-709. [Article in Russian]
- Jeong HJ, Koo HN, Myung NI, Shin MK, Kim JW, Kim DK, Kim KS, 2001. Inhibitory effects of mast cell-mediated allergic reactions by cell cultures Diberian Ginseng. *Immunopharmacol Immunotoxicol*, 23(1): 107-117.
- Jin L, Wu F, Li X, Li H, Du C, Jiang Q, You J, Li S and Xu Y, 2013a. Anti-depressant Effects of Aqueous Extract from *Acanthopanax senticosus* in Mice. *Phytother Res*, 27(12):1829-1833.
- Jin ML, Park SY, Kim YH, Park G and Lee SJ, 2013b. *Acanthopanax senticosus* exertsneuroprotective effects through HO-1 signaling in hippocampal and microglialcells. *Environ Toxicol Pharmacol*, 35(2): 335-346.

Jung CH, Jung H, Shin YC, Park JH, Jun CY, Kim HM, Yim HS, Shin MG, Bae HS, Kim SH, Ko SG, 2007. Eleutherococcus senticosus extract attenuates LPS-induced iNOS expression through the inhibition of Akt and JNK pathways in murine macrophage. *J Ethnopharmacol*, 113(1):183-187.

Kalashnikov BN, 1977. Influence of Eleutherococcus on morbidity among miners in the Arctic region. In: Proceedings of the II conference on human adaptation to various climatic and working conditions. Novosibirsk, 2:43-44. [Article in Russian]

Kalashnikov BN, 1986. The effect of long-term prophylactic administration of Eleutherococcus on morbidity among coal miners in the Far North. In: New Data on Eleutherococcus: Proceedings of the 2nd International Symposium on Eleutherococcus, Moscow 1984. Vladivostok. 223-225. [Article in Russian]

Kaznachejev VP, 1977. Two types of reaction on stress influences. In: Adaptation and Adaptogens. Proceedings of the 2nd Symposium, May 1975, 15-18. [Article in Russian]

Kim KJ, Hong HD, Lee OH, Lee BY, 2010. The effects of Acanthopanax senticosus on global hepatic gene expression in rats subjected to heat environmental stress. *Toxicology*, 278(2):217-223.

Kimura Y, Sumiyoshi M, 2004. Effects of various Eleutherococcus senticosus cortex on swimming time, natural killer activity and corticosterone level in forced swimming stressed mice. *J Ethnopharmacol*, 95(2-3):447-453.

Kirillov OI, Dardymov IV, 1966. The effect of Eleutherococcus on the catabolic changes caused in young rats by cortisone, thyroxine, and 6-methylthiouracil, In: Brekhman II, ed. Eleutherococcus and other adaptogens among the Far Eastern plants. Vladivostok, 7: 55-62 [Article in Russian]

Kirillov OI, 1977. Chronic stress of healthy people. In: Adaptation and Adaptogens. Proceedings of the 2nd Symposium, May 1975, 3-14. [Article in Russian]

Kolomievsky ML, 1986. Controlling adaptive reactions of cardiologic patients using small doses of Eleutherococcus extract. In: New Data on Eleutherococcus: Proceedings of the 2nd International Symposium on Eleutherococcus, Moscow 1984. Vladivostok: 192-196. [Article in Russian]

Koshkareva KI, Kovinsky KP, 1966. Application of Eleutherococcus extract on the hypochondriacal conditions. Central Nervous System Stimulants. Tomsk, 1:128-130. [Article in Russian]

Kuo J, Chen KW, Cheng IS, Tsai PH, Lu YJ and Lee NY, 2010. The effect of eight weeks of supplementation with Eleutherococcus senticosus on endurance capacity and metabolism in human. *Chin J Physiol*, 53(2):105-111.

Kupin VI, Polevaya EV, Sorokin AM, 1986a. Eleutherococcus extract treatment for immunostimulation in cancer patients. *Vopr Oncol*, 32(7):21-26. [Article in Russian]

Kupin VI, Polevaya ES, Sorokin AM et al., 1986b. Increased immunologic reactivity of lymphocytes in oncologic patients treated with Eleutherococcus extract. In: New Data on Eleutherococcus: Proceedings of the 2nd International Symposium on Eleutherococcus, Moscow 1984. Vladivostok, 216-220. [Article in Russian]

Kushnerova NF, Rakhmanin IuA, 2008. The impact of nitric oxide intoxication on hepatic metabolic reactions and the prevention of lesions. *Gig Sanit*, 1:70-73. [Article in Russian]

Kwan CY, Zhang WB, Sim SM, Deyama T, Nishibe S, 2004. Vascular effects of Siberian ginseng (Eleutherococcus senticosus): endothelium dependent NO and EDHF mediated relaxation depending on vessel size. *Naunyn Schmiedebergs Arch Pharmacol*, 369(5):473-480.

- Lapchik VF, 1967. *Visn Kiiv Univ, Ser Biol*, 9:131. [Article in Russian]
- Lee YJ, Chung HY, Kwak HK, Yoon S, 2008. The effects of *A. senticosus* supplementation on serum lipid profiles, biomarkers of oxidative stress, and lymphocyte DNA damage in postmenopausal women. *Biochem Biophys Res Commun*, 375(1):44-48.
- Lee D, Park J, Yoon J, Kim MY, Choi HY, Kim H, 2012. Neuroprotective effects of *Eleutherococcus senticosus* bark on transient global cerebral ischemia in rats. *J Ethnopharmacol*, 139 (1):6-11.
- Li XC, Barnes DL, Khan IA, 2001. A new lignan glycoside from *Eleutherococcus senticosus*. *Planta Med*, 67(8):776-778.
- Li XY, Zhu G, 2005. (1669) Proposal to conserve the name *Acanthopanax* against *Eleutherococcus* (Araliaceae). *Taxon*, 54:194-195.
- Li XZ, Zhang SN, Liu SM and Lu F, 2013b. Recent advances in herbal medicines treating Parkinson's disease. *Fitoterapia* 84:273-285.
- Li W, Liu M, Feng S, Wu B, Zhang S, Yang W and Liu GJ, 2009. *Acanthopanax* for acute ischaemic stroke. *Cochrane Database Syst Rev* (3):CD007032.
- Li W, Luo Q and Jin LH, 2013a. *Acanthopanax senticosus* extracts have a protective effect on *Drosophila* gut immunity. *J Ethnopharmacol*, 146(1):257-263.
- Liang Q, Qu S, Yu X, Xu H, Sui D, 2009. *Acanthopanax senticosus* saponins ameliorates oxidative damage induced by hydrogen peroxide in neonatal rat cardiomyocytes, *Zhongguo Zhong Yao Za Zhi*, 34 (19):2489-2493. [Article in Chinese] [Abstract]
- Liang Q, Yu X, Qu S, Xu H and Sui D, 2010. *Acanthopanax senticosides* B ameliorates oxidative damage induced by hydrogen peroxide in cultured neonatal rat cardiomyocytes. *Eur J Pharmacol* 627(1-3):209-215.
- Lin CC, Huang PC, 2000. Antioxidant and hepatoprotective effects of *Acanthopanax senticosus*. *Phytother Res*, 14: 489-494.
- Lin QY, Jin LJ, Cao ZH, Lu YN, Xue HY and Xu YP, 2008a. *Acanthopanax senticosus* suppresses reactive oxygen species production by mouse peritoneal macrophages in vitro and in vivo. *Phytother Res*, 22(6):740-745.
- Lin QY, Jin LJ, Cao ZH and Xu YP, 2008b. Inhibition of inducible nitric oxide synthase by *Acanthopanax senticosus* extract in RAW264.7 macrophages. *J Ethnopharmacol*, 118(2):231-236.
- Lindendbraten VD, Turbina LV, Khodsevich VR et al., 1981. Influence of *Eleutherococcus* preparations on some characteristics of non-specific resistance of organism. In: *New Data on Eleutherococcus and other adaptogens*. Vladivostok, 75-78. [Article in Russian]
- Liu KY, Wu YC, Liu IM, Yu WC, Cheng JT, 2008. Release of acetylcholine by syringin, an active principle of *Eleutherococcus senticosus*, to raise insulin secretion in Wistar rats. *Neurosci Lett*, 434(2):195-199.
- Liu SP, An JT, Wang R and Li Q, 2012a. Simultaneous quantification of five bioactive components of *Acanthopanax senticosus* and its extract by ultra performance liquid chromatography with electrospray ionization time-of-flight mass spectrometry. *Molecules*, 17(7):7903-7913.
- Liu SM, Li XZ, Huo Y and Lu F, 2012b. Protective effect of extract of *Acanthopanax senticosus* Harms on dopaminergic neurons in Parkinson's disease mice. *Phytomedicine*, 19(7):631-638.
- Lyubomudrov VE, Basamygina LY, Bikezine VG et al., 1970. *Vrach Delo*, 1:102. [Article in Russian]

Lyubomudrov VE, Fidel'man VG, Shikanov ME et al., 1971. Treatment of miners suffering from chronic bronchitis. *Vrach Delo*, 10:66-69. [Article in Russian] [Abstract]

Lyubomudrov VE, Osadchuk VS, Shikanov ME et al., 1972. Acceleration of acclimatization in sanatorium climato-therapy of miners with chronic bronchitis and pneumoconiosis. *Vopr Kurortol Fizioter Lech Fiz Kul't*, 37(2):130-132. [Article in Russian]

Ma B, Zhang Q, Liu Y, Li J, Xu Q, Li X, Yang X, Yao D, Sun J, Cui G and Ying H, 2013. Simultaneous determination of Eleutheroside B and Eleutheroside E in rat plasma by high performance liquid chromatography-electrospray ionization mass spectrometry and its application in a pharmacokinetic study. *J Chromatogr B Analyt Technol Biomed Life Sci*, 917-918:84-92.

Mahady GB, Fong HS and Farnsworth NR, 2001. Siberian Ginseng. Botanical Dietary Supplements: Quality, Safety and Efficacy. Swets & Zeitlinger Publishers, Lisse, Netherlands, 225-232.

Maianskii KA, 1962. The healing effect of combined Eleutherococcus/antibiotic treatment on experimentally induced chronic radiation sickness. In: Brekhman II, ed. The symposium on Eleutherococcus and ginseng. Vladivostok, 26-28. [Article in Russian] [Abstract]

Marochko AYu, Mikhailova LI, Cheshek IG, 1982. To the question on acting of herbal adaptogens on organism. In: Aspect of adaptation to the natural and production conditions of the Far East region. *Col Scient articles*. Khabarovsk, 97-99. [Article in Russian]

Mashkowsky MD, 1997. Extractum Eleutherococci fluidum. In: Medicinal preparations, Manual on Pharmako-therapy for doctors, Vol. 1, 13th ed. Kharkow, Torsing, 132. [Book in Russian]

Maslov LN, Guzarova NV. Cardioprotective and antiarrhythmic properties of preparations from *Leuzeacarthamoides*, *Aralia mandshurica*, and *Eleutherococcus senticosus*. *Eksp Klin Farmakol*, 70(6):48-54.

Maslov LN, Lishmanov YB, Arbuzov AG, Krylatov AV, Budankova EV, Konkovskaya YN, Burkova VN, Severova EA, 2009. Antiarrhythmic activity of phytoadaptogens in short-term ischemia-reperfusion of the heart and postinfarction atherosclerosis. *Bull Exp Biol Med*, 147(3):331-334.

McGuffin M, Hobbs C, Upton R and Goldberg A., 1997. *Eleutherococcus senticosus* (Rupr. ex Maxim.) Maxim. Araliaceae. Botanical Safety Handbook. CRC Press. Boca Raton (Florida, US), 45.

McRae S, 1996. Elevated serum digoxin levels in a patient taking digoxin and Siberian ginseng. *Can Med Assoc*, 155(3):293.

Medon PJ, Thompson EB, Farnsworth NR, 1981. Hypoglycemic effect and toxicity of *Eleutherococcus senticosus* following acute and chronic administration in mice. *Acta Pharmacol Sin*, 2:281-285.

Meyer EA, 2011. Eine Heilpflanze gegen Stress und Burnout. Die Eleuwurzel therapeutisch wertvoll, aber kaum genutzt. *Natur-Heilkunde J*, 13:24-26.

Mikaelyan EM, Mkhitarian VG, 1986. Antioxidant properties of *Eleutherococcus*. *Biol Zh Arm*, 39:593-597. [Article in Russian]

Mikunis RI, Serkova VK, Shirikova TA, 1966a. Influence of *Eleutherococcus* on the immunobiologic reactivity of patients with rheumatic defects of heart. In: Brekhman II, ed. *Eleutherococcus and other adaptogens among the Far Eastern plants*. Vladivostok, 7:221-226. [Article in Russian]

Mikunis RI, Serkova VK, Shirikova TA, 1966b. The effect of *Eleutherococcus* on some biochemical parameters of the blood in the combined treatment of patients with rheumatic lesions of the heart. In:

- Brekhman II, ed. Eleutherococcus and other adaptogens among the Far Eastern plants. Vladivostok, 7:227-230. [Article in Russian]
- Mills S, Bone K, 2005. Siberian Ginseng. The Essential Guide to Herbal Safety. Elsevier Churchill Livingstone, St. Louis, Missouri (US), 578-580.
- Monakhov BV, 1965. Influence of the liquid extract from the roots of Eleutherococcus senticosus on toxicity and antitumor activity of cyclophosphane. *Vopr Oncol*, 11(12):60-63. [Article in Russian] [Abstract]
- Monakhov BV, 1967. The reduction of the toxic effect of some antitumor preparations with the Eleutherococcus extract. *Vopr Oncol*, 13(3):71-76. [Article in Russian]
- Nagai M, Fukamachi T, Tsujimoto M, Ogura K, Hiratsuka A, Ohtani H, Hori S and Sawada Y, 2009. Inhibitory effects of herbal extracts on the activity of human sulfotransferase isoform sulfotransferase 1A3 (SULT1A3). *Biol Pharm Bull* 32(1):105-109.
- Newall CA, Anderson LA, Phillipson JD, 1996. Ginseng, Eleutherococcus. Herbal Medicines: A Guide for Health Care Professionals. : The Pharmaceutical Press, London, 141-144.
- Niu HS, Hsu FL, Liu IM, Cheng JT, 2007. Increase of beta-endorphin secretion by syringin, an active principle of Eleutherococcus senticosus, to produce antihyperglycemic action in type 1-like diabetic rats. *Horm Metab Res*, 39(12):894-898.
- Niu HS, Liu IM, Cheng JT, Lin CL, Hsu FL, 2008. Hypoglycemic effect of syringin from Eleutherococcus senticosus in streptozotocin-induced diabetic rats. *Planta Med*, ;74(2):109-113.
- Nörr H, 1993. Phytochemical and pharmacological Investigations of the Adaptogens: Eleutherococcus senticosus, Ocimum sanctum, Codonopsis pilosula, Rhodiola rosea and Rhodiola crenulata Ludwig-Maximilians-Universität München, 228. [Book in German] [Dissertation thesis]
- Novikov VS, Bortnovskii VN, Mastriukov AA et al., 1987. Efficacy of the use of biologically active substances to increase the body resistance in sailors. *Voен Med Zh*, 10:50-51. [Article in Russian]
- Novozhilov GN, Sil'chenko KK, 1985. Mechanism of adaptogenic effect of Eleutherococcus on the human body during thermal stress. *Fiziol Cheloveka*, 11(2):303-306. [Article in Russian]
- Obolentseva GV, Stavrova RF, Mikhajlenko LA, 1988. Adaptive activity of plant stimulators in the increase of physical endurance of organism. In: The 5th All-Union congress of Gerontologists and Geriatrics. Proceedings of reports, Part 2, 481.
- Oleynichenko VF, 1966. Effect of Eleutherococcus and Rhodiola rosea extracts on hearing of employees of Tomsk electrochemical factory and pilots at Tomsk International Airport. Central Nervous System Stimulants. Tomsk, 1:124-127. [Article in Russian]
- Ovodov YuS, Frolova GM, Nefedova MYu et al., 1967. Glycosides of Eleutherococcus senticosus II. The structure of eleutherosides A, B, C and D. *Khim Prirodn Soedin*, 1: 63-64. [Article in Russian]
- Panossian A, Wikman G, Wagner H, 1999b. Plant Adaptogens III. Earlier and More Recent Aspects and Concepts on Their Mode of Action. *Phytomedicine*, 6(4):287-299.
- Panossian A, 2003. Adaptogens, Tonic Herbs for Fatigue and Stress. *Alternative & Complementary Therapies*, 9(6):327-331.
- Panossian A, Wagner H, 2005. Stimulating effect of adaptogens: an overview with particular reference to their efficacy following single dose administration. *Phytother Res*, 19(10):819-838.

- Panossian A, Hambardzumyan M, Hovhanisnissyan A, Wikman G. 2007. The adaptogens Rhodiola and Schisandra modify to response to immobilization stress in rabbits by suppressing the increase of phosphorylated stress-activated protein kinase, nitric oxide and cortisol. *Drug Target Insights*, 1: 39-54.
- Panossian A, Wikman G, Kaur P, Asea A, 2009a. Adaptogens exert a stress-protective effect by modulation of expression of molecular chaperones. *Phytomedicine*, 16(6-7):617-622.
- Panossian A, Wikman G. 2009b. Evidence-based efficacy of adaptogens in fatigue, and molecular mechanisms related to their stress-protective activity. *Curr Clin Pharmacol*,4(3):198-219.
- Panossian A, Wikman G, Kaur P and Asea A, 2012. Adaptogens stimulate neuropeptide y and hsp72 expression and release in neuroglia cells. *Front Neurosci*, 6:6.
- Panossian A, Hamm R, Kadioglu O, Wikman G and Efferth T, 2013a. Synergy and antagonism of active constituents of ADAPT-232 on transcriptional level of metabolic tegulation of isolated neuroglial cells. *Front Neurosci*, 7:16.
- Panossian AG, 2013b. Adaptogens in mental and behavioral disorders. *Psychiatr Clin North Am*, 36(1):49-64.
- Park SH, Lee SG, Kang SK, Chung SH, 2006. Acanthopanax senticosus reverses fatty liver disease and hyperglycemia in ob/ob mice. *Arch Pharm Res*, 29(9):768-776. [Abstract]
- Park SH, Kim SK, Shin IH, Kim HG and Choe JY, 2009. Effects of AIF on Knee Osteoarthritis Patients: Double-blind, Randomized Placebo-controlled Study. *Korean J Physiol Pharmacol*, 13(1):33-37.
- Pearce PT, Zois I, Wynne KN et al., 1982. Panax ginseng and Eleutherococcus senticosus extracts in vitro studies on binding to steroid receptors. *Endocrinol Japn*, 29:567-573.
- Pharm. Franc, 10, Note technique 818. Racine d` Eleuthérocoque, Eleutherococci radix. [Article in French]
- Phillipson JD, Anderson LA, 1984. Ginseng quality, safety and efficacy. *Pharm J*, 232:161-165.
- Protasova SF, Zykov MP, 1986. Antiviral effect of Eleutherococcus in experimental influenza infection. In: New Data on Eleutherococcus: Proceedings of the 2nd International Symposium on Eleutherococcus, Moscow 1984. Vladivostok, 123-126. [Article in Russian]
- Revina TA, Sal`nik BYu, 1966. Influence of Eleutherococcus and Leuzea extracts on the some indices of carbohydrate-phosphatic metabolism in brain upon the dosage muscle load. Central Nervous System Stimulants, Tomsk, 1:59-61. [Article in Russian]
- Rhim YT, Kim H, Yoon SJ, Kim SS, Chang HK, Lee TH, Lee HH, Shin MC, Shin MS, Kim CJ, 2007. Effect of Acanthopanax senticosus on 5-hydroxytryptamine synthesis and tryptophan hydroxylase expression in the dorsal raphe of exercised rats. *J Ethnopharmacol*, 114(1):38-43.
- Ross Ph XI, Moscow. Rhizoma et radix Eleutherococci. [Article in Russian]
- Rukavishnikova SA, 2010. Modern approaches to correction and prophylaxis of premature aging using adaptogenes of plant origin. *Adv Gerontol*, 23(2):301-303. [Article in Russian]
- Sakharova TA, Revazova YA, Barenboim GM, 1985. The effect of Eleutherococcus extract on the induction of recessive lethal mutations by cyclophosphane and N-nitrosomorpholine in Drosophila. *Khim Farm Zh*, 19:539-540. [Article in Russian]

Sakharova TA, Revazova YA, Barenboim GM, 1986. Induction of recessive lethal mutations in *Drosophila* by cyclophosphane and N-nitrosomorpholine in the presence of *Eleutherococcus* extract. In: New Data on *Eleutherococcus*: Proceedings of the 2nd International Symposium on *Eleutherococcus*, Moscow 1984. Vladivostok, 39-42. [Article in Russian]

Salnik BYu, 1966. Influence of *Eleutherococcus* and *Leuzea* extracts on the carbohydrate-phosphatic and oxidative metabolism upon the dosage muscle load. *Central Nervous System Stimulants*, Tomsk, 1:44-50. [Article in Russian]

Sandberg F, 1973. Two glycoside-containing genera of the Araliaceae family *Panax* and *Eleutherococcus*. *Planta Med*, 24(4):392-396.

Sandler BI, 1970a. Some data about application of an *Eleutherococcus* extract at acute craniocerebral trauma. *Medicines of the Soviet Far East*. Khabarovsk, 10:74–77. [Article in Russian]

Sandler BI, 1970b. The influence of *Eleutherococcus* extracts on several neuro-somatovegetative disturbances in patients with acute cranial and cerebral traumas. *Medicines of the Soviet Far East*. Khabarovsk, 10:78–81. [Article in Russian]

Sandler BI, 1972a. Influence of *Eleutherococcus* extract on cerebral blood circulation with cranial and cerebral traumas (Rheoencephalography data). *Medicines of the Soviet Far East*. Vladivostok, 11:109-13. [Article in Russian]

Sandler BI, Sandler TB, 1972b. Influence of *Eleutherococcus* extract on certain clinical and biochemical indications in the blood of patients with acute cranial and cerebral traumas. *Medicines of the Soviet Far East*. Vladivostok, 11:114-119. [Article in Russian]

Schaffler K, Wolf OT, Burkart M, 2013. No benefit adding *eleutherococcus senticosus* to stress management training in stress-related fatigue/weakness, impaired work or concentration, a randomized controlled study. *Pharmacopsychiatry*, 46(5):181-190.

Schezin AK, Zinkovich VI, Matsuk VS, 1977. Tentative data on the mass *Eleutherococcus* prophylaxis of influenza at the main assembly line and metallurgic plant of the Volga Automobile Plant. In: Abstracts of the reports delivered at the 2nd All-Union conference on human adaptation to different conditions. Novosibirsk, 2:44-46.

Schezin AK, Zinkovich VI, Galanova LK, 1981. *Eleutherococcus* in prophylaxis of influenza, hypertension and heart ischemia of AvtoVAZ drivers. In: New Data on *Eleutherococcus* and other adaptogens. Vladivostok. 93-4. [Article in Russian]

Schilcher H., 2008. *Eleutherococcus*wurzel, Taigawurzel. *Kleines Heilkräuterlexikon*. Weil der Stadt, Walter Hädecke Verlag 5.

Schmidt M, 2013. Scientific Expert Report on the Justification of Warning labels against Hypertension in products containing preparations of *Eleutherococcus senticosus*. Expert Report, Mattsies, Germany.

Schmolz NW, Sacher F, Aicher B, 2001. The synthesis of Rantes G-CSF, IL-4, IL-5, IL-6, IL-12 and IL-13 in human whole-blood cultures is modulated by an extract from *Eleutherococcus senticosus* roots. *Phytother Res*, 15:268-270.

Schroeter AI, 1975. *Eleutherococcus senticosus* (Rupr. et Maxim.) Maxim. *Acanthopanax senticosus* (Rupr. et Maxim.) Harms. In: Medicinal flora of the Far East. Moskow, 193-194. [Article in Russian]

Segiet-Kujawa E, Kaloga M, 1991. Triterpenoid saponins of *Eleutherococcus senticosus* root. *J Nat Prod*, 54:1046-1048.

- Shadrin AS, Kustikova YuG, Belogolovkina NA et al., 1986. Estimation of prophylactic and immunostimulating effects of Eleutherococcus and Schizandra chinensis preparations. In: New Data on Eleutherococcus: Proceedings of the 2nd International Symposium on Eleutherococcus, Moscow 1984. Vladivostok, 213-215. [Article in Russian] [Abstract]
- Shakhmatov II, Bondarchuk IuA, Vdovin VM, Alekseeva OV, Kiselev VI., 2010. Hemostasis changes and their correction by adaptogen. *Patol Fiziol Eksp Ter*, 2: 43-46. [Article in Russian]
- Shakhmatov II, Nosova MN, Vdovin VM, Bondarchuk IuA, Kiselev VI., 2011. Peculiarities of hemostasis reactivity under stress load in persons with different degree of physical training. *Ross Fiziol Zh Im I M Sechenova*, 97(11): 1254-1261. [Article in Russian]
- Shekhtman ML, 1966. The changes under the effect of Eleutherococcus in the results of electrocardiographic, phonocardiographic and oscillographic examination of people sick with senile psychoses and cerebral atherosclerosis. In: A summarized review of the study of Eleutherococcus in the Soviet Union. Vladivostok, 78-80. [Article in Russian]
- Shen ML, Zhai SK, Chen HL et al., 1991. Immunopharmacological effects of polysaccharides from *Acanthopanax senticosus* on experimental animals. *Int J Immunopharmacol*, 13(5):549-554. [Abstract]
- Sheparev AA, Zvereva LA, Kozlenko IYa et al., 1986. Effect of preventive administration of Eleutherococcus extract on health of children under school age. In: New Data on Eleutherococcus: Proceedings of the 2nd International Symposium on Eleutherococcus, Moscow 1984. Vladivostok, 201-203. [Article in Russian]
- Shornikov AP, Sokolov SV, 1981a. Effect of Eleutherococcus on biorhythmical characteristics of some functional organismic systems. In: New Data on Eleutherococcus and other adaptogens. Vladivostok, 63-67. [Article in Russian]
- Shornikov AP, Sokolov SV, 1981b. Experiences in the use of Eleutherococcus in the Far North. In: New Data on Eleutherococcus and other adaptogens. Vladivostok, 95-99. [Article in Russian]
- Smalinskiene A, Lesauskaite V, Zitkevicius V, Savickiene N, Savickas A, Ryselis S, Sadauskiene I and Ivanov L, 2009. Estimation of the combined effect of Eleutherococcus senticosus extract and cadmium on liver cells. *Ann N Y Acad Sci*, 1171: 314-320.
- Sokolov SYa, 2000. Eleutherococcus senticosus. In: Phytotherapy and phytopharmacology, Handbook for doctors. Moscow Medicinal agency, 57-60. [Book in Russian]
- Song YY, Li Y, Zhang HQ, 2010. Therapeutic effect of syringin on adjuvant arthritis in rats and its mechanisms. *Yao Xue Xue Bao*, 45(8): 1006-1011. [Article in Chinese] [Abstract]
- Sonnenborn U, Hänsel R, 1993. Eleutherococcus senticosus. In: De Smet PAGM et al., eds. Adverse effects of herbal drugs. Vol. 2. Springer-Verlag, Berlin, 159-169.
- Soo KH, Young PS, Kyoung KE, Yeon RE, Hun KY, Park G and Joon LS, 2012. *Acanthopanax senticosus* has a heme oxygenase-1 signaling-dependent effect on *Porphyromonas gingivalis* lipopolysaccharide-stimulated macrophages. *J Ethnopharmacol*, 142(3): 819-828.
- Sosnova TL, 1969. The effect of Eleutherococcus spinosus on the color discrimination function of the optic analyzer in persons with normal trichromatic vision. *Annals ophthalmology*, 82(5): 59-61. [Article in Russian]

- Sosnova TL, Bykova MI, 1976. Experience in using *Eleutherococcus* for raising the level of the color discrimination function in railroad engineers. *Hyg Sanit*, 6:108-110. [Article in Russian]
- Sosnova TL, Golubev VV, Plekhanova NA et al., 1984. Use of toning up influences of *Eleuterococcus* and *Schisandra* in preventive maintenance of visual tiredness while workes connected with prolonged color separation. *Hyg Sanit*, 12:7-9. [Article in Russian]
- Sosnova TL, 1986. *Eleutherococcus* as a means to raise colour perception of locomotive engineers. In: New Data on *Eleutherococcus*: Proceedings of the 2nd International Symposium on *Eleutherococcus*, Moscow 1984. Vladivostok, 187-191. [Article in Russian]
- Soya H, Deocarlis CC, Yamaguchi K, Ohiwa N, Saito T, Nishijima T, Kato M, Tateoka M, Matsui T, Okamoto M, Fujikawa T, 2008. Extract from *Acanthopanax senticosusharms* (Siberian ginseng) activates NTS and SONPVN in the rat brain. *Biosci BiotechnolBiochem*, 72(9):2476-2480.
- Steinmann GG, Esperester A, Joller P, 2001. Immunopharmacological in vitro effects of *Eleutherococcus senticosus* extracts. *Arzneimittel-Forsch/Drug Res*, 51(1):76-83.
- Strokina TI, Mukho TB, 1966a. Vegetative disturbances on the neuroses and the degree of their restoration with the *Eleuterococcus* treatment. In: Brekhman II, ed. *Eleutherococcus* and other adaptogens among the Far Eastern Plants. Vladivostok, 7:195-199. [Article in Russian]
- Strokina TI, 1966b. Dynamics of cortical-subcortical disturbances in people ill with neuroses their treatment with *Eleutherococcus*. In: Brekhman II, ed. *Eleutherococcus* and other adaptogens among the Far Eastern Plants. Vladivostok, 7:74-75. [Article in Russian]
- Strokina TI, 1966c. The changes in higher nervous activity in neurotic patients under treatment with *Eleutherococcus*. In: Brekhman II, ed. *Eleutherococcus* and other adaptogens among the Far Eastern Plants. Vladivostok, 7:201-211. [Article in Russian]
- Strokina TI, 1967. Modification of the interaction of transmission systems in nervous disorders following treatment with *Eleutherococcus*. *J Neuropatholog Psychiatr SS Korsakova*, 67, 903. [Article in Russian]
- Stschichenkov MV, 1963. Effects of *Eleutherococcus* and Ginseng roots liquid extracts on darkness adaptation and acuteness of vision. Materials to the studies of ginseng and other therapeutical medicines of the Far East, 5, 241-244. [Article in Russian]
- Stukov AN, 1965. *Eleutherococcus senticosus* and spontaneous leukosis in mice. *Vopr Oncol*, 11(12):64-65. [Article in Russian]
- Stukov AN, 1966. Combined action of *Eleutherococcus senticosus* and sarcolysin on lymphosarcoma LIO-I in mice. *Vopr Oncol*, 12(7):57-60. [Article in Russian]
- Stukov AN, 1967. The influence of *Eleutherococcus* on the leukemogenic effect of indole. *Vopr Oncol*, 13(1):94-95. [Article in Russian]
- Suprunov NI, Dzizenko AK, 1971. (-)-Sesamine from *Eleutherococcus senticosus*. *Khim Prirodn Soedin*, 4:524-525. [Article in Russian]
- Szolomicki S, Samochowiec L, Wojcicki J et al., 2000. The influence of active components of *Eleutherococcus senticosus* on cellular defence and physical fitness in man. *Phyther Res*, 14:30-35.
- Takahashi T, Kaku T, Sato T, Watanabe K and Sato J, 2010. Effects of *Acanthopanax senticosus* HARMS extract on drug transport in human intestinal cell line Caco-2. *J Nat Med*, 64(1):55-62.

- Tang W, Eisenbrand G, 1992. Chinese Drugs of Plant Origin: Chemistry, Pharmacology, and Use in Traditional and Modern Medicine. Springer Verlag, New York.
- Tikhomirova NM, 1977. Vision analyser in seamen given adaptogens during long-term navigation. In: Abstracts of the reports delivered at the 2nd All Union conference on human adaptation to different conditions. Novosibirsk.
- Tohda C, Ichimura M, Bai Y, Tanaka K, Zhu S, Komatsu K, 2008. Inhibitory effects of *Eleutherococcus senticosus* extracts on amyloid beta(25-35) induced neuritic atrophy and synaptic loss. *J Pharmacol Sci*, 107(3):329-339
- Turbina LV, Kichko OA, Turbin AS, 1986. The influence of *Schisandra* and *Eleutherococcus* on the mental activity. In: New medical preparations from plants of Siberia and the Far East. Tomsk, 147. [Article in Russian]
- Turkewicz OM, Daniljuk SI, 1966a. *Eleutherococcus* in the treatment of patients with somatogenic psychoses and pseudoneuroses. In: Brekhman II, ed. The final results of *Eleutherococcus* studies in the USSR. 76-77. [Article in Russian]
- Turkewicz OM, Daniljuk SI, Gorodkova TM et al., 1966b. *Eleutherococcus* in the treatment of patients with elderly and atherosclerotic psychoses. In: Brekhman II, ed. The final results of *Eleutherococcus* studies in the USSR. 77-79. [Article in Russian]
- Vereshchagin IA, 1978. Treatment of dysentery in children with a combination of monomycin and *Eleutherococcus*. *Antibiotiks*, 23(7):633-636. [Article in Russian]
- Vereshchagin IA, Geskina OD, Bukhteeva RR, 1982. Increasing of antibiotic therapy-efficacy with adaptogens in children suffering from dysentery and *Proteus* infections. *Antibiotiks*, 27:65-69. [Article in Russian]
- Vogt HH, 1981. *Eleutherococcus senticosus*, Konkurrent für Ginseng. *Naturwiss Rundschau*, 34: 305-306. [Article in German]
- Voskresensky ON, 1977. About connexion of adaptogenic and antioxydative action In: Adaptation and Adaptogens. Proceedings of the 2nd Symposium, May 1975, 91-96. [Article in Russian]
- Voskresensky ON, Devyatkina TA, Gumenyuk NA et al., 1986. The effect of *Eleutherococcus* and Ginseng on the development of free-radical pathology. In: New Data on *Eleutherococcus*: Proceedings of the 2nd International Symposium on *Eleutherococcus*, Moscow 1984. Vladivostok. 101-104. [Article in Russian]
- Wacker A, Eilmes HG, 1978. Virushemmung mit *Eleutherokokk* Fluid-Extrakt. *Erfahrungsheilkunde*, 27(6):346-351. [Article in German]
- Wacker A, 1983. Über die Interferon induzierende und immunstimulierende Wirkung von *Eleutherococcus*. *Erfahrungsheilkunde*, 32(6):339-343. [Article in German]
- Wacker A, Eichler A, Lodemann E, 1986. The molecular mechanism of virus inhibition by *Eleutherococcus*. In: New Data on *Eleutherococcus*: Proceedings of the 2nd International Symposium on *Eleutherococcus*, Moscow 1984. Vladivostok, 13-15. [Article in Russian]
- Wagner H, Heur YH, Obermeier A et al., 1982. Die DC und HPLC-Analyse der *Eleutherococcus* Droge. *Planta Med*, 44:193-198. [Article in German]

Wagner H, Proksch A, Riess-Maurer I et al., 1984. Immunostimulating polysaccharides (heteroglycans) of higher plants. Preliminary communication. *Arzneimittel-Forsch/Drug Res*, 34(6):659-661. [Article in German]

Wagner H, Proksch A, Riess-Maurer I et al., 1985. Immunostimulating of polysaccharides (heteroglycans) of higher plants. *Arzneimittel-Forsch/Drug Res*, 35(7):1069-1075. [Article in German]

Wagner H, Nörr H, Winterhoff H, 1992. Drugs with Adaptogenic Effects for strengthening the powers of resistance. *Zeitschrift für Phytotherapie*, 13:42-54.

Wagner H, Nörr H, Winterhoff H, 1994. Plant Adaptogens I. *Phytomedicine*, 1(1):63-76.

Wagner H, 1995. Immunostimulants and Adaptogens from Plants. In: Arnason, J. et al., *Phytochemistry of Medicinal Plants*. Plenum Press, New York, 1-18. Available at: http://books.google.co.uk/books?id=3UK8q5N40KIC&pg=PA1&dq=immunostimulants+and+adaptogens+from+plants&hl=lv&sa=X&ei=PWZvUuKiHcjdsb_7oCQBQ&ved=OCC4Q6AEwAA#v=onepage&q=immunostimulants%20and%20adaptogens%20from%20plants&f=false

Wang X, Hai CX, Liang X, Yu SX, Zhang W and Li YL, 2010. The protective effects of *Acanthopanax senticosus* Harms aqueous extracts against oxidative stress: role of Nrf2 and antioxidant enzymes. *J Ethnopharmacol*, 127(2):424-432.

Watanabe K, Kamata K, Sato J and Takahashi T, 2010. Fundamental studies on the inhibitory action of *Acanthopanax senticosus* Harms on glucose absorption. *J Ethnopharmacol*, 132(1):193-199.

Wichtl M, 2009. *Eleutherococci radix*. Taigawurzel. *Teedrogen und Phytopharmaka*, 5:235-239.

Wiegant FA, Surinova S, Ytsma E, Langelaar-Makkinje M, Wikman G, Post JA, 2009. Plant adaptogens increase lifespan and stress resistance in *C. elegans*. *Biogerontology* 10(1):27-42.

Wikman G, 1980. Research conducted on the effects of *Eleutherococcus senticosus* Maxim. Swedish Herbal Institute. Gothenburg, 9.

Wikman G, 1981. The healing effect of combined *Eleutherococcus* antibiotic treatment on experimentally induced chronic radiation sickness. In: *The use of Russian root in preventative medicine in industry*. Swedish Herbal Institute. Gothenburg, 26-28.

Wikman G, 1986. *Eleutherococcus* as a model for soft-acting drugs. In: *New Data on Eleutherococcus: Proceedings of the 2nd International Symposium on Eleutherococcus, Moscow 1984*. Vladivostok, 52-59. [Article in Russian]

Wildfeuer A, Mayerhofer D, 1994. The effects of plant preparations on cellular functions in body defense. *Arzneimittelforsch*, 44(3):361-366. [Article in German]

Williams M, 1993. *Eleutherococcus senticosus*: The use of biological response modifiers in oncology. *Br J Phytother*, 3(1):32-37.

Williams M, 1995. Immuno-protection against herpes simplex type II infection by *Eleutherococcus* root extract. *Int J Alt Comp Med*, 13:9-12.

Williamson EM, 2003. Drug interactions between herbal and prescription medicines. *Drug Saf*, 26(15):1075-1092.

Willuhn G, 2003. *Eleutherococcus senticosus*: Lieferant der Taigawurzel. *Z Phytother*, 24:299-306.

Winston D, Maimes S, 2007. Eleuthero. In: *Adaptogens. Herbs for strength, stamina, and stress relief*. *Healing Arts Press*, 157-161.

Winther K, Ranlov C, Rein E et al., 1997. Russian root (Siberian ginseng) improves cognitive functions in middle-aged people, whereas Ginkgo biloba seems effective only in the elderly. *J Neurol Sciences*, 150: 90. [Abstract]

Winterhoff H, Meisel ML, Vahlensieck U, Nörr H, Wagner H, 1993a. *Pharm Pharmacol Lett*, 3: 95–98.

Winterhoff H, Gumbinger HG, Vahlensieck U, Streuer M, Nörr H, Wagner H, 1993b. *Pharm Pharmacol Lett*, 3: 99–102.

Yamazaki T, Shimosaka S, Sasaki H, Matsumura T, Tukiya T, Tokiwa T, 2007. (+)-Syringaresinol-di-O-beta-D-glucoside, a phenolic compound from *Acanthopanax senticosus* Harms, suppresses proinflammatory mediators in SW982 human synovial sarcoma cells by inhibiting activating protein-1 and/or nuclear factor-kappaB activities. *Toxicol In Vitro*, 21(8): 1530-1537.

Yamazaki T and Tokiwa T, 2010. Isofraxidin, a coumarin component from *Acanthopanax senticosus*, inhibits matrix metalloproteinase-7 expression and cell invasion of human hepatoma cells. *Biol Pharm Bull*, 33(10): 1716-1722.

Yi JM, Kim MS, Seo SW, Lee KN, Yook CS, Kim HM, 2001. *Acanthopanax senticosus* root inhibits mast cell-dependent anaphylaxis. *Clin Chim Acta*, 312(1-2): 163-168.

Yonezawa M et al., 1989. Radiation protection by Shigoka extract on split dose irradiation in mice. *J Radiation Res*, 30(3): 247-254.

Yun-Choi HS, Kim JH, Lee JR, 1987. Potential inhibitors of platelet aggregation from plant sources III. *J Nat Prod*, 50(6): 1059-1064.

Zhang XL, Ren F, Huang W, Ding RT, Zhou QS, Liu XW, 2010. Anti-fatigue activity of extracts of stem bark from *Acanthopanax senticosus*. Physical Education College, Zhengzhou University, Zhengzhou 450044, *China Molecules*, 16(1): 28-37.

Zhang N, Van Crombruggen K, Holtappels G and Bachert C, 2012. A Herbal Composition of *Scutellaria baicalensis* and *Eleutherococcus senticosus* Shows Potent Anti- Inflammatory Effects in an Ex Vivo Human Mucosal Tissue Model. *Evid Based Complement Alternat Med*, 673145.

Zotova MI, 1966. Comparative characteristic of the stimulant and adaptogenic effects of *Rhodiola* and *Eleutherococcus* extracts. *Central Nervous System Stimulants*. Tomsk, 1: 67-71. [Article in Russian]

Zykov, Protasova, 1986. Prospects of immunostimulating vaccination against influenza including the use of *Eleutherococcus* and other preparations of plant origin. In: *New Data on Eleutherococcus*:

WHO monographs on selected medicinal plants, Vol. 2, 2002. *Radix Eleutherococci*. World Health Organization. Geneva, 83-96.

Other consulted bibliographic documentation:

Barenboim GM, Sterlina AG, Fisenko AP et al., 1984. Studies of Natural Killers Activators with *Eleutherococcus* extract. In: 2nd International Symposium on *Eleutherococcus*. All-Union Cancer research center. Moskow. [Article in Russian]

Boon-Niermeijer EK, van den Berg A, Wikman G et al., 2000. Phyto adaptogens protect against environmental stress induced death of embryos from the freshwater snail *Lymnaea stagnalis*. *Phytomedicine*, 7: 389-399.

Brekhman II, Kirillov OI, 1969a. Effect of Eleutherococcus on the alarm-phase of stress. Life Sciences. part I: *Physiology and Pharmacology*; 8(3):113-121.

Brekhman II, Dardymov IV, 1970a. The analysis of mechanism of physical endurance increase under the effect of Eleutherococcus and dibazole. Medicines of the Soviet Far East. Khabarovsk, 10:20-21. [Article in Russian].

Brekhman II, 1974. Eleutherococcus ein wirksames und unschadliches Starkungs-mittel. Ostwestkonsum, (11):58-60.

Bu Y, Kwon S, Kim YT, Kim MY, Choi H, Kim JG, Jamarkattel-Pandit N, Dore S, Kim SH and Kim H, 2010. Neuroprotective effect of HT008-1, a prescription of traditional Korean medicine, on transient focal cerebral ischemia model in rats. *Phytother Res*, 24(8):1207-1212.

Bykhovtsova TL, Polozhentseva MI, 1966. On the question of the effect of Eleutherococcus on certain metabolic processes. In: Brekhman II, ed.: The final results of Eleuterococcus studies in the USSR, 50-51. [Article in Russian]

Dardymov, IV, Khasina EI, 1972b. Effect of Ginseng and Eleutherococcus glycosides on hexoquinase activity. Medicines of the Soviet Far East, Vladivostok, 11: 56-59. [Article in Russian]

Filaretov AA, Bogdanova TS, Mityushov MI et al., 1986. Effect of adaptogens on the activity of the pituitary-adrenocortical system in rats. *Biull Eksp Biol Med*, 101(5):573-574. [Article in Russian]

Garkavi LKh, Kvakina EB, 1986. The use of Eleutherococcus for obtaining adaptation reactions of training and activation in prophylaxis and therapy. In: New Data on Eleutherococcus: Proceedings of the 2nd International Symposium on Eleutherococcus, Moscow 1984. Vladivostok, 197-200. [Article in Russian].

Golikov AP, 1966a. Cholesterol synthesis in the small intestine of rabbits and the effect of Eleutherococcus during a five-day cholesterol load. In: Brekhman II, ed. Eleutherococcus and other adaptogens among the Far Eastern plants. Vladivostok, 7:63-65. [Article in Russian]

Gubchenko PP, Fruentov NK, 1981. A comparative study of stimulating effect of adaptogenic agents prepared from some far-eastern plants. In: New Data on Eleutherococcus and other adaptogens. Vladivostok, 18-25. [Article in Russian]

Gubchenko PP, 1986b. Influence of some plant adaptogens on labour rehabilitation after forced weight reduction. In: New Data on Eleutherococcus: Proceedings of the 2nd International Symposium on Eleutherococcus, Moscow 1984. Vladivostok. 179-182. [Article in Russian]

Iljuchenok RY, Chaplygina SR, 1972. Effect of Eleutherococcus preparations on mice memory. Medicines of the Soviet Far East. Vladivostok, 11:83-85. [Article in Russian]

Khatiashvili TM, 1966. Experience of liquid Eleutherococcus extract application in the complex treatment of patients with labial and oral cavity cancer. In: Brekhman II, ed. Eleutherococcus and other adaptogens among the Far Eastern Plants. Vladivostok, 7:237-241. [Article in Russian]

Kozlov VK, 1986. Motivation of metabolic therapy using 'energy' complexes and Eleutherococcus preparations for improving adaptation disorders in children. In: New Data on Eleutherococcus: Proceedings of the 2nd International Symposium on Eleutherococcus, Moscow 1984. Vladivostok, 204-207. [Article in Russian]

Lazarev NV, 1962. Actual problems on the studies of the adaptogens action, particularly preparations of Eleutherococcus. In: Symposium on Ginseng and Eleutherococcus. 10th meeting on investigations of Ginseng and other medicinal plants of Far East. Vladivostok, 7-14. [Article in Russian]

Oleynichenko VF, 1966. Effect of Eleutherococcus and Rhodiola rosea extracts on hearing of employers of Tomsk electrochemical factory and pilots at Tomsk International Airport. Central Nervous System Stimulants. Tomsk, 1:124-127. [Article in Russian]

Panossian A, Gabrielian E, Wagner H, 1997. Plant Adaptogens II. Bryonia as an adaptogen. *Phytomedicine*, 4(1):85-99.

Panossian A, Gabrielian E, Wagner H, 1997. Plant Adaptogens II. Bryonia as an adaptogen. *e*, 6(3):147-155.

Panossian A, Gabrielian E, Wagner H, 1999a. On the mechanism of action of plant adoptogens with particular reference to Cucurbitacin R diglucoside, *Phytomedicine*, 6(3):147-155.

Sobkowich LN, 1970. Effect of Eleutherococcus on work capacity in children with disappearing forms of lung tuberculosis. Medicines of the Soviet Far East. Khabarovsk, 10:82-84. [Article in Russian]