



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

2 February 2016
EMA/HMPC/278090/2015
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Equisetum arvense* L. herba

Final

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Agustin-Ubide MP, Martinez-Cócera C, Alonso-Llamazares A, Robledo T, Lombardero M, Dominguez J, *et al.* Diagnostic approach to anaphylaxis by carrot, related vegetables and horsetail (*Equisetum arvense*) in a homemaker. *Allergy* 2004, 59(7):786-787

Alexandru V, Necula R, Ghita G, Gaspar A, Toma A, Tatia R, *et al.* Evaluation of four traditional Romanian medicinal plants as wound healing agents. *Planta Medica* 2011, 77:1317

Alexandru V, Petrusca DN, Gille E. Investigation of pro-apoptotic activity of *Equisetum arvense* L. water extract on human leukemia U 937 cells. *Romanian Biotechnological Letters* 2007, 12:3139-3147

Andrade Cetto A, Wiedenfeld H, Revilla MC, Sergio IA. Hypoglycemic effect of *Equisetum myriochaetum* aerial parts on streptozotocin diabetic rats. *Journal of Ethnopharmacology* 2000, 72(1/2):129-133

Anton R, Patri F, Silano V, editors. Plants in cosmetics: Plants and plant preparations used as ingredients for cosmetic products. Vol 2. 1st ed. Council of Europe Publishing 2001, 125-126

Aswal BS, Bhakuni DS, Goel AK, Kar K, Mehrotra BN. Screening of Indian Plants for Biological Activity. Part XI. *Indian Journal of Experimental Biology* 1984, 22(9):487-504

Baracho NC, Vicente BB, Arruda GD, Sanches BC, Brito Jd. Study of acute hepatotoxicity of *Equisetum arvense* L. in rats. *Acta Cirúrgica Brasileira* 2009, 24(6):449-453

Belkin M, Fitzgerald DB, Felix MD. Tumor-damaging capacity of plant materials: II. Plants used as diuretics. *Journal of the National Cancer Institute* 1952, 13(3):741-744

Bessa Pereira C, Gomes PS, Costa-Rodrigues J, Almeida Palmas R, Vieira L, Ferraz MP, *et al.* *Equisetum arvense* hydromethanolic extracts in bone tissue regeneration: in vitro osteoblastic modulation and antibacterial activity. *Cell proliferation* 2012, 45(4):386-396

Bézanger-Beauquesne L, Pinkas M, Torck M. Les plantes dans la thérapeutique moderne. Maloine SA, 1986, 199-200



- Bézanger-Beauquesne L, Pinkas M, Torck M, Trotin F. Plantes médicinales des régions tempérées. 2th ed. Maloine SA 1990, 18
- BHMA. A guide to traditional herbal medicines: A Sourcebook of accepted traditional uses of medicinal plants within Europe. British Herbal Medicine Association, Bristol 2003, 134
- Blaschek W, Hilgenfeldt U, Holzgrabe U, Reichling J, Ruth P, Schulz V, editors. HagerROM 2013: Hagers Enzyklopädie der Drogen und Arzneistoffe. Version 10.5. Springer-Verlag, Berlin Heidelberg 2013
- Blumenthal M, Busse WR, Goldberg A, Gruenwald J, Hall T, Riggins W, editors. The Complete German Commission E Monographs. American Botanical Council, Austin Texas 1998, 150-151
- Boulos A, Broadwater K, Bouserhal C. A deadly game of horsetail: A case report of *Equisetum arvense* toxicity in adult female. *American Journal of Respiratory and Critical Care Medicine* 2011, 183(1):3875
- Bradley PR, editor. British Herbal Compendium. Vol 1. British Herbal Medicine Association, Bournemouth 1992, 92-94
- Braun R, editor. Standardzulassungen für Fertigarzneimittel. Schachtelhalmkraut. DAV Stuttgart Govi Verlag GmbH, Frankfurt 2004
- Breitwieser K. Versuche über die Brauchbarkeit von Herba Equiseti als Diuretikum. *Archiv der Pharmazie* 1939, 277:53-61
- British Herbal Pharmacopoeia. British Herbal Medicinal Association, Bournemouth 1976, 75
- British Herbal Pharmacopoeia. 4th ed. British Herbal Medicinal Association, Exeter 1996, 76
- Bye R, Thingstad SF, Paulsen BS. Horsetail (*Equisetum* spp.) as a source of silicon supplement in human nutrition - a myth? *Journal of Herbs, Spices & Medicinal Plants* 2010, 16(2):119-125
- Cahier No 3 de l'Agence du Médicament: Médicaments à base de plantes. Agence du Médicament, Paris 1998, 1-88
- Canadanovic-Brunet JM, Cetkovic GS, Djilas SM, Tumbas VT, Savatovic SS, Mandic AI, *et al.* Radical scavenging and antimicrobial activity of horsetail (*Equisetum arvense* L.) extracts. *International Journal of Food Science & Technology* 2009, 44(2):269-278
- Carneiro DM, Freire RC, Honório TC, Zoghaib I, Cardoso FF, Tresvenzol LM, *et al.* Randomized, double-blind clinical trial to assess the acute diuretic effect of *Equisetum arvense* (field horsetail) in healthy volunteers. *Evidence-based Complementary and Alternative Medicine* 2014: 760683
- Cetojević-Simin DD, Canadanović-Brunet JM, Bogdanović GM, Djilas SM, Cetković GS, Tumbas VT, *et al.* Antioxidative and antiproliferative activities of different horsetail (*Equisetum arvense* L.) extracts. *Journal of medicinal Food* 2010, 13(2):452-459
- Ceyhan N, Keskin D, Ugur A. Antimicrobial activities of different extracts of eight plant species from four different family against some pathogenic microorganisms. *Journal of Food, Agriculture & Environment* 2012, 10:193-197
- Cow D. Einige Studien über Diurese. *Archiv für experimentelle Pathologie und Pharmakologie* 1912, 69:393-411
- de Oliveira JR, de Castro VC, das Graças Figueiredo Vilela P, Camargo SE, Carvalho CA, Jorge AO, *et al.* Cytotoxicity of Brazilian plant extracts against oral microorganisms of interest to dentistry. *BMC Complementary and Alternative Medicine* 2013, 13:208

- Do Monte FH, Dos Santos JG Jr, Russi M, Lanziotti VM, Leal LK, Cunha GM. Antinociceptive and anti-inflammatory properties of the hydroalcoholic extract of stems from *Equisetum arvense* L. in mice. *Pharmacological Research* 2004, 49(3):239-243
- Dorsch W, Loew D, Meyer-Buchtela E, Schilcher H. Equiseti herba (Schachtelhalmkraut) 5.23. Kinderdosierungen von Phytopharmaka. Kooperation Phytopharmaka GbR, Bonn 1998, 56-57
- Dos Santos JG Jr, Blanco MM, Do Monte FH, Russi M, Lanziotti VM, Leal LK, *et al.* Sedative and anticonvulsant effects of hydroalcoholic extract of *Equisetum arvense*. *Fitoterapia* 2005a, 76(6):508-513
- Dos Santos JG Jr, Do Monte FH, Blanco MM, Lanziotti VM, Maia FD, Leal LK. Cognitive enhancement in aged rats after chronic administration of *Equisetum arvense* L. with demonstrated antioxidant properties in vitro. *Pharmacology Biochemistry and Behaviour* 2005b, 81(3):593-600
- Duke JA. Handbook of medicinal herbs. CRC Press, Boca Raton, Florida 1985, 178-179, 519, 555
- Duke JA. Handbook of medicinal herbs. 2nd ed. CRC Press, Boca Raton, Florida 2002, 391-392
- EB 6. Ergänzungsbuch zum Deutschen Arzneibuch (EB 6). 6th ed. Deutscher Apotheker Verlag, Stuttgart 1953, 244-245
- EFSA (European Food Safety Authority). Scientific opinion on the substantiation of health claims related to *Equisetum arvense* L. and invigoration of the body (ID 2437), maintenance of skin (ID 2438), maintenance of hair (ID 2438), maintenance of bone (ID 2439), and maintenance or achievement of a normal body weight (ID 2783) pursuant to Article 13 of Regulation (EC) No 1924/2006. *EFSA Journal* 2009, 7(10):article 1289
- European Pharmacopoeia 8th ed. Equisetum Stem - Equiseti herba. Council of Europe. 04/2012:1825; 1237-1238
- Fabre B, Geay B, Beaufile P. Thiaminase activity in *Equisetum arvense* and its extracts. *Plantes médicinales et phytothérapie* 1993, 26(3):190-197
- Frohne D, Pfänder HJ. A colour atlas of poisonous plants. A Wolfe Science Book 1984, 103-104
- Garnier G, Bezanger-Beauquesne L, Debraux G. Ressources médicinales de la flore française. Vigot Freres impr. Jouve, Paris 1961, 90-91
- Geetha RV, Lakshmi T, Roy A. In vitro evaluation of anti-bacterial activity of *Equisetum arvense* Linn on urinary tract pathogens. *International Journal of Pharmacy and Pharmaceutical Sciences* 2011, 3:323-325
- Goun EA, Petrichenko VM, Solodnikov SU, Suhinina TV, Kline MA, Cunningham G, *et al.* Anticancer and antithrombin activity of Russian plants. *Journal of Ethnopharmacology* 2002, 81(3):337-342
- Graefe EU, Veit M. Urinary metabolites of flavonoids and hydroxycinnamic acids in humans after application of a crude extract from *Equisetum arvense*. *Phytomedicine* 1999, 6:239-246
- Grases F, Melero G, Costa-Bauzá A, Prieto R, March JG. Urolithiasis and phytotherapy. *International Urology and Nephrology* 1994, 26(5):507-511
- Guerin JC, Reveillere HP. Activité antifongique d'extraits végétaux à usage thérapeutique. I. Etude de 41 extraits sur 9 souches fongiques. [Antifungal Activity of Plant Extracts in Therapy. I. Study of 41 extracts against 9 fungal species.] *Annales Pharmaceutiques Françaises* 1984, 42(6):553-559
- Hager H, Blaschek W, Ebel S, Hackenthal E, editors. Equisetum. HagerROM 2003: Hagers Handbuch der Drogen und Arzneistoffe. Version 3. Springer Medizin Verlag, Heidelberg 2003

- Hamon NW, Awang DV. Horsetail. *Canadian Pharmaceutical Journal* 1992, 125:399-401
- Hänzel R, Keller K, Rimpel H, Schneider G, editors. Hagers Handbuch der Pharmazeutischen Praxis. Drogen E-O. Vol 5. 5th ed. Springer Verlag, Berlin 1993, 64-69
- Harkness R, Bratman S. Mosby's Handbook of drug-herb and drug-supplement interactions. Mosby 2002, 163-164
- Hayat A, Temamogullari F, Yilmaz R, Karabulut O. Effect of *Equisetum arvense* on wound contraction of full-thickness skin wounds in rabbits. *Journal of Animal and Veterinary Advances* 2011, 10(1):81-83
- Health Canada. Natural Health Products Ingredients Database. *Equisetum arvense*, 2014. Available at: <http://webprod.hc-sc.gc.ca/nhp/nd-bdipsn/ingredReq.do?id=6117&lang=eng> Accessed 12/05/2015
- Health Canada. Multi-vitamin /mineral supplement monograph, 2007. Silicon, 15-17. Available at: <http://webprod.hc-sc.gc.ca/nhp/nd-bdipsn/ingredReq.do?id=816&lang=eng> Accessed 18/05/2015
- Heisey RM, Gorham BK. Antimicrobial Effects of Plant Extracts on *Streptococcus mutans*, *Candida albicans*, *Trichophyton rubrum* and other micro-organisms. *Letters in Applied Microbiology* 1992, 14(4):136-139
- Henderson JA, Evans EV, McIntosh RA. The antithiamine action of *Equisetum*. *Journal of the American Veterinary Medical Association* 1952, 120(903): 375-378
- Herbal Medicines: Horsetail. Available at: <https://www.medicinescomplete.com/mc/herbals/2011/HBL216234.htm> Accessed 18/05/2015
- Herre E. Die diuretische Wirkung der in Naturheilkunde und Volksmedizin angewandten harntreibenden Mittel. *Archiv für experimentelle Pathologie und Pharmakologie* 1937, 184: 710-715
- Hoppe HA. *Equisetum*. Drogenkunde. 8th ed. Walter de Gruyter Verlag, Berlin 1975, 173-175
- Husson GP, Vilagines R, Delaveau P. Recherche de propriétés antivirales de quelques extraits d'origine naturelle. [Research into the antiviral properties of a few natural extracts.] *Annales Pharmaceutiques Françaises* 1986, 44(1):41-48
- Jaretzky R, Breitwieser K, Neuwald F. Diureseversuche mit Kieselsäure und Kieselsäuredrogen an Ratten. *Archiv der Pharmazie* 1938, 276:552-559
- Jean-Blain C, Grisvard M. Plantes vénéneuses-toxicologie. La Maison Rustique, 1973, 20-21
- Joksić G, Stanković M, Novak A. Antibacterial medicinal plants *Equiseti herba* and *Ononidis radix* modulate micronucleus formation in human lymphocytes in vitro. *Journal of Environmental Pathology, Toxicology and Oncology* 2003, 22(1): 41-48
- Katalinic V, Milos M, Kulisic T, Jukic M. Screening of 70 medicinal plant extracts for antioxidant capacity and total phenols. *Food Chemistry* 2006, 94(4):550-557
- Kınçalp S, Ekiz F, Basar Ö, Coban S, Yüksel O. *Equisetum arvense* (field horsetail)-induced liver injury. *European Journal of Gastroenterology & Hepatology* 2012, 24(2):213-214
- Kolettis TM, Oikonomou G, Novas I, Sideris DA. Transient complete atrioventricular block associated with herb intake. *Europace* 2005, 7(3):225-226
- Kommission E (German Commission E). *Equiseti herba*, Schachtelhalmkraut. *Bundesanzeiger* 1986, 173:13284
- Kreitmair H. Pharmakologische Versuche mit einigen einheimischen Pflanzen. *Merck's Jahresbericht* 1936, 50:103-110

- Kreitmair H. *Equisetum arvense* - der Ackerschachtelhalm. *Pharmazie* 1953, 3:298-300
- Kukric Z, Topalic-Trivunovic L, Pavicic S, Zabic M, Matos S, Davidovic A. Total phenolic content, antioxidant and antimicrobial activity of *Equisetum arvense* L. *Chemical Industry & Chemical Engineering Quarterly* 2013, 19(1):37-43
- Kumar A, Kaushik P. Antibacterial effect of *Equisetum arvense* L. *Asian Journal of Biological Sciences* 2011, 6(2):184-187
- Länger R. Eine südamerikanische Heilpflanze, wissenschaftlich erforscht. *Uncaria tomentosa* (Willd.) DC., Katzenkralle. *Österreichische Apothekerzeitung* 2002;56(4):168-171 Langhammer AJ, Nilsen OG. In vitro inhibition of human CYP1A2, CYP2D6, and CYP3A4 by six herbs commonly used in pregnancy. *Phytotherapy Research* 2014, 28(4):603-610
- Lemus I, García R, Erazo S, Peña R, Parada M, Fuenzalida M. Diuretic activity of an *Equisetum bogotense* tea (Platero herb): evaluation in healthy volunteers. *Journal of Ethnopharmacology* 1996, 54:55-58
- Lovkova MY, Shelepova OV, Sokolova SM, Sabirova NS, Rabinovich AM. Selenium in medicinal plants of the Russian flora. *Biology Bulletin of the Russian Academy of Sciences* 1993, 20(6):669-673
- Madaus G. Lehrbuch der biologischen Heilmittel. Vol 2. Georg Olms Verlag, Hildesheim New York 1976 (reprint of Madaus G. Lehrbuch der biologischen Heilmittel. Georg Thieme Verlag, Leipzig 1938), 1267-1278
- Maeda H, Miyamoto K, Sano T. Occurrence of dermatitis in rats fed a cholesterol diet containing field horsetail (*Equisetum arvense* L.). *Journal of Nutritional Science and Vitaminology* 1997, 43(5):553-563
- Martindale. The Extra Pharmacopoeia. *Equisetum*. 27th ed. Pharmaceutical Society of Great Britain, London 1977, 1754
- Martindale. The Complete Drug Reference. *Equisetum*. 2013. Available at: <https://www.medicinescomplete.com/mc/martindale/2009/12699-v.htm> Accessed 18/05/2015
- Meyer U, Staiger K, Seitz A. "Rechnen Sie auf die Kieselsäure" – Pharmazeutische Gesichtspunkte zu einer möglichen Optimierung der *Equisetum*-Therapie. ['Do count on the silica' (i) - Pharmaceutical aspects of possible optimization of *Equisetum* therapy.] *Merkurstab* 2012, 65(2):112-116
- Mills S, Bone K. The essential guide to herbal safety. Elsevier, Churchill Livingstone 2005, 476-478
- Milovanović V, Radulović N, Todorović Z, Stanković M, Stojanović G. Antioxidant, antimicrobial and genotoxicity screening of hydro-alcoholic extracts of five serbian *Equisetum* species. *Plant foods for human nutrition* 2007, 62(3):113-119
- Nagai T, Myoda T, Nagashima T. Antioxidative activities of water extract and ethanol extract from field horsetail (tsukushi) *Equisetum arvense* L. *Food Chemistry* 2005, 91(3):389-394
- Oh H, Kim DH, Cho JH, Kim YC. Hepatoprotective and free radical scavenging activities of phenolic petrosins and flavonoids isolated from *Equisetum arvense*. *Journal of Ethnopharmacology* 2004, 95(2-3):421-424
- Ortega García JA, Angulo MG, Sobrino-Najul EJ, Soldin OP, Mira AP, Martínez-Salcedo E, et al. Prenatal exposure of a girl with autism spectrum disorder to 'horsetail' (*Equisetum arvense*) herbal remedy and alcohol: A case report. *Journal of Medical Case Reports* 2011, 5:129
- Ozay Y, Kasim Cayci M, Guzel-Ozay S, Cimbiz A, Gurlek-Olgun E, Sabri Ozyurt M. Effects of *Equisetum arvense* ointment on diabetic wound healing in rats. *Wounds* 2013, 25(9):234-241

- Paris RR, Moysse H. *Precis de matière médicale*. 2nd ed. Masson, 1976, 376-378
- Patri G, Silano V. *Plant preparations used as ingredients of cosmetic products*. 1st ed. Council of Europe Press 1989, 142-143
- Perazella MA. Drug induced hyperkalemia – the reply. *The American Journal of Medicine* 2002, 112(4):334-335
- Pérez Gutiérrez RM, Laguna GY, Walkowski A. Diuretic activity of Mexican equisetum. *J Ethnopharmacol* 1985, 14(2/3):269-272
- Pharmacopoea Helvetica. *Equiseti herba*. Verlag Eidgenössische Drucksachen und Materialzentrale, Bern 1971, 691-692
- Pohl RW. Toxicity of ferns and Equisetum. *American Fern Journal* 1955, 45(3):95-97
- Pyeovich D, Bogenschütz MP. Herbal diuretics and lithium toxicity. *The American Journal of Psychiatry* 2001, 158:1329
- Rafsanjany N, Lechtenberg M, Peterreit F, Hensel A. Antiadhesion as a functional concept for protection against uropathogenic *Escherichia coli*: In vitro studies with traditionally used plants with antiadhesive activity against uropathogenic *Escherichia coli*. *Journal of Ethnopharmacology* 2013, 145:591-597
- Rapp WF. The toxicity of Equisetum. *American Fern Journal* 1954, 44(4):148-154
- Rebuelta M, San Roman L. Study of the diuretic effect of *Equisetum arvense* L. *Anales del Instituto Botanico A.J. Cavanilles* 1978, 34:703–714
- Revilla MC, Andrade-Cetto A, Islas S, Wiedenfeld H. Hypoglycemic effect of *Equisetum myriochaetum* aerial parts on type 2 diabetic patients. *Journal of Ethnopharmacology* 2002, 81(1):117-120
- Rezaie A, Ahmadzadeh C, Mosavi G, Nazeri M, Jafari B, Ebadi R. Comparative Study of sedative, pre-anesthetic and anti-anxiety effects of *Equisetum arvense* extract compared with diazepam on rats. *Australian Journal of Basic and Applied Sciences* 2011, 5(10):786-789
- Saint-Paul A. La composition élémentaire de quelques *Equisetum* médicaux. *Plantes médicinales et phytothérapie* 1980, 14(2):73-82
- Samoilova Z, Muzyka N, Lepekhina E, Oktyabrsky O, Smirnova G. Medicinal plant extracts can variously modify biofilm formation in *Escherichia coli*. *Antonie van Leeuwenhoek, International Journal of General and Molecular Microbiology* 2014, 105(4):709-722
- Sandhu NS, Kaur S, Chopra D. *Equisetum arvense*: Pharmacology and Phytochemistry - A Review. *Asian Journal of Pharmaceutical and Clinical Research* 2010, 3(3):146-150
- Schauss AG, Steels E. Preliminary evidence of the safety and efficacy of UroLogic (TM), an herbal formulation for the treatment of urinary incontinence and overactive bladder. *The FASEB Journal* 2006, 20:A990
- Schneider K, Kubelka W. Zur Hämolytischen Wirkung von Schachtelhalmkraut (Herba Equiseti). *Scientia Pharmaceutica* 1989, 57(3):214-215
- Scott IM, Leduc RI, Burt AJ, Marles RJ, Arnason JT, Foster BC. The inhibition of human cytochrome P450 by ethanol extracts of North American botanicals. *Pharmaceutical Biology* 2006, 44(5):315-327
- Sevior DK, Hokkanen J, Tolonen A, Abass K, Tursas L, Pelkonen O, et al. Rapid screening of commercially available herbal products for the inhibition of major human hepatic cytochrome P450 enzymes using the N-in-one cocktail. *Xenobiotica* 2010, 40(4):245-254

- Singh N, Kaur S, Bedi PM, Kaur D. Anxiolytic effects of *Equisetum arvense* Linn. extracts in mice. *Indian Journal of Experimental Biology* 2011, 49(5):352-356
- Sinha SN. In vitro antibacterial activity of ethanolic extract of *Equisetum arvense* L. *International Journal of Pharmaceutical and Biological Research* 2012, 3(1):19-21
- Soleimani S, Azarbaizani FF, Nejati V. The effect of *Equisetum arvense* L. (*Equisetaceae*) in histological changes of pancreatic beta-cells in streptozotocin-induced diabetic in rats. *Pakistan Journal of Biological Sciences* 2007a, 10(23):4236-4240
- Soleimani S, Fathallah F, Vahid N, Habib SS, Nabat N. Effect of *Equisetum arvense* L. (*Equisetaceae*) in microalbuminuria and creatinine excretion in streptozotocin-induced diabetes in male rats. *International Journal of Pharmacology* 2007b, 3(2):155-159
- Sparavigna A, Setaro M, Genet M, Frisenda L. *Equisetum arvense* in a new transungual technology improves nail structure and appearance. *Journal of Plastic Dermatology* 2006, 2(1):31-38
- Stajner D, Popović BM, Canadanović-Brunet J, Boza P. Free radical scavenging activity of three *Equisetum* species from Fruska gora mountain. *Fitoterapia* 2006, 77(7-8):601-604
- Sudan BJ. Seborrheic dermatitis induced by nicotine of horsetails (*Equisetum arvense* L.). *Contact Dermatitis* 1985, 13:201-202
- Suganda AG, Amoros M, Girre L, Fauconnier B. Inhibitory Effects of some crude and semi-purified extracts of plants indigenous to France on the replication of Human Herpes Virus 1 and Human Poliovirus 2 in cell culture. *Journal of Natural Products* 1983, 46(5):626-632
- Tago Y, Wei M, Ishii N, Kakehashi A, Wanibuchi H. Evaluation of the subchronic toxicity of dietary administered *Equisetum arvense* in F344 rats. *Journal of Toxicologic Pathology* 2010, 23(4):245-251
- Trouillas P, Calliste CA, Allais DP, Simon A, Marfak A, Delage C, *et al.* Antioxidant, anti-inflammatory and antiproliferative properties of sixteen water plant extracts used in the Limousin countryside as herbal teas. *Food Chemistry* 2003, 80(3):399-407
- Uslu ME, Erdogan I, Bayraktar O, Ates M. Optimization of extraction conditions for active components in *Equisetum arvense* extract. *Romanian Biotechnological Letters* 2013, 18(2):8115-8131
- Van Hellefont J. Compendium de Phytotherapie. A.P.B., 1986, 144-146
- Veit M. Die Schachtelhalme (*Equisetaceae*). Objekte der Forschung und der Praxis. *Deutsche Apotheker Zeitung* 1987, 127(41):2049-2056
- Veit M. Probleme bei der Bewertung pflanzlicher Diuretika. Als Beispiel Schachtelhalmkraut DAB 10 (*Equiseti herba*). *Zeitschrift für Phytotherapie* 1994, 15:331-341
- Vollmer H. Untersuchungen über einige pflanzliche Diuretika. *Fortschritte der Therapie* 1941, 19:322-328
- Vollmer V, Hindemith H. Untersuchungen über die diuretische Wirkung von *Ononis spinosa* L. und *Equisetum arvense* L. an Kaninchen und Mäusen. *Archiv für experimentelle Pathologie und Pharmakologie* 1937, 186:565-573
- Vollmer H, Hübner K. Untersuchung über die diuretische Wirkung der *Fructus juniperi*, *Radix levistici*, *Radix ononidis*, *Folia betulae*, *Radix liquiritae* und *Herba equiseti* an Ratten. *Archiv für experimentelle Pathologie und Pharmakologie* 1937, 186:592-605
- Wachter R. Vergleichende Versuche über die diuretischen Wirkung einiger in der Volksmedizin gebräuchlicher Pflanzen. Dissertation, Gießen 1938

- Whiting PW, Clouston A, Kerlin P. Black cohosh and other herbal remedies associated with acute hepatitis. *Medical Journal of Australia* 2002, 177(8):440-443
- Wichtl M, Anton R. *Plantes thérapeutiques*. 2nd ed. Tec & Doc Lavoisier, 2003, 195-199
- Wichtl M. *Herbal drugs and Phytopharmaceuticals*. 3rd ed. MedPharm Scientific Publishers GmbH, Stuttgart 2004, 195-199
- Williamson EM. Interactions between herbal and conventional medicines. *Expert Opinion Drug Safety* 2005, 4(2):355-378
- Willuhn G. *Phytopharmaka in der Dermatologie*. *Zeitschrift für Phytotherapie* 1995, 16(6):325-342
- Wojnicz D, Kucharska AZ, Sokól-Letowska A, Kicia M, Tichaczek-Goska D. Medicinal plants extracts affect virulence factors expression and biofilm formation by the uropathogenic *Escherichia coli*. *Urological research* 2012, 40(6):683-697