



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

6 May 2026
EMA/HMPC/10133/2024
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Fragaria vesca* L.; *Fragaria moschata* Weston; *Fragaria viridis* Weston; *Fragaria x ananassa* (Weston) Duchesne ex Rozier, folium

Final – Revision 1

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Akerreta S, Caverro RY, Calvo MI. First comprehensive contribution to medical ethnobotany of western Pyrenees. J Ethnobiol Ethnomed 2007, 3:26 doi 10.1186/1746-4269-3-26. Available at: <http://www.ethnobiomed.com/content/3/1/26>

Akšić MF, Tosti T, Milivojević J, Meland M, Natić M. Comparison of sugar profile between leaves and fruits of blueberry and strawberry cultivars grown in organic and integrated production system. Plants 2019a, 8:205 doi 10.3390/plants8070205

Akšić MF, Zagorac DD, Sredojević M, Milivojević J, Gašić U, Meland M et al. Chemometric characterization of strawberries and blueberries according to their phenolic profile: combined effect of cultivar and cultivation system. Molecules 2019b, 24:4310 doi 10.3390/molecules24234310

Anderson DM, Rees DI, Wang T. The phenomenon of summer diarrhea and its waning, 1910–1930. Explor Econ Hist 2020, 78:101341 doi 10.1016/j.eeh.2020.101341

Blaschek W, Ebel S, Hackenthal E, Holzgrabe U, Keller K, Reichling J et al, editors. Hagers Handbuch der Drogen und Arzneistoffe. HagerROM 2006. Springer-Verlag, Berlin 2006

Bobowska M, Gobiec K, Grzęda W, Sadowski Z. Mały poradnik terapeutyczny. Państwowy Zakład Wydawnictw Lekarskich, Warszawa 1977, 73-74

Borah M, Ahmed S, Das S. A comparative study of the antibacterial activity of the ethanolic extracts of Vitex negundo L., Fragaria vesca L., Terminalia arjuna and Citrus maxima. Asian J Pharm Biol Res 2012, 2(3):183-187

Buricova L, Andjelkovic M, Reblova Z, Jurcek O, Kolehmainen E, Verhe R et al. Antioxidant capacities and antioxidants of strawberry, blackberry and raspberry leaves. Czech J Food Sci 2011, 29:181-189



- Buricova L, Reblova Z. Czech medicinal plants as possible sources of antioxidants. Czech J Food Sci 2008, 26(2):132-138
- Caceres A, Giron LM, Martinez AM. Diuretic activity of plants used for the treatment of urinary ailments in Guatemala. J Ethnopharmacol 1987, 19:233-245
- Camejo-Rodrigues J, Ascensão L, Bonet MA, Vallès J. An ethnobotanical study of medicinal and aromatic plants in the natural park of Serra de São Mamede (Portugal). J Ethnopharmacol 2003, 89(2-3):199-209
- Commission E monograph on *Fragaria*. Bundesanzeiger 1990. Available at: <http://www.heilpflanzen-welt.de/1990-02-Fragariae-folium-Erdbeerblaetter> . Accessed November 2016
- Czapska-Pietrzak I, Studzińska-Sroka E, Bylka W. Ocena działania przeciwcukrzycowego ekstraktów otrzymanych z wybranych surowców roślinnych [Evaluation of antidiabetic activity of extracts obtained from selected plant materials]. Postępy Fitoterapii 2019, 3:167-174 [Polish]
- De Smet PAGM. Legislative outlook on the safety of herbal remedies. In: Adverse effects of herbal drugs 1993
- Dias IM, Barros L, Morales L, Sanchez-Mata MC, Oliveira BPP, Ferreira ICFR. Nutritional parameters of infusions and decoctions obtained from *Fragaria vesca* L. roots and vegetative parts. LWT Food Sci Technol 2015a, 62:32-38
- Dias MI, Barros L, Fernandes IP, Ruphuy G, Oliveira BPP, Santos-Buelga C et al. A bioactive formulation based on *Fragaria vesca* L. vegetative parts: chemical characterization and application in κ-carrageenan gelatin. J Funct Foods 2015b, 16:243-255
- Dragendorf G. Der verschiedenen Völker und Zeiten. Stuttgart: Ferdinand Enke 1898, 277
- Dyduch M, Najda A. Contents of secondary metabolites at various anatomical parts of three wild strawberry (*Fragaria vesca* L.) cultivars. Herba Polonica 2009, 55:147-152
- Dymowski W, Jackiewicz K. Ile ziół odmierzamy łyżką albo łyżeczką do przygotowania naparu? Zawartość substancji roślinnych w wybranych łyżkach i łyżeczkach używanych w ciągu ostatnich dekad. Almanach 2020, 15(3):47-57 [Polish]
- Ebbs JH. Summer diarrhoea. Canad MAJ 1957, 76:869-871
- Eriksson NE, Möller C, Werner S, Magnusson J, Bengtsson U, Zolubas M. Self-reported food hypersensitivity in Sweden, Denmark, Estonia, Lithuania and Russia. J Investig Allergol Clin Immunol 2004, 14(1):70-79
- Fecka I. Development of chromatographic methods for determination of agrimoniin and related polyphenols in pharmaceutical products. J AOAC Int 2009, 92(2):410-418
- Fecka I, Bednarska K, Włodarczyk M. *Fragaria x ananassa* cv. Senga Sengana leaf: an agricultural waste with antiglycation potential and high content of ellagitannins, flavonols and 2-pyrone-4,6-dicarboxylic acid. Molecules 2022, 27:5293 doi 10.3390/molecules27165293
- Gardner Z, McGuffin M. Botanical safety handbook. CRC Press, New York 2013, 374-375
- Gleńsk M, Dudek MK, Włodarczyk M, Fecka I. Triterpenoids from strawberry *Fragaria x ananassa* Duch. cultivar Senga Sengana leaves. Industrial Crops and Products 2021, 169:113668
- Goun EA, Petrichenko VM, Solodnikov SU, Suhinina TV, Kline MA, Cunningham G et al. Anticancer and antithrombin activity of Russian plants. J Ethnopharmacol 2002, 81(3):337-342

- Grattan CE, Harman RR. Contact urticaria to strawberry. *Contact Dermatitis* 1985, 13(3):191-192
- Gündüz K. Strawberry: phytochemical composition of strawberry (*Fragaria x ananassa*). Nutritional composition of fruit cultivars. Elsevier, 2016, 733-753
- Haffner S, Schultz O-E, Schmid W, Braun R. Normdosen gebräuchlicher Arzneistoffe und Drogen. Wissenschaftliche Verlagsgesellschaft, Stuttgart 2016
- Haghi G, Hatami A. Simultaneous quantification of flavonoids and phenolic acids in plant materials by a newly developed isocratic high-performance liquid chromatography approach. *J Agric Food Chem* 2010, 58(20):10812-10816
- Hampel D, Mosandl A, Wüst M. Biosynthesis of mono- and sesquiterpenes in strawberry fruits and foliage: 2H labeling studies. *J Agric Food Chem* 2006, 54(4):1473-1478
- Havlik J, Gonzalez de la Huebra R, Hejtmankova K, Fernandez J, Simonova J, Melich M et al. Xanthine oxidase inhibitory properties of Czech medicinal plants. *J Ethnopharmacol* 2010, 132(2):461-465
- Hänsel R, Keller K, Rimpler H, Schneider G, editors. Hagers Handbuch der Pharmazeutischen Praxis. Drogen E-O. Vol 5. Springer-Verlag, Berlin Heidelberg 1993, 184-185
- Hyun TK, Kim JS. Genomic identification of putative allergen genes in woodland strawberry (*Fragaria vesca*) and mandarin orange (*Citrus clementina*). *Plant Omics J* 2011, 4(7):428-434
- Ibrahim DZ, Abd El-Maksoud MAE. Effect of strawberry (*Fragaria x ananassa*) leaf extract on diabetic nephropathy in rats. *Int J Exp Pathol* 2015, 96:87-93
- Ivanov I, Petkova N, Denev P, Pavlov A. Polyphenols content and antioxidant activities in infusion and decoction extracts obtained from *Fragaria vesca* L. leaves. *Sci Bull Series F Biotechnol* 2015, 19:145-148
- Ivanov IG. Determination of biologically active substances with antioxidant potential in different extracts of *Fragaria vesca* L. leaves and flowers. *JPP* 2018, 7(5):2733-2737. Available at: www.phytojournal.com
- Jarić S, Popović Z, Mačukanović-Jocić M, Djurdjević L, Mijatović M, Karadžić B et al. An ethnobotanical study on the usage of wild medicinal herbs from Kopaonik Mountains (Central Serbia). *J Ethnopharmacol* 2007, 111:160-175
- Karlińska E, Masny A, Cieślak M, Macierzyński J, Pecio Ł, Stochmal A, Kosmala M. Ellagitannins in roots, leaves and fruits of strawberry (*Fragaria x ananassa* Duch.) vary with developmental stage and cultivar. *Sci Hortic* 2021, 275:109665 doi 10.1016/j.scienta.2020.109665
- Katalinic V, Milos M, Kulisic T, Jukic M. Screening of 70 medicinal plant extracts for antioxidant capacity and total phenols. *Food Chem* 2006, 94:550-557
- Kosch A. Handbuch der deutschen Arzneipflanzen. *Fragariae folium*. Springer, Berlin 1939, 153-154
- Lamaison JL, Carnat A, Petitjean-Freytet C. Teneur en tanins et activite inhibitrice de l'elastase chez les Rosaceae. *Ann Pharm Fr* 1990, 48(6):335-340
- Leporatti ML, Ivancheva S. Preliminary comparative analysis of medicinal plants used in the traditional medicine of Bulgaria and Italy. *J Ethnopharmacol* 2003, 87(2-3):123-142
- Liberal J, Francisco V, Costa G, Figueirinha A, Amaral MT, Marques C et al. Bioactivity of *Fragaria vesca* leaves through inflammation, proteasome and autophagy modulation. *J Ethnopharmacol* 2014, 158:113-122

- Liberal J, Costa G, Carmo A, Vitorino R, Marques C, Domingues MR et al. Chemical characterization and cytotoxic potential of an ellagitannin-enriched fraction from *Fragaria vesca* leaves. *Arabian J Chem* 2015, in press doi 10.1016/j.arabjc.2015.11.014
- Lundberg M, Töpel M, Eriksen B, Nylander JA, Eriksson T. Allopolyploidy in *Fragariinae* (Rosaceae): comparing four DNA sequence regions with comments on classification. *Mol Phylogenet Evol* 2009, 51(2):269-280
- Mabberley DJ. *Potentilla* and *Fragaria* (Rosaceae) reunited. *Telopea* 2002, 9(4):793-802
- Malheiros J, Simões DM, Antunes PE, Figueirinha A, Cotrim MD, Fonseca DA. Vascular effects of *Fragaria vesca* L. in human arteries. *Nat Prod Res* 2023, 37(22) doi 10.1080/14786419.2022.2152448. Available at: <https://doi.org/10.1080/14786419.2022.2152448>
- Mallier C, Creuzet E, Lambert C et al. Summer diarrhea in children: a monocentric French epidemiological observational study. *Sci Rep* 2023, 13:15078 doi 10.1038/s41598-023-42098-x. Available at: <https://doi.org/10.1038/s41598-023-42098-x>
- Maliníková E, Kukla J, Kuklová M, Balážová M. Altitudinal variation of plant traits: morphological characteristics in *Fragaria vesca* L. *Ann For Res* 2013, 56(1):79-89
- McCutcheon AR, Stokes RW, Thorson LM, Ellis SM, Hancock REW, Towers GHN. Anti-mycobacterial screening of British Columbian medicinal plants. *Int J Pharmacog* 1997, 35:77-83
- Medicinal plants and natural ingredients. International Trade Centre. Market Insider Quarterly Bulletin. Geneva 2015. Available at: <http://www.intracen.org/uploadedFiles/> Accessed 10 November 2016
- Mishra PK, Ram RB, Kumar N. Genetic variability and genetic advance in strawberry (*Fragaria x ananassa* Duch.). *Turk J Agric For* 2015, 39:451-458
- Moilanen J, Koskinen JP, Salminen P. Distribution and content of ellagitannins in Finnish plant species. *Phytochemistry* 2015, 116:188-197
- Mudnic I, Modun D, Brizic I, Vukovic J, Generalic I, Katalinic V et al. Cardiovascular effects in vitro of aqueous extract of wild strawberry (*Fragaria vesca* L.) leaves. *Phytomedicine* 2009, 16:462-469
- Najda A, Dyduch M. Chemical diversity within strawberry (*Fragaria vesca* L.) species. *Herba Polon* 2009a, 55(3):140-146
- Najda A, Dyduch M. Contents and chemical composition of essential oils from wild strawberry (*Fragaria vesca* L.). *Herba Polon* 2009b, 55:153-162
- Nedelcheva A, Pavlova D, Krasteva I, Nikolov S. Medicinal plants biodiversity and their resources of one serpentine site in the Rhodope Mountains (Bulgaria). *Natura Montenegr* 2010, 9:373-387
- Neves JM, Matos C, Moutinho C, Queiroz G, Gomes LR. Ethnopharmacological notes about ancient uses of medicinal plants in Trás-os-Montes (northern Portugal). *J Ethnopharmacol* 2009, 124(2):270-283
- Newton SM, Lau C, Wright CW. A review of antimycobacterial natural products. *Phytother Res* 2000, 14(5):303-322
- Oktyabrsky O, Vysochina G, Muzyka N, Samoilova Z, Kukushkina T, Smirnova G. Assessment of antioxidant activity of plant extracts using microbial test systems. *J Appl Microbiol* 2009, 106(4):1175-1183
- Olechnowicz-Stępień W, Lamer-Zarawska E. Rośliny lecznicze stosowane u dzieci. Państwowy Zakład Wydawnictw Lekarskich, Warszawa 1986, 124-125 [Polish]

- Oszmiański J, Wojdyło A, Gorzelany J, Kapusta I. Identification and characterization of low molecular weight polyphenols in berry leaf extracts by HPLC-DAD and LC-ESI/MS. *J Agric Food Chem* 2011, 59:12830-12835
- Ożarowski A, editor. *Ziołolecznictwo. Poradnik dla lekarzy*. Państwowy Zakład Wydawnictw Lekarskich, Warszawa 1976, 109-110 [Polish]
- Ożarowski A, Łańcucki J, Gąsiorowska K. *Leki roślinne. Informator*. Herbapol, Warszawa 1978, 122-123 [Polish]
- Österreichisches Arzneibuch. Erdbeerblätter – *Fragariae folium*. Amtliche Ausgabe ÖAB 2013/076, 2013, 281-284
- Pawlaczyk I, Czerchawski L, Pilecki W, Lamer-Zarawska E, Gancarz R. Polyphenolic-polysaccharide compounds from selected medicinal plants of Asteraceae and Rosaceae families: chemical characterization and blood anticoagulant activity. *Carbohydr Polym* 2009, 77:568-575
- Pawlaczyk I, Lewik-Tsirigotis M, Capek P, Matulová M, Sasinková V, Dąbrowski P et al. Effects of extraction condition on structural features and anticoagulant activity of *Fragaria vesca* L. conjugates. *Carbohydr Polym* 2013, 92(1):741-750
- Pereira FA, Santos T, Pereira SG, Amaral MT, Cardoso O, Batista MT. Activity of strawberry (*Fragaria vesca*) leaf phenolic extracts on metallo-beta-lactamase VIM-2 producers *Pseudomonas aeruginosa*. *Clin Microbiol Infect* 2012, 18(Suppl. 3):755-756
- Popović Z, Smiljanic M, Kostic M, Nijic P, Jankovic S. Wild flora and its usage in traditional phytotherapy (Deliblato Sands, Serbia, South East Europe). *Indian J Tradit Knowl* 2014, 13:9-35
- Raudonis R, Raudone L, Jakstas V, Janulis V. Comparative evaluation of post-column free radical scavenging and ferric reducing antioxidant power assays for screening of antioxidants in strawberries. *J Chromatogr A* 2012, 1233:8-15
- Robins-Browne RM, Still CS, Miliotis MD et al. Summer diarrhea in African infants and children. *Arch Dis Child* 1980, 55:923-928
- Rossoff IS. *Encyclopedia of clinical toxicology*. CRC Press, New York 2002, 1003
- Rousseau-Gueutin M, Gaston A, Ainouche A, Ainouche ML, Olbricht K, Staudt G et al. Tracking the evolutionary history of polyploidy in *Fragaria* L. (strawberry): new insights from phylogenetic analyses of low-copy nuclear genes. *Mol Phylogenet Evol* 2009, 51(3):515-530
- Sargent DJ, Davis TM, Simpson DW. Strawberry (*Fragaria* spp.) structural genomics. In: Folta KM, Gardiner SE, editors. *Genetics and genomics of Rosaceae*. Springer Science+Business Media, 2009
- Scheller B. *Untersuchungen zur Identitätsprüfung und Gehaltsbestimmung von Fragariae folium*. Thesis, Wien 2013
- Schneider W. *Pflanzliche Drogen. Sachwörterbuch zur Geschichte der pharmazeutischen Botanik Teil 2*. Govi Verlag, Frankfurt 1974
- Scholz E, Blaschek W, Hänsel R, Keller K, Reichling J, Rimpler H et al, editors. *Hagers Handbuch der pharmazeutischen Praxis. Drogen E-O. Vol 5*. Springer-Verlag, Berlin 1993, 181-188
- Schönfelder I, Schönfelder P. *Der neue Kosmos Heilpflanzenführer*. Franckh-Kosmos Verlag, 2004

Shikov AN, Narkevich IA, Akamova AV, Nemyatykh OD, Flisyuk EV, Luzhanin VG et al. Medical species used in Russia for the management of diabetes and related disorders. *Front Pharmacol* 2021, 12:697411 doi 10.3389/fphar.2021.697411

Skupień K, Oszmiański J, Kostrzewa-Nowak D, Tarasiuk J. In vitro antileukaemic activity of extracts from berry plant leaves against sensitive and multidrug resistant HL60 cells. *Cancer Lett* 2006, 236(2):282-291

Sneha S. Comparative evaluation of red raspberry and strawberry leaf extracts in the management of recurrent aphthous stomatitis – a randomized controlled study. PhD Thesis, Rajiv Gandhi University of Health Sciences, Bangalore 2019

Stafford HA, Lester HH. Procyanidins in green cell suspension cultures of Douglas fir compared with those in strawberry and avocado leaves by means of C18-reversed-phase chromatography. *Plant Physiol* 1980, 66:1085-1090

Staudt G. Über Fragen der phylogenetischen Entwicklung einiger Arten der Gattung *Fragaria*. *Der Züchter* 1951, 21(7/8):222-232

Šavikin K, Zdunić G, Menković N, Zivković J, Cujić N, Tereščenko M et al. Ethnobotanical study on traditional use of medicinal plants in South-Western Serbia, Zlatibor district. *J Ethnopharmacol* 2013, 146(3):803-810

Takács I, Szekeres A, Takács A, Rakk D, Mézes M, Polyák A, et al. Wild strawberry, blackberry, and blueberry leaf extracts alleviate starch-induced hyperglycemia in prediabetic and diabetic mice. *Planta Med* 2020, 86:790-799

Tunón H, Olavsdotter C, Bohlin L. Evaluation of anti-inflammatory activity of some Swedish medicinal plants. *J Ethnopharmacol* 1995, 48(2):61-76

Tuttolomondo T, Licata M, Leto C, Gargano ML, Venturella G, La Bella S. Plant genetic resources and traditional knowledge on medicinal use of wild shrub and herbaceous plant species in the Etna Regional Park (Eastern Sicily, Italy). *J Ethnopharmacol* 2014, 155:1362-1381

van Wyk B-E, Wink M. Medicinal plants of the world: an illustrated scientific guide to important medicinal plants and their uses. Timber Press, Portland 2004

van Wyk B-E, Wink M. *Fragaria vesca*. In: *Phytomedicines, herbal drugs*. University of Chicago Press, Chicago 2014

Vicas L, Jurca T, Marian E, Mureşan M. Formulation and characterization of extractive preparations of *Fragariae herba*. Evaluation of the diuretic effect. *Analele Universitatii din Oradea* 2015, 523-528

Wichtl M, Bisset NG, editors. *Fragariae folium* – wild strawberry leaf. In: *Herbal drugs and phytopharmaceuticals*. CRC Press, Stuttgart 1994, 206-207

Wichtl M, editor. *Herbal drugs and phytopharmaceuticals*. 4th ed. CRC Press, Boca Raton 2004, 220-221

Wilkes S, Glasl H. Isolation, characterization and systematic significance of 2-pyrone-4,6-dicarboxylic acid in Rosaceae. *Phytochemistry* 2001, 58:441-449

Wren RC. *Potter's new cyclopaedia of botanical drugs and preparations*. Health Science Press, Saffron Walden 1975

Wurzer W, editor. *Die grosse Enzyklopädie der Heilpflanzen*. Neuer Kaiser Verlag, Klagenfurt 1994

Yildirim AB, Turker AU. Effects of regeneration enhancers on micropropagation of *Fragaria vesca* L. and phenolic content comparison of field-grown and in vitro-grown plant materials by LC–ESI-MS/MS. *Sci Hort* 2014, 169:169-178

Zhang L, Ma Q, Zhou Y. Strawberry leaf extract treatment alleviates cognitive impairment by activating Nrf2/HO-1 signaling in rats with streptozotocin-induced diabetes. *Front Aging Neurosci* 2020, 12:201 doi 10.3389/fnagi.2020.00201

Zlatković B, Bogosavljević S, Radivojević A, Pavlović M. Traditional use of the native medicinal plant resource of Mt. Rtanj (Eastern Serbia): ethnobotanical evaluation and comparison. *J Ethnopharmacol* 2014a, 151:704-713

Zlatković B, Bogosavljević S. Taxonomic and pharmacological valorization of the medicinal flora in Svrljiski Timok gorge (Eastern Serbia). *Facta Univ* 2014b, 16:76-86

Zuidmeer L, Salentijn E, Rivas MF, Mancebo EG, Asero R, Matos CI et al. The role of profilin and lipid transfer protein in strawberry allergy in the Mediterranean area. *Clin Exp Allergy* 2006, 36:666-675

References used but not cited in the Assessment Report

Blaschek W, editor. *Wichtl-Teedrogen und Phytopharmaka. Ein Handbuch für die Praxis*. 6th ed. Wissenschaftliche Verlagsgesellschaft, Stuttgart 2016, 262-263

Dhole AR, Mohite SK, Magdum CS. Pharmacognostical evaluation of *Fragaria vesca* Linn leaf. *Int J Phytopharmacy* 2014, 4(4):117-119

Dias MI, Barros L, Oliveira MBPP, Santos-Buelga C, Ferreira ICFR. Individual phenolic profile and antioxidant activity of vegetative parts cultivated or wild growing *Fragaria vesca* L. *Planta Med* 2014, 80:P2B2

El-Mesallamy MHM, Hussein SAM, El-Gerby M. Phenolic composition and biological activities of methanolic extract of strawberry leaves (*Fragaria ananassa*). *Nat Prod Indian J* 2013, 9(6):251-257

Frerichs G, Arend G, Zörnig H, editors. *Hagers Handbuch der Pharmazeutischen Praxis für Apotheker, Arzneimittelhersteller, Drogisten, Ärzte und Medizinalbeamte. Fragaria*. Springer-Verlag, Berlin 1938, 1316-1317

Gobiec K, Konieczny Z. *Receptariusz zielarski. Folium Fragariae*. Wydawnictwo Herbapol, Warszawa 1963, 133 [Polish]

Gruenwald J, Brendler T, Jaenicke C, editors. *PDR for herbal medicines*. 4th ed. Medical Economics, Montvale 2000

Hensel W. *Medicinal plants of Britain and Europe. Wild strawberry (Fragaria vesca)*. A&C Black, London 2008, 98

Hiller K, Melzig MF. *Lexikon der Arzneipflanzen und Drogen*. Spektrum Akademischer Verlag, Heidelberg 2003

Ivanov I, Petkova N, Pavlov A, Denev P. Optimization of procyanidin extraction process from *Fragaria vesca* L. leaves. *Sci Bull Series F Biotechnol* 2014, 18:115-118

Labokas J, Bagdonaitė E. Phenotypic diversity of *Fragaria vesca* and *Fragaria viridis* in Lithuania. *Biologija* 2005, 3:19-22

Liberal JMT. *Fragaria vesca* leaf as a source of bioactive phytochemicals: a focus on ellagitannins and their human microflora metabolites. PhD thesis, Coimbra 2016. Available at: <https://estudogeral.sib.uc.pt/handle/10316/30182>

Muszyński J. Herba Fragariae. Poziomka. Ziołolecznictwo i leki roślinne. Polska Agencja Wydawnicza, Łódź 1946, 158 [Polish]

Ożarowski A, Jaroniewski W. *Fragaria vesca* L. In: Rośliny lecznicze. Publishing Institute of Trade Unions, Warsaw 1987, 309-311

Rácz G, Rácz-Kotilla E, Laza A. Gyógynövényismeret. *Fragaria vesca* L. Ceres Könyvkiadó, Bucharest 1984, 157

Turova AD, Sapozhnikova EN. *Fragaria vesca* L. In: Lekarstvennyye rastenija SSSR i ich primenenije. Medicina, Moscow 1984, 244-245 [Russian]

Urządowy spis leków 1963 r. Ministerstwo Zdrowia i Opieki Społecznej. Państwowy Zakład Wydawnictw Lekarskich, Warszawa 1962 [Polish]

Wagner H. Arzneidrogen und ihre Inhaltsstoffe. Pharmazeutische Biologie Bd 2. Stuttgart 1999

Watson RR, Preedy VR. *Fragaria vesca* (wild strawberry). In: Botanical medicine in clinical practice. CABI International, Cambridge 2008, 425

Zanetti-Ripamonti G. Piante medicinali nostre. Fragola (*Fragaria vesca* L.). Istituto Editoriale Ticinese, Lugano-Bellinzona 1940, 70-71 [Italian]