



EUROPEAN MEDICINES AGENCY  
SCIENCE MEDICINES HEALTH

9 July 2013  
EMA/HMPC/604272/2012  
Committee on Herbal Medicinal Products (HMPC)

## List of references supporting the assessment of *Marrubium vulgare* L., herba

Final

**The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.**

Al-Bakri AG, Afifi FU. Evaluation of antimicrobial activity of selected plant extracts by rapid XTT colorimetry and bacterial enumeration. *J Microbiol Meth* 2007, 68: 19-25

Avis aux fabricants. Les médicaments à base de plantes. Avis aux Fabricants concernant les demandes d'autorisation de mise sur le marché, Agence du Médicament, Paris 1998, 50 + 58

Ballerio M, Sotgiu AM, Piu G. Empirical administration of preparations of *Marrubium vulgare* in the asthmatic syndrome. *Biomed Let* 1998, 57: 31-36

Benedum J, Loew D, Schilcher H. Medicinal plants in traditional medicine. Kooperation Phytopharmaka 2006, 136

Berger F. Handbuch der Drogenkunde, Vol 4. Wilhelm Maudrich Verlag, Wien 1954, 339–342

Berrougui H, Isabelle M, Cherki M, Khalil A. *Marrubium vulgare* extract inhibits human-LDL oxidation and enhances HDL-mediated cholesterol efflux in THP-1 macrophage. *Life Scie* 2006, 80: 105-112

BHP (British Herbal Pharmacopoeia). *Marrubium*. British Herbal Medicine Association, Cowling 1976, 139-139a

BHP (British Herbal Pharmacopoeia). *Marrubium*. British Herbal Medicine Association, Bournemouth 1983, 137-138

BHP (British Herbal Pharmacopoeia). White Horehound-Marrubii herba. British Herbal Medicine Association, Bournemouth 1990, 84-85

BHP (British Herbal Pharmacopoeia). White Horehound-Marrubii herba. British Herbal Medicine Association, Bournemouth 1996, 180-181



- Blaschek W, Ebel S, Hackenthal E, Holzgrabe U, Keller K *et al.*, editors. HagerROM 2006: Hagers Handbuch der Drogen und Arzneistoffe. Version 5.0. Springer Medizin Verlag, Heidelberg 2006
- Blaschek W, Hilgenfeld U, Holzgrabe U, Reichling J, Schulz V, editors. HagerROM 2011: Hagers Handbuch der Drogen und Arzneistoffe. Version 5.0. Springer Medizin Verlag, Heidelberg 2011
- Blumenthal M, Busse WR, Goldberg A, Gruenwald J, Hall T *et al.*, editors. The Complete German Commission E Monographs. Horehound herb. American Botanical Council, Austin Texas 1998, 148
- Boudjelal A, Henchiri C, Siracusa L, Sari M, Ruberto G. Compositional analysis and *in vivo* anti-diabetic activity of wild Algerian *Marrubium vulgare* L. infusion. *Fitoterapia* 2012, 83(2): 286-292
- Bradley PR, editor. British Herbal Compendium, Vol 1. White Horehound-Marrubii herba. British Herbal Medicine Association, Bournemouth 1992, 218-220
- British Pharmaceutical Codex. *Marrubium*, Infusum Marrubii, Concentratum und Syrupus Marrubii. The Pharmaceutical Press, London 1934, 632, 1277, 1446
- Carey P, McCord CP. The occupational toxicity of cultivated flowers. *Indian Med Surg* 1962, 31: 365-368
- Ciganda C, Laborde A. Herbal infusions used for induced abortion. *J Toxicol Clin Toxicol* 2003; 41: 235-239
- CFR 2012. US Code of Federal Regulations. Title 21: Food and Drugs, PART 182 — Substances Generally Recognised as Safe, Subpart A — General Provisions, § 182.10 Spices and other natural seasonings and flavourings
- DAC (Deutscher Arzneimittel-Codex). Andornkraut, Deutscher Apotheker-Verlag, Stuttgart 1995
- DAC (Deutscher Arzneimittel-Codex). Andornkraut, Deutscher Apotheker-Verlag, Stuttgart 1997
- DAC (Deutscher Arzneimittel-Codex). Andornkraut, Deutscher Apotheker-Verlag, Stuttgart 2003
- De Jesus RAP, Cechinel Filho V, Oliveira AE, Schlemper V. Analysis of the antinociceptive properties of marrubiin isolated from *Marrubium vulgare*. *Phytomedicine* 2000, 7: 111-115
- De Oliveira AP, Santin JR, Lemos M, Klein LC Jr, Couto AG *et al.* Gastroprotective activity of methanol extract and marrubiin obtained from leaves of *Marrubium vulgare* L. (Lamiaceae). *J Pharm Pharmacol* 2011, 63: 1230-1237
- De Souza MM, de Jesus RAP, Cachinel Filho V, Schlemper V. Analgesic profile of hydroalcoholic extract obtained from *Marrubium vulgare*. *Phytomedicine* 1998, 5: 103-107
- Diaz R, Quevedo Sarmiento J, Ramos Cormenzana A. Phytochemical and antibacterial screening of some species of Spanish Lamiaceae. *Fitoterapia* 1988, 59: 329-333
- Dragendorff G. Die Heilpflanzen der verschiedenen Völker und Zeiten. Ihre Anwendung, wesentlichen Bestandteile und Geschichte. Verlag von Ferdinand Enke, Stuttgart 1898, 571-572
- EB 6 (Ergänzungsbuch zum Deutschen Arzneibuch) 6<sup>th</sup> ed. Herba Marrubii – Andornkraut. Deutscher Apotheker-Verlag, Stuttgart 1953, 261
- El Bardai S, Lyoussi B, Wibo M, Morel N. Pharmacological evidence of hypotensive activity of *Marrubium vulgare* and *Foeniculum vulgare* in spontaneously hypertensive rat. *Clin Experim Hypert* 2001, 23: 329-343
- El Bardai S, Morel N, Wibo M, Fabre N, Llabres G *et al.* The vasorelaxant activity of marrubenol and marrubiin from *Marrubium vulgare*. *Planta Med* 2003a, 69: 75-77

- El Bardai S, Wibio M, Hamaide MC, Lyoussi B; Quetin-Leclercq J *et al.* Characterisation of marrubenol, a diterpene extracted from *Marrubium vulgare*, as an L-type calcium channel blocker. *Brit J Pharm* 2003b, 7: 1211-1216
- El Bardai S, Hamaide M-C, Lyoussi B, Quetin-Leclercq J, Morel N *et al.* Marrubenol interacts with the phenylalkylamine binding site of the L-type calcium channel. *Eur J. Pharm* 2004a, 492: 269-272
- El Bardai S, Lyoussi B, Wibio M, Morel N. Comparative study of the antihypertensive activity of *Marrubium vulgare* and of the dihydropyridine calcium antagonist amlodipine in spontaneously hypertensive rat. *Clin Experim Hypert* 2004b, 26: 465-474
- European Pharmacopoeia 5<sup>th</sup> ed (5.1). White Horehound - Marrubii herba. Deutscher Apotheker Verlag, Stuttgart 2005, 3834-3836
- European Pharmacopoeia 7<sup>th</sup> ed (7.0/1835). White Horehound - Marrubii herba. Deutscher Apotheker Verlag, Stuttgart 2011, 1619-1620
- Gilg E, Brandt W, Schürhoff. Lehrbuch der Pharmakognosie 4<sup>th</sup> ed. Springer Verlag, Berlin 1927, 371
- Hänsel R. Phytopharmaka – Grundlagen und Praxis 2<sup>nd</sup> ed. Springer Verlag, Berlin, Heidelberg, New York, 1991, 121-122
- Hänsel R, Haas H. Therapie mit Phytopharmaka. Springer Verlag, Berlin, Heidelberg, New York, Tokyo 1984, 128
- Haq F, Ahmad H, Alam M. Traditional uses of medicinal plants of Nandiar Khuwarr catchment. *J Med Plant Res* 2011, 5 (1):39-48
- Health Canada. Natural Health Products Ingredients Database. Monograph: Black Horehound (2008)
- Herrera-Arellano A, Aguilar-Santamaría L, García-Hernández B, Nicasio-Torres P, Tortoriello J. Clinical trial of *Cecropia obtusifolia* and *Marrubium vulgare* leaf extracts on blood glucose and serum lipids in type 2 diabetics. *Phytomedicine* 2004, 11: 561-566
- Indikationsliste § 109a AMG; 23.12.2005, Nr. 129, 793 und 1070
- Janssen S, Loaermans J, Verhulst PJ, Thijs T, Tack J *et al.* Bitter taste receptors and  $\alpha$ -gustucin regulate the secretion of ghrelin with functional effects on food intake and gastric emptying. *Proceed. Nat. Acad. Scie. U.S.A.* 2011, 108(5): 2094-2099
- Jaouhari JT, Lazrek HB, Jana M. Acute toxicity study of 10 Moroccan plants reputed to have hypoglycaemic activity. *Therapie* 1999, 54: 701-706
- Jayasekera N, Moghal A, Kashif F, Karalliedde L. Herbal medicines and postoperative haemorrhage. *Anaesthesia* 2005, 60: 725-726
- Kadri A, Zarai Z, Békir A, Gharsallah N, Damak M *et al.* Chemical composition and antioxidant activity of *Marrubium vulgare* L. essential oil from Tunisia. *Afr J Biotechn* 2011, 10: 3908-3914
- Kanyonga PM, Faouzi MA, Meddah B, Mpona M, Essassi EM *et al.* Assessment of methanolic extract of *Marrubium vulgare* for anti-inflammatory, analgesic and anti-microbiologic activities. *J Chem Pharm Res* 2011, 3: 199-204
- Kchouk M, Chadli A. Sur les propriétés abortives du Marrube blanc (*Marrubium vulgare* L.). On the abortive properties of White Horehound (*Marrubium vulgare* L.). *Archives de l'Institut Pasteur de Tunis* 1963, 40: 129-132 [French]

- Keles O, Bakrel T, Ak S, Alpmar A. The antibacterial activity of some plants used for medicinal purposes against pathogens of veterinary importance. *Folia Veter* 2001, 45: 22-25
- Knöss W, Zapp J. Accumulation of furanic labdane diterpenes in *Marrubium vulgare* and *Leonurus cardiaca*. *Planta Med* 1998, 64: 357-361
- Knöss W. *Marrubium vulgare*-Andorn. *Zeitschrift für Phytotherapie* 2006, 27: 255-258
- Krejci I, Zadina R. Die gallentreibende Wirkung von Marrubiin und Marrubiinsäure. *Planta Med* 1959, 7: 1-7 [German]
- Kunduhoglu B, Pilatin S, Caliskan F. Antimicrobial screening of some medicinal plants collected from Eskisehir, Turkey. *Fresenius Environm Bull* 2011, 20: 945-952
- Kommission E (German Commission E). Monograph Marrubii herba (Andornkraut), BAnz. Nr. 22a, 01.02.1990
- List PH, Hörhammer L, Roth HJ, Schmidt W, editors. Hagers Handbuch der Pharmazeutischen Praxis, Vol 5. 4<sup>th</sup> ed. Springer Verlag, Berlin 1976
- Madaus G. Lehrbuch der biologischen Heilmittel. Vol 1. *Marrubium vulgare*. Reprint of the edition Leipzig 1938. Georg Olms Verlag, Hildesheim 1979, 1841-1846
- Martindale The Extra Pharmacopoeia 25<sup>th</sup> ed. Horehound. The Pharmaceutical Press, London 1967, 691
- Martin-Nizard F, Sahpaz S, Furman C, Fruchart JC, Duriez P *et al*. Natural phenylpropanoids protect endothelial cells against oxidized LDL-induced cytotoxicity. *Planta Med* 2003, 69: 207-211
- Martin-Nizard F, Sahpaz S, Kandoussi A, Carpentier M, Fruchart JC *et al*. Natural phenylpropanoids inhibit lipoprotein-induced endothelin-1 secretion by endothelial cells. *J Pharm Pharmacol* 2004, 56: 1607-1611
- Merck´s Index 3<sup>th</sup> ed. Herba Marrubii albi. Eduard Roether, Darmstadt 1910, 332
- Meyre-Silva C, Yunes RA, Schlemper V, Campos-Buzzi F, Cechinel-Filho V. Analgesic potential of marrubiin derivatives, a bioactive diterpene present in *Marrubium vulgare*. *Il Farmaco* 2005, 60: 321-326
- Nagy M, Svajdlenka E. Comparison of essential oils from *Marrubium vulgare* L. and *M. peregrinum* L. *J Ess Oil Res* 1998, 10: 585-587
- Neubeck M. in: Hartke K., Kartke H, Wichtl M., editors. Kommentar zum Europäischen Arzneibuch. Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 2012: 5.1/1835
- Novaes AP, Rossi C, Poffo C, Pretti Júnior E, Oliveira AE *et al*. Preliminary evaluation of the hypoglycaemic effect of some Brazilian medicinal plants. *Therapie* 2001, 56: 427-430
- Österreichisches Arzneibuch (ÖAB) - Pharmacopoeia Austriaca. 9<sup>th</sup> ed. Herba Marrubii - Andornkraut. Österreichische Staatsdruckerei, Wien 1960, Vol 1: 815-816
- Österreichisches Arzneibuch (ÖAB) - Pharmacopoeia Austriaca. Herba Marrubii - Andornkraut. Österreichische Staatsdruckerei, Wien 1981, 606-607
- Österreichisches Arzneibuch (ÖAB) - Pharmacopoeia Austriaca. Herba Marrubii - Andornkraut. Österreichische Staatsdruckerei, Wien 1990, Vol 2: A-J
- Pages et Comte. Un nouveau médicament cardiaque: le marrube blanc; son action sur l'arythmie extrasystolique. [A new cardiac drug: white horehound; its action on extrasystoles.] *Bull Soc Sci Med Biol*, Montpellier 1927, 8: 389-394 [French]

- Pahlow M. Das große Buch der Heilpflanzen. Gräfe und Unzer, München 1979, 54-55
- PDR for Herbal Medicines 1<sup>st</sup> ed. *Marrubium vulgare*. Medical Economics Company, Montvale 1998, 959-960
- Pharmacopée Française 10<sup>ème</sup> éd. Marrube. Agence Française de Sécurité Sanitaire des Produits de Santé, Saint-Denis 1989, 1-3
- Potter's Cyclopaedia of Botanical Drugs and Preparations 5<sup>th</sup> ed. Horehound. Potter & Clarke Ltd, London 1941, 174-175
- Ramos-Guerra MC, Mata-Cárdenas BD, Vargas-Villarreal J, Sampayo-Reyes A, González-Salazar F *et al*. In vitro activity of organic leaf/stem extracts from *Marrubium vulgare* and *Mentha spicata* against *Entamoeba histolytica* and *Giardia lamblia*. *Pharmacology on line* 2007, 1: 108-112
- Robles-Zepeda RE, Velázquez-Contreras CA, Garibay-Escobar A, Gálvez-Ruiz JC, Ruiz-Bustos E. Antimicrobial activity of Northwestern Mexican plants against *Helicobacter pylori*. *J Med Food* 2011, 14: 1280-1283
- Roman Ramos R, Alarcon-Aguilar F, Lara-Lemus A, Flores-Saenz JL. Hypoglycemic effect of plants used in Mexico as antidiabetics. *Arch Med Res* 1992, 23: 59-64
- Sahpaz S, Garbacki N, Tits M, Bailleul F. Isolation and pharmacological activity of phenylpropanoid esters from *Marrubium vulgare*. *J Ethnopharmacol* 2002, 79: 389-392
- Schilcher H, Kammerer S. Leitfaden Phytotherapie. Andornkraut. Urban & Fischer Verlag, München 2000, 27-28 + 418
- Schilcher H, Kammerer S, Wegener T. Leitfaden Phytotherapie. Urban & Fischer Verlag, München 2007
- Schlemper V, Ribas A, Nicolau M, Cechinel Filho V. Antispasmodic effects of hydroalcoholic extract of *Marrubium vulgare* on isolated tissues. *Phytomedicine* 1996, 3: 211-216
- Steinegger E, Hänsel R. Lehrbuch der Pharmakognosie. Springer Verlag, Berlin, Heidelberg, New York 1968, 483
- Steinmetz EF. Materia Medica Vegetabilis, Part 2. Herba Marrubii albi. Amsterdam 1954, 291-292
- Stulzer HK, Tagliari MP, Zampirolo JA, Cechinel-Filho V, Schlemper V. Antioedematogenic effect of marrubiin obtained from *Marrubium vulgare*. *J Ethnopharmacol* 2006, 108: 379-384
- Tyler VE. Herbs of choice – the therapeutic use of phytomedicinals. Pharmaceutical Products Press, New York, London, Norwood (Australia) 1994, 42-43
- VanderJagt TJ, Ghattas R, VanderJagt DJ, Crossey M, Glew RH. Comparison of the total antioxidant content of 30 widely used medicinal plants of New Mexico. *Life Sciences* 2002, 70: 1035-1040
- Vincenzi M de, Maialetti F, Dessi MR. Monographs on botanical flavouring substances used in foods. Part IV. *Fitoterapia* 1995, 66: 203-210
- Wichtl M. Teedrogen – Ein Handbuch für Apotheker und Ärzte. Andornkraut. Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 1984, 48-49
- Wichtl M. Teedrogen und Phytopharmaka - Ein Handbuch für die Praxis auf wissenschaftlicher Grundlage. Marrubii herba - Andornkraut. Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 1997, 370-371

Wichtl M. Teedrogen und Phytopharmaka - Ein Handbuch für die Praxis auf wissenschaftlicher Grundlage. Marrubii herba - Andornkraut. Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 2002, 364-365

Williamson EM. Interactions between herbal and conventional medicines. *Exp Op Drug Safety* 2005, 4: 355-378

Yamaguchi K, Liggett JL, Kim NC, Baek SJ. Anti-proliferative effect of horehound leaf and wild cherry bark extracts on human colorectal cancer cells. *Oncol Rep* 2006, 15: 275-281

## References read but not included in the Assessment Report

- Appleton, JW, Fulke, JWB, Henderson MS, McCrindle R. The stereochemistry of marrubiin. *J Chem Soc* 1967, 1943-1947
- Ayoub SMH. Antibacterial and antifungal activities of some Libyan aromatic plants. *Planta Med* 1990, 56: 644-645
- Delitheos AK, Papadimitriou CA, Yannitsaros AG. Investigation for antiphage activity in plant extracts. *Fitoterapia* 1992, 63: 441-450
- Font Quer P. *Plantas Medicinales*, 12<sup>th</sup> ed. Editorial Labor, Barcelona 1990, 659
- Gigon F. La phytothérapie dans l'arrêt du tabac. Phytotherapy in smoking cessation. A management proposal. *Phytotherapie* 2005, 3: 200-206
- Hoppe HA. *Drogenkunde*, Vol 1, 8<sup>th</sup> ed. Walter de Gruyter, Berlin 1975, 689-690
- Ivanovska N, Philipov S, Istatkova R. Evaluation of anti-inflammatory activity of plants used in Bulgarian folk medicine. *Fitoterapia* 1997, 68: 417-422
- Kirmizibekmez H, Atay I, Kaiser M, Yesilada E, Tasdemir D. *In vitro* antiprotozoal activity of extracts of five Turkish Lamiaceae species. *Nat Prod Commun* 2011, 6 (11): 1697-1700
- Kirmizibekmez H, Atay I, Kaiser M, Yesilada E, Tasdemir D. *In vitro* antiprotozoal activity of organic and aqueous extracts of several Turkish Lamiaceae species. *Planta Med* 2011, 77 (12): 1426-1426
- Knöss W. Furanic labdane diterpenes in differentiated and undifferentiated cultures of *Marrubium vulgare* and *Leonurus cardiaca*. *Plant Physiol Biochem* 1994, 32: 785-789
- Knöss W, Reuter B, Zapp J. Biosynthesis of the labdane diterpene marrubiin in *Marrubium vulgare* via a non-mevalonate pathway. *Biochem J* 1997, 326: 449-454
- Knöss W. Terpenbiosynthese in Bakterien und Pflanzen-neue Perspektiven. *Pharm Uns. Zeit* 1999, 28: 247-254
- Laonigro G, Lanzetta R, Parrilli M, Adinolfi M, Mangoni L. The configuration of the diterpene spiroethers from *Marrubium vulgare* and from *Leonotis leonurus*. *Gazz Chim Ital* 1979, 3: 145-150
- Letchamo W, Mukhopadhyay S. Variability in chromosomes, herb yield, essential oil content and potentials of horehound for North American commercial production. *J Horticult Scie* 1997, 72: 741-748
- Letchamo W, Mukhopadhyay S, Gosselin A. Variability in herb yield and potentials of horehound in North America. CF: International symposium on medicinal and aromatic plants, Amherst, Massachusetts, USA 27-30.08.1995. *Acta Horticult* 1996, 426: 601-613
- Lopez KM, LaFever RE. Marrubiin production in the White Horehound: Localization of diterpenoid production in *Marrubium vulgare*. *Am Chem Soc* 1999, 217: 479
- Mahmoud AM, Nawwar MAM, El-Mousallamy AMD, Barakat HH, Buddrus J, Linscheid M. Flavonoid lactates from leaves of *Marrubium vulgare*. *Phytochemistry* 1989, 28: 3201-3206
- Khanavi M, Ghasemian L, Motlagh EH, Hadjiakhoondi A, Shafiee A. Chemical composition of the essential oils of *Marrubium parviflorum* Fisch. & C A Mey and *Marrubium vulgare* L. from Iran. *Flavour Fragr J* 2005, 20: 324-326
- Mangoni L, Adinolfi M. The stereochemistry of marrubiin. *Tetrahedr Lett* 1968, 3: 269-273
- Mangoni L, Adinolfi M, Laonigro G, Caputo R. Synthesis of marrubiin. *Tetrahedr Lett* 1972, 28: 611-621

- McKenzie AG. Herbal medicines in the United Kingdom. *Anaesthesia* 2003, 58: 597-598
- Medina JE, Rondina RVD, Coussio JD. Phytochemical screening of Argentine plants with potential pharmacological activity. Part 7. *Planta Med* 1977, 31: 136-140
- Nicholas HJ. Isolation of marrubin, a sterol and a sesquiterpene from *Marrubium vulgare*. *J Pharm Sci* 1964, 53: 895-899
- Pitra J. Die Erkenntnisse über die Isolierung von reinem Marrubiin. Experiences on the isolation of pure marrubin. *Pharm Zentralh Deutsch* 1957, 96: 103-105
- Sahpaz S, Hennebelle T, Bailleul F. Marruboside, a new phenylethanoid glycoside from *Marrubium vulgare* L. *Nat Prod Lett* 2002, 16: 195-199
- Sanchez-Arreola E, Maiti RK, Tecanhuey Fernández LR, Martínez Espino G. Traditional uses and a preliminary study on the phytochemistry of nine medicinal plant species of common use in high land of Puebla and Tlaxcala, Mexico. *Crop Research, Hisar* 2005, 30: 113-118
- Schilcher H. Pharmazeutische Aspekte pflanzlicher Gallentherapeutika. Pharmaceutical aspects of herbal bile remedies. *Zeitschr Phytother* 1995, 16: 211-216, 221-222
- Tomás-Barberán FA, Gil MI, Ferreres F, Tomás-Lorente F. Flavonoid p-coumaroylglucosides and 8-hydroxyflavone allosylglucosides in some Labiatae. *Phytochemistry* 1992, 31: 3097-3102
- Wagner H. Phytopreparations used for immune stimulation. *Internist* 1988, 29: 472-478