



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

24 November 2014
EMA/HMPC/320929/2012
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Melaleuca alternifolia* (Maiden and Betch) Cheel, *M. linariifolia* Smith, *M. dissitiflora* F. Mueller and/or other species of *Melaleuca*, aetheroleum

Final

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Altman P. Assessment of the skin sensitivity and irritancy potential of tea tree oil; A report prepared for the Australian Rural Industries Research and Development Corporation (RIRDC) 15 October 1991. [Final results of this study were published by Aspres and Freeman 2003], 1991

Anonymous. Preparations and Appliances - Ti Trol Oil. *British Medical Journal* 1933, 18:927

Apted JH. Contact dermatitis associated with the use of tea-tree oil. [Letter to the Editor]. *Australasian Journal of Dermatology* 1991, 32(3):177

Araujo IB, Souza CA, De-Carvalho RR, Kuriyama SN, Rodrigues RP, Vollmer RS, et al. Study of the embryofetotoxicity of alpha-terpinene in the rat. *Food Chem Toxicol* 1996, 34(5):477-482

Arweiler NB, Donos N, Netuschil L, Reich E, Sculean A. Clinical and antibacterial effect of tea tree oil--a pilot study. *Clinical oral investigations* 2000, 4(2):70-73

Aspres N, Freeman S. Predictive testing for irritancy and allergenicity of tea tree oil in normal human subjects. *Exogenous Dermatology* 2003, 2:258-261

Aydin S, Başarans AA, Başaran N. The effects of thyme volatiles on the induction of DNA damage by the heterocyclic amine IQ and mitomycin C. *Mutation Research* 2005, 581:43-53

Australian Government – Rural Industries Research and Development Corporation (RIRDC). The effectiveness and safety of Australian tea tree oil. August 2007. Available at:

<https://rirdc.infoservices.com.au/items/07-143>

AUSTTEAM (Australian Tea Tree Export & marketing) Ltd. Tea Tree Oil conference, 1995



- Barker SC, Altman PM. An ex vivo, assessor blind, randomised, parallel group, comparative efficacy trial of the ovicidal activity of three pediculicides after a single application - *melaleuca* oil and lavender oil, *eucalyptus* oil and lemon tea tree oil, and a "suffocation" pediculicide. *BMC Dermatol* 2011, 11:14
- Bassett IB, Pannowitz DL, Barnetson RS. A comparative study of tea-tree oil versus benzoylperoxide in the treatment of acne. *The Medical journal of Australia* 1990, 153(8):455-458
- Beckmann B, Ippen H. Teebaum-Öl. *Dermatosen* 1998, 46:120-124
- Belaiche P. Treatment of Vaginal Infections of *Candida albicans* with the Essential Oil of *Melaleuca alternifolia*. *Phytotherapie* 1985a, 15:13-14
- Belaiche P. Treatment of Skin infections, with the Essential Oil of *Melaleuca alternifolia*. *Phytotherapie* 1985b, 15:15-17
- Bischoff K, Guale F. Australian tea tree (*Melaleuca alternifolia*) oil poisoning in three purebred cats. *J Vet Diagn Invest* 1998, 10(2):208-210
- Blackwell AL. Tea tree oil and anaerobic (bacterial) vaginosis. *Lancet* 1991, 337(8736):300
- Bowler WA, Bresnahan J, Bradfish A, Fernandez C. An Integrated Approach to Methicillin-resistant *Staphylococcus aureus* Control in a Rural, Regional-Referral Health care setting *Infect Control Hosp Epidemiol* 2010, 31:269-275
- Bozzuto G, Colone M, Toccaceli L, Stringaro A, Molinari A. Tea tree oil might combat melanoma. *Planta Med* 2011, 77(1):54-56
- British Pharmaceutical Codex. Oleum Melaleucae. London: Pharmaceutical Press 1949, 597-598
- Brophy JJ, Davies NW, Southwell IA, Stiff IA, Williams LR. Gas chromatographic quality control for oil of *Melaleuca* Terpinen-4-ol type (Australia Tea Tree). *J Agric Food Chem* 1989, 37:1330-1335
- Buck DS, Nidorf DM, Addino JG. Comparison of two topical preparations for the treatment of onychomycosis: *Melaleuca alternifolia* (tea tree) oil and clotrimazole. *The Journal of Family Practice*. 1994, 38(6):601-605
- Budzyńska A, Wieckowska-Szakiel M, Sadowska B, Kalemba D, Różalska B. Antibiofilm activity of selected plant essential oils and their major components. *Pol J Microbiol* 2011, 60(1):35-41
- Bhushan M, Beck MH. Allergic contact dermatitis from tea tree oil in a wart paint. *Contact dermatitis* 1997, 36(2):117-118
- Bronstein AC, Spyker DA, Cantilena LR, Rumak BH, Dart RC 2011 Annual Report of the American Association of Poison Control Centers ' National Poison Data System (NPDS): 29th Annual Report *Clinical Toxicology* 2012, 50: 911-1164
- Caelli M, Porteous J, Carson CF, Heller R, Riley TV. Tea tree oil as an alternative topical decolonization agent for methicillin-resistant *Staphylococcus aureus*. *The Journal of hospital infection*. 2000, 46(3):236-237
- Cal K. Commentary to the article "Human skin penetration of the major components of Australian tea tree oil applied in its pure form and as a 20% solution in vitro". *Eur J Pharm Biopharm* 2008, 68(3):838-839
- Cal K, Krzyzaniak M. Stratum corneum absorption and retention of linalool and terpinen-4-ol applied as gel or oily solution in humans. *Journal of dermatological science*. 2006, 42(3):265-267

- Cal K, Kupiec K, Sznitowska M. Effect of physicochemical properties of cyclic terpenes on their ex vivo skin absorption and elimination kinetics. *Journal of dermatological science* 2006, 41(2):137-142
- Calcabrini A, Stringaro A, Toccaceli L, Meschini S, Marra M, Colone M *et al.* Terpinen-4-ol, the main component of *Melaleuca alternifolia* (tea tree) oil inhibits the in vitro growth of human melanoma cells. *J Invest Dermatol* 2004, 122(2):349-360
- Callander JT, James PJ. Insecticidal and repellent effects of tea tree (*Melaleuca alternifolia*) oil against *Lucilia cuprina*. *Vet Parasitol* 2011 Aug 16. [Epub ahead of print]
- Canyon DV, Speare R. A comparison of botanical and synthetic substances commonly used to prevent head lice (*Pediculus humanus* var. *capitis*) infestation. *International journal of dermatology* 2007, 46(4):422-426.
- Carson CF. Research in Progress - TTO- Demonstrating proof of concept/efficacy for innovative applications of tea tree oil: A report prepared for the Australian Rural Industries Research Development Corporation (RIRDC) Project: Microbial Adaptation and Tolerance to Tea Tree Oil PRJ-002403, 2009. Report No.: PRJ-002403
- Carson CF, Ashton L, Dry L, Smith DW, Riley TV. *Melaleuca alternifolia* (tea tree) oil gel (6%) for the treatment of recurrent *herpes labialis*. *J Antimicrob Chemother* 2001, 48(3):450-451
- Carson CF, Edmondson M, Carville K,, Newall N, Smith J, Riley TV. The Role of Tea Tree Oil in the Decolonisation of MRSA Positive Wounds. RIRDC Report No. 10/006, Feb. 2010
- Carson CF, Hammer KA, Riley TV. In-vitro activity of the essential oil of *Melaleuca alternifolia* against *Streptococcus* spp. *J Antimicrob Chemother* 1996, 37(6):1177-1178
- Carson CF, Hammer KA, Riley TV. *Melaleuca alternifolia* (Tea Tree) oil: a review of antimicrobial and other medicinal properties. *Clin Microbiol Rev* 2006, 19(1):50-62. Available at: <http://cmr.asm.org/content/19/1/50.full#ref-121>
- Carson CF, Mee BJ, Riley TV. Mechanism of action of *Melaleuca alternifolia* (tea tree) oil on *Staphylococcus aureus* determined by time-kill, lysis, leakage, and salt tolerance assays and electron microscopy. *Antimicrob Agents Chemother* 2002, 46(6):1914-1920
- Carson CF, Riley TV. Safety, efficacy and provenance of tea tree (*Melaleuca alternifolia*) oil. *Contact Dermatitis* 2001, 45(2):65-67
- Carson CF, Riley TV and Cookson BD. Efficacy and safety of tea tree oil as a topical antimicrobial agent *Journal of Hospital Infection* 1998, 40:I 75-I 78
- Carson CF, Smith DW, Lampacher GJ, Riley TV. Use of deception to achieve double-blinding in a clinical trial of *Melaleuca alternifolia* (tea tree) oil for the treatment of recurrent herpes labialis. *Contemp Clin Trials* 2008, 29(1):9-12
- Catalán A, Pacheco JG, Martínez A, Mondaca MA. In vitro and in vivo activity of *Melaleuca alternifolia* mixed with tissue conditioner on *Candida albicans*. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2008, 105(3):327-332
- Culliton P, Halcon LL. Chronic Wound Treatment with Topical Tea Tree Oil. *Alternative Therapies in Health and Medicine* 2011, 17(2):46-47
- Chin KB, Cordell B, The Effect of Tea Tree Oil (*Melaleuca alternifolia*) on Wound Healing Using a Dressing Model. *J Alternative & Complementary Medicine* 2012, 19(12):242-245

CMEC 13. Extracted ratified minutes from the 13. Meeting of the Complementary Medicines Evaluation Committee (CMEC, Australia) on 11 June 1999

Combest W.L. Tea Tree. *US Pharmacist* 1999, 24(4): 35[News] - legacy.uspharmacist.com [HTML]. Available at: http://www.teatree.org.au/search_abstracts.php

Council of Europe Committee of Experts on Cosmetic Products. *Melaleuca alternifolia*. Plants in Cosmetics: Plants and plant preparations used as ingredients for cosmetic products Volume II Committee of experts on cosmetic products. Cedex, France: Council of Europe Publishing 2001

Cox SD, Mann CM, Markham JIL, Bell HC, Gustafson JE, Warmington JR et al. The mode of antimicrobial action of the essential oil of *Melaleuca alternifolia* (tea tree oil). *Journal of Applied Microbiology* 2000, 88, 170–175

Coutts I, Shaw S, Orton D. Patch testing with pure tea tree oil 12 months experience. *Journal of Dermatology* 2002, 147(Suppl 62):70

Crawford GH, Sciacca JR, James WD. Tea tree oil: cutaneous effects of the extracted oil of *Melaleuca alternifolia*. *Dermatitis* 2004, 15(2):59-66

Cross SE, Russell M, Southwell I, Roberts MS. Human skin penetration of the major components of Australian tea tree oil applied in its pure form and as a 20% solution in vitro. *Eur J Pharm Biopharm* 2008, 69(1):214-222

Dharmagunawardena B, Takwale A, Sanders KJ, Cannan S, Rodger A, Ilchyshyn A. Gas chromatography: An investigative tool in multiple allergies to essential oils *Contact dermatitis*. 2002, 47(5):288-292

Del Beccaro MA. Melaleuca oil poisoning in a 17-month-old. *Veterinary and human toxicology* 1995, 37:557-558

De Vincenzi M, Silano M, De Vincenzi A, Maialetti F, Scazzocchio B. Constituents of aromatic plants: eucalyptol. *Fitoterapia* 2002, 73(3):269-275

Drury S. Tea Tree Oil. A medicine kit in a bottle. C W Daniel Co Ltd, saffron Walden, Essex, England, 1991, 45-63

Drury S. L'huile de Melaleuca, Un merveilleux remède naturel. Éditions Mèdicis_Entrelacs Orasy, France, 1995

Dryden MS, Dailly S, Crouch M. A randomized, controlled trial of tea tree topical preparations versus a standard topical regimen for the clearance of MRSA colonization. *The Journal of hospital infection* 2004, 56(4):283-286

Edmondson M, Newall N, Carville K, Smith J, Riley TV, Carson CF. Uncontrolled, open-label, pilot study of tea tree (*Melaleuca alternifolia*) oil solution in the decolonisation of methicillin-resistant *Staphylococcus aureus* positive wounds and its influence on wound healing. *Int Wound J* 2011, 8(4):375-384

EFSA Journal - Scientific Opinion on the safety and efficacy of aliphatic and alicyclic ethers (chemical group 16) when used as flavourings for all animal species 2012, 10(11):2967

Elliott C. Tea tree oil poisoning. *The Medical journal of Australia* 1993, 159:830-831

EMA. Public statement on the use of herbal medicinal products containing methyleugenol 2005. Available from: <http://www.emea.europa.eu/pdfs/human/hmpc/13836305en.pdf> Accessed 10/2009

Enshaieh S, Jooya A, Siadat AH, Iraj F. The efficacy of 5% topical tea tree oil gel in mild to moderate acne vulgaris: a randomized, double-blind placebo-controlled study. *Indian journal of dermatology, venereology and leprology* 2007, 73(1):22-25

Entwistle P. Australian Tea Tree Industry Code of Practice: Australian Tea Tree Industry Association (ATTIA), 2005 (unpublished)

ESCOP Monographs Supplement. 2nd ed. Melaleuca Aetheroleum. New York: Thieme Medical Publishers 2009, 160-174

European Pharmacopoeia 7th ed. Tea tree oil – Melaleuca aetheroleum 01/2008:1837

Evandri MG, Battinelli L, Daniele C, Mastrangelo S, Bolle P, Mazzanti G. The antimutagenic activity of Lavandula angustifolia (lavender) essential oil in the bacterial reverse mutation assay. *Food Chem Toxicol* 2005, 43(9):1381-1387

Feinblatt HM. Cajeput-type oil for the treatment of furunculosis. *Journal of the National Medical Association* 1960, 52:32-34

Fletcher JP, Cassella JP, Hughes D, Cassella S. An evaluation of the mutagenic potential of commercially available tea tree oil in the United Kingdom. *Int J Aromatherapy* 2005, 15(2):81-6

Faoagali J, George N and Leditschke JF. Does tea tree oil have a place in the topical treatment of burns? *Burns* 1997, 23(4):349-351

Friedmann PS, Moss C. Quantification of contact hypersensitivity in man. In: Maibach HI, Lowe N, eds. *Models in Dermatology*. Basel: Karger 1985

Fritz TM, Burg G, Krasovec M. [Allergic contact dermatitis to cosmetics containing *Melaleuca alternifolia* (tea tree oil)]. *Ann Dermatol Venereol* 2001, 128(2):123-126. [French]

Furneri PM, Paolino D, Saija A, Marino A, Bisignano G. In vitro antimycoplasmal activity of *Melaleuca alternifolia* essential oil. *J Antimicrob Chemother* 2006, 58(3):706-707

Gao YY, Di Pascuale MA, Elizondo A, Tseng SC. Clinical treatment of ocular demodexis by lid scrub with tea tree oil. *Cornea* 2007, 26(2):136-143

Garozzo A, Timpanaro R, Bisignano B, Furneri PM, Bisignano G, Castro A. In vitro antiviral activity of *Melaleuca alternifolia* essential oil. *Lett Appl Microbiol* 2009, 49(6):806-808

Garozzo A, Timpanaro R, Stivala A, Bisignano G and Castro A. Activity of *Melaleuca alternifolia* (tea tree) oil on Influenza virus A/PR/8: Study on the mechanism of action. *Antiviral Research* 2011, 89: 83-88

Gomes-Carneiro MR, Viana ME, Felzenszwalb I, Paumgartten FJ. Evaluation of beta-myrcene, alpha-terpinene and (+)- and (-)-alpha-pinene in the Salmonella/microsome assay. *Food Chem Toxicol* 2005, 43(2):247-252

Greig JE, Carson CF, Stuckey MS, Riley TV. Safety of Tea Tree Oil - second stage A report prepared for the Australian Rural Industries Research Development Corporation (RIRDC) RIRDC Publication No 02/036, RIRDC Project No UWA-51A, 2002

Greig JE, Thoo SL, Carson CF, Riley TV. Allergic contact dermatitis following use of a tea tree oil hand-wash not due to tea tree oil. *Contact dermatitis* 1999, 41(6):354-355

- Grosso FC, Ramacciato JC, Simões RP, Florio FM and Sartoratto A. Antimicrobial activity of garlic, tea tree oil, and chlorhexidine against oral microorganisms. *International Dental Journal* 2002, 52: 433-437
- Halcón L, Milkus K. Staphylococcus aureus and wounds: a review of tea tree oil as a promising antimicrobial. *Am J Infect Control* 2004, 32(7):402-408
- Hammer KA, Carson CF, Riley TV. In-vitro activity of essential oils, in particular *Melaleuca alternifolia* (tea tree) oil and tea tree oil products, against *Candida* spp. *J Antimicrob Chemother* 1998, 42(5):591-595
- Hammer KA, Carson CF, Riley TV. In vitro susceptibilities of lactobacilli and organisms associated with bacterial vaginosis to *Melaleuca alternifolia* (tea tree) oil. *Antimicrob Agents Chemother* 1999, 43(1):196
- Hammer KA, Carson CF, Riley TV. In vitro activities of ketoconazole, econazole, miconazole, and *Melaleuca alternifolia* (tea tree) oil against *Malassezia* species. *Antimicrob Agents Chemother* 2000, 44(2):467-469
- Hammer KA, Carson CF, Riley TV. Antifungal activity of the components of *Melaleuca alternifolia* (tea tree) oil. *J Appl Microbiol* 2003b, 95(4):853-860
- Hammer KA, Carson CF, Riley TV. Antifungal effects of *Melaleuca alternifolia* (tea tree) oil and its components on *Candida albicans*, *Candida glabrata* and *Saccharomyces cerevisiae*. *J Antimicrob Chemother* 2004, 53(6):1081-1085
- Hammer KA, Carson CF, Riley TV, Nielsen JB. A review of the toxicity of *Melaleuca alternifolia* (tea tree) oil. *Food Chem Toxicol* 2006, 44(5):616-625
- Hammer KA, Carson CF, Riley TV. Frequencies of resistance to *Melaleuca alternifolia* (tea tree) oil and rifampicin in *Staphylococcus aureus*, *Staphylococcus epidermidis* and *Enterococcus faecalis*. *Int J Antimicrob Agents* 2008, 32(2):170-173
- Hammer KA, Dry L, Johnson M, Michalak EM, Carson CF, Riley TV. Susceptibility of oral bacteria to *Melaleuca alternifolia* (tea tree) oil in vitro. *Oral Microbiol Immunol* 2003a, 18(6):389-392
- Hammer KA, Riley TV. Serial passage of *Staphylococcus aureus* and *S. epidermidis* in tea tree oil does not induce resistance to tea tree oil. Australian Society for Microbiology (ASM) Annual Scientific Meeting & Exhibition. Perth 2009
- Harkenthal M, Hausen BM, Reichling J. 1,2,4-Trihydroxy menthane, a contact allergen from oxidized Australian tea tree oil. *Pharmazie* 2000, 55(2):153-154
- Hausen BM, Reichling J, Harkenthal M. Degradation products of monoterpenes are the sensitizing agents in tea tree oil. *American Journal of Contact Dermatitis* 1999, 10(2):68-77
- Hausen BM. Evaluation of the main contact allergens in oxidized tea tree oil. *Dermatitis* 2004, 15(4):213-214
- Henley DV, Lipson N, Korach KS, Bloch CA. Prepubertal gynecomastia linked to lavender and tea tree oils. *New England Journal of Medicine* 2007, 356 (5), 479-485
- Hostynek JJ, Maibach HI. Thresholds of elicitation depend on induction conditions. Could low level exposure induce sub-clinical allergic states that are only elicited under the severe conditions of clinical diagnosis? *Food and Chemical Toxicology* 2004, 42(11):1859-1865
- Humphrey EM. A new Australian germicide. *The Medical journal of Australia* 1930, 1:417

- Hur MH, Park J, Maddock-Jennings W, Kim DO and Lee MS. Reduction of Mouth Malodour and Volatile Sulphur Compounds in Intensive Care Patients using an Essential Oil Mouthwash *Phytother Res* 2007, 21:641-643
- ICP Firefly Pty Ltd. In vivo micronucleus test of Australian Tea Tree Oil (*Melaleuca alternifolia*) Batch ATTIA/0501: ICP Firefly Pty Ltd, PO Box 6198, Alexandria, NSW, Australia, 2005
- Jacobs MR, Hornfeldt CS. Melaleuca Oil Poisoning. *Clinical Toxicology* 1994, 32(4):461-464
- Jandourek A, Vaishampayan JK, Vazquez JA. Efficacy of melaleuca oral solution for the treatment of fluconazole refractory oral candidiasis in AIDS patients. *AIDS (London, England)* 1998, 12(9):1033-1037
- Karpanen TJ, Worthington T, Hendry ER, Conway BR, Lambert PA. Antimicrobial efficacy of chlorhexidine digluconate alone and in combination with eucalyptus oil, tea tree oil and thymol against planktonic and biofilm cultures of *Staphylococcus epidermidis*. *J Antimicrob Chemother* 2008, 62(5):1031-1036
- Khanna M, Qasem K, Sasseville D. Contact sensitization of tea tree oil with erythema multiforme-like ID-reaction. *American Journal of Contact Dermatitis* 2000, 11(2):126
- Khalil Z, Pearce AL, Satkunanathan N, Storer E, Finlay-Jones JJ, Hart PH. Regulation of wheal and flare by tea tree oil: complementary human and rodent studies. *The Journal of investigative dermatology* 2004, 123(4):683-690
- Kim HJ, Chen F, Wu C, Wang X, Chung HY, Jin Z. Evaluation of antioxidant activity of Australian tea tree (*Melaleuca alternifolia*) oil and its components. *J Agric Food Chem* 2004 19, 52(10):2849-2845
- Knight TE, Hausen BM. Melaleuca oil (tea tree oil) dermatitis. *Journal of the American Academy of Dermatology* 1994, 30(3):423-427
- Koh KJ, Pearce AL, Marshman G, Finlay-Jones JJ, Hart PH. Tea tree oil reduces histamine-induced skin inflammation. *The British journal of dermatology* 2002, 147(6):1212-1217
- Lachapelle J-M. Proposed relevance scoring system for positive allergic patch test reactions: practical implications and limitations. *Contact dermatitis* 1997, 36:39-43
- Lawless J. Tea Tree Oil. The new guide to one of nature's most remarkable gifts. Thornsons Publishers London 1994, 44-47, 60-61, 88-89
- Lawless J. Das Tea Tree Oil. The new guide to one of nature's most remarkable gifts. Wilhelm Goldmann Verlag, Muenchen 1996
- Lauten JD, Boyd L, Hanson MB, Lillie D, Gullion C and Madden TE. A Clinical Study: Melaleuca, Manuka, Calendula and Green Tea Mouth Rinse. *Phytother Res* 2005, 19:951-957
- Lis-Balchin M, Hart SL and Deans SG. Pharmacological and Antimicrobial Studies on Different Tea-tree Oils (*Melaleuca alternifolia*, *Leptospermum scoparium* or Manuka and *Kunzea ericoides* or Kanuka), Originating in Australia and New Zealand. *Phytother Res* 2000, 14:623-629
- Lisi P, Meligeni L, Pigatto P, Ayala F, Suppa F, Foti C, et al. [Prevalence of sensitisation to the essential oil of Melaleuca]. *Annali Italiani di Dermatologia Allergologica* 2000, 54:141-144 [Italian]
- Liu X, Zu Y, Fu Y, Yao L, Gu C, Wang W, et al. Antimicrobial activity and cytotoxicity towards cancer cells of Melaleuca alternifolia (tea tree) oil. *Eur Food Res Technol* 2009, 229(2):247-253

- Longbottom CJ, Carson CF, Hammer KA, Mee BJ, Riley TV. Tolerance of *Pseudomonas aeruginosa* to *Melaleuca alternifolia* (tea tree) oil is associated with the outer membrane and energy-dependent cellular processes. *J Antimicrob Chemother* 2004, 54(2):386-392
- MacDonald V. The rationale of treatment. *Australian Journal of Dentistry* 1930, 34:281-285
- Maibach HI. The excited skin syndrome. In: Ring J, Burg G, eds. *New trends in allergy*. Berlin: Springer-Verlag 1981, 208-221
- Markum E, Baillie J. J. Combination of Essential Oil of *Melaleuca alternifolia* and Iodine in the treatment of Molluscum Contagiosum in children. *J Drugs Dermatol* 2012, 11(3):349-354
- Martindale. The extra pharmacopeia. 28th ed. Melaleuca Oil. The Pharmaceopeial Press, London 1982, 678
- Martindale. The extra pharmacopeia. 30th ed. Melaleuca Oil. The Pharmaceutical Press, London 1993, 1385
- MB Research Laboratories. Local lymph node assay in mice (LLNA) - Tea Tree Oil (*Melaleuca alternifolia*). MB Research Laboratories. 1765 Wentz Road, Spinnerstown PA USA, 2007 (unpublished)
- McMahon MA, Blair IS, Moore JE, McDowell DA. Habituation to sub-lethal concentrations of tea tree oil (*Melaleuca alternifolia*) is associated with reduced susceptibility to antibiotics in human pathogens. *J Antimicrob Chemother* 2007, 59(1):125-127
- McMahon MA, Tunney MM, Moore JE, Blair IS, Gilpin DF, McDowell DA. Changes in antibiotic susceptibility in staphylococci habituated to sub-lethal concentrations of tea tree oil (*Melaleuca alternifolia*). *Lett Appl Microbiol* 2008, 47(4):263-268
- Messenger S, Hammer KA, Carson CF, Riley TV. Effectiveness of hand-cleansing formulations containing tea tree oil assessed ex vivo on human skin and in vivo with volunteers using European standard EN 1499. *The Journal of hospital infection* 2005, 59(3):220-228
- Millar BC, Moore JE. Successful topical treatment of hand warts in a paediatric patient with tea tree oil (*Melaleuca alternifolia*). *Complement Ther Clin Pract* 2008, 14(4):225-227
- Mondello F, De Bernardis F, Girolamo A, Salvatore G, Cassone A. In vitro and in vivo activity of tea tree oil against azole-susceptible and -resistant human pathogenic yeasts. *The Journal of antimicrobial chemotherapy* 2003, 51(5):1223-1229
- Mondello F, De Bernardis F, Girolamo A, Cassone A, Salvatore G. In vivo activity of terpinen-4-ol, the main bioactive component of *Melaleuca alternifolia* Cheel (tea tree) oil against azole-susceptible and -resistant human pathogenic *Candida species*. *BMC Infect Dis* 2006 3, 6:158
- Morris M, Donoghue A, Markovitz J, Osterhoudt K. Ingestion of tea tree oil (Melaleuca oil) by 4-year-old boy. *Pediatric Emergency Care* 2003, 19:169-171
- NCCLS. Reference Method for Broth Dilution Antifungal Susceptibility Testing of Yeasts: Approved Standard NCCLS document M-27A: National Committee for Clinical Laboratory Standards (NCCLS), 940 West Valley Road, Wayne, PA, USA, 1997
- Nielsen JB. Literature review on tea tree oil: Toxicity profiles for tea tree oil, constituents of tea tree oil and known oxidation products: A report prepared for the Australian Rural Industries Research Development Corporation (RIRDC) 2005, Report No.: PRJ-002403
- Nielsen JB. What you see may not always be what you get – Bioavailability and extrapolation from in vitro tests. *Toxicology in Vitro* 2008

Norwegian Food Safety Authority (Matthylsynet). RISK PROFILE Tea tree oil – TTO CAS No. 85085-48-9, 68647-73-4, and 022-72-8 Date of reporting 10.08.2012. Available at:

http://www.mattilsynet.no/kosmetikk/stoffer_i_kosmetikk/risk_profile_template_tto.11320/binary/Risk%20Profile%20Template%20TTO

Oliva B, Piccirilli E, Ceddia T, Pontieri E, Aureli P, Ferrini AM. Antimycotic activity of *Melaleuca alternifolia* essential oil and its major components. *Lett Appl Microbiol* 2003, 37(2):185-187

Pearce AL, Finlay-Jones JJ, Hart PH. Reduction of nickel-induced contact hypersensitivity reactions by topical tea tree oil in humans. *Inflamm Res* 2005, 54(1):22-30

Peña EF. *Melaleuca alternifolia* oil—its use for trichomonal vaginitis and other vaginal infections. *Obstetrics and Gynecology* 1962, 19(6):793-795

Penfold AR, Morrison FR. Some notes on the essential oil of *Melaleuca alternifolia*. *Australasian Journal of Pharmacy* 1937, 30:274-275

Penfold AR, Morrison FR. Tea Tree Oils. In: Guenther E, ed. The Essential Oils Florida: Robert E Krieger Publishing Company 1950, IV:526-532

Pereira TS, Rocha de Sant'Anna J, Leite Silva E, Lelis Pinheiro A, Alves de Castro-Prado MA. *In vitro* genotoxicity of *Melaleuca alternifolia* essential oil in human lymphocytes. *Journal of Ethnopharmacology* 2014, 151:852-857

Perrett CM, Evans AV and Russell-Jones R. Tea tree oil dermatitis associated with linear IgA disease. *Clinical and Experimental Dermatology* 2003, 28:167-170

Pharmaceutical Consulting Service. Final report skin sensitization in the Guinea pig of tea tree oil batch 88/375: Pharmaceutical Consulting Service, Box 42, Round Corner, NSW, Australia, 1989

RCC Ltd. Study A69041 Tea tree oil: Local lymph node assay (LLNA) in mice (identification of contact allergens): RCC Ltd, Zelgliweg 1, CH-4452 Itengen, Switzerland, 2006

RCC Ltd. Study A78682 Tea tree oil: Local lymph node assay (LLNA) in mice (identification of contact allergens): RCC Ltd, Zelgliweg 1, CH-4452 Itengen, Switzerland, 2006

RCC Ltd. Study A78816 Tea tree oil: Local lymph node assay (LLNA) in mice (identification of contact allergens): RCC Ltd, Zelgliweg 1, CH-4452 Itengen, Switzerland, 2006

Reichling J, Landvatter U, Wagner H, Kostka KH, Schaefer UF. *In vitro* studies on release and human skin permeation of Australian tea tree oil (TTO) from topical formulations. *Eur J Pharm Biopharm* 2006, 64(2):222-228. 68

RIFM. Report on human maximization studies. Report to Research Institute for Fragrance Materials (RIFM). Unpublished report 1802 from Kligman A.M. 1981. Quoted by ATTIA LTD., Kingscliff, Australia

Roe FJ, Palmer AK, Worden AN, Van Abbe NJ. Safety evaluation of toothpaste containing chloroform. I. Long-term studies in mice. *Journal of environmental pathology and toxicology* 1979, 2(3):799-819

Rubel DM, Freeman S, Southwell IA. Tea tree oil allergy: what is the offending agent? Report of three cases of tea tree oil allergy and review of the literature. *Australas J Dermatol* 1998, 39(4):244-247

Rutherford T, Nixon R, Tam M, Tate B. Allergy to tea tree oil: retrospective review of 41 cases with positive patch tests over 4.5 years. *The Australasian journal of dermatology* 2007, 48(2):83-87

Saller R, Berger T, Reichling J and Harkenthaf M. Pharmaceutical and Medicinal Aspects of Australian Tea Tree Oil. *Phytomedicine* 1998, 5(6): 489-495

- Satchell AC, Saurajen A, Bell C, Barnetson RS. Treatment of interdigital tinea pedis with 25% and 50% tea tree oil solution: a randomized, placebo-controlled, blinded study. *The Australasian journal of dermatology* 2002a, 43(3):175-178
- Satchell AC, Saurajen A, Bell C, Barnetson RS. Treatment of dandruff with 5% tea tree oil shampoo. *Journal of the American Academy of Dermatology* 2002b, 47(6):852-855
- Schilcher H, Leuschner F. [The potential nephrotoxic effects of essential juniper oil]. *Arzneimittel-Forschung* 1997, 47(7):855-858
- Scientific Committee on Consumer Products (SCCP). Opinion on Tea Tree Oil - SCCP/08438/04: European Commission, 7 December 2004
- Scientific Committee on Consumer Products (SCCP). Opinion on Tea Tree Oil - SCCP/1155/08: European Commission, 16 December 2008
- Seawright A. Tea tree oil poisoning - comment. *The Medical journal of Australia* 1993, 159:831
- Selvaag E, Eriksen B, Thune P. Contact allergy due to tea tree oil and cross-sensitization to colophony. *Contact dermatitis*. 1994, 31(2):124-125
- Shemesh A, Mayo WL. Australian tea tree oil: a natural antiseptic and fungicidal agent. *Aust J Pharm* 1991, 72:802-803
- Soukoulis S, Hirsch R. The effects of a tea tree oil-containing gel on plaque and chronic gingivitis. *Australian dental journal* 2004, 49(2):78-83
- Southwell I. p-Cymene and Peroxides, indicators of oxidation in tea tree oil (and Addendum 2007): A report prepared for the Australian Rural Industries Research Development Corporation (RIRDC) RIRDC Publication No 06/112, RIRDC Project No ISO-2A, 2006
- Southwell IA, Freeman S, Rubel D. Skin Irritancy of Tea Tree Oil. *Journal of Essential Oil Research* 1997, 9(1):47-52
- Southwell IA, Russell MF, Davies NW. Detecting traces of methyl eugenol in essential oils: tea tree oil, a case study. *Flavour Fragr J* 2011, 26: 336-340
- Stevenson OE, Finch TM. Allergic contact dermatitis from rectified camphor oil in Earex ear drops. *Contact dermatitis* 2003, 49(1):51
- Syed TA, Qureshi ZA, Ali SM, Ahmad S, Ahmad SA. Treatment of toenail *onychomycosis* with 2% butenafine and 5% *Melaleuca alternifolia* (tea tree) oil in cream. *Trop Med Int Health* 1999, 4(4):284-287
- Thomsen NA, Carson CF, Hammer KA, Riley TV. Antimicrobial susceptibility of Staphylococci after exposure to *Melaleuca alternifolia* (tea tree) oil. Australian Society for Microbiology (ASM) Annual Scientific Meeting & Exhibition. Perth 2009
- Tong MM, Altman PM, Barnetson RS. Tea tree oil in the treatment of tinea pedis. *The Australasian journal of dermatology* 1992, 33(3):145-149
- Treudler R, Richter G, Geier J, Schnuch A, Orfanos CE, Tebbe B. Increase in sensitization to oil of turpentine: recent data from a multicenter study on 45,005 patients from the German-Austrian Information Network of Departments of Dermatology (IVDK). *Contact dermatitis* 2000, 42(2):68-73
- van Vuuren SF, Suliman S, Viljoen AM. The antimicrobial activity of four commercial essential oils in combination with conventional antimicrobials. *Lett Appl Microbiol* 2009, 48(4):440-446

Vazquez JA, Zawawi AA. Efficacy of alcohol-based and alcohol-free *melaleuca* oral solution for the treatment of fluconazole-refractory oropharyngeal candidiasis in patients with AIDS. *HIV Clin Trials* 2002, 3(5):379-385

Veien NK, Rosner K, Skovgaard GL. Is tea tree oil an important contact allergen? *Contact dermatitis* 2004, 50(6):378-379

Villar D, Knight MJ, Hansen SR, Buck WB. Toxicity of *melaleuca* oil and related essential oils applied topically on dogs and cats. *Vet Hum Toxicol* 1994, 36(2):139-142

Walker M. Clinical investigation of Australian *Melaleuca alternifolia* oil for a variety of common foot problems. *Current Podiatry* 1972:7-15

Williamson EM. Tea tree oil. *Potter's Herbal Cyclopaedia* 2003, 427-428

World Health Organization. Aetheroleum *Melaleuca* *Alternifoliae*. WHO Monographs on Selected Medicinal Plants, Volume 2, Geneva 2004. Available at:
<http://apps.who.int/medicinedocs/en/d/Js4927e/17.html>