

31 January 2017  
EMA/HMPC/359237/2016  
Committee on Herbal Medicinal Products (HMPC)

## List of references supporting the assessment of *Olea europaea L., folium*

Final

**The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.**

Agence du Médicament. Les Médicaments à base de plantes. Paris 1998, 51, 56, 58

Al-Azzawie HF, Alhamdani MS. Hypoglycemic and antioxidant effect of oleuropein in alloxan-diabetic rabbits. *Life Sci* 2006. 78:1371-1377

Amabeoku GJ and Bamuamba K. Evaluation of the effects of *Olea europaea L. subsp. africana* (Mill.) P.S. Green (Oleaceae) leaf methanol extract against castor oil-induced diarrhoea in mice. *J Pharm Pharmacol*, 2010. 62(3): 368-373

Amiot MJ, Fleuriet A, Macheix JJ. Accumulation of oleuropein derivatives during olive maturation. *Phytochemistry* 1989. 23:67-69

Amro B, Aburjai T, Al-Khalil S. Antioxidative and radical scavenging effects of olive cake extract. *Fitoterapia* 2002. 73:456-461

Andreadou I, Iliodromitis EK, Mikros E, Constantinou M, Agalias A, Magiatis P, Skaltsounis AL, Kamber E, Tsantili-Kakoulidou A, Kremastinos DT. The olive constituent oleuropein exhibits anti-ischemic, antioxidative and hypolipidemic effects in anesthetized rabbits. *J Nutr* 2006. 136:2213-2219

Andrikopoulos NK, Antonopoulou S, Kaliora AC. Oleuropein inhibits LDL oxidation induced by cooking oil frying by products and platelet aggregation induced by platelet-activating factor. *Lebensm Wiss Technol* 2002. 35:479-484

Anesini C, Perez C. Screening of plants used in Argentinian folk medicine for antimicrobial activity. *J Ethnopharmacol* 1993. 39(2):119-128

Asaka Y, Kamikawa T, Kubota T, Sakamoto T. Structures of seco-iridoids glucosides from *Ligustrum abtusifolium*. *Steb Chem Letter* 1972. 141

Aziz NH, Farag SE, Mousa LA, Abo-Zaid MA. Comparative antibacterial and antifungal effects of some phenolic compounds. *Microbios* 1998. 93:43-54



Babich H, Visioli F. *In vitro* cytotoxicity to human cells in culture of some phenolics from olive oil. *II Farmaco* 2003. 58:403-407

Benavente-García O, Castillo J, Lorente J, Ortúñoz A, Del Rio JA. Antioxidant activity of phenolics extracted from *Olea europaea* L. leaves. *Food Chem* 2000. 68:457-462

Bennani-Kabchi N, Fdh II H, Cherrah Y. Effects of *Olea europaea* var *oleaster* leaves in hypocholesterolemic insulin resistant rats. *Therapie* 1999. 54: 717-723

Bezanguer-Beauquesne L, Pinkas M, Torck M, Trotin F. Plantes Médicinales des régions tempérées. 2<sup>ème</sup> édition Ed. Maloine, Paris 1990, 233-234

Bianco A, Chiacchio M, Grassi G, Iannazzo D, Piperno A, Romeo R. Phenolic components of *Olea europaea*: Isolation of new tyrosol and hydroxytyrosol derivatives. *Food Chem* 2006. 95:562-565

Bisignano G, Tomaino A, Lo Cascio R, Crisafi G, Uccella N, Saija A. On the *in-vitro* antimicrobial activity of oleuropein and hydroxytyrosol. *J Pharm Pharmacol* 1999. 51:971-974

Blaschek W, Ebel S, Hackenthal E, Holzgrabe U, Keller K, Reichling J, Schulz V, editors. *Hagers Handbuch der Drogen und Arzneistoffe. Oleae folium (Olivenblätter)*. 5th ed. Springer Medizin Verlag, Heidelberg 2006

Blumenthal M, Busse WR, Goldberg J *et al.*, eds. *The Complete German Commission E Monographs. Therapeutic Guide to Herbal Medicines*. American Botanical Council, Austin Texas 1998

Boccio P, DiDeo A, De Curtis A, Celli N, Lacoviello L, Rotilio D. Liquid chromatography-tandem mass spectrometry analysis of oleuropein and its metabolite hydroxytyrosol in rat plasma and urine after oral administration. *J Chromatogr B* 2003. 785:47-56

Bouaziz M, Sayadi S. Isolation and evaluation of antioxidants from leaves of a Tunisian cultivar olive tree. *Eur J Lipid Sci Technol* 2005. 107:497-504

Briante R, La Cara F, Tonziello MP, Febbraio F, Nucci R. Antioxidant activity of the main bioactive derivatives from oleuropein hydrolysis by hyperthermophilic- glycosidase. *J Agric Food Chem* 2001. 49(7):3198-3203

Briante R, Patumi M, Terenziani S, Bismuto E, Febbraio F, Nucci R. *Olea europaea* L. leaf extract and derivatives: antioxidant properties. *J Agric Food Chem* 2002. 50:4934-4940

Bruneton J. *Pharmacognosy, Phytochemistry, Medicinal Plants*. 2<sup>nd</sup> ed. Lavoisier Publishing Inc, Paris 1999

Capretti G, Bonaconza E. Effects of infusions or decoctions of olive leaves (*Olea europaea*) on some physical constants of blood and components of metabolism. *Giorn Clin Med* 1949. 30:630-642

Caturla N, Perez-Fons L, Estepa A, Micol V. Differential effects of oleuropein, a biophenol from *Olea europaea*, on anionic and zwitterionic phospholipid model membranes. *Chem Phys Lipids* 2005. 137:2-17

Cherif S, Rahal N, Haquala MA. Clinical trial of a titrated *Olea* extract in the treatment of essential arterial hypertension. *J Pharm Belg* 1996. 51:69-71

Chimi H, Cillard J, Cillard P, Rahmani M. Peroxyl and hydroxyl radical scavenging activity of some natural phenolic antioxidants. *J Am Oil Chem Soc* 1991. 68:307-312

Chimi H, Morel I, Lescoat G, Pasdeloup N, Cillard P, Cillard J. Inhibition of iron toxicity in rat hepatocyte culture by natural phenolic compounds. *Tox In vitro* 1995. 9:765-768

Circosta C, Occhiuto F, Gregorio A, Toigo S, De Pasquale A. Activite cardiovasculaire de jeunes pousses et de feuilles de *Olea europaea* L. Et de l'oleuropeine. *Plantes Med Phytother* 1990. 24(4):264-277

Clewel AE, Béres E , Vértesi A , Glávits R, Hirka G, Endres JR, et al. Comprehensive Toxicological Safety Assessment of an Extract of *Olea europaea* L. Leaves (Bonolive™). *Intern J Toxicol*, 2015. (abstract only)

Cruess WV, Alsberg CL. The bitter glucoside of the olive. *J Amer Chem Soc* 1934. 56:2115-7

de Bock M, Thorstensen EB, Derraik JGB, Henderson HV, Hofman PL, Cutfield WS. Human absorption and metabolism of oleuropein and hydroxytyrosol ingested as olive (*Olea europaea* L.) leaf extract. *Mol Nutr & Food Res*, 2013I 57(11): 2079-2085

de Bock M, Derraik JGB, Brennan CM, Biggs JB, Morgan PE, Hodgkinson SC, et al. Olive (*Olea europaea* L.) Leaf Polyphenols Improve Insulin Sensitivity in Middle-Aged Overweight Men: A Randomized, Placebo-Controlled, Crossover Trial. *PLoS ONE*, 2013ii. 8(3): e57622

De Pasquale R, Monforte MT, Trozzi A, Raccuia A, Tommasini S. Effects of leaves and shoots of *Olea europaea* and oleuropein on experimental hypercholesterolaemia in the rat. *Plant Med Phytother* 1991. 25(2/3):134-140

Diaz AM, Abad MJ, Fernandez L, Recuero C, Villaescusa L, Silvan AM, Bermejo P. In vitro anti-inflammatory activity of iridoids and triterpenoid compounds isolated from *Phillyrea latifolia* L. *Biol & Pharm Bull* 2000. 23:1307-1313

Duarte J, Perez O, Zarzuelo A, Jimenez J, Perez-Vizcaino F, Tamargo J. Effects of oleuropeoside in isolated guinea pig atria. *Planta Medica* 1993. 59(4):318.

Duke JA. Handbook of Medicinal Herbs. CRC Press, Boca Raton 2002, 535-536

Edgecombe SC, Stretch GL, Hayball PJ. Oleuropein, an antioxidant polyphenol from olive oil, is poorly absorbed from isolated perfused rat intestine. *J Nutr* 2000. 130:2996-3002

Eidi A, Eidi M, Darzi R. Antidiabetic effect of *Olea europaea* L. in normal and diabetic rats. *Phytother Res*, 2009. 23(3): 347-350

Eskander EF, Jun HW. Hypoglycaemic and hyperinsulinaemic effects of some Egyptian herbs used for the treatment of Diabetes mellitus (Type II) in rats. *Egypt J Pharm Sci* 1995. 36(1-6):331-342

European Pharmacopoeia 6<sup>th</sup> ed. Olive leaf. 01/2009: 1878

European Pharmacopoeia 6<sup>th</sup> ed Oleae folii extractum siccum 04/2009:2313

Fehri B, Mrad S, Alache JM, Lamaison JL. Effects of *Olea europaea* L. extract on the rats isolated ileum and trachea. *Phytotherapy Res* 1995. 9: 435-439

Fehri B, Alache JM, Mrad S, Korbi S, Lamaison JL. *Olea europaea* L.: stimulant, anti-ulcer and anti-inflammatory effects. *Boll Chim Pharm* 1996. 135(1):42-49

Ferroni F, Maccaglia A, Pietraforte D, Turco L, Minetti M. Phenolic antioxidants and the protection of low density lipoprotein from peroxynitrite-mediated oxidations at physiologic CO<sub>2</sub>. *J Agric Food Chem* 2004. 52:2866-2874

Filip R, Possemiers S, Heyerick A, Pinheiro I, Raszewski G, Davicco MJ, et al. Twelve-month consumption of a polyphenol extract from olive (*Olea europaea*) in a double blind, randomized trial increases serum total osteocalcin levels and improves serum lipid profiles in postmenopausal women with osteopenia. *J Nutr Health Aging*, 2014: 1-10

Fleming HP, Walter WM, Etchells JL. Antimicrobial properties of oleuropein and products of its hydrolysis. *Appl Microbiol* 1973. 26(5):777-782

Fredrickson WR, Inventor; F & S Group, Inc., assignee. Method and composition for antiviral therapy with olive leaves. US patent 6 117 884. September 12, 2000

Furneri PM, Marino A, Saija A, Uccella N, Bisignano G. *In vitro* antimycoplasmal activity of oleuropein. *Int J Antimicrob Agents* 2002. 20:293-296

Gariboldi P, Jommi G, Verotta L. Secoiridoids from *Olea europaea*. *Phytochemistry* 1986. 25(4):865-869

Gonzalez M, Zarzuelo A, Gamez MJ, Utrilla MP, Jimenez J, Osuna I. Hypoglycemic activity of olive leaf. *Planta Medica* 1992. 58:513-515

Hamdi KH, Castellon R. Oleuropein, a non-toxic olive iridoid, is an anti-tumor agent and cytoskeleton disruptor. *Bioc Biophys Res Commun* 2005. 334:769-778.

Han Y et al. Inductive Effects of Olive Leaf and Its Component Oleuropein on the Mouse Liver Glutathione S-Transferases. *Nat Med* 2001. 55(2):83-86

Hansen K, Adsersen A, Christensen SB, Jensen SR, Nyman U, Smitt UV. Isolation of an angiotensin converting enzyme 9ALE) inhibitor from *Olea europaea* and *Olea lancea*. *Phytomedicine* 1996. 2:319-325

Heinze JE, et al. Specificity of the antiviral activity of the antiviral agent calcium elanolate. *Antimicrobial Agents Chemother* 1975. 8(4):421-425

Hirschman SZ. Inactivation of DNA polymerase of murine leukaemia viruses by calcium elanolate. *Nat New Biol* 1972. 238(87):277-279

Holzhauer H, Knobloch H. Extractum foliae Olivae zur Ambulanten Hochdruckbehandlung in Kombination mit Rauwolfiaund Veratrumalkaloiden. *Munch Med Wochenschr* 1950. 98(35):1142-1147

Huang PL, Huang PL, and S. Lee-Huang. Oleuropein and related compounds reduce atherosclerosis. in Open Conf Proc J. 2010

Jemai H, Bouaziz M, Fki I, El Feki A, Sayadi S. Hypolipidimic and antioxidant activities of oleuropein and its hydrolysis derivative-rich extracts from Chemlali olive leaves. *Chemico-Biological Interactions* 2008. 176:88-98

Juven B, Henys Y. Studies on the mechanism of the antimicrobial action of oleuropein. *J Appl Bacteriol* 1972. 35:559-567

Katsiki M, Chondrogianni N, Chinou I, Rivett A J, Gonos ES. The olive constituent oleuropein exhibits proteasome stimulatory properties *in vitro* and confers life span extension of human embryonic fibroblasts. *Rejuvenation Res* 2007. 10:157-172

Khan Y, Panchal S, Vyas N, Butani A, Kumar V. *Olea europaea*: A phyto-pharmacological Review. *Pharmacognosy Reviews* 2007. 1(1):114-118

Khayyal MT, el-Ghazaly MA, Abdallah DM, Nassar NN, Okpanyi SN, Kreuter MH. Blood pressure lowering effect of an olive leaf extract (*Olea europaea*) in L-NAME induced hypertension in rats. *Arzneimittelforschung* 2002. 52:797-802

Kim J, Kwon C, Son K. Inhibition of alpha-glucosidase and amylase by luteolin, a flavonoid. *Biosci Biotechnol Biochem* 2000. 61:347-350

- Komaki E, Yamaguchi S, Maru I, Kinoshita M, Kakehi K, Ohta Y, Tsukada Y. Identification of Anti- $\alpha$  amylase components from olive leaf extracts. *Food Sci Technol Res* 2003. 9(1):35-39
- Koutsoumanis K, Tassou CC, Taoukis PS, Nychas GJ. Modelling the effectiveness of a natural antimicrobial on *Salmonella enteriditidis* as a function of concentration, temperature and pH, using conductance measurements. *J Appl Microbiol* 1998. 84: 981-987
- Kubo I, Matsumoto A. Molluscicides from Olive *Olea europaea* and their efficient isolation by Counter current Chromatographies. *J Agric Food Chem* 1984. 32: 687-688
- Kuwajima H, Uemura T, Takaishi K, Inouet K, Inouye K. A secoiridoid glucoside glucoside from *Olea europaea*. *Phytochemistry* 1985. 27(6):1757-1759
- Lasserre B, Kaiser R, Huu Chanh P. Effects on rats of aqueous extracts of plants used in folk medicine as antihypertensive agents. *Naturwissenschaften* 1983. 70: 95-96
- Lee-Huang S, Zhang L, Huang PL, Chang YT, Huang PL. Anti-HIV activity of olive leaf extract (OLE) and modulation of host cell gene expression by HIV-1 infection and OLE treatment. *Biochem Biophys Res Commun* 2003. 307:1029-1037
- Le Tutour B, Guedon D. Antioxidative activities of *Olea europaea* leaves and related phenolic compounds. *Phytochem* 1992. 31(4):1173-1178
- Lockyer S, Corona J., Yaqoob P, Spencer JPE, Rowland I. Secoiridoids delivered as olive leaf extract induce acute improvements in human vascular function and reduction of an inflammatory cytokine: a randomised, doubleblind, placebo-controlled, cross-over trial. *Brit J Nutr*, 2015. 114(01): 75-83
- Mainoli S. L' azione ipotensiva degli estratti di foglie di ulivo; primi risultati clinici. *Minerva Medica* 1951. 42(24):751-754
- Manceau P, Netien G, Jardon P. Hypoglycaemic action of extracts of olive leaves. *Compt Rend Soc Biol* 1942. 136:810-811.
- Martindale "The Extra Pharmacopoeia" 31<sup>st</sup> ed. RPS, London 1996, 2172
- Micol V, Caturla N, Perez-Fons L, Mas V, Perez L, Estepa A. The olive leaf extract exhibits antiviral activity against viral haemorrhagic septicaemia rhabdovirus (VHSV). *Antiviral Res* 2005. 66:129-136
- Miles EA, Zoubouli P, Calder PC. Differential anti-inflammatory effects of phenolic compounds from extra virgin olive oil identified in human whole blood cultures. *Nutrition* 2005. 21:389-394.
- Mohagheghi F, Bigdeli MR, Rasoulian B, Hashemi P, Pour MR. The neuroprotective effect of olive leaf extract is related to improved blood-brain barrier permeability and brain edema in rat with experimental focal cerebral ischemia. *Phytomedicine* 18(2-3), 2011, 170-175
- Motamedifar M, Nekooelan AA, Mostari A. The effect of Hydroalcoholic Extract of Olive leaves against Herpes Simplex Virus Type 1. *Iran J Med Sci* 2007. 32(4):222-226
- Mussini P, Orsini F, Pelizzoni F. Tritepenes in leaves of *Olea europaea*. *Phytochemistry* 1975. 14:1135
- Occhiuto F, Circosta C, Gregorio A, Busa G. *Olea europaea* L. and oleuropein: Effects on excito-conduction and on monophasic action potential in anaesthetized dogs. *Phytotherapy Research* 1990. 4(4):140-143
- Onderoglu S, Sozer S, Erbil KM, et al. The evaluation of long term effects of cinnamon bark and olive leaf on toxicity induced by streptozotocin administration in rats. *J Pharm Pharmacol* 1999. 51(11):1305-1312

- Owen RW, Giocosa A, Hull WE, Haubner R, Spiegelhalder B, Bartsch. The antioxidant/ anticancer potential of phenolic compounds isolated from olive oil. *Eur J Cancer* 2000. 36:1235-1247
- Panizzi L, Scarpati ML, Oriente G. The constitution of oleuropein, a bitter glucoside of the olive with hypotensive action. *Gazzetta Chimica Italiana* 1960. 90:1449-1485
- Paiva-Martins F, Barbosa S., Silva M., Monteiro D, Pinheiro Vc, Mourão JL, et al. The effect of olive leaf supplementation on the constituents of blood and oxidative stability of red blood cells. *J Funct Foods*, 2014. 9(0): 271-279
- PDR for Herbal Medicines, 4<sup>th</sup> ed. Ed Thomson PDR, 2007, 617-619
- Perez C, Anesini C. *In vitro* antibacterial activity of Argentine folk medicinal plants against *Salmonella typhi*. *J Ethnopharmacol* 1994. 44(1):41-46
- Perrinjaquet-Moccetti T, Busjahn A, Schmidlin C, Schmidt A, Bradl B, Aydogan C. Food supplementation with an olive (*Olea europaea* L.) leaf extract reduces blood pressure in borderline hypertensive monozygotic twins. *Phytother. Res.* 2008, 22: 1239–1242.
- Petkov V, Manolov P. Pharmacological analysis of the iridoid oleuropein. *Arzneimittelforschg* 1972. 22:1476-1486
- Petkov V, Manolov P. Pharmacological studies on substances of plant origin with coronary dilatating and antiarrhythmic action. *Comparative Medicine East and West* 1978. 6:123-130
- Petkov V. Plants with hypotensive, antiatheromatous and coronarodilatating action. *Am J Chinese Med* 1979. 7(3):197-236
- Petroni A, Blasevich M, Salami M, Papini N, Montedoro GF, Galli C. Inhibition of platelet aggregation and eicosanoid production by phenolic components of olive oil. *Thrombosis Res* 1995. 78:151-160
- Pieroni A, Heimler D, Pieters L, van Poel B, Vlietinck AJ. *In vitro* anti-complementary activity of flavonoids from olive (*Olea europaea*) leaves. *Pharmazie* 1996. 51(10):765-768
- Polzonetti V, Egidi D, Vita A, Vincenzetti S, Natalini P. Involvement of oleuropein in (some) digestive metabolic pathways. *Food Chem* 2004. 88:11-15
- Poudyal H, Campbell F, and Brown L. Olive Leaf Extract Attenuates Cardiac, Hepatic, and Metabolic Changes in High Carbohydrate-, High Fat-Fed Rats. *J Nutr*, 2010. 140(5): 946-953
- Puel C, Quintin A, Agalias A, Mathey J, Obled C, Mazur A, et al. Olive oil and its main phenolic micronutrient (oleuropein) prevent inflammation-induced bone loss in the ovariectomised mice. *Br J Nutr* 2004. 92(1):119-127
- Rauwald HW, Brehm O, Odenthal KP. Screening of 9 vasoactive medicinal plants for their possible calcium antagonistic activity. Strategy for the selection and isolation of the active principles of *Olea europaea* and *Peucedanum ostruthium*. *Phytotherapy Res* 1994. 8(3):135-140
- Raynaud J. Prescription et conseil en phytothérapie. Ed. Lavoisier, Londres-Paris-New York 2005
- Renis HE. *In vitro* antiviral activity of calcium elenolate. *Antimicrobial Agents Chemother* 1970. 167-172
- Renis HE. In activation of myxoviruses by calcium elenolate. *Antimicrobial Agents Chemother* 1975. 8(2):194-199

Ribeiro Rde A, de Melo MM, Fiuza, De Barros F, Gomes C, Trolin G. Acute antihypertensive effect in conscious rats produced by some medicinal plants used in the state of São Paulo. *J Ethnopharmacol* 1986. 15:261-269

Ribeiro Rde A, de Barros F, de Melo MM, Muniz C, Chieia S, Wanderley M das G, Gomes C, Trolin G. Acute diuretic effects in conscious rats produced by some medicinal plants used in the state of São Paulo, Brasil *J Ethnopharmacol.* 1988 ;24(1):19-29

Rodriguez MM, Perez J, Ramos-Cormenzana A, Martinez J. *J Appl Bacteriol* 1988. 64:219-225

Ross IA. Medicinal plants of the world (Volume 3) Ed. Humana press, New Jersey 2005, 373-376

Ruiz-Gutierrez V, Juan ME, Cert A, Planas JM. Determination of hydroxytyrosol in plasma by HPLC. *Anal Chem* 2000. 72(18):4458-4461

Saenz MT, Garcia MD, Ahumada MC, Ruiz V. Cytostatic activity of some compounds from the unsaponifiable fraction obtained. *II Farmaco* 1998. 53:110-118

Saija A, Trombetta D, Tomaino A, Lo Cascio R, Princi P, Uccella N, Bonina F, Castelli F. 'In vitro' evaluation of the antioxidant activity and biomembrane interaction of the plant phenols oleuropein and hydroxytyrosol. *Int J Pharm* 1998. 166(2):18, 123-133

Samuelsson G. The blood pressure lowering factor in leaves of *Olea europaea*. *Farmacevtisk Revy* 1951. 15:229-239

Schefflera A, Rauwald HW, Kampab B, Mannb U, Mohra FW, Dheina S. *Olea europaea* leaf extract exerts L-type Ca<sup>2+</sup> channel antagonistic effects. *J Ethnopharmacol* 2008. 120:233-240

Sheabar FZ, Neeman I. Separation and concentration of natural antioxidants from the rape of olives. *J Am Oil Chem Soc* 1988. 65:990-993

Singh I, Mok M, Christensen AM, Turner A, Hawley JA. The effects of polyphenols in olive leaves on platelet function. *Nutr Metabol Cardiovasc Dis* 2008. 18(2):127-132

Soler-Rivas C, Espín JC, Wichers HJ. Oleuropein and related compounds. *J Sci Food Agric* 2000. 80:1013-1023

Somova LI, Shode FO, Ramnanan P, Nadar A. Antihypertensive, antiatherosclerotic and antioxidant activity of triterpenoids isolated from *Olea europaea*, subsp. *africana*, leaves. *J Ethnopharmacol* 2002. 1-7

Somova LI, Shode FO, Ramnanan P, Nadar A. Antihypertensive, antiatherosclerotic and antioxidant activity of triterpenoids isolated from *Olea europea*, subsp. *africana*, leaves. *J Ethnopharmacol* 2003. 84(2-3):299-305

Somova LI, Shode FO, Mipando M. Cardiotonic and antidysrhythmic effects of oleanolic and ursolic acids, methyl maslinate and uvaol. *Phytomedicine* 2004. 11:121-129

Soret MG. Antiviral activity of calcium elanolate on parainfluenza infection of hamsters. *Antimicrobial Agents Chemother* 1969. 9:160-166

Stupans I, Kirlich A, Tuck KL, Hayball PJ. Comparison of radical scavenging effect, inhibition of microsomal oxygen free radical generation, and serum lipoprotein oxidation of several natural antioxidants. *J Agric Food Chem* 2002. 50:2464-2469

Susalit E, Agusb N, Effendia I, Tjandrawinata RR, Nofiarnyc D, Perrinjaquet-Moccettid T, Verbruggend M. Olive (*Olea europaea*) leaf extract effective in patients with stage-1 hypertension: Comparison with Captopril. *Phytomedicine* 2011, 18: 251–258

Tan WK, Tuck KL, Stupans I, Hayball PJ. Simultaneous determination of oleuropein and hydroxytyrosol in rat plasma using liquid chromatography with fluorescence detection. *J Chromatogr B* 2003. 785:187-191

Tassou CC, Nychas GJE, Board RG. Effect of phenolic compounds and oleuropein on the germination of *Bacillus cereus* T spores. *Biotech Appl Biochem* 1991. 13:231-237

Todd RG editor. Extra Pharmacopoeia Martindale Twenty-fifth edition. The Pharmaceutical Press London 1967

Trovato A, Forestieri AM, Iauk L, Barbera R, Monforte MT, Galati EM. Hypoglycaemic activity of different extracts of *Olea europaea* L. in the rat. *Plant Med Phytother* 1993. 26(4):300-308.

Turner R, et al. Antioxidant and anti-atherogenic activities of olive oil phenolics. *Int J Vitam Nutr Res* 2005. 75(1):61-70

Van Hellemont. Compendium de phytothérapie Ed. APB, 1986, 268-270

Veer WLC, et al. A compound isolated from *Olea europaea*. *Recueil* 1957. 76:839-40.

Visioli F, Galli C. Oleuropein protects low density lipoprotein from oxidation. *Life Sciences* 1994. 55(24):1965-1971

Visioli F, Bellomo G, Montedoro GF, Galli C. Low-density lipoprotein oxidation is inhibited in vitro by olive oil constituents. *Atherosclerosis* 1995. 117:25-32

Visioli F, Bellasta S, Galli C. Oleuropein, the bitter principle of olives, enhances nitric oxide production by mouse macrophages. *Life Sciences* 1998i. 62:541-546

Visioli F, Ballomo G, Galli C. Free radical-scavenging properties of olive oil polyphenols. *Biochem Biophys Res Commun* 1998ii. 247:60-64

Visioli F, Galli C, Bornet F, Mattei A, Patelli R, Galli G, et al. Olive oil phenolics are dose-dependently absorbed in humans. *FEBS Lett* 2000. 468(2-3):159-160

Visioli F, Poli A, Galli C. Antioxidant and other biological activities of phenols from olives and olive oil. *Med Res Rev* 2002. 22:65-75

Vogel P, Machado IK, Garavaglia J, Zan VT, de Souza D, Dal Bosco SM. Polyphenols benefits of olive leaf (*Olea europaea* L.) to human health [Beneficios polifenoles hoja de olivo (*Olea europaea* L) para la salud humana] *Nutricion Hospitalaria* 31(3) 2015, 1427-1433 Open Access

Wainstein J, Ganz T, Boaz M, Dayan JB, Dolev E, Kerem Z, et al. Olive Leaf Extract as a Hypoglycemic Agent in Both Human Diabetic Subjects and in Rats. *J Med Food*, 2012. 15(7): 605-610

Wong RH, Garg ML, Wood LG, Howe PR. Antihypertensive Potential of Combined Extracts of Olive Leaf, Green Coffee Bean and Beetroot: A Randomized, Double-Blind, Placebo-Controlled Crossover Trial. *Nutrients*, 2014. 6(11): 4881-4894

Zarzuelo A, Duarte J, Jimenez J, Gonzalez M, Utrilla MP. Vasodilator effect of olive leaf. *Planta Med* 1991. 57:417-419

Zaslaver M, Offer S, Kerem Z et al. Natural compounds derived from foods modulate nitric oxide production and oxidative status in epithelial lung cells. *J Agric Food Chem* 2005. 53:9934-9939.

Zhou SF, Xue CC, Yu XQ, Wang G. Metabolic activation of herbal and dietary constituents and its clinical and toxicological implications: An update. *Current Drug Metabolism* 2007. 8(6):526-553