

25 November 2010  
EMA/HMPC/3205/2009  
Committee on Herbal Medicinal Products (HMPC)

## List of references supporting the assessment of *Quercus robur* L., *Quercus petraea* (Matt.) Liebl., *Quercus pubescens* Willd., cortex

Final

**The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.**

Ahmed AE, Smithard R, Ellis M. Activities of enzymes of the pancreas, and the lumen and mucosa of the small intestine in growing broiler cockerels fed on tannin-containing diets. *Br J Nutr* 1991, 65:189-197.

Ahn BZ, Gstirner F. Über Catechin-Dimere der Eichenrinde. *Arch Pharmaz Ber Dtsch Pharm Ges* 1971, 304:666-673.

Ahn BZ, Gstirner F. Über Catechin-Dimere der Eichenrinde IV. *Arch Pharm (Weinheim)* 1973, 306:353-360.

Akhapkina IG, Zheltikova TM. [Polyclonal antisera to birch pollen allergen for the screening of aeroallergens.] *Zh Mikrobiol Epidemiol Immunobiol* 2004, 1:69-71. [Russian]

Akiyama H, Fujii K, Yamasaki O, Oono T, Iwatsuki K. Antibacterial action of several tannins against *Staphylococcus aureus*. *J Antimicrob Chemother* 2001, 48:487-491.

Allen DE, Hatfield G. Medicinal plants in folk tradition. *Timber Press*, Portland, Cambridge 2004, 87-88, 344-345.

Alkofahi A, Atta AH. Pharmacological screening of the anti-ulcerogenic effects of some Jordanian medicinal plants in rats. *J Ethnopharmacol* 1999, 67:341-345.

Andrensek S, Simonovska B, Vovk I, Fyrquist P, Vuorela H, Vuorela P. Antimicrobial and antioxidative enrichment of oak (*Quercus robur*) bark by rotation planar extraction using ExtraChrom. *Int J Food Microbiol* 2004, 92:181-187.



- Anonymous. Tannic acid and barium enemas. *Br Med J* 1964, 1:997.
- Bacon JR, Rhodes MJ. Binding affinity of hydrolyzable tannins to parotid saliva and to proline-rich proteins derived from it. *J Agric Food Chem* 2000, 48:838-843.
- Balaban M, Uçar G. Estimation of volatile acids in wood and bark. *Holz als Roh- und Werkst* 2003, 61:465-468.
- Bartra J, San Miguel Moncín M, Lombardero M, Alonso B, Parra F, Tella R, Cistero-Bahima A. Rhinconjunctivitis and bronchial asthma due to monosensitization to Quercus pollen. *J Allergy Clin Immunol* 2004, 1113:65.
- Bate-Smith EC. Detection and determination of ellagitannins. *Phytochemistry* 1972, 11:1153-1156.
- Baxter NJ, Lilley TH, Haslam E, Williamson MP. Multiple interactions between polyphenols and a salivary proline-rich protein repeat result in complexation and precipitation. *Biochemistry* 1997, 36:5566-5577.
- Bedi MK, Shenefelt PD. Herbal therapy in dermatology. *Arch Dermatol* 2002, 138:232-242.
- Bennick A. Interaction of plant polyphenols with salivary proteins. *Crit Rev Oral Biol Med* 2002, 13:184-196.
- Berahou A, Auhmanib A, Edil N, Benharref A, Jana M, Gadhi CA. Antibacterial activity of *Quercus ilex* bark's extracts. *J Ethnopharmacol* 2007, 112:426-429.
- Bisset NG, Wichtl M. *Quercus cortex*. Oak bark. In: *Herbal Drugs and Phytopharmaceuticals*. Medpharm GmbH Scientific Publishers, Stuttgart/CRC Press, Boca Raton 1994, 402-403.
- Bohadana AB, Massin N, Wild P, Toamain JP, Engel S, Goutet P. Symptoms, airway responsiveness, and exposure to dust in beech and oak wood workers. *Occup Environ Med* 2000, 57:268-273.
- Boyd EM, Bereczky K, Godi I. The acute toxicity of tannic acid administered intragastrically. *Can Med Assoc J* 1965, 92:1292-1297.
- Bruneton J. *Pharmacognosy, Phytochemistry, Medicinal Plants*. Lavoisier Publishing Inc, Intercept Ltd, London New York 1995.
- Bundesanzeiger (BAZ) No 22. 01.02.1990. *Quercus cortex*. In: *Rośliny Lecznicze w Fitoterapii*. Instytut Roślin i Przetworów Zielarskich, Poznań 1994, 452-453.
- Cai K, Bennick A. Effect of salivary proteins on the transport of tannin and quercetin across intestinal epithelial cells in culture. *Biochem Pharmacol* 2006, 72:974-980.
- Cai K, Hagerman AE, Minto RE, Bennick A. Decreased polyphenol transport across cultured intestinal cells by a salivary proline-rich protein. *Biochem Pharmacol* 2006, 71:1570-1580.
- Carbonaro M, Grant G, Pusztai A. Evaluation of polyphenol bioavailability in rat small intestine. *Eur J Nutr* 2001, 40:84-90.
- Castoldi V, Bighelli A, Rezzi S, Melloni G, Gladiali S, Desjober JM, Casanova J. Composition and chemical variability of the triterpene fraction of dichloromethane extracts of cork (*Quercus suber* L.). *Ind Crops Prod* 2002, 15:15-22.
- Charlton AJ, Baxter NJ, Khan ML, Moir AJ, Haslam E, Davies AP, Williamson MP. Polyphenol/peptide binding and precipitation. *J Vet Rec* 2002, 104:284-285.

Charlton AJ, Baxter NJ, Lilley TH, Haslam E, McDonald CJ, Williamson MP. Tannin interactions with a full-length human salivary proline-rich protein display a stronger affinity than with single proline-rich repeats. *FEBS Lett* 1996, 382:289-292.

Charrier B, Marques M, Haluk JP. HPLC analysis of gallic and ellagic acids in European oakwood (*Quercus robur* L.) and eucalyptus (*Eucalyptus globulus*). *Holzforschung* 1992, 46:87-89.

Chen CL. Constituents of *Quercus alba*. *Phytochemistry* 1970, 9:1149.

Chen CH, Liu TZ, Chen CH, Wong CH, Chen CH, Lu FJ, Chen SC. The efficacy of protective effects of tannic acid, gallic acid, ellagic acid, and propyl gallate against hydrogen peroxide-induced oxidative stress and DNA damages in IMR-90 cells. *Mol Nutr Food Res* 2007, 51:962-968.

Coquet C, Ferré E, Peyronel D, Dal Farra C, Farnet AM. Identification of new molecules extracted from *Quercus suber* L. cork. *C R Biol* 2008, 331:853-858.

Cowan MM. Plant products as antimicrobial agents. *Clin Microbiol Rev* 1999, 12:564-582.

Dar MS, Ikram M. Studies on *Quercus infectoria*; isolation of syringic acid and determination of its central depressive activity. *Planta Med* 1979, 35:156-161.

Dar MS, Ikram M, Fakouhi T. Pharmacology of *Quercus infectoria*. *J Pharm Sci* 1976, 65:1791-1794.

Dawra RK, Makkar HPS, Singh B. Protein-binding capacity of microquantities of tannins. *Anal Bioch* 1988, 170:50-53.

Derakhshanfar A, Pourjafar M, Badiei K, Talebanfard H, Niae-Shakhse M. Histopathological, hematobiological and urinalysis changes in experimental consumption of oak (*Quercus brantii*) in sheep. *J Pharmacol Toxicol* 2008, 3:153-157.

Déprez S, Brezillon C, Rabot S, Philippe C, Mila I, Lapierre C, Scalbert A. Polymeric proanthocyanidins are catabolized by human colonic microflora into low-molecular-weight phenolic acids. *J Nutr* 2000, 130:2733-2738.

Duke JA. CRC Handbook of Medicinal Herbs. CRC Press, Inc. Boca Raton. London, New York, Washington 2002, 533.

Eichenrinde - *Quercus cortex*. [Ph. Eur. 5. Ausgabe, Grundwerk 2005].  
<http://www.pharmakobotanik.de/systematik/6droge-f/quercu-c.htm>

EMEA Committee for Veterinary Medicinal Products. *Quercus cortex*, summary report.  
EMEA/MRL/282/97-Final 1997.

Evans WC. Trease and Evans Pharmacognosy. Sixteenth Edition. Saunders Elsevier, Edinburgh - London 2009.

Feldman KS. Recent progress in ellagitannin chemistry. *Phytochemistry* 2005, 66:1984-2000.

Fickel J, Pitra C, Joest BA, Hofmann RR. A novel method to evaluate the relative tannin-binding capacities of salivary proteins. *Comp Biochem Physiol C Pharmacol Toxicol Endocrinol* 1999, 122:225-229.

Flaoyen A, Handeland K, Arnemo JM, Vikoren T. Toxicity testing of leaves from oak (*Quercus robur*) harvested in Aust-Agder County, Norway. *Veterinary Res Comm* 1999, 23:317-321.

Fölster-Holst R, Latussek E. Synthetic tannins in dermatology-a therapeutic option in a variety of pediatric dermatoses. *Pediatr Dermatol* 2007, 24:296-301.

Garg SK, Makkar HP, Nagal KB, Sharma SK, Wadhwa DR, Singh B. Oak (*Quercus incana*) leaf poisoning in cattle. *Vet Hum Toxicol* 1992, 34:161-164.

Gharzouli K, Khennouf S, Amira S, Gharzouli A. Effects of aqueous extracts from *Quercus ilex* L. root bark, *Punica granatum* L. fruit peel and *Artemisia herba-alba* Asso leaves on ethanol-induced gastric damage in rats. *Phytother Res* 1999, 13:42-45.

Glasl H. Zur Photometrie in der Drogenstandardisierung. *Dtsch Apotheker Ztg* 1983, 123:1979-1987.

Graça J, Santos S. Suberin: a biopolyester of plants' skin. *Macromol Biosci* 2007, 7:128-135.

Grimme H, Augustin M. Phytotherapie bei chronischen Dermatosen und Wunden: Was ist gesichert?

*Forsch Komplement Med/Res Complementary Med* 1999, 6:5-8.

Grundhöfer P, Niemetz R, Schilling G, Gross GG. Biosynthesis and subcellular distribution of hydrolyzable tannins. *Phytochemistry* 2001, 57:915-927.

Güllüce M, Adigüzel A, Öğütçü H, Şengül M, Karaman İ, Şahin F. Antimicrobial effects of *Quercus ilex* L. extract. *Phytother Res* 2004, 18:208-211.

Haddock EA, Gupta RK, Al-Shafi SMK, Layden K, Haslam E, Magnolato D. The Metabolism of gallic acid and hexahydroxydiphenic acid in plants: Biogenetic and molecular taxonomic considerations. *Phytochemistry* 1982, 21:1049-1062.

Hagerman A, Butler LG. The specificity of Proanthocyanidin-Protein Interactions. *J Biol Chem* 1981, 256:4494-4497.

Haslam E. Vegetable tannins – lesson of phytochemical lifetime. *Phytochemistry* 2007, 68:2713-2721.

Haslam E, Cai Y. Plant polyphenols (vegetable tannins): gallic acid metabolism. *Nat Prod Rep* 1994, 11:41-66.

Hathway DE. Oak-bark tannins. *Biochem J* 1958, 70:34-42.

Hathway DE. Experiments on the origin of oak-bark tannin. *Biochem J* 1959, 71:533-537.

Hänsel R, Keller K, Rimpler H, Scheider G, (eds). Hagers Handbuch der. Pharmazeutischen Praxis, Band 4-6. Quercus. Springer, Berlin Heidelberg New York Tokyo 1994, 335-354 (HN: 205 1900)

He Q, Shi B, Yao K. Interactions of galotannins with proteins, amino acids, phospholipids and sugars. *Food Chemistry* 2006, 95:250-254.

Helmerhorst EJ, Oppenheim FG. Saliva: a Dynamic Proteome. *J Dent Res* 2007, 86:680-693.

Henson GL, Niemeyer L, Ansong G, Forkner R, Makkar HP, Hagerman AE. A modified method for determining protein binding capacity of plant polyphenolics using radiolabelled protein. *Phytochem Anal* 2004, 15:159-163.

Hervé du Penhoat CLM, Michon VMF, Peng S, Viriot C, Scalbert A, Gage D. The structural elucidation of new dimeric ellagitannins from *Quercus robur* L., roburin A - E. *J Chem Soc Perkin Trans* 1991a, 1:1653-1660.

Hervé du Penhoat CLM, Michon VMF, Ohassan A, Peng S, Scalbert C, Gage D. Roburin A, A dimeric ellagitannin from heartwood of *Quercus robur*. *Phytochemistry* 1991b, 30:329-332.

Holloway PJ. Some variations in the composition of suberin from the cork layers of higher plants. *Phytochemistry* 1983, 22:495-502.

Hu SJ, Loo A, Wong DT. Human Saliva Proteome Analysis. *Ann NY Acad Sci* 2007, 1098:323-329.

Hwang EI, Ahn BT, Lee HB, Kim YK, Lee KS, Bok SH, Kim YT, Kim SU. Inhibitory activity for chitin synthase II from *Saccharomyces cerevisiae* by tannins and related compounds. *Planta Med* 2001, 67:501-504.

Ikram M, Nowshad F. Constituents of *Quercus infectoria*. *Planta Med* 1977, 31:286-287.

Ishimaru K, Nonaka GI, Nishioka I. Gallic acid esters of proto-quercitol, quinic acid and (-)-shikimic acid from *Quercus mongolica* and *Q. Myrsin aefolia*. *Phytochemistry* 1987, 26:1501-1504.

Jassim SA, Naji MA. Novel antiviral agents: a medicinal plant perspective. *J Appl Microbiol* 2003, 95:412-427.

Jöbstl E, Howse JR, Fairclough JP, Williamson MP. Noncovalent cross-linking of casein by epigallocatechin gallate characterized by single molecule force microscopy. *J Agric Food Chem* 2006, 54:4077-4081.

Kandra L, Gyémánt G, Zajácz A, Batta G. Inhibitory effects of tannin on human salivary alpha-amylase.

*Biochem Biophys Res Commun* 2004, 319:1265-1271.

Khanbabae K, Van Ree T. Tannins: classification and definition. *Nat Prod Rep* 2001, 18:641-649.

Khennouf S, Benabdallah H, Harzouli K, Amira S, Ito H, Kim T, Yoshida T, Gharzouli A. Effect of tannins from *Quercus suber* and *Quercus coccifera* leaves on ethanol induced gastric lesions in mice. *J Agric Food Chem* 2003, 51:1469-1473.

Kim HS, Miller DD. Proline-rich proteins moderate the inhibitory effect of tea on iron absorption in rats. *J Nutr* 2005, 135:532-537.

Klumpers J, Scalbert A, Janin G. Ellagitannins in European oak wood: polymerization during wood ageing. *Phytochemistry* 1994, 36:1249-1252.

Kohlmünzer S. Farmakognozja. Podręcznik dla studentów farmacji. Cortex Quercus. PZWL, Warszawa 2000, 244-245.

Koide T, Nose M, Inoue M, Ogihara Y, Yabu Y, Ohta N. Trypanocidal effects of gallic acid and related compounds. *Planta Med* 1998, 64:27-30.

Kolodziej H, Kayser O, Latte KP, Ferreira D. Evaluation of the antimicrobial potency of tannins and related compounds using the microdilution broth method. *Planta Med* 1999, 65:444-446.

König M, Scholz E, Hartmann R, Lehmann W, Rimpler H. Ellagitannins and complex tannins from *Quercus petraea* bark. *J Nat Prod* 1994, 57:1411-1415.

Kuliev ZA, Vdovin AD, Abdullaev ND, Makhmatkulov AB, Malikov VM. Study of the catechins and proanthocyanidins of *Quercus robur*. *Chem Natl Comp* 1997, 33:642-652.

Labieniec M, Gabryelak T. Effects of tannins on Chinese hamster cell line B14. *Mutation Res* 2003, 539:127-135.

Lawless HT, Corrigan CJ, Lee CB. Interaction of astringent substances. *Chemical Senses* 1994, 19:141-154.

Limsuwan S, Vanmanee S, Voravuthikunchai S. Effect of Thai medicinal plant extracts on cell aggregation of *Escherichia coli* O157: H7. *Songklanakarin J Sci Technol* 2005, 27(2):545-554.

Lu Y, Bennick A. Interaction of tannin with human salivary proline-rich proteins. *Arch Oral Biol* 1998, 43:717-728.

- Luck G, Liao H, Murray NJ, Grimmer HR, Warminski EE, Williamson MP, Lilley TH, Haslam E. Polyphenols, astringency and proline-rich proteins. *Phytochemistry* 1994, 37:357-371.
- Lucke HH, Hodge KE, Patt NL. Fatal liver damage after barium enemas containing tannic acid. *Can Med Assoc J* 1963, 89:1111-1114.
- Madaus G. Lehrbuch der Biologischen Heilmittel. Quercus robur. Stieleiche. Fagaceae. 1938, Available at: <http://www.henriettesherbal.com/eclectic/madaus/quercus.html>
- Madhan B, Subramanian V, Rao JR, Nair BU, Ramasami T. Stabilization of collagen using plant polyphenol: role of catechin. *Int J Biol Macromol* 2005, 37:47-53.
- Martin GR, Wallace JL. Gastrointestinal inflammation: a central component of mucosal defense and repair. *Exp Biol Med (Maywood)* 2006, 231:130-137.
- Martindale. The Complete Drug Reference. The Pharmaceutical Press 2007.
- Matthée G, Wright AD, König GM. HIV reverse transcriptase inhibitors of natural origin. *Planta Med* 1999, 65:493-506.
- Matthews S, Mila I, Scalbert A, Donnelly DMX. Extractable and non-extractable proanthocyanidins in barks. *Phytochemistry* 1997, 45:405-410.
- Mämmelä P, Savolainen H, Lindroos L, Kangas J, Vartiainen F. Analysis of oak tannins by liquid chromatography-electrospray ionisation mass spectrometry. *J Chromatogr A* 2000, 891:75-83.
- Miller LG. Herbal medicinals: Selected clinical considerations focusing on known or potential drug-herb interactions. *Arch Intern Med* 1998, 158:2200.
- Mills S, Bone K. Principles and Practice of Phytotherapy. Modern Herbal Medicine. Tannins. Churchill Livingstone, London 2000, 66.
- Mohan D, Shi J, Nicholas DD, Pittman CU Jr, Steele PH, Cooper JE. Fungicidal values of bio-oils and their lignin-rich fractions obtained from wood/bark fast pyrolysis. *Chemosphere* 2008, 71:456-465.
- Mołochko VA, Laswtochkina TM, Krylov IA, Brangulis KA. [Antistaphylococcal properties of some plant extracts in view of using these extracts in treatment and prevention of skin diseases]. *Vestn Dermatol Venerol* 1990, 8:54-56. [Russian]
- Murray NJ, Williamson MP, Lilley TH, Haslam E. Study of the interaction between salivary proline-rich proteins and a polyphenol by 1H-NMR spectroscopy. *Eur J Biochem* 1994, 219:923-935.
- Niemetz R, Gross GG. Enzymology of gallotannin and ellagitannin biosynthesis. *Phytochemistry* 2005, 66:2001-2011.
- Oak bark. Quercus cortex. *European Pharmacopoeia* 6.0, 01/2008:1887, 2539.
- O'Connell JE, Fox PF. Effects of extracts of oak (*Quercus petrea*) bark, oak leaves, aloe vera (Curacao aloe), coconut shell and wine on the colloidal stability of milk and concentrated milk. *Food Chem* 1999, 66:93-96.
- Okuda T. Systematics and health effects of chemically distinct tannins in medicinal plants. *Phytochemistry* 2005, 66:2012-2031.
- Okuda T, Yoshida T, Hatano T. Classification of oligomeric hydrolysable tannins and specificity of their occurrence in plants. *Phytochemistry* 1993, 32:507-521.

- Okuda T, Yoshida T, Hatano T. Ellagitannins as active constituents of medicinal plants. *Planta Med* 1989, 55:117-122.
- Pallenbach E, Scholz E, König M, Hunkler D, Rimpler H. Proanthocyanidins from *Quercus petrea* bark. *Planta Med* 1991, 57(2):127.
- Pallenbach E, Scholz E, König M, Rimpler H. Proanthocyanidins from *Quercus petrea* bark. *Planta Med* 1993, 59:264-268.
- Pan MH, Lin JH, Lin-Shiau SY, Lin JK. Induction of apoptosis by penta-O-galloyl-beta-D-glucose through activation of caspase-3 in human leukemia HL-60 cells. *Eur J Pharmacol* 1999, 381:171-183.
- Paolini VFH. In vitro effects of three woody plant and sainfoin extracts on 3rd-stage larvae and adult worms of three gastrointestinal nematodes. *Parasitology* 2004, 129:69-77.
- Park MH, Hwang SJ, Ahn CY, Kim BH, Oh HM. Screening of seventeen oak extracts for the growth inhibition of the cyanobacterium *Microcystis aeruginosa* Kütz. em. Elenkin. *Bull Environ Contam Toxicol* 2006, 77:9-14.
- PDR for Herbal Medicines. Oak. Thomson Medical Economics, Montvale 2000, 549-550.
- PDR for Herbal Medicines. Oak. Thomson Medical Economics, Montvale 2004, 597-598.
- Peng S, Scalbert A, Monties B. Insoluble ellagitannins in *Castanea sativa* and *Quercus petraea* woods. *Phytochemistry* 1991, 30:775-778.
- Plumlee KH, Johnson B, Galey FD. Comparison of disease in calves dosed orally with oak or commercial tannic acid. *J Vet Diagn Invest* 1998, 10:263-267.
- Poppenga RH. Herbal medicine: potential for intoxication and interactions with conventional drugs. *Clin Tech Small Anim Pract* 2002, 17:6-18.
- Prinz JF, Lucas PW. Saliva tannin interactions. *J Oral Rehabil* 2000, 27:991-994.
- Quercia (Italian Monograph). *Quercus Cortex. Bundesanzeiger* Nr. 22a (01.02.1990).
- Receptariusz Zielarski. Zjednoczenie Przemyslu Zielarskiego Herbapol. Wydawnictwo Przemyslu Lekkiego i Spozywczego, Warszawa 1967, Recipe Nr 388, 269.
- Reed JD. Nutritional toxicology of tannins and related polyphenols in forage legumes. *J Anim Sci* 1995, 73:1516-1528.
- Roux DG, Evelyn SR. Condensed tannins. I. A study of complex leucoanthocyanins present in condensed tannins. *Biochem J* 1958, 69:530-538.
- Salminen JP, Roslin T, Karonen M, Sinkkonen J, Pihlaja K, Pulkkinen P. Seasonal variation in the content of hydrolysable tannins, flavonoid glycosides and proanthocyanidins in oak leaves. *Journal of Chemical Ecology* 2004, 30:1693-1711.
- Savolainen H. Reactions of tannins with human serum proteoglycans. *J Appl Toxicol* 1997, 17:133-5.
- Scalbert A. Antimicrobial properties of tannins. *Phytochemistry* 1991, 30:3875-3883.
- Scalbert A, Duval L, Peng S, Monies B, Herve du Penhoat CLM. Polyphenols of *Quercus robur* L. II. Preparative isolation by low-pressure and high-pressure liquid chromatography of heartwood ellagitannins. *J Chrom* 1990, 502:107-119.
- Scalbert A, Monties B, Janin G. Tannins in wood: comparison of different estimation methods. *J Agric Food Chem* 1989; 37:1324-1329.

- Scalbert A, Haslam E. Polyphenols and chemical defence of the leaves of *Quercus robur*. *Phytochemistry* 1987, 26:3191-3195.
- Scalbert A, Monties B, Favre JM. Polyphenols of *Quercus-robur* - adult tree and in vitro grown calli and shoots. *Phytochemistry* 1988, 27:3483-3488.
- Schenkels LCPM, Veerman ECI, Nieuw Amerongen AV. Biochemical composition of human saliva in relation to other mucosal fluids. *Crit Rev Oral Biol Med* 1995, 6:161-175.
- Schimpfky, R. Unsere Heilpflanzen in Bild und Wort für Jedermann. Ihr Nutzen und ihre Anwendung in Haus und Familie. Hugo Bermühler Verlag, Berlin-Lichterfelde 1900, Vol.1, 21.
- Schofield P, Mbugua DM, Pell AN. Analysis of condensed tannins: a review. *Anim Feed Sci Technol* 2001, 91:21-40.
- Schulz V, Hänsel R, Tyler VE. Rational Phytotherapy. A Physician's Guide to Herbal Medicine. Springer Verlag, Berlin Heidelberg 1998, 193-194.
- Sehrawat A, Sharma S, Sultana S. Preventive effect of tannic acid on 2-acetylaminofluorene induced antioxidant level, tumor promotion and hepatotoxicity: a chemopreventive study. *Redox Rep* 2006, 11:85-95.
- Shimada T. Salivary proteins as a defense against dietary tannins. *J Chem Ecol* 2006, 32:1149-1163.
- Simon BF, Cadhia E, Conde E, Garcia-Vallejo MC. Evolution of phenolic compounds of spanish oak wood during natural seasoning. *J Agric Food Chem* 1999, 47:1687-1694.
- Skopec MM, Hagerman AE, Karasov WH. Do salivary proline-rich proteins counteract dietary hydrolyzable tannin in laboratory rats? *J Chem Ecol* 2004, 30:1679-1692.
- Smout TC. Oak as a commercial crop in the eighteenth and nineteenth centuries. *Bot J Scot* 2007, 57:107-114.
- Sousa AF, Pinto PC, Silvestre AJ, Pascoal Neto C. Triterpenic and other lipophilic components from industrial cork byproducts. *J Agric Food Chem* 2006, 54:68-88.
- Spencer T. Practical observations on epidemic cholera, spasmodic cholera etc, etc, with a brief outline of its treatment, founded on the pathology of the disease. *Utica Observer*, 1832.
- Spier SJ, Smith BP, Seawright AA, Norman BB, Ostrowski SR, Oliver MN. Oak toxicosis in cattle in northern California: clinical and pathologic findings. *J Am Vet Med Assoc* 1987, 191:958-964.
- Takahashi RN, De Lima TC, Morato GS. Pharmacological actions of tannic acid; II. Evaluation of CNS activity in animals. *Planta Med* 1986, 4:272-275.
- Thompson RS, Jacques D, Haslam E, Tanner RJN. Plant proanthocyanidins. Part I. Introduction; the isolation, structure, and distribution in nature of plant procyanidins. *J Chem Soc, Perkin Trans* 1972, 1:1387-1399.
- Uchida S, Ikari N, Ohta H, Niwa M, Nonaka G, Nishioka I, Ozaki M. Inhibitory effects of condensed tannins on angiotensin converting enzyme. *Jpn J Pharmacol* 1987, 43:242-246.
- Uozaki M, Yamasaki H, Katsuyama Y, Higuchi M, Higuti T, Koyama AH. Antiviral effect of octyl gallate against DNA and RNA viruses. *Antiviral Res* 2007, 73:85-91.
- Van Huynh N. Deproteinization of bacterial genomic and plasmid DNAs by tannic acid. *J Microbiol Meth* 2008, 75:379-381.

Vega D, Martínez C, Palacios B. Anaphylactic reaction to ingestion of *Quercus ilex* acorn nut. *Clin Exp Allergy* 1998, 28:739-742.

Verhaeren EH, Lemli J. The effect of gallotannins and (+)-catechin on the stimulated fluid secretion on the colon, following a rhein perfusion in guinea pigs. *Planta Med* 1986, 52:269-272.

Vivas N, Laguerre M, Glories Y, Bourgeois G, Vitry C. Structure simulation of two ellagitannins from *Quercus robur* L. *Phytochemistry* 1995, 39:1193-1199.

Voravuthikunchai S, Kitpithit L. Antibacterial activity of crude extracts of Thai medicinal plants against clinical isolates of methicillin-resistant *Staphylococcus aureus*. *Songklanakarin J Sci Technol* 2005a, 27(2):525-534.

Voravuthikunchai S, Kitpithit L. Activity of medicinal plant extracts against hospital isolates of methicillin-resistant *Staphylococcus aureus*. *Clin Microbiol Infection* 2005b, 11:510-512.

Voravuthikunchai SP, Limsuwan S, Mitchel H. Effects of *Punica granatum* pericarps and *Quercus infectoria* nutgalls on cell surface hydrophobicity and cell survival of *Helicobacter pylori*. *J Health Sci* 2006, 52:154-159.

Voravuthikunchai S, Lortheeranuwat A, Jeeju W, Sririrak T, Phongpaichit S, Supawita T. Effective medicinal plants against enterohaemorrhagic *Escherichia coli* O157:H7. *J Ethnopharmacol* 2004, 94:49-54.

Vovk I, Simonovska B, Andrensek S, Vuorela H, Vuorela P. Rotation planar extraction and rotation planar chromatography of oak (*Quercus robur* L.) bark. *J Chromatogr A* 2003, 991:267-274.

Wagner H, Wiesenauer M. Phytotherapie. Phytopharmaka und pflanzliche Homöopatika. Fischer, Stuttgart, Jena, New York 1995, 154-155.

Weiss FR, Fintelman V. Herbal Medicine. *Quercus robur* (Qu. Petrea), Oak. Thieme, Stuttgart, New York 2000, 87.

Weissmann G, Kubel H, Lange W. Untersuchungen zur Cancerogenität von Holzstaub. *Holzforschung* 1989, 43:75-82.

Yamasaki H, Uozaki M, Katsuyama Y, Utsunomiya H, Arakawa T, Higuchi M, Higuti T, Koyama AH. Antiviral effect of octyl gallate against influenza and other RNA viruses. *Int J Mol Med* 2007, 19:685-658.

Yoshida T, Hatano T, Okuda T, Memon MU, Shingu T, Inoue K. Spectral and chromatographic analyses of tannins. I: [13]C nuclear magnetic resonance spectra of hydrolyzable tannins. *Chem Pharm Bull* 1984, 32:1790-1799.

Zapatero L, Baeza ML, Sierra Z, Molero MI. Anaphylaxis by fruits of the *Fagaceae* family: acorn and chestnut. *Allergy* 2005, 60:1542.

Zhou ZC, Norpeth KH, Nelson E. Genotoxicity of wood dust in a human embryonic lung cell line. *Arch Toxicol* 1995, 70:57-60.

Zhu M, Phillipson JD, Greengrass PM, Bowery NE, Cai Y. Plant polyphenols: biologically active compounds or non-selective binders to protein? *Phytochemistry* 1997, 44:441-447.