



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

12 November 2013
EMA/HMPC/7702/2013
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Camellia sinensis* (L.) O. Kuntze, non fermentatum folium

Final

The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Powdered Decaffeinated Green Tea Extract, USP35-NF30 through Second Supplement, Dietary Supplements, on line edition

Makei Matcha Tea. Available at: <http://www.obubutea.com/tea-info/how-to-make-matcha-tea>

ACOG Committee Opinion No. 462: Moderate caffeine consumption during pregnancy. *Obstet Gynecol* 2010, 116:467-468

Adhami V.M., Siddiqui I.A., Ahmad N., et al. -Oral Consumption of Green Tea Polyphenols Inhibits Insulin-Like Growth Factor-I -Induced Signaling in an Autochthonous Mouse Model of Prostate Cancer. *Cancer Res* 2004, 64:8715-8722

ANSM, Agence Nationale du médicament et des Produits de Santé, 2003. Communiqué de Presse. Suspension de l'autorisation de mise sur le marché de la spécialité pharmaceutique EXOLISE® (gallate d' épigallocatechol)

Agarwal R., Katiyar S.K., Khan S.G., Mukhtar H. Protection against ultraviolet B radiation-induced effects in the skin of SKH-1 hairless mice by a polyphenolic fraction isolated from green tea. *Photochem Photobiol* 1993, 58(5):695-700 (Abstract)

Arab L., Liu W. and Elashoff D. Green and Black Tea Consumption and Risk of Stroke : A Meta-Analysis. *Stroke* 2009, 40:1786-1792

Arts I., Hollman P., Feskens E., Bueno de Mesquita B.H., Kromhout D. Catechin intake might explain the inverse relation between tea consumption and ischemic heart disease: the Zutphen Elderly Study . *Am J Clin Nutr* 2001, 74:227-232



- Aucamp J., Gaspar A., Haa Y., Apostolides Z. Inhibition of Xantine oxidase by catechins from tea (*Camellia sinensis*). *Anticancer Research* 1997, 17:4381-4386
- Augustyniak A., Waszkiewicz E., Skrzydlewska E. Preventive action of green tea from changes in the liver antioxidant abilities of different aged rats intoxicated with ethanol. *Nutrition* 2005, 21(9): 925-932 (Abstract)
- Auvichayapat P., Prapochanung M., Tunkamnerdthai O., Sripanidkulchai B.O., Auvichayapat N., Thinkhamrop B., Kunhasura S., Wongpratoom S., Sinawat S., Hongprapas P. Effectiveness of green tea on weight reduction in obese Thais: A randomized, controlled trial, *Physiol Behav* 2008, 27; 93(3):486-491 (Abstract)
- Balentine D., Wiseman S., Bouwens L. -The chemistry of tea flavonoids. *Critical Reviews in Food Sci Nutr* 1997, 37(8): 693-704
- Bandyopadhyay D., Chatterjee T.K., Dasgupta A., Lourduraja J., Dastidar S. *In Vitro* and *in Vivo* Antimicrobial Action of Tea: The Commonest Beverage of Asia. *Biol Pharm Bull* 2005, 28(11):2125—2127
- Belza A., Toubro S., Astrup A. The effect of caffeine, green tea and tyrosine on thermogenesis and energy intake. *Eur J Clin Nutr* 2009, 63(1):57-64
- Bérubé-Parent S., Pelletier C., Doré J., Tremblay A. Effects of encapsulated green tea and Guarana extracts containing a mixture of epigallocatechin-3-gallate and caffeine on 24 h energy expenditure and fat oxidation in men. *Br J Nutr* 2005, 94(3):432-436 (Abstract)
- Blumenthal M., Goldberg A., Brinckmann J., editors. Herbal Medicine . Expanded Commission E Monographs. The American Botanical Council, Austin Texas, 2000, 72-74
- Boehm K., Borrelli F., Ernst E., Habacher G., Hung S.K., Milazzo S., Horneber M. Green tea (*Camellia sinensis*) for the prevention of cancer. *Cochrane Database of Systematic Reviews* 2009, Issue 3.
- Bokhtear S.U. Medicinal Plants of Bangladesh, 2011; Available at : <http://www.mpbd.info/plants/camellia-sinensis.php>
- Bonkovsky H.L. Hepatotoxicity associated with supplements containing Chinese green tea (*Camellia sinensis*). *Annals Intern Med* 2006, 144:68-71
- Bose M., Lambert J.D., Ju J., Reuhl K., Shapses S., Yang C. The Major Green Tea Polyphenol, (-)-Epigallocatechin-3-Gallate, Inhibits Obesity, Metabolic Syndrome, and Fatty Liver Disease in High-Fat-Fed Mice. *J Nutr* 2008, 138:1677–1683
- Brent R.L., Christian M.S., Diener M.R. Evaluation of the Reproductive and Developmental Risks of Caffeine Birth Defects *Res B Dev Reprod Toxicol* 2011, 92(2):152–187
- Bun S.S., Bun H., Guédon D., Rosier C., Ollivier E. Effect of green tea extracts on liver functions in Wistar rats. *Food Chem Toxicol* 2006, 44(7):1108-1113
- Burdock G.A., Carabin I.G., Crincoli C.M. Safety assessment of kola nut extract as a food ingredient. *Food Chem Toxicol* 2009, 47:1725-1732
- Chacko S.M., Thambi P.T., Kuttan R., Nishigaki I. Beneficial effects of green tea: A literature review. *Chinese Medicine* 2010, 5:13
- Chan P.C., Ramot Y., Malarkey D.E., Blackshear P., Kissling G.E., Travlos G., Nyska A. Fourteen-Week Toxicity Study of Green Tea Extract in Rats and Mice. *Toxicologic Pathology* 2010, 38:1070-1084

Chang P.Y., Mirsalis J., Riccio E.S., Bakke J.P., Lee P.S., Shimon J., Philips S., Fairchild D., Hara Y., Crowell J.A. Genotoxicity and toxicity of the potential cancerperspective agent polyphenon E. *Environment Mol Mutagen* 2003, 41:43-54

Chen L., Lee M., Li H., Yang C.S. Absorption, distribution and elimination of tea polyphenols in rats- *DMD* 1997, 25(9):1045-1050

Chow S., Cai Y., Alberts D., et al. Phase I Pharmacokinetic Study of Tea Polyphenols following Single-dose Administration of Epigallocatechin Gallate and Polyphenon E. *Cancer Epidemiol Biomarkers Prev* 2001, 10:53-58

Chow H.H., Cai Y., Hakim I.A., Crowell J.A., Shahi F., Brooks C.A., Dorr R.T., Hara Y., Alberts D.S., Pharmacokinetics and safety of green tea polyphenols after multiple-dose administration of epigallocatechin gallate and polyphenon E in healthy individuals. *Clin Cancer Res* 2003, 9(9):3312–3319

Correa A., Stolley A., Liu Y. Prenatal tea consumption and risk of anencephaly and spina bifida. *Ann Epidemiol* 2000, 10:476–477

Culpeper N. Culpeper's Complete Herbal: consisting of a comprehensive description of nearly all herbs. Ed. Foulsham & Co, London, 1880 ,363

Cysneiros R.M., Farkas D., Harmatz J.S., von Moltke L.L., Greenblatt D.J. Pharmacokinetic and pharmacodynamic interactions between zolpidem and caffeine. *Clin Pharmacol Ther* 2007, 82(1):54-62

Dimpfel W., Kler A., Kriesl E., Lehnfeld R., Keplinger-Dimpfel I.K. Source density analysis of the human EEG after ingestion of a drink containing decaffeinated extract of green tea enriched with L-theanine and theogallin. *Nutr Neurosci* 2007, 10(3-4):169-180 (Abstract)

Domatcha. The Way of Matcha. Available at :<http://www.domatcha.com/matcha/>

Duke J.A. *Camellia sinensis* (L.) Kuntze. Handbook of Energy Crops, 1983 Available at (http://www.hort.purdue.edu/newcrop/duke_energy/Camellia_sinensis.html)

Dulloo A., Duret C., Rohrer D., Girardier L., Mensi N., Fathi M., Chantre P., Vandermader J. Efficacy of a green tea extract rich in catechin polyphenols and caffeine in increasing 24-h energy expenditure and fat oxidation in humans. *Am J Clin Nutr* 1999, 70:1040–1045

EFSA-Advice on the EFSA guidance document for the safety assessment of botanicals and botanical preparations intended for use as food supplements, based on real case studies. *EFSA Journal* 2009, 7(9):280, 32-64

Embola C.W., Weisburger J.H., Weisburger M. Urinary excretion of n-OH-2-amino-3-methylimidazo [4,5-f]quinoline-N-glucuronide in F344 rats is enhanced by green tea. *Carcinogenesis* 2001, 22(7):1095-1098

Erba D., Riso P., Bordoni A., Foti P., Biagi P.L., Testolin G. Effectiveness of moderate green tea consumption on antioxidative status and plasma lipid profile in humans. *J Nutr Biochem* 2005, 16(3):144-149

Faqi A.S., Crowell J.A., Polen M., McCormick D.L. Developmental toxicity of polyphenon E in rats. SOT Annual Meeting, 2001, 1050:1220 (Abstract)

FDA (Food and Drug Administration), 2006, NDA 21-902: Veregen TM. Available at: http://www.accessdata.fda.gov/drugsatfda_docs/label/2006/021902lbl.pdf

- Ferrara L., Montesano D., Senatore A. The distribution of minerals and flavonoids in the tea plant (*Camellia sinensis*) *Il Farmaco* 2001, 56:397–401
- Galati G., Lin A., Sultan A.M., O'Brien P.J. Cellular and *in vivo* hepatotoxicity caused by green tea phenolic acids and catechins. *Free Radical Bio Med* 2006, 40:570-580
- Gardner E.J., Ruxton C.H.S., Leeds A.R. Black Tea – helpful or harmful? A review of evidence. *Eur J Clin Nutr* 2007, 61:3–18
- Geleijnse J., Launer L., Hofman A., Pols H., Witteman J. Tea flavonoids may protect against atherosclerosis. *Arch Intern Med* 1999, 159:2170-2174
- Giesbrecht T., Rycroft J.A., Rowson M.J., De Bruin E.A. The combination of L-theanine and caffeine improves cognitive performance and increases subjective alertness. *Nutr Neurosci* 2010, 13 (6):283-290 (Abstract)
- Goodin M., Rosengren R.J. Epigallocatechin gallate modulates CYP450 isoforms in the female Swiss-Webster mouse. *Toxicol Sci* 2003, 76:262-270
- Gruenwald J., Brendler T., Jaenike C. PDR for Herbal Medicines. 2nd ed. Montvale, NJ: Medical Economics Company, Inc, 2004, 408-414
- Guleria R.S., Jain A., Tiwari V., Misra M.K. Protective effect of green tea extract against the erythrocytic oxidative stress injury during *Mycobacterium tuberculosis* infection in mice *Mol Cell Biochem* 2002, 236:173–181
- Gupta S., Hastak K., Ahmad N., Lewin J. S., Mukhtar H. Inhibition of prostate carcinogenesis in TRAMP mice by oral infusion of green tea polyphenols. *PNAS* 2001, 98(18):10350–10355
- Hakim I.A., Harris R.B., Brown S., Chow H.H., Wiseman S., Agarwal S., Talbot W. Effect of increased tea consumption on oxidative DNA damage among smokers: a randomized controlled study. *J Nutr* 2003, 133(10):3303–3309
- Hao X., Bose M., Lambert J.D., Ju J., Lu G., Lee M.-J., Park S., Husain A., Wang S., Sun Y., Yang C.S. Inhibition of intestinal tumorigenesis in *ApcMin/+* Mice by green tea polyphenols (Polyphenon E) and individual catechins, *Nutrit Cancer* 2007, 59(1):62–69.
- Hara Y. Green tea- Health benefits and application, Marcel Dekker Inc, 2001, 18:178
- Health Canada. Health Canada Reminds Canadians to Manage Caffeine Consumption (RA-110004129), 2012. Available at: <http://www.healthycanadians.gc.ca/recall-alert-rappel-avis/hc-sc/2010/13484a-eng.php>
- Henning S., Niu Y., Lee N., Thames G., Minutti R., Wang H., Go V., Heber D. Bioavailability and antioxidant activity of tea flavanols after consumption of green tea, black tea, or a green tea extract supplement. *Am J Clin Nutr* 2004; 80:1558–1564
- Hill A., Coates A., Buckley J., Ross R., Thielecke F., Howe P. Can EGCG Reduce Abdominal Fat in Obese Subjects? *J Am Coll Nutr* 2007, 26(4):396-402
- Hirasawa M., Takada K., Otake S. Inhibition of Acid Production in Dental Plaque Bacteria by Green Tea Catechins. *Caries Res* 2006, 40:265–270
- Hirose, M., Hoshiya, T., Akagi, K., Takahashi, S., Hara, Y., Ito, N. Effects of green tea catechins in a rat multi-organ carcinogenesis model. *Carcinogenesis* 1993, 14(8):1549-1553

Hooper L., Kroon P., Rimm E., Cohn J, Harvey I., Le Cornu K., Ryder J, Hall W., Cassidy A. Flavonoids, flavonoid-rich foods, and cardiovascular risk: a meta-analysis of randomized controlled trials. *Am J Clin Nutr* 2008, 88:38–50

Hsu C.H., Liao Y.L., Lin S.C., Tsai T.H., Huang C.J., Chou P. Does supplementation with green tea extract improve insulin resistance in obese type 2 diabetics? A randomized, double-blind, and placebo-controlled clinical trial. *Altern Med Rev* 2011, 16(2):157-163

Hsu C.H., Tsai T.H., Kao Y.H., Hwang K.C., Tseng T.Y., Chou P. Effect of green tea extract on obese women: a randomized, double-blind, placebo-controlled clinical trial. *Clin Nutr* 2008, 27(3):363-370

<http://kaleidoscope.culturalchina.com/en/131Kaleidoscope5704.html>

Hursel R., Westerterp-Plantenga M. Green tea catechin plus caffeine supplementation to a high-protein diet has no additional effect on body weight maintenance after weight loss. *Am J Clin Nutr* 2009, 89:822–830

Huynh H.T., Teel R.W. Effects of plant-derived phenols on rat liver cytochrome P450 2B1 activity. *Anticancer Res* 2002, 22:1699-1704

IARC- IARC Monographs on the evaluation of carcinogenic risks to humans, coffee, tea, mate, methylxanthines and methylglyoxal. WHO. 1991,51

Isbrucker R.A., Edwards J.A., Wolz E., Davidovich A., Bausch J. Safety studies on epigallocatechin gallate (EGCG) preparations. Part 2: Dermal, acute and short-term toxicity studies. *Food Chem Toxicol*, 2006, 44:636–650

Isbrucker R.A., Edwards J.A., Wolz E., Davidovich A., Bausch J. Safety studies on epigallocatechin gallate (EGCG) preparations. Part 3: Teratogenicity and reproductive toxicity studies in rats. *Food Chem Toxicol*, 2006, 44:651–661

Isbrucker R.A., Bausch J., Edwards J.A., Wolz E. Safety studies on epigallocatechin gallate (EGCG) preparations. Part 1: Genotoxicity. *Food and Chemical Toxicology* 2006, 44: 626–635

Iso H., Date C., Wakai K., Fukui M., Tamakoshi A. The relationship between green tea and total caffeine intake and risk for self-reported type 2 diabetes among Japanese adults. *Ann Intern Med* 2006, 18;144(8):554-562

Ito J., Ichikawa T., Morohoschi Y., Nakamura T. et al. Effects of tea catechins on body fat accumulation in rats fed a normal diet. *Biomedical Research* 2008, 29(1):27-32

Jimenez-Saenz M., Martinez-Sanchez M del C. Green Tea Extracts and Acute Liver Failure: The Need for Caution in Their Use and Diagnostic Assessment. *Liver Transplantation* 2007, 13:1067

Jimenez-Saenz M., Martinez-Sanchez M.C. Acute hepatitis associated with the use of green tea infusions. *J. Hepatology* 2006, 44:616-619

Johnson W.D., McCormick D.L., Morrissey R.L., Crowell J.A. 13 week dietary toxicity study of EGCG in rats. *SOT Annual Meeting* 2001, 324:1538 (Abstract)

Jones C., Woods K., Whittle G., Worthington H., Taylor G. Sugar, drinks, deprivation and dental caries in 14-year-old children in the north west of England in 1995. *Community Dent Hlth* 1999, 16(2):68-71

Ju J., Hong J., Zhou J., et al. Inhibition of Intestinal Tumorigenesis in Apcmin/+ Mice by Epigallocatechin-3-Gallate, the Major Catechin in Green Tea. *Cancer Res* 2005, 65:10623-10631

- Ju J., Lu G., Lambert J. D., Yang C. S. Inhibition of carcinogenesis by tea constituents Seminars in Cancer Biology 2007, 17:395–402
- Kao Y.H., Hiipakka R., Liao S. Modulation of Endocrine Systems and Food Intake by Green Tea Epigallocatechin Gallate. *Endocrinology* 2000, 141(3):980-987
- Kaplan G.B., Greenblatt D.J., Ehrenberg B.L., Goddard J.E., Cotreau M.M., Harmatz J.S., Shader R.I. Dose-dependent pharmacokinetics and psychomotor effects of caffeine in humans. *J Clin Pharmacol* 1997; 37(8):693-703
- Khare C.P. Indian Medicinal Plants, An illustrated Dictionary, Springer-Verlag Heidelberg, 2007:114-115
- Kida K., Suzuki M., Matsumoto N., Nanjo F., Hara Y. Identification of biliary metabolites of (-) epigallocatechin gallate in rats. *J Agric Food Chem*. 2000, 48:4151-4155
- Kim H.J., Jeon S.M., Lee M.K., Ju U., Shin S.K., Choi M.S. Antilipogenic effect of green tea extract in C57BL/6J-Lep ob/ob mice. *Phytother Res* 2009, 23(4):467-471 (Abstract)
- Kim S., Lee M.-J., Hong J., Li C., Smith T., Yang G et al. Plasma and tissue levels of tea catechins in rats and mice during chronic consumption of green tea polyphenols. *Nutr Cancer* 2000, 37(1):41-48
- Kohri T., Matsumoto N., Yamakawa M., Suzuki M., Nanjo F., Hara Y., Oku N. Metabolic fate of (-) [4-³H]epigallocatechingallate in rats after oral administration. *J Agric Food Chem* 2001, 49:4102-4112
- Kuriyama S., Shimazu T., Ohmori K., Kikuchi N., Nakaya N., Nishino Y., Tsubono Y., Tsuji I. Green tea consumption and mortality due to cardiovascular disease, cancer, and all causes in Japan: the Ohsaki study. *JAMA* 2006, 296(10):1255-1265. (Abstract)
- Lambert J.D., Lee Mao-Jung, Lu H., Meng X., Ju J., Seri D.N, Sturgill M.G. and Yang C.S. Epigallocatechin-3-Gallate Is Absorbed but Extensively Glucuronidated Following Oral Administration to Mice. *J Nutr* 2003, 133:4172–4177
- Lee M.J., Wang Z.Y., Li H. Analysis of plasma and urinary tea polyphenols in human subjects. *Cancer Epidemiol Biomarkers Prev* 1995, 4:393-399
- Lee M.J., Maliakal P., Chen L., et al. Pharmacokinetics of Tea Catechins after Ingestion of Green Tea and(-)-Epigallocatechin-3-gallate by Humans: Formation of Different Metabolites and Individual Variability. *Cancer Epidemiol Biomarkers Prev* 2002;11:1025-1032
- Lee J.E., Lee B.J., Chung J.O., Hwang J.A., Lee S.J., Lee C.H., Hong Y.S. Geographical and Climatic Dependencies of Green Tea (*Camellia sinensis*) Metabolites: A H NMR-Based Metabolomics Study, *J Agric Food Chem* 2010; 58(19):10582-10589 (Abstract)
- Leulier M.M, Manceau P. *Precis de Matiere Medicale*, Tome Premier, 5ed, Librairie Maloine 1946, 816-838
- Liang W., Lee A., Binns C., Huang R., Hu D., Zhou Q. Tea Consumption and Ischemic Stroke Risk : A Case-Control Study in Southern China. *Stroke* 2009, 40:2480-2485
- Lin J.K., Chen P.C., Ho C.T., Lin-Shiau S.Y. Inhibition of xanthine oxidase and suppression of intracellular reactive oxygen species in HL-60 cells by theaflavin-3,3'-digallate, (-)-epigallocatechin-3-gallate, and propyl gallate. *J Agric Food Chem* 2000, 48(7):2736-2743 (Abstract)
- Lin Y.L., Lin J.K. (2)-Epigallocatechin-3-gallate Blocks the Induction of Nitric Oxide Synthase by Down-Regulating Lipopolysaccharide- Induced Activity of Transcription Factor Nuclear Factor-κB- *Mol Pharmacol* 1997, 52:465–472

- Liston J. Breastfeeding and the use of recreational drugs--alcohol, caffeine, nicotine and marijuana. *Breastfeed Rev.* 1998, 6(2):27-30
- Long L.H., Clement M.V., Halliwell B. Artifacts in Cell Culture: Rapid Generation of Hydrogen Peroxide on Addition of (2)-Epigallocatechin, (2)-Epigallocatechin Gallate, (1)-Catechin, and Quercetin to Commonly Used Cell Culture Media. *Biochem Biophys Res Commun* 2000, 273:50–53
- Lorist M.M., Tops M. Caffeine, fatigue, and cognition. *Brain Cogn.* 2003; 53(1):82-94
- Lu H., Meng X., Yang C.S. Enzymology of methylation of tea catechins and inhibition of catechol-O-methyl transferase by (-) epigallocatechin gallate. *DMD* 2003, 31:572-579
- Lu Y.P., Lou Y.R., Lin Y., Shih W.J., Huang M.T., Yang C.S., Conney A.H. Inhibitory Effects of Orally Administered Green Tea, Black Tea, and Caffeine on Skin Carcinogenesis in Mice Previously Treated with Ultraviolet B Light (High-Risk Mice): Relationship to Decreased Tissue Fat. *Cancer Research* 2001, 61:5002–5009
- Maki K., Reeves M., Farmer M., Yasunaga K., Matsuo N., Katsuragi Y., Komikado M., Tokimitsu I., Wilder D., Jones F., Blumberg J. Green Tea Catechin Consumption Enhances Exercise-Induced Abdominal Fat Loss in Overweight and Obese Adults. *J Nutr* 2009, 139:264–270
- Maron D., Lu G.P., Cai N.S. et al. Cholesterol-Lowering Effect of a Theaflavin-Enriched Green Tea Extract. A Randomized Controlled Trial. *Arch Intern Med.* 2003, 163:1448-1453
- Martindale, The Complete Drug Reference, 37th ed., Pharmaceutical Press, London & Chicago, 2011, volume A, p. 1229-1232; 2655-2656
- Martinez-Sierra C., Unceta P.R., Herrera L.M. Hepatitis aguda tras ingestion de té verde. *Med. ClinBarcelona* 2006, 127(3):117-119
- McCormick D.L, Johnson W.D, Morrissey R. L., Crowell J.A. Subchronic oral toxicity of epigallocatechingallate in rats and dogs. *The Toxicologist* 1999, 48(1S):57
- Meng X., Sang S., Zhu N., Lu H., Sheng S., Lee M.J., Ho C.T. Identification and characterization of methylated and ring-fission metabolites of tea catechins formed in humans, mice and rats. *Chem. Res Toxicol* 2002, 15:1042-1050
- Michna L., Lu Y.P., Lou Y.R., Wagner G.C., Conney A.H. Stimulatory effect of oral administration of green tea and caffeine on locomotor activity in SKH-1 mice. *Life Sci* 2003, 73(11):1383-1392
- Molinari M., Watt K.D.S., Kruszyna T., Nelson R., Walsh M., Huang W.Y., Nashan B., Pelfekian K. Acute liver failure induced by green tea extracts: case report and review of the literature. *Liver Transplantation* 2006, 12:1892-1895
- Murase T., Haramizu S., Shimotoyodome A., Tokimitsu I. Reduction of diet-induced obesity by a combination of tea-catechin intake and regular swimming. *Int J Obes.* 2006, 30:561–568
- Murase T., Haramizu S., Shimotoyodome A., Nagasawa A., Tokimitsu I. Green tea extract improves endurance capacity and increases muscle lipid oxidation in mice. *Am J Physiol Regul Integr Comp Physiol* 2005, 88:708–715
- Nagao T., Komine Y., Soga S., Meguro S., Hase T., Tanaka Y., Tokimitsu I. Ingestion of a tea rich in catechins leads to a reduction in body fat and malondialdehyde-modified LDL in men. *Am J Clin Nutr* 2005, 81:122–129

- Nakachi K., Matsuyama S., Miyake S., Suganuma M., Imai K. Preventive effects of drinking green tea on cancer and cardiovascular disease: epidemiological evidence for multiple targeting prevention. *Biofactors* 2000, 13(1-4):49-54
- Natsume M., Osakabe N., Oyama M., Sasaki M., Baba S., Nakamura Y., Osawa T., Terao J. Structures of (-) epicatechin glucuronide identified from plasma and urine after oral ingestion of (-) epicatechin: differences between human and rat. *Radl Biol & Med*, 2003, 34(7):840–849
- Navarro-Perán E., Cabezas-Herrera J., García-Cánovas F., et al. The Antifolate Activity of Tea Catechins. *Cancer Res* 2005, 65(6): 2059-2064
- Nawrot P., Jordan S., Eastwood J., Rotstein J., Hugenholtz A., Feeley M. Effects of caffeine on human health *Food Add Contaminants* 2003, 20(1):1–30
- NHS healthcare professionals Q&A 92.3; Is it safe to take herbal medicines during pregnancy? 1st March 2012 Available at: www.ukmi.nhs.uk/activities/medicinesQAs/default.asp
- Okushio K., Suzuki M., Matsumoto N., Nanjo F., Hara Y. Methylation of tea catechins by rat liver homogenates- *Biosci. Biotechnol Biochem* 1999, 63(2):430-432
- Orner G.A., Dashwood W.-M., Blum C.A., Díaz G. D., Li Q., Dashwood R.H. Suppression of tumorigenesis in the *Apcmin* mouse: downregulation of β -catenin signaling by a combination of tea plus sulindac. *Carcinogenesis* 2003, 24:263–267
- Ota N., Soga S., Shimotoyodome A., Haramizu S., Inaba M., Murase T., Tokimitsu I. Effects of combination of regular exercise and tea catechins intake on energy expenditure in humans. *J Health Sci* 2005, 51(2):233-236
- Otake S., Makimura M., Kuroki T., Nishihara Y., Hirasawa M. Anticaries Effects of Polyphenolic Compounds from Japanese Green Tea. *Caries Res* 1991, 25:438-443 (Abstract)
- Park S.K., Jung I.C., Lee W., Lee Y., Park H., Go H., Kim K., Lim N., Hong J., Ly S., Rho S.A. Combination of Green Tea Extract and L-Theanine Improves Memory and Attention in Subjects with Mild Cognitive Impairment: A Double-Blind Placebo-Controlled Study. *J Med Food* 2011, 334–343
- Peters U., Poole C., Arab L. Does Tea Affect Cardiovascular Disease? A Meta-Analysis. *Am J Epidemiol* 2001, 154:495–503
- Peterson J., Dwyer J., Bhagwat S., Haytowitz D., Holden J. Major flavonoids in dry tea. *J Food Comp Anal* 2005, 18:487–501
- Pharmacopée Française, Substances d'origine végétale, The vert.2010, on line edition
- Potenza M.A., Marasciulo F.L., Tarquinio M., Tiravanti E., Colantuono G., Federici A., Kim J., Quon M.J., Montagnani M. EGCG, a green tea polyphenol, improves endothelial function and insulin sensitivity, reduces blood pressure, and protects against myocardial I/R injury in SHR. *Am J Physiol Endocrinol Metab* 2007, 292:1378–1387
- Princen H.M., van Duyvenvoorde W., Buytenhek R., Blonk C., Tijburg L.B., Langius J.A., Meinders A.E., Pijl H. No effect of consumption of green and black tea on plasma lipid and antioxidant levels and on LDL oxidation in smokers. *Arterioscler Thromb Vasc Biol* 1998, 18(5):833-841
- Richard D., Kefi K., Barbe U., Poli A., Bausero P., Visioli F. Weight and plasma lipid control by decaffeinated green tea. *Pharmacol Res* 2009, 59:351–354
- Rogers P., Smith J., Heatherley S., Pleydell-Pearce W. Time for tea: mood, blood pressure and cognitive performance effects of caffeine and theanine administered alone and together. *Psychopharmacol* 2008, 195:569–577

Sakamoto Y., Mikuriya H., Tayama K., Takahashi H., Nagasawa A., Yano N., Yuzawa K., Ogata A., Aoki N. Goitrogenic effects of green tea extract catechins by dietary administration in rats. *Arch Toxicol* 2001, 75:591-596

Samman S., Sandstrom B., Toft M.B., Bukhave K., Jensen M., Sorensen S.S., Hansen M. Green tea or rosemary extract added to foods reduces nonheme-iron absorption. *Am J Clin Nutr* 2001, 73(3):607-612

Sasazuki S., Kodama H., Yoshimasu K., Liu Y., Washio M., Tanaka K., Tokunaga S., Kono S., Arai H., Doi Y., Kawano T., Nakagaki O., Takada K., Koyanagi S., Hiyamuta K., Nii T., Shirai K., Ideishi M., Arakawa K., Mohri M., Takeshita A. Relation between green tea consumption and the severity of coronary atherosclerosis among Japanese men and women. *Ann Epidemiol* 2000, 10(6):401-408 (Abstract)

Schmidt M., Schmitz H.-J., Baumgart A., Guedon D., Netsch M.I., Kreuter M.-H., Schmidlin C.B., Schrenk D. Toxicity of green tea extracts and their constituents in rat hepatocytes in primary culture. *Food Chem Toxicol* 2005, 43:307–314

Sharma V.K., Bhattacharya A., Kumar A. and Sharma HK. Health Benefits of Tea Consumption. *Trop J Pharm Res* 2007, 6(3):785-792

Shiraishi M., Haruna M., Matsuzaki M., Ota E., Murayama R., Murashima S. Association between the serum folate levels and tea consumption during pregnancy *BioScience Trends* 2010, 4(5):225-230

Singal A., Kaur S., Tirkey N., Chopra K. Green Tea Extract and Catechin Ameliorate Chronic Fatigue-Induced Oxidative Stress in Mice. *J Med Food* 2005, 8(1):47-52

Singh E., Sharma S., Dwivedi J., Singh G., Mehra S., Sharma S. Evaluation of Green Tea on Lipid Profile of Hypercholesterolemic Patients: A Case Study. *Pharmacologyonline* 2011, 3:547-555

Stokley's Herbal Medicines Interactions. Tea (*Camellia sinensis*). Pharmaceutical Press, 2009:382-388

Suganuma M., Ohkura Y., Okabe S., Fujiki H. Combination cancer chemoprevention with green tea extract and sulindac shown in intestinal tumor formation in Min mice. *J Cancer Res Clin Oncol* 2001, 127:69-72

Suganuma M., Okabe S., Oniyama M., Tada Y., Ito H., Fujiki H. Wide distribution of H³-(-) epigallocatechingallate, a cancer preventive tea polyphenol, in mouse tissue. *Carcinogenesis* 1998, 19(10):1771-1776

Swezey R.R., Aldridge D.E., LeValley S.E., Crowell J.A., Hara Y., Green C.E. Absorption, tissue distribution and elimination of 4-[(3)h]-epigallocatechin gallate in beagle dogs. *Int J Toxicol* 2003, 22(3):187-193 (Abstract)

Tatti S., Swinehart J., Thielert C., Tawfik H., Mescheder A., Beutner K. Sin catechins, a Defined Green Tea Extract, in the Treatment of External Anogenital Warts. A Randomized Controlled Trial. *Obstet Gynecol* 2008, 111:1371–1379

Thomson Micromedex. Healthcare series. Caffeine. In Drug interaction for the health care professional. Vol. 1. USP DI 27th ed. 2007, 665

Tijburg L.B.M., Wiseman S.A., Meijer G.W., Weststrate J.A. Effects of green tea, black tea and dietary lipophilic antioxidants on LDL oxidizability and atherosclerosis in hypercholesterolaemic rabbits. *Atherosclerosis* 1997, 135:37–47

Tsao R. Chemistry and Biochemistry of dietary Polyphenols. *Nutrients* 2010, 2: 1231-1243

- Tschirch A. Handbuch der pharmakognosie. Ed. Verlag von Chr. Herm. Tauchnitz Leipzig 1923, 367-370
- Tsubono Y., Nishino Y., Komatsu S., Hsieh C.C., Kanemura S., Tsuji I., et al. Green Tea and the Risk of Gastric Cancer in Japan. *New England J Med* 2001, 344(9):632–636
- UK Food Standards Agency. Pregnant women advised to limit caffeine consumption. 3 November 2008. Available at: http://www.food.gov.uk/news/newsarchive/2008/nov/caffeenenov08_on_22/2/12
- Van Amelsvoort J.M.M., Van Het Hof K.H., Mathot J.N., Mulder T.P.J., Wiersma A., Tijburg L.B.M. Plasma concentrations of individual tea catechins after a single oral dose in humans. *Xenobiotica* 2001, 31(12):891-901
- Van het Hof K.H., de Boer H.S., Wiseman S.A., Lien N., Westrate J.A., Tijburg L.B. Consumption of green or black tea does not increase resistance of low-density lipoprotein to oxidation in humans. *Am J Clin Nutr* 1997, 66(5):1125-1132
- Venables M.C., Hulston C., Cox H., Jeukendrup A. Green tea extract ingestion, fat oxidation, and glucose tolerance in healthy humans. *Am J Clin Nutr* 2008, 87:778–784
- Wang Y.Z., Das M., Bickers D.R., Mukhtar H. Interaction of epicatechins derived from green tea with rat hepatic cytochrome P-450. *DMD* 1988, 16:98-103
- Wang Y., Ho C.T. Polyphenolic Chemistry of Tea and Coffe: A Century of Progress. *J Agric Food Chemistry* 2009, 57:8109-8114
- Williamson E.M. Potter's Herbal Cyclopaedia. Saffron Walden, Essex 2003, 426-427
- Winkelmayer W.C., Stampfer M.J., Willett W., Curham G. Habitual caffeine intake and the risk of hypertension in women. *JAMA* 2005, 294(18):2330-2335
- Wolfram S., Raederstorff D., Wang Y., Teixeira S.R., Elste V., Weber P. TEAVIGO (epigallocatechin gallate) supplementation prevents obesity in rodents by reducing adipose tissue mass. *Ann Nutr Metab* 2005 ,49(1):54-63 (Abstract)
- Wolfram S., Raederstorff D., Preller M., Wang Y., Teixeira S. R., Riegger, C. and Weber P. Epigallocatechin gallate supplementation alleviates diabetes in rodents. *J. Nutr* 2006, 136:2512–2518
- Wu L.Y., Juan C.C., Ho L.T., Hsu Y.P., Hwang L.S. Effect of green tea supplementation on insulin sensitivity in Sprague–Dawley rats. *J Agric Food Chem* 2004, 52:643–648
- Xu X., Zhou X.D., Wu C.D. The Tea Catechin Epigallocatechin Gallate Suppresses Cariogenic Virulence Factors of *Streptococcus mutans*. *Antimicrob Agents chemother* 2011, 3:1229–1236
- Yang C.S., Chen L., Lee M.J., et al. Blood and urine levels of tea catechins after ingestion of different amounts of green tea by human volunteers. *Cancer Epidemiol Biomarkers Prev* 1998;7:351-354
- Yang C.S., Maliakal P., Meng X. Inhibition of carcinogenesis by tea. *Annu Rev Pharmacol Toxicol* 2002, 42:25–54
- Yang C.S., Lambert J.D., Ju J., Lu G., Sang S. Tea and cancer prevention: Molecular mechanisms and human relevance. *Toxicol Appl Pharmacol* 2007, 224:265–273
- Yang C.S., Wang X., Lu G., Picinich S. Cancer prevention by tea: animal studies, molecular mechanisms and human relevance. *Nature* 2009, 9: 429-439
- Yang M.H., Wang C.H., Chen H.L. Green, oolong and black tea extracts modulate lipid metabolism in hyperlipidemia rats fed high-sucrose diet. *J Nutr Biochem* 2001, 12:14–20

- Yang Y.C., Lu F., Wu J.S., Wu C., Chang C. The Protective Effect of Habitual Tea Consumption on Hypertension. *Arch Intern Med* 2004,164:1534-1540
- Yin P., Jinying Z., Cheng S., Zhu Q., Liu Z. Experimental studies of the inhibitory effects of green tea catechin on mice large intestinal cancers induced by 1,2-dimethylhydrazine. *Cancer Letters* 1994, 79:33-38
- Yuan G., Gong Z., Zhou X., Zhang P., Sun X. and Li X. Epigallocatechin-3-Gallate Ameliorates Alcohol-Induced Liver Injury in Rats. *Int J Mol Sci* 2006, 7:204-219
- Zhang L., Zheng Y., Moses S.S. Chow, Zuo Z. Investigation of intestinal absorption and disposition of green tea catechins by Caco-2 monolayer model. *Int J Pharm* 2004, 287:1–12
- Zhu B.T., Patel U.K, Cai.X.M. O-methylation of tea polyphenols catalized by human placental cytosolic catechol-O-methyltransferase. *DMD* 2000, 28:1024-1030
- Zhu M., Chen J., Li R.C. Pharmacokinetics and systemn linearity of tea catechins in rat. *Xenobiotica* 2001, 31(1):51-60